

Subclass Results

	f1	recall	precision	score
macro	0.6767597996502508	0.6415760651000666	0.8048993225050745	nan
micro	0.8052346472494543	0.8052346472494543	0.8052346472494543	nan
weighted	0.8033028550545523	0.8052346472494543	0.8097121169817825	nan
score	nan	nan	nan	0.38953070550109153

Class Results

	f1	recall	precision	score
macro	0.6738853756211542	0.6374841090516629	0.8012616637538054	nan
micro	0.8065770383327232	0.8065770383327232	0.8065770383327232	nan
weighted	0.8047995267558583	0.8065770383327232	0.8108350150079654	nan
score	nan	nan	nan	0.3868459233345537

Group Results

	f1	recall	precision	score
macro	0.7069993140987632	0.6662447728663272	0.8157487335675614	nan
micro	0.8157195351801381	0.8157195351801381	0.8157195351801381	nan
weighted	0.8151081671437235	0.8157195351801381	0.8197508109042952	nan
score	nan	nan	nan	0.3685609296397239

Division Results

	f1	recall	precision	score
macro	0.7983129847556426	0.7591410425695875	0.8534529111406957	nan
micro	0.8467369049071852	0.8467369049071852	0.8467369049071852	nan
weighted	0.846302391891467	0.8467369049071852	0.8478071385708688	nan
score	nan	nan	nan	0.30652619018562965