

Subclass Results

	f1	recall	precision	brier score
macro	0.00046450429492140584	0.001937984496124031	0.13615978359248676	nan
micro	0.13615978359248676	0.13615978359248676	0.13615978359248676	nan
weighted	0.0326353510055281	0.13615978359248676	0.13615978359248676	nan
brier score	nan	nan	nan	1.7276804328150266

Class Results

	f1	recall	precision	brier score
macro	0.0005199223778295996	0.0021691973969631237	0.13615978359248676	nan
micro	0.13615978359248676	0.13615978359248676	0.13615978359248676	nan
weighted	0.0326353510055281	0.13615978359248676	0.13615978359248676	nan
brier score	nan	nan	nan	1.7276804328150266

Group Results

	f1	recall	precision	brier score
macro	0.0010070765385690984	0.004201680672268907	0.13615978359248676	nan
micro	0.13615978359248676	0.13615978359248676	0.13615978359248676	nan
weighted	0.0326353510055281	0.13615978359248676	0.13615978359248676	nan
brier score	nan	nan	nan	1.7276804328150266

Division Results

	f1	recall	precision	brier score
macro	0.004229742411662745	0.012345679012345678	0.20671595496933887	nan
micro	0.20671595496933887	0.20671595496933887	0.20671595496933887	nan
weighted	0.07082277459399548	0.20671595496933887	0.20671595496933887	nan
brier score	nan	nan	nan	1.5865680900613222