ICT10013 Distinction Task 1 Submission

Student Name: Mario Stavreski Student ID:

103055993

Copy and paste the HTML here between the dotted lines

This must be editable code (not a screen shot)

```
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <link rel="stylesheet" href="TBS.css">
   <script src="TBS.js"></script>
   <title>CSBS</title>
<body>
   <header>
       <div class="welcome_div sansserif">
           <h1 style="text-align: center">Welcome to the Tour Booking System</h1>
           </div>
   </header>
       <div class="container">
           <form action="#" onsubmit="return false">
            <div class="row">
                <div class="col-25">
                     <label for="name">Name</label>
                 </div>
                <div class="col-75">
                    <input type="text" name="name" id="name" placeholder="Enter Name</pre>
                 </div>
            </div>
             <div class="row">
                <div class="col-25">
                    <label for="tourCode">Tour Code</label>
               </div>
                <div class="col-75">
                   <input type="text" name="tourCode" id="tourCode" placeholder="Tou</pre>
r Code">
               </div>
           </div>
           <div class="row">
```

```
<div class="col-25">
                    <label for="lunchCode">Lunch Code</label>
                </div>
                <div class="col-75">
                   <input type="text" name="lunchCode" id="lunchCode" placeholder="L</pre>
unch Code">
                </div>
            </div>
            <div class="row">
                <div class="col-25">
                    <label for="noOfGuest">Number of Guests</label>
                </div>
                <div class="col-75">
                   <input type="text" name="noOfGuest" id="noOfGuest" min=0 placehol</pre>
der="Number of Guests">
                </div>
            </div>
            <div class="row">
                <div class="col-25">
                    <label for="agentId">Agent ID</label>
                </div>
                <div class="col-75">
                   <input type="text" name="agentId" id="agentId" placeholder="Agent</pre>
 ID">
                </div>
            </div>
            <br>
           <hr>>
            <div class="row">
                <div class="col-25">
                </div>
                <div class="col-75 buttons">
                   <input type="submit" onclick=" displayTourOptions()" value="Tour-</pre>
Option">
                   <input type="submit" onclick="displayLunchOptions()" value="Lunch</pre>
-Option">
                   <input type="submit" onclick="validateAndCal()" value="Submit">
                </div>
            </div>
            <div class="row">
                <div class="col-25">
                  <label for="price">Price</label>
                </div>
                <div class="col-75">
                    </div>
              </div>
              <div class="row">
                <div class="col-25">
```

Copy and paste the CSS code here between the dotted lines

This must be editable code (not a screen shot)

```
.sansserif {
   font-family: Arial, Helvetica, sans-serif;
body{
.welcome_div{
   background-color: rgba(0,26,73,0.8);
  color: #fff;
  margin: 0;
  padding: 1rem 2rem;
   text-align: center;
.footer_div{
  background-color: rgba(0, 0, 0, 0.8);
  color: #fff;
  margin: 0;
  padding: 1rem 2rem;
  text-align: center;
.footer div a{
   text-decoration: none;
   color: antiquewhite;
  box-sizing: border-box;
```

```
input[type=text],input[type=number], select, textarea {
  width: 100%;
   padding: 12px;
  border: 1px solid #ccc;
  border-radius: 4px;
  resize: vertical;
label {
padding: 12px 12px 12px 0;
display: inline-block;
color: darkblue;
input[type=submit]{
background-color: #4CAF50;
color: white;
padding: 12px 20px;
border: none;
border-radius: 4px;
cursor: pointer;
float: inherit;
input[type=submit]:hover {
background-color: #45a049;
.container {
border-radius: 5px;
background-color: #f2f2f2;
padding: 20px;
font-family: Arial, Helvetica, sans-serif;
float: left;
width: 25%;
margin-top: 6px;
.col-75 {
float: left;
width: 75%;
margin-top: 6px;
^{\prime *} Clear floats after the columns ^{*}/
```

```
.row:after {
content: "";
display: table;
clear: both;
^{\prime *} Responsive layout - when the screen is less than 600px wide, make the two columns
@media screen and (max-width: 600px) {
.col-25, .col-75, input[type=submit] {
  width: 100%;
  margin-top: 0;
  margin-top: 2px;
.buttons{
  text-align: center !important;
  display: inline-block !important;
  justify-content: center !important;
.buttons{
text-align: center;
display: flex;
justify-content: space-around;
```

Copy and paste the JavaScript code here between the dotted lines

This must be editable code (not a screen shot)

```
var tourCodes=["H","F","A"];
var tourNames=["Half-day City Sightseeing","Full-
day City Sightseeing","City Sightseeing + Art museum"];
var tourPrices=[80,130,170];
var lunchTypes=["0G","2C","3C","GL"];
var lunchNames=["On-the-Go","2-Course","3-Course","Gourmet"];
var lunchPrices=[10,17,27,32];
function addToOutput(str,num){
    if(num==0){
        document.getElementById("price").innerHTML="The total price of the tour is:
$" + str;


    }
    else if(num==1){
        document.getElementById("data").innerHTML+=str;
    }
    else if(num==2){
        document.getElementById("data").innerHTML+=str;
}
```

```
};
function displayTourOptions(){
    document.getElementById("data").innerHTML="";
    var str="\t----Tour Prices and Options----<br>> ";
    for(var i=0;i<tourCodes.length;i++){</pre>
        str=str+"\t"+tourCodes[i]+"-"+tourNames[i]+" "+tourPrices[i]+"$<br>";
    addToOutput(str,2);
function displayLunchOptions(){
    document.getElementById("data").innerHTML="";
    var str="\t-----Lunch Options-----<br> ";
    for(var i=0;i<lunchTypes.length;i++){</pre>
        str=str+"\t"+lunchTypes[i]+"-"+lunchNames[i]+" "+lunchPrices[i]+"$<br>";
    addToOutput(str,2);
function validateNoOfPeople(str){
    if(isNaN(str)){
        addToOutput("Number of People must be in numeric<br>>",1);
        return false;
    else if(str < 1 | str > 11)
        addToOutput("Number of People must be between 1 and 11<br>>",1);
        return false;
    return true;
function validateName(str){
    if(str.length>25){
        document.getElementById("data").value="";
        addToOutput("Name must be between 1 and 25 characters in length<br>>",1);
        return false;
    return true;
function validateId(id){
    if(isNaN(id)){
        addToOutput("Id must be numeric<br>> ",1);
    if(id.length===5){
        return true;
        addToOutput("Id must be 5 in length<br>>",1)
```


```
return false;
function validateType(arr,str){
   for (var i=0;i<arr.length;i++){</pre>
        if(arr[i]==str)
            return i;
    return -1;
function validateCheck(str){
   var resultA=parseInt(str[0])*parseInt(str[2]);
   var resultB=resultA+ parseInt(str[1])+parseInt(str[3]);
   var check=String(resultB);
    if(parseInt(check[0])+parseInt(check[1])===parseInt(str[4]))
    {
        return true;
    addToOutput("Id has invalid check<br>>",1);
    return false;
function calculateTourCost(index,not){
    return tourPrices[index]*not;
function calculateLunchCost(index,not){
   return lunchPrices[index]*not;
function calculateTotalPayment(ctc,clc){
    return ctc+clc;
function validateAndCal(){
    document.getElementById("data").innerHTML="";
    document.getElementById("price").innerHTML="";
   var name=document.getElementById("name").value;
   var tourCode=document.getElementById("tourCode").value;
   var lunchCode=document.getElementById("lunchCode").value;
   var noOfPeople=document.getElementById("noOfGuest").value;
   var id=document.getElementById("agentId").value;
   var str="";
   validateName(name);
   var tourIndex=validateType(tourCodes,tourCode.toUpperCase());
    var lunchIndex=validateType(lunchTypes,lunchCode.toUpperCase());
    if(tourIndex==-1){
        addToOutput("Invalid tour code<br>>",1);
    if(lunchIndex==-1){
        addToOutput("Invalid Lunch Code<br>>",1);
    validateCheck(id);
```

```
if(validateId(id)===true){
        if(validateNoOfPeople(noOfPeople)==false){
        else{
            var ctc;
            var clc;
            if(tourIndex==-1){
            else{
                ctc= calculateTourCost(tourIndex,noOfPeople);
            if(lunchIndex==-1){
            }else{
                clc= calculateLunchCost(lunchIndex,noOfPeople);
            if(lunchIndex==-1 || tourIndex==-1){
            }else{
                var tc=calculateTotalPayment(parseInt(ctc),parseInt(clc));
            addToOutput(tc,0);
    }
window.onload=function(e){
   console.log(this.calculateTourCost(0,2));
```

Copy and paste all screen captures of testing your program here between the dotted lines



Copyright © 2020 All Rights Reserved by Mario Stavreski.



Welcome to the Tour Booking System						
Name	Mario					
Tour Code	h					
Lunch Code	og					
Number of Guests	0					
Agent ID	23457					
Price	Tour-Option Lunch-Option Submit					
Show Data	Number of People must be between 1 and 11					
Copyright © 2020 All Rights Reserved by Mario Stavreski.						
Welcome to the Tour Booking System						
Name	Mario					
Tour Code	h					
Lunch Code	og					
Number of Guests	12					
Agent ID	23457					
Price	Tour-Option Lunch-Option Submit					
Show Data	Number of People must be between 1 and 11					
	Copyright © 2020 All Rights Reserved by Mario Stavreski.					

Once this document is complete:

- Convert this file into a .PDF named **DTASK1.pdf**
- This file must then be uploaded via Doubtfire as task **7.3D submission**.

7. Marking Guide

Start with 20 marks then:

Apply penalties if necessary based on:

	Correctness	Perfect	Minor	Major
Requirement			Problem	Problems
HTML & meta tags		No Penalty	-1	-2
CSS code and appearance		No Penalty	-1	-2

<u>Programming Concepts</u> <u>Distinction Task 1</u>

Coding and use of addToOutput()	No Penalty	-1	-2
Coding and use of displayTourOptions ()	No Penalty	-1	-2
Coding and use of displayLunchOptions ()	No Penalty	-1	-2
Coding and use of validateAndCalc()	No Penalty	-1	-2
Coding and use of validateName()	No Penalty	-1	-2
Coding and use of validateId()	No Penalty	-1	-2
Coding and use of validateCheckDigit()	No Penalty	-1	-2
Coding and use of validateType ()	No Penalty	-1	-2
Coding and use of validateNumberOfPeople()	No Penalty	-1	-2
Coding and use of calculateTourCost()	No Penalty	-1	-2
Coding and use of calculateLunchCost()	No Penalty	-1	-2
Coding and use of calculateTotalPayment ()	No Penalty	-1	-2
Use of test data	No Penalty	-1	-2
Other penalty for unforeseen problems		-1	-2

Any score below 14 is considered a fail.

A Satisfactory score is 14-18.

An Excellent score is 19-20 with no Major problems.

Only ONE resubmission is allowed.