Diagram:	Information Model-0
Author:	stb
Created on:	2020-02-09 20:01:41 UTC
Modified on:	2021-03-30 10:01:47 UTC
Modified by:	stb
Design:	ModellModell_neu
Model:	Logical

© by foryouandyourcustomers Baar, 2020

Data layer

Performance layer

Organization Layer

*Channelsv1

Attribute- and relationship syntax extension:

Attributes can have postfixes in their name:
[L] Language-dependant.
[N] Multivalued
[T] Temporal (historicised)
(can appear in any combination)
These attributes violate strict 1 NF and have to be resolved in the data model with detail tables. (with language, period or sequence-nr)

Relationships with [T] are temporal and have to be resolved in the data model with an period-dependent intersection entity.

Relation
U * Name
o Association from - to [L]
* is mandatory relationship (from-to)
* Cardinality (from-to)
* is historicized (from-to)
o Association to -of [L]
* is mandatory relationship (to-from)
* Cardinality (to-from)
* is historicized (to-from)

1to1 relationship

many2many Relationship

Functional relationship

*IsA Subtype Relationship

IsA Role Relationship

is

serves as

Entity
U * Entity name [L]
o Synonym [LN]
o Description [L]
o Short name [L]
o Prefix name
o Tooltip [L]
o expected number of tuples

linked by (from)

linked (from)

linked by (to)

linked (to)

limited by

restricted by

restricts

limited by

Exclusive relationship
U * No

restricts

limited by

Contact Person

is working for

Organizational unit
U * Name
o email
o Telephone no
o Address

employs

Division

covers

covered by

Business division
* Name
o Description of the
* Displayname [L]
o Purpose

responsible for

answered for by

exchanged at

exchanges

Touchpoint

carries out

executed by

Capability

controls

controlled by

Business condition

achieved with

leads to

Business transaction

used in

uses

is

Information item

utilised via

concerns

Information usage
* Read (Y/N)
* Create (Y/N)
* Delete (Y/N)
* Change (Y/N)

*tested with

described by

describes

applied to

Attribute
U * *Attribute name
o Display name [L]
o Display sequence
o Description [L]
o Tooltip [L]
* is a mandatory attribute
* is descriptor field
* is repeat attribute
* is language-dependent
* is historicized
* is encrypted

serves as

restricted by

restricts

Business rule
U * Name
o Description [L]
* Rule
o Rule effect
* Rule Type
o Error message [L]

restricts

restricted by

Allowed value
* Value
* Display text [L]
o Sort order
o Description [L]

internal allowed value

restricts

limits

Key
U * No

includes

includes

Physical unit
U o SI unit
U * Name [L]
o Description [L]

defined

measured in

restricts

Domain
U * Name [L]
o Description [L]

Text value range
* Max length
o Value rule

Numeric value range
* Total Digits Cnt
* Decimal places#
o Min value
o Max value
o Rounding unit

Value list

Time Value range
o Min Time
o Max Time
* Granularity

Value range group

Binary value range
* Content type

restricted by

includes

contributes to

managed as

applied to

Storage format
U * Name
o Description of the