

Задание:

Описание задачи:

1. Просканируйте все найденные поддомены и выявите открытые порты TCP 80 и 443.
2. Определите версии сервисов, работающих на этих портах.
3. Представьте результаты сканирования в формате gntar.
4. Проведите анализ ПО веб-серверов на примере 15 любых хостов.

В результате выполнения задания соберите текстовый отчет с развернутым описанием процесса сканирования и приложите ссылки на все необходимые файлы.

Для простоты будем использовать следующий урезанный список поддоменов, найденный на предыдущем шаге (в противном случае, сканирование затягивается очень надолго):

3d.wb.ru  
a.wb.ru  
ad.wb.ru  
adp.wb.ru  
alias.wb.ru  
analytics.wb.ru  
antifraud.wb.ru  
api.wb.ru  
assets.wb.ru  
auth.wb.ru  
bank.wb.ru  
basket.wb.ru  
bb.wb.ru  
bitrix24.wb.ru  
bnpl.wb.ru  
cart.wb.ru  
catalog.wb.ru  
ccvpn.wb.ru  
cdn-static.wb.ru  
cdn.wb.ru  
ci-cd.wb.ru  
cisco.dl.wb.ru  
cisco.dp.wb.ru  
core-dwh.wb.ru  
dev.wb.ru  
development.wb.ru  
dl.wb.ru  
dll.wb.ru  
dm.wb.ru  
dnd.wb.ru  
dp.wb.ru  
dpl.wb.ru  
drive.wb.ru

el.wb.ru  
en.wb.ru  
finance.wb.ru  
forms.wb.ru  
freeradius.wb.ru  
ftp.wb.ru  
fw.wb.ru  
gateway.wb.ru  
ge.wb.ru  
global.wb.ru  
go.wb.ru  
graphql.wb.ru  
id.wb.ru  
ikev2-stgswan.dl.wb.ru  
img-01.wb.ru  
insole.wb.ru  
ip.wb.ru  
jitsi.wb.ru  
kafka.internal.wb.ru  
kol.wb.ru  
logs.wb.ru  
lms.wb.ru  
m9.wb.ru  
mail.wb.ru  
map.wb.ru  
mattermost-auth.wb.ru  
meet.wb.ru  
meta.wb.ru  
mta-sts.dnd.wb.ru  
mx1.wb.ru  
nb.wb.ru  
nosoc.wb.ru  
npd.wb.ru  
ns1.wb.ru  
ns2.wb.ru  
nstr.wb.ru  
openapi.wb.ru  
openid.wb.ru  
partners.wb.ru  
pgw.wb.ru  
point.wb.ru  
portal.wb.ru  
pro.wb.ru  
redis.cluster.wb.ru  
reports.wb.ru  
sc.wb.ru  
scs.wb.ru  
seller.wb.ru

service.wb.ru  
sp.wb.ru  
sre.wb.ru  
ssl.wb.ru  
staging.wb.ru  
static.wb.ru  
stream.wb.ru  
team.wb.ru  
test-api.wb.ru  
test-bbb.wb.ru  
tickets.wb.ru  
tp.wb.ru  
tp-cloud.wb.ru  
track.wb.ru  
tracker.wb.ru  
travel.wb.ru  
user-balance-dev.wb.ru  
user-balance.wb.ru  
vpn-test.wb.ru  
vpn.wb.ru  
wb.ru  
wbjobs-employee-status.wb.ru  
whs.wb.ru  
wildmetrics.wb.ru  
wbx.wb.ru  
www.wb.ru

#### Инструменты:

- **nmap** – основной инструмент для сетевого сканирования, определения открытых портов и попыток выяснения версий сервисов.

#### Использование:

```
nmap -p 80,443 -sV --version-intensity 5 -A -iL wb_targets -oN  
wb_result_scan.txt -oG wb_result_scan.gnmap
```

#### Описание опций:

- **-p** Сканирование только заданных портов.
- **-sV** Определение информации о службе/версии.
- **--version-intensity** Интенсивность проверки версии.
- **-A** Включение определения ОС, версии, сканирования с помощью скриптов и трассировки маршрута.
- **-iL** Чтение входных данных из файла, содержащего список хостов/сетей.
- **-oN** Сохранение результатов сканирования в текстовом формате в файле
- **-oG** Сохранение результатов сканирования в формате gnmap в файле

Как итог запуска - я получаю следующие результаты сканирования по списку поддоменов:

```
# Nmap 7.94SVN scan initiated Thu Dec 18 21:46:20 2025 as: nmap -p 80,443 -sV --version-intensity 5 -A -iL wb_targets -oN wb_result_scan.txt -oG wb_result_scan.gnmap
```

```
Failed to resolve "3d.wb.ru".
Failed to resolve "ad.wb.ru".
Failed to resolve "adp.wb.ru".
Failed to resolve "alias.wb.ru".
Failed to resolve "analytics.wb.ru".
Failed to resolve "antifraud.wb.ru".
Failed to resolve "api.wb.ru".
Failed to resolve "assets.wb.ru".
Failed to resolve "basket.wb.ru".
Failed to resolve "bitrix24.wb.ru".
Failed to resolve "bnpl.wb.ru".
Failed to resolve "cart.wb.ru".
Failed to resolve "cdn-static.wb.ru".
Failed to resolve "cdn.wb.ru".
Failed to resolve "ci-cd.wb.ru".
Failed to resolve "cisco.dl.wb.ru".
Failed to resolve "cisco.dp.wb.ru".
Failed to resolve "core-dwh.wb.ru".
Failed to resolve "dev.wb.ru".
Failed to resolve "dl.wb.ru".
Failed to resolve "dll.wb.ru".
Failed to resolve "dm.wb.ru".
Failed to resolve "dp.wb.ru".
Failed to resolve "dpl.wb.ru".
Failed to resolve "el.wb.ru".
Failed to resolve "freeradius.wb.ru".
Failed to resolve "ftp.wb.ru".
Failed to resolve "gateway.wb.ru".
Failed to resolve "ge.wb.ru".
Failed to resolve "graphql.wb.ru".
Failed to resolve "ikev2-stgswan.dl.wb.ru".
Failed to resolve "img-01.wb.ru".
Failed to resolve "kafka.internal.wb.ru".
Failed to resolve "kol.wb.ru".
Failed to resolve "logs.wb.ru".
Failed to resolve "m9.wb.ru".
Failed to resolve "mail.wb.ru".
Failed to resolve "mattermost-auth.wb.ru".
Failed to resolve "mx1.wb.ru".
Failed to resolve "nb.wb.ru".
Failed to resolve "nosoc.wb.ru".
Failed to resolve "npd.wb.ru".
Failed to resolve "ns1.wb.ru".
Failed to resolve "ns2.wb.ru".
Failed to resolve "nstr.wb.ru".
Failed to resolve "openapi.wb.ru".
Failed to resolve "pgw.wb.ru".
Failed to resolve "portal.wb.ru".
Failed to resolve "redis.cluster.wb.ru".
Failed to resolve "sc.wb.ru".
Failed to resolve "scs.wb.ru".
Failed to resolve "sre.wb.ru".
Failed to resolve "staging.wb.ru".
Failed to resolve "static.wb.ru".
```

Failed to resolve "test-api.wb.ru".  
Failed to resolve "test-bbb.wb.ru".  
Failed to resolve "tp.wb.ru".  
Failed to resolve "tp-cloud.wb.ru".  
Failed to resolve "tracker.wb.ru".  
Failed to resolve "user-balance-dev.wb.ru".  
Failed to resolve "user-balance.wb.ru".  
Failed to resolve "whs.wb.ru".  
Failed to resolve "wbx.wb.ru".  
Nmap scan report for a.wb.ru (85.198.77.99)  
Host is up (0.020s latency).  
Other addresses for a.wb.ru (not scanned): 85.198.79.99 85.198.76.99 85.198.78.11

PORT STATE SERVICE VERSION

80/tcp open http?

|\_http-title: Did not follow redirect to https://a.wb.ru/

| fingerprint-strings:

| FourOhFourRequest:

| HTTP/1.1 301 Moved Permanently  
| Date: Thu, 18 Dec 2025 16:47:25 GMT  
| Content-Type: text/html  
| Content-Length: 216  
| Connection: close  
| Location: https://\_nice%20ports%2C/Tri%6Eity.txt%2ebak  
| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">  
| <html>  
| <head><title>301 Moved Permanently</title></head>  
| <body>  
| <center><h1>301 Moved Permanently</h1></center>  
| <hr><center>tengine</center>  
| </body>  
| </html>

| GetRequest, HTTPOptions:

| HTTP/1.1 301 Moved Permanently  
| Date: Thu, 18 Dec 2025 16:47:25 GMT  
| Content-Type: text/html  
| Content-Length: 216  
| Connection: close  
| Location: https://\_  
| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">  
| <html>  
| <head><title>301 Moved Permanently</title></head>  
| <body>  
| <center><h1>301 Moved Permanently</h1></center>  
| <hr><center>tengine</center>  
| </body>  
| </html>

| RTSPRequest, X11Probe:

| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:47:25 GMT  
| Content-Type: text/html  
| Content-Length: 204  
| Connection: close  
| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>

```

| <hr><center>tengine</center>
| </body>
|_ </html>
443/tcp open  ssl/https?
|tls-alpn:
| http/1.1
| http/1.0
|_ http/0.9
|_http-title: 400 Bad Request
|_ssl-date: TLS randomness does not represent time
|ssl-cert: Subject: commonName=*.wb.ru
|Subject Alternative Name: DNS:*.wb.ru, DNS:wb.ru
|Not valid before: 2025-07-07T13:20:16
|_Not valid after: 2026-08-08T13:20:15
|fingerprint-strings:
| FourOhFourRequest, GetRequest, HTTPOptions:
| HTTP/1.1 421 Misdirected Request
| Date: Thu, 18 Dec 2025 16:47:31 GMT
| Content-Type: text/html
| Content-Length: 220
| Connection: close
| Strict-Transport-Security: max-age=31536000; preload;
| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
| <html>
| <head><title>421 Misdirected Request</title></head>
| <body>
| <center><h1>421 Misdirected Request</h1></center>
| <hr><center>tengine</center>
| </body>
| </html>
| tor-versions:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:31 GMT
| Content-Type: text/html
| Content-Length: 204
| Connection: close
| Strict-Transport-Security: max-age=31536000; preload;
| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>tengine</center>
| </body>
|_ </html>

```

2 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

```

=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=6944301D%P=x86_64-pc-linux-gnu%(
SF:GetRequest,176,"HTTP/1.1x20301x20Movedx20Permanently\r\nDate:\x20Th
SF:u,\x2018\x20Dec\x202025\x2016:47:25\x20GMT\r\nContent-Type:\x20text/htm
SF:\r\nContent-Length:\x20216\r\nConnection:\x20close\r\nLocation:\x20htt
SF:ps://_\r\n\r\n<!DOCTYPE\x20HTML\x20PUBLIC\x20"-//IETF//DTD\x20HTML\x2
SF:02\0//EN"\r\n\r\n<html>\r\n<head><title>301x20Movedx20Permanently</tit
SF:le></head>\r\n<body>\r\n<center><h1>301x20Movedx20Permanently</h1></c
SF:enter>\r\n<hr><center>tengine</center>\r\n</body>\r\n</html>\r\n")%r(HT
SF:TPOptions,176,"HTTP/1.1x20301x20Movedx20Permanently\r\nDate:\x20Thu
SF:,\x2018\x20Dec\x202025\x2016:47:25\x20GMT\r\nContent-Type:\x20text/html

```

SF:\r\nContent-Length:\x20216\r\nConnection:\x20close\r\nLocation:\x20http  
SF:s://\_/\r\n\r\n<!DOCTYPE\x20HTML\x20PUBLIC\x20"-//IETF//DTD\x20HTML\x20  
SF:2.0//EN">\r\n<html>\r\n<head><title>301\x20Moved\x20Permanently</titl  
SF:e></head>\r\n<body>\r\n<center><h1>301\x20Moved\x20Permanently</h1></ce  
SF:nter>\r\n<hr><center>tengine</center>\r\n</body>\r\n</html>\r\n")%r(RTS  
SF:PRRequest,14E,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018  
SF:\x20Dec\x202025\x2016:47:25\x20GMT\r\nContent-Type:\x20text/html\r\nCon  
SF:tent-Length:\x20204\r\nConnection:\x20close\r\n\r\n<!DOCTYPE\x20HTML\x2  
SF:0PUBLIC\x20"-//IETF//DTD\x20HTML\x202.0//EN">\r\n<html>\r\n<head><ti  
SF:tle>400\x20Bad\x20Request</title></head>\r\n<body>\r\n<center><h1>400\x  
SF:20Bad\x20Request</h1></center>\r\n<hr><center>tengine</center>\r\n</bod  
SF:y>\r\n</html>\r\n")%r(X11Probe,14E,"HTTP/1.1\x20400\x20Bad\x20Request\  
SF:\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:47:25\x20GMT\r\nContent-Typ  
SF:e:\x20text/html\r\nContent-Length:\x20204\r\nConnection:\x20close\r\n\r  
SF:\n<!DOCTYPE\x20HTML\x20PUBLIC\x20"-//IETF//DTD\x20HTML\x202.0//EN">\r  
SF:\n<html>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body  
SF:>\r\n<center><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>ten  
SF:gine</center>\r\n</body>\r\n</html>\r\n")%r(FourOhFourRequest,199,"HTTP  
SF:/1.1\x20301\x20Moved\x20Permanently\r\nDate:\x20Thu,\x2018\x20Dec\x202  
SF:025\x2016:47:25\x20GMT\r\nContent-Type:\x20text/html\r\nContent-Length:  
SF:\x20216\r\nConnection:\x20close\r\nLocation:\x20https://\_/\_nice%20ports%  
SF:2C/Tri%6Eity\l.txt%2ebak\r\n\r\n<!DOCTYPE\x20HTML\x20PUBLIC\x20"-//IETF  
SF://DTD\x20HTML\x202.0//EN">\r\n<html>\r\n<head><title>301\x20Moved\x20  
SF:Permanently</title></head>\r\n<body>\r\n<center><h1>301\x20Moved\x20Per  
SF:manently</h1></center>\r\n<hr><center>tengine</center>\r\n</body>\r\n</  
SF:html>\r\n");  
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====  
SF-Port443-TCP:V=7.94SVN%T=SSL%I=5%D=12/18%Time=69443023%P=x86\_64-pc-linux  
SF:gnu%r(GetRequest,19D,"HTTP/1.1\x20421\x20Misdirected\x20Request\r\nDa  
SF:te:\x20Thu,\x2018\x20Dec\x202025\x2016:47:31\x20GMT\r\nContent-Type:\x2  
SF:0text/html\r\nContent-Length:\x20220\r\nConnection:\x20close\r\nStrict-  
SF:Transport-Security:\x20max-age=31536000;\x20preload;\r\n\r\n<!DOCTYPE\x  
SF:20HTML\x20PUBLIC\x20"-//IETF//DTD\x20HTML\x202.0//EN">\r\n<html>\r\n  
SF:<head><title>421\x20Misdirected\x20Request</title></head>\r\n<body>\r\n  
SF:<center><h1>421\x20Misdirected\x20Request</h1></center>\r\n<hr><center>  
SF:tengine</center>\r\n</body>\r\n</html>\r\n")%r(HTTPOptions,19D,"HTTP/1\  
SF:.1\x20421\x20Misdirected\x20Request\r\nDate:\x20Thu,\x2018\x20Dec\x2020  
SF:25\x2016:47:31\x20GMT\r\nContent-Type:\x20text/html\r\nContent-Length:\x  
SF:x20220\r\nConnection:\x20close\r\nStrict-Transport-Security:\x20max-age  
SF:=31536000;\x20preload;\r\n\r\n<!DOCTYPE\x20HTML\x20PUBLIC\x20"-//IETF/  
SF:/DTD\x20HTML\x202.0//EN">\r\n<html>\r\n<head><title>421\x20Misdirecte  
SF:d\x20Request</title></head>\r\n<body>\r\n<center><h1>421\x20Misdirected  
SF:\x20Request</h1></center>\r\n<hr><center>tengine</center>\r\n</body>\r\  
SF:n</html>\r\n")%r(FourOhFourRequest,19D,"HTTP/1.1\x20421\x20Misdirected  
SF:\x20Request\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:47:31\x20GMT\r\  
SF:nContent-Type:\x20text/html\r\nContent-Length:\x20220\r\nConnection:\x2  
SF:0close\r\nStrict-Transport-Security:\x20max-age=31536000;\x20preload;\r  
SF:\n\r\n<!DOCTYPE\x20HTML\x20PUBLIC\x20"-//IETF//DTD\x20HTML\x202.0//EN  
SF:!">\r\n<html>\r\n<head><title>421\x20Misdirected\x20Request</title></he  
SF:ad>\r\n<body>\r\n<center><h1>421\x20Misdirected\x20Request</h1></center  
SF:>\r\n<hr><center>tengine</center>\r\n</body>\r\n</html>\r\n")%r(tor-ver  
SF:sions,185,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x2  
SF:0Dec\x202025\x2016:47:31\x20GMT\r\nContent-Type:\x20text/html\r\nConen  
SF:t-Length:\x20204\r\nConnection:\x20close\r\nStrict-Transport-Security:\x  
SF:x20max-age=31536000;\x20preload;\r\n\r\n<!DOCTYPE\x20HTML\x20PUBLIC\x20  
SF:!"-//IETF//DTD\x20HTML\x202.0//EN">\r\n<html>\r\n<head><title>400\x20  
SF:Bad\x20Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Re  
SF:quest</h1></center>\r\n<hr><center>tengine</center>\r\n</body>\r\n</htm

SF:|>\r\n");

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP

Running: Actiontec embedded, Linux

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel

OS details: Actiontec MI424WR-GEN3I WAP

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

1 0.34 ms \_gateway (192.168.94.2)

2 21.37 ms 85.198.77.99

Nmap scan report for auth.wb.ru (85.198.79.92)

Host is up (0.020s latency).

Other addresses for auth.wb.ru (not scanned): 185.138.254.68 85.198.77.48

PORT STATE SERVICE VERSION

80/tcp open http nginx

443/tcp open ssl/http nginx

| tls-alpn:

| h2

| http/1.1

| http/1.0

|\_ http/0.9

|\_http-title: Site doesn't have a title.

|\_ssl-date: TLS randomness does not represent time

| ssl-cert: Subject: commonName=\*.wb.ru

| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

| Not valid before: 2025-07-07T13:20:16

|\_Not valid after: 2026-08-08T13:20:15

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99

2 21.65 ms 85.198.79.92

Nmap scan report for bank.wb.ru (185.62.202.14)

Host is up (0.019s latency).

PORT STATE SERVICE VERSION

80/tcp open http?

|\_http-title: Did not follow redirect to https://bank.wb.ru/

| fingerprint-strings:

|\_ DNSVersionBindReqTCP:

|\_ HTTP/1.1 400 Bad Request

|\_ Date: Thu, 18 Dec 2025 16:47:30 GMT

|\_ Content-Type: text/html

|\_ Content-Length: 150

|\_ Connection: close

|\_ Status-NO-Id: INF-01-XS

|\_ Server: wbaas



```
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
```

| Help, RPCCheck:

```
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:30 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: INF-01-DL
| Server: wbaas
```

```
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
```

| RTSPRequest, X11Probe:

```
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:25 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: INF-01-DL
| Server: wbaas
```

```
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
```

| 443/tcp open https?

| ssl-cert: Subject: commonName=finance.wb.ru

| Subject Alternative Name: DNS:bank.wb.ru, DNS:bank.wildberries.ru, DNS:finance.wb.ru, DNS:finance.wildberries.ru

| Not valid before: 2025-10-30T10:41:01

| Not valid after: 2026-01-28T10:41:00

| http-title: WB Finance

| Requested resource was https://finance.wb.ru

1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

SF:Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=6944301D%P=x86\_64-pc-linux-gnu%(

SF:RTSPRequest,140,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,\x2

SF:018x20Dec\x202025\x2016:47:25\x20GMT\r\nContent-Type:\x20text/html\r\n

SF:Content-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20INF-

SF:01-DL\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20R

SF:equst</title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h

SF:1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r

SF:(X11Probe,140,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,\x201

SF:8x20Dec\x202025\x2016:47:25\x20GMT\r\nContent-Type:\x20text/html\r\nCo

SF:ntent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20INF-01

SF:-DL\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Req

```
SF:uest</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1>
SF:</center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r(R
SF:PCCheck,140,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\
SF:\x20Dec\x202025\x2016:47:30\x20GMT\r\nContent-Type:\x20text/html\r\nCont
SF:ent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20INF-01-D
SF:L\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Reque
SF:st</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></
SF:center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r(DNS
SF:VersionBindReqTCP,140,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20T
SF:hu,\x2018\x20Dec\x202025\x2016:47:30\x20GMT\r\nContent-Type:\x20text/ht
SF:ml\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x
SF:20INF-01-XS\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Ba
SF:d\x20Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Requ
SF:est</h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r
SF:\n")%r(Help,140,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2
SF:018\x20Dec\x202025\x2016:47:30\x20GMT\r\nContent-Type:\x20text/html\r\n
SF:Content-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20INF-
SF:01-DL\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20R
SF:quest</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h
SF:1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n");
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: WAP|general purpose
Running: Actiontec embedded, Linux 2.4.X
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux_kernel cpe:/o:linux:linux_kernel:2.4.37
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)
Network Distance: 2 hops
```

```
TRACEROUTE (using port 443/tcp)
HOP RTT ADDRESS
- Hop 1 is the same as for 85.198.77.99
2 21.32 ms 185.62.202.14
```

Nmap scan report for bb.wb.ru (91.230.107.71)  
Host is up (0.019s latency).

```
PORT STATE SERVICE VERSION
80/tcp open http nginx
|_ http-title: Did not follow redirect to https://bb.wb.ru/
443/tcp open ssl/http nginx
|_ tls-nextprotoneg:
|_ h2
|_ http/1.1
|_ ssl-cert: Subject: commonName=*.wb.ru
|_ Subject Alternative Name: DNS:*.wb.ru, DNS:wb.ru
|_ Not valid before: 2025-07-07T13:20:16
|_ Not valid after: 2026-08-08T13:20:15
|_ http-title: WB Video
|_ ssl-date: TLS randomness does not represent time
|_ tls-alpn:
|_ h2
|_ http/1.1
```

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP|general purpose  
Running: Actiontec embedded, Linux 2.4.X  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37  
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99

2 21.32 ms 91.230.107.71

Nmap scan report for catalog.wb.ru (213.184.159.8)

Host is up (0.020s latency).

PORT STATE SERVICE VERSION

80/tcp filtered http

443/tcp open ssl/https?

|\_ssl-date: TLS randomness does not represent time

|ssl-cert: Subject: commonName=\*.wb.ru

| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

| Not valid before: 2025-07-07T13:20:16

|\_Not valid after: 2026-08-08T13:20:15

|fingerprint-strings:

| FourOhFourRequest:

| HTTP/1.0 404 Not Found

| content-type: text/html; charset=utf-8

| access-control-allow-methods: GET, POST, PUT, DELETE, HEAD, OPTIONS, CONNECT, PATCH, TRACE

| access-control-allow-credentials: true

| access-control-allow-headers: authorization, x-pow

| access-control-expose-headers: x-pow

| access-control-allow-origin: \*

| date: Thu, 18 Dec 2025 16:47:29 GMT

| <!DOCTYPE html>

| <html>

| <head>

| <meta http-equiv="content-type" content="text/html; charset=utf-8">

| <title>404 Not Found</title>

| </head>

| <body>

| <center><h1>404 Not Found</h1></center>

| </body></html>

| GetRequest:

| HTTP/1.0 200 OK

| content-type: text/html; charset=utf-8

| access-control-allow-methods: GET, POST, PUT, DELETE, HEAD, OPTIONS, CONNECT, PATCH, TRACE

| access-control-allow-credentials: true

| access-control-allow-headers: authorization, x-pow

| access-control-expose-headers: x-pow

| access-control-allow-origin: \*

| date: Thu, 18 Dec 2025 16:47:29 GMT

| <!DOCTYPE html>

| <html>

| <head>

| <meta http-equiv="content-type" content="text/html; charset=utf-8">

| <title>WRP default page</title>

| </head>

| <body>

| <center><h1>Hello from WRP</h1></center>

| </body></html>

| HTTPOptions:

| HTTP/1.0 200 OK

| access-control-allow-methods: GET, POST, PUT, DELETE, HEAD, OPTIONS, CONNECT, PATCH, TRACE

| access-control-allow-credentials: true

| access-control-allow-headers: authorization, x-pow

2 22.14 ms 213.184 159.8

Nmap scan report for ccvpn.wb.ru (91.230.107.182)  
Host is up (0.00087s latency).  
rDNS record for 91.230.107.182: mail.weildberries.ru

PORT STATE SERVICE VERSION

80/tcp filtered http

443/tcp filtered https

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Aggressive OS guesses: D-Link DFL-700 firewall (89%), HP Officejet Pro 8500 printer (89%), ReactOS 0.3.7 (89%), Sanyo PLC-XU88 digital video projector (89%), Sonus GSX9000 VoIP proxy (88%), Asus WL-500gP wireless broadband router (88%), Microsoft Windows 2000 (88%), Microsoft Windows Server 2003 Enterprise Edition SP2 (88%), Microsoft Windows Server 2003 SP2 (88%), Novell NetWare 6.5 (88%)  
No exact OS matches for host (test conditions non-ideal).  
Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 0.55 ms mail.weildberries.ru (91.230.107.182)

Nmap scan report for development.wb.ru (213.184.155.74)  
Host is up (0.020s latency).  
Other addresses for development.wb.ru (not scanned): 85.198.79.101 85.198.77.14

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_ http-title: Did not follow redirect to https://development.wb.ru/

443/tcp open ssl/http nginx

|\_ ssl-date: TLS randomness does not represent time

|\_ http-cors: GET POST PUT DELETE OPTIONS PATCH

| ssl-cert: Subject: commonName=\*.wb.ru

| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

| Not valid before: 2025-07-03T14:59:14

|\_ Not valid after: 2026-08-04T14:59:13

|\_ http-title: 503 Service Temporarily Unavailable

|\_ tls-nextprotoneg:

| h2

|\_ http/1.1

|\_ tls-alpn:

| h2

|\_ http/1.1

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP|general purpose  
Running: Actiontec embedded, Linux 2.4.X  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37  
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 21.55 ms 213.184.155.74

Nmap scan report for dnd.wb.ru (91.230.107.156)  
Host is up (0.012s latency).  
rDNS record for 91.230.107.156: mx.wbteamchat.ru

PORT STATE SERVICE VERSION

```

80/tcp open http?
| fingerprint-strings:
|_ FourOhFourRequest:
|_ HTTP/1.0 400 Bad Request
|_ Content-Security-Policy: default-src 'none'
|_ Server: acmetool-redirector
|_ Date: Thu, 18 Dec 2025 16:47:30 GMT
|_ Content-Length: 0
|_ GetRequest, HTTPOptions:
|_ HTTP/1.0 400 Bad Request
|_ Content-Security-Policy: default-src 'none'
|_ Server: acmetool-redirector
|_ Date: Thu, 18 Dec 2025 16:47:25 GMT
|_ Content-Length: 0
|_ Help, Kerberos, RTSPRequest, SIPOptions, SSLSessionReq, TLSSessionReq:
|_ HTTP/1.1 400 Bad Request
|_ Content-Type: text/plain; charset=utf-8
|_ Connection: close
|_ Request
|_ http-title: Permanently Moved
443/tcp open ssl/http nginx
|_ ssl-date: TLS randomness does not represent time
|_ http-title: Russian.Network
|_ ssl-cert: Subject: commonName=dnd.wb.ru
|_ Subject Alternative Name: DNS:dnd.wb.ru, DNS:mta-sts.dnd.wb.ru, DNS:www.dnd.wb.ru
|_ Not valid before: 2025-11-15T12:21:44
|_ Not valid after: 2026-02-13T12:21:43
1 service unrecognized despite returning data. If you know the service/version, please submit the following
fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=6944301D%P=x86_64-pc-linux-gnu%r(
SF:GetRequest,9E,"HTTP/1.0\x20400\x20Bad\x20Request\r\nContent-Security-P
SF:olicy:\x20default-src\x20'none'\r\nServer:\x20acmetool-redirector\r\nDa
SF:te:\x20Thu,\x2018\x20Dec\x202025\x2016:47:25\x20GMT\r\nContent-Length:\
SF:x200\r\n\r\n")%r(HTTPOptions,9E,"HTTP/1.0\x20400\x20Bad\x20Request\r\n
SF:Content-Security-Policy:\x20default-src\x20'none'\r\nServer:\x20acmetoo
SF:l-redirector\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:47:25\x20GMT\r
SF:\nContent-Length:\x200\r\n\r\n")%r(RTSPRequest,67,"HTTP/1.1\x20400\x20
SF:Bad\x20Request\r\nContent-Type:\x20text/plain;\x20charset=utf-8\r\nConn
SF:ection:\x20close\r\n\r\n400\x20Bad\x20Request")%r(FourOhFourRequest,9E,
SF:"HTTP/1.0\x20400\x20Bad\x20Request\r\nContent-Security-Policy:\x20defa
SF:ult-src\x20'none'\r\nServer:\x20acmetool-redirector\r\nDate:\x20Thu,\x2
SF:018\x20Dec\x202025\x2016:47:30\x20GMT\r\nContent-Length:\x200\r\n\r\n")
SF:%r(Help,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent-Type:\x20text
SF:/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r\n400\x20Bad\x20R
SF:quest")%r(SSLSessionReq,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nCont
SF:ent-Type:\x20text/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r
SF:\n400\x20Bad\x20Request")%r(TLSSessionReq,67,"HTTP/1.1\x20400\x20Bad\x
SF:20Request\r\nContent-Type:\x20text/plain;\x20charset=utf-8\r\nConnectio
SF:n:\x20close\r\n\r\n400\x20Bad\x20Request")%r(Kerberos,67,"HTTP/1.1\x20
SF:400\x20Bad\x20Request\r\nContent-Type:\x20text/plain;\x20charset=utf-8\
SF:\r\nConnection:\x20close\r\n\r\n400\x20Bad\x20Request")%r(SIPOptions,67,
SF:"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent-Type:\x20text/plain;\x20
SF:charset=utf-8\r\nConnection:\x20close\r\n\r\n400\x20Bad\x20Request");
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: WAP|general purpose
Running: Actiontec embedded, Linux 2.4.X
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux_kernel cpe:/o:linux:linux_kernel:2.4.37
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

```

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99
- 2 0.14 ms mx.wbteamchat.ru (91.230.107.156)

Nmap scan report for drive.wb.ru (185.62.202.7)

Host is up (0.020s latency).

PORT STATE SERVICE VERSION

80/tcp open http?

| fingerprint-strings:

| DNSVersionBindReqTCP:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:47:30 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-04-XC

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>

| </body>

| </html>

| Help:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:47:30 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-03-EL

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>

| </body>

| </html>

| RPCCheck:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:47:30 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-02-EL

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>

| </body>

| </html>

```
| RTSPRequest:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:25 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-04-EL
| Server: wbaas
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| X11Probe:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:25 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-01-XC
| Server: wbaas
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
|_ http-title: Did not follow redirect to https://drive.wb.ru/
443/tcp open  ssl/https?
| ssl-cert: Subject: commonName=*.wb.ru
| Subject Alternative Name: DNS:*.wb.ru, DNS:wb.ru
| Not valid before: 2025-07-07T13:20:16
|_ Not valid after: 2026-08-08T13:20:15
|_ http-title:
|_ \xD0\x9F\xD0\xBE\xD1\x87\xD1\x82\xD0\xB8
|_ \xD0\xB3\xD0\xBE\xD1\x82\xD0\xBE\xD0\xB2\xD0\xBE...
| fingerprint-strings:
| GenericLines:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:31 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-04-EL
| Server: wbaas
| X-Request-Id: 8705a1ac20a1ec259daebcd793f6599f
| Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
| NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
```



```

| <hr><center>Angie</center>
| </body>
| </html>
| RTSPRequest:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:32 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-04-EL
| Server: wbaas
| X-Request-Id: a23dc55a261edc1c11483d0bb7e49891
| Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
| NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| tor-versions:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:31 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-03-EL
| Server: wbaas
| X-Request-Id: 0788c28243c872f03af12b9f4539b686
| Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
| NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>

```

2 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

```

=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF:Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=6944301D%P=x86_64-pc-linux-gnu%(
SF:RTSPRequest,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,\x2
SF:018x20Dec\x202025\x2016:47:25x20GMT\r\nContent-Type:\x20text/html\r\n
SF:Content-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-0
SF:4-EL\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Re
SF:quest</title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h1
SF:></center>\r\n<center>Angie</center>\r\n</body>\r\n</html>\r\n")%(
SF:X11Probe,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,\x2018

```

SF:\x20Dec\x202025\x2016:47:25\x20GMT\r\nContent-Type:\x20text/html\r\nCon  
SF:tent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-01-X  
SF:C\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Reque  
SF:st</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></  
SF:center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r(RPC  
SF:Check,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x2  
SF:0Dec\x202025\x2016:47:30\x20GMT\r\nContent-Type:\x20text/html\r\nConen  
SF:t-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-02-EL\r  
SF:\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Request<  
SF:/title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></cen  
SF:ter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r(DNSVer  
SF:sionBindReqTCP,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,  
SF:\x2018\x20Dec\x202025\x2016:47:30\x20GMT\r\nContent-Type:\x20text/html\  
SF:\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20P  
SF:G-04-XC\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x2  
SF:0Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request<  
SF:/h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")  
SF:%r(Help,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\  
SF:x20Dec\x202025\x2016:47:30\x20GMT\r\nContent-Type:\x20text/html\r\nCont  
SF:ent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-03-EL  
SF:\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Reques  
SF:t</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></c  
SF:enter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n");  
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====  
SF:Port443-TCP:V=7.94SVN%T=SSL%I=5%D=12/18%Time=69443023%P=x86\_64-pc-linux  
SF:-gnu%r(tor-versions,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x2  
SF:0Thu,\x2018\x20Dec\x202025\x2016:47:31\x20GMT\r\nContent-Type:\x20text/  
SF:html\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:  
SF:\x20PG-03-EL\r\nServer:\x20wbaas\r\nX-Request-Id:\x200788c28243c872f03a  
SF:f12b9f4539b686\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max\_ag  
SF:e":{"url":\x20"https://nel.wb\r\nSF:ru/reports"}\x20}\r\nNEL:\x20{\x20"report\_to":\x20"nel",\x20"ma  
SF:x\_age":\x20604800,\x20"include\_subdomains":\x20false,\x20"success\_f  
SF:raction":\x200.0,\x20"failure\_fraction":\x201.0\x20}\r\nStrict-Tra  
SF:nsport-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Conten  
SF:t-Type-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r\n\  
SF:n<html>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r  
SF:\r\n<center><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie  
SF:</center>\r\n</body>\r\n</html>\r\n")%r(GenericLines,2D2,"HTTP/1.1\x20  
SF:400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:47:31  
SF:\x20GMT\r\nContent-Type:\x20text/html\r\nContent-Length:\x20150\r\nConn  
SF:ection:\x20close\r\nStatus-NO-Id:\x20PG-04-EL\r\nServer:\x20wbaas\r\nX-  
SF:Request-Id:\x208705a1ac20a1ec259daebcd793f6599f\r\nReport-To:\x20{\x20\  
SF:"group":\x20"nel",\x20"max\_age":\x20604800,\x20"endpoints":\x20\  
SF:[{"url":\x20"https://nel.wb\r\nSF:ru/reports"}\x20}\r\nNEL:\x20{\x20\  
SF:"report\_to":\x20"nel",\x20"max\_age":\x20604800,\x20"include\_subdo  
SF:mains":\x20false,\x20"success\_fraction":\x200.0,\x20"failure\_fract  
SF:ion":\x201.0\x20}\r\nStrict-Transport-Security:\x20max-age=31536000;\r  
SF:x20preload;\x20always\r\nX-Content-Type-Options:\x20nosniff\r\nX-Frame-  
SF:Options:\x20DENY\x20always\r\n\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20  
SF:Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</  
SF:h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%  
SF:r(RTSPRequest,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\r  
SF:x2018\x20Dec\x202025\x2016:47:32\x20GMT\r\nContent-Type:\x20text/html\r  
SF:\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG  
SF:-04-EL\r\nServer:\x20wbaas\r\nX-Request-Id:\x20a23dc55a261edc1c11483d0b  
SF:b7e49891\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max\_age":\x  
SF:20604800,\x20"endpoints":\x20[{"url":\x20"https://nel.wb\r\nSF:ru/rep

```
SF:orts"}]\x20}\r\nNEL:\x20{\x20"report_to":\x20"nel",\x20"max_age\
SF:":\x20604800,\x20"include_subdomains":\x20false,\x20"success_fractio
SF:n":\x200.0,\x20"failure_fraction":\x201.0\x20}\r\nStrict-Transport
SF:-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Content-Type
SF:-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r\n<html
SF:>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r\n<ce
SF:nter><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie</cent
SF:er>\r\n</body>\r\n</html>\r\n");
```

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: general purpose  
Running: Linux 2.4.X  
OS CPE: cpe:/o:linux:linux\_kernel:2.4.37  
OS details: DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 21.90 ms 185.62.202.7

Nmap scan report for en.wb.ru (85.198.79.101)

Host is up (0.020s latency).

Other addresses for en.wb.ru (not scanned): 85.198.77.14 213.184.155.74

PORT STATE SERVICE VERSION

80/tcp open http nginx

\_http-title: Did not follow redirect to https://en.wb.ru/

443/tcp open ssl/http nginx

\_http-title: Site doesn't have a title (text/plain; charset=utf-8).

| ssl-cert: Subject: commonName=\*.wb.ru

| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

| Not valid before: 2025-07-03T14:59:14

|\_Not valid after: 2026-08-04T14:59:13

| tls-alpn:

| h2

|\_ http/1.1

|\_ssl-date: TLS randomness does not represent time

| tls-nextprotoneg:

| h2

|\_ http/1.1

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 21.36 ms 85.198.79.101

Nmap scan report for forms.wb.ru (185.62.202.8)

Host is up (0.019s latency).

PORT STATE SERVICE VERSION

80/tcp open http?

\_http-title: Did not follow redirect to https://forms.wb.ru/

| fingerprint-strings:  
| DNSVersionBindReqTCP:  
| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:47:30 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: PG-14-DP  
| Server: wbaas  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>  
| <hr><center>Angie</center>  
| </body>  
| </html>  
| Help:  
| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:47:30 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: PG-12-EL  
| Server: wbaas  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>  
| <hr><center>Angie</center>  
| </body>  
| </html>  
| RPCCheck:  
| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:47:30 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: PG-11-EL  
| Server: wbaas  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>  
| <hr><center>Angie</center>  
| </body>  
| </html>  
| RTSPRequest:  
| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:47:25 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: PG-14-DP  
| Server: wbaas  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>

```
| <hr><center>Angie</center>
| </body>
| </html>
| X11Probe:
|   HTTP/1.1 400 Bad Request
|   Date: Thu, 18 Dec 2025 16:47:25 GMT
|   Content-Type: text/html
|   Content-Length: 150
|   Connection: close
|   Status-NO-Id: PG-13-EL
|   Server: wbaas
|   <html>
|   <head><title>400 Bad Request</title></head>
|   <body>
|   <center><h1>400 Bad Request</h1></center>
|   <hr><center>Angie</center>
|   </body>
|_  </html>
443/tcp open  ssl/https?
|_ http-title: \xD0\xA4\xD0\xBE\xD1\x80\xD0\xBC\xD1\x8B
| fingerprint-strings:
|   GenericLines:
|     HTTP/1.1 400 Bad Request
|     Date: Thu, 18 Dec 2025 16:47:31 GMT
|     Content-Type: text/html
|     Content-Length: 150
|     Connection: close
|     Status-NO-Id: PG-11-EL
|     Server: wbaas
|     X-Request-Id: 01522abc482f36473608aafd82e3bc85
|     Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
|       NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
| "failure_fraction": 1.0 }
|     Strict-Transport-Security: max-age=31536000; preload; always
|     X-Content-Type-Options: nosniff
|     X-Frame-Options: DENY always
|     <html>
|     <head><title>400 Bad Request</title></head>
|     <body>
|     <center><h1>400 Bad Request</h1></center>
|     <hr><center>Angie</center>
|     </body>
|     </html>
|   RTSPRequest:
|     HTTP/1.1 400 Bad Request
|     Date: Thu, 18 Dec 2025 16:47:32 GMT
|     Content-Type: text/html
|     Content-Length: 150
|     Connection: close
|     Status-NO-Id: PG-13-NB
|     Server: wbaas
|     X-Request-Id: 95b934cccb8a754f3b15879dd32b4881
|     Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
|       NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
| "failure_fraction": 1.0 }
|     Strict-Transport-Security: max-age=31536000; preload; always
|     X-Content-Type-Options: nosniff
|     X-Frame-Options: DENY always
```

```

| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| tor-versions:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:31 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-14-EL
| Server: wbaas
| X-Request-Id: 2ba1ea338da897137c225ad4c869fb5e
| Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
| NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| ssl-cert: Subject: commonName=*.wb.ru
| Subject Alternative Name: DNS:*.wb.ru, DNS:wb.ru
| Not valid before: 2025-07-07T13:20:16
| Not valid after: 2026-08-08T13:20:15
2 services unrecognized despite returning data. If you know the service/version, please submit the following
fingerprints at https://nmap.org/cgi-bin/submit.cgi?new-service :
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF:Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=6944301D%P=x86_64-pc-linux-gnu%(
SF:RTSPRequest,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,\x2
SF:018x20Dec\x202025\x2016:47:25\x20GMT\r\nContent-Type:\x20text/html\r\n
SF:Content-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-1
SF:4-DP\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Re
SF:quest</title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h1
SF:></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%(
SF:X11Probe,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,\x2018
SF:\x20Dec\x202025\x2016:47:25\x20GMT\r\nContent-Type:\x20text/html\r\nCon
SF:tent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-13-E
SF:L\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Reque
SF:st</title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h1></
SF:center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%(RPC
SF:Check,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,\x2018\x2
SF:0Dec\x202025\x2016:47:30\x20GMT\r\nContent-Type:\x20text/html\r\nConen
SF:t-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-11-EL\r
SF:\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Request<
SF:/title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h1></cen
SF:ter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%(DNSVer
SF:sionBindReqTCP,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,
SF:\x2018x20Dec\x202025\x2016:47:30\x20GMT\r\nContent-Type:\x20text/html\
SF:\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20P

```

```

SF:G-14-DP\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x2
SF:0Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request<
SF:/h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")
SF:%r(Help,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\
SF:\x20Dec\x202025\x2016:47:30\x20GMT\r\nContent-Type:\x20text/html\r\nCon
SF:ent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-12-EL
SF:\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Reques
SF:t</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></c
SF:enter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n");
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port443-TCP:V=7.94SVN%T=SSL%I=5%D=12/18%Time=69443023%P=x86_64-pc-linux
SF:-gnu%r(tor-versions,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x2
SF:0Thu,\x2018\x20Dec\x202025\x2016:47:31\x20GMT\r\nContent-Type:\x20text/
SF:html\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:
SF:\x20PG-14-EL\r\nServer:\x20wbaas\r\nX-Request-Id:\x202ba1ea338da897137c
SF:225ad4c869fb5e\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max_ag
SF:e":\x20604800,\x20"endpoints":\x20{\x20"url":\x20"https://nel.wbl.
SF:ru/reports"}}\x20}\r\nNEL:\x20{\x20"report_to":\x20"nel",\x20"ma
SF:x_age":\x20604800,\x20"include_subdomains":\x20false,\x20"success_f
SF:raction":\x200.0,\x20"failure_fraction":\x201.0\x20}\r\nStrict-Tra
SF:nsport-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Conten
SF:t-Type-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r\
SF:n<html>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r
SF:n<center><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie
SF:</center>\r\n</body>\r\n</html>\r\n")%r(GenericLines,2D2,"HTTP/1.1\x20
SF:400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:47:31
SF:\x20GMT\r\nContent-Type:\x20text/html\r\nContent-Length:\x20150\r\nConn
SF:ection:\x20close\r\nStatus-NO-Id:\x20PG-11-EL\r\nServer:\x20wbaas\r\nX-
SF:Request-Id:\x2001522abc482f36473608aafd82e3bc85\r\nReport-To:\x20{\x20\
SF:"group":\x20"nel",\x20"max_age":\x20604800,\x20"endpoints":\x20\
SF:{\x20"url":\x20"https://nel.wb.ru/reports"}}\x20}\r\nNEL:\x20{\x20\
SF:"report_to":\x20"nel",\x20"max_age":\x20604800,\x20"include_subdo
SF:mains":\x20false,\x20"success_fraction":\x200.0,\x20"failure_fract
SF:ion":\x201.0\x20}\r\nStrict-Transport-Security:\x20max-age=31536000;\x
SF:20preload;\x20always\r\nX-Content-Type-Options:\x20nosniff\r\nX-Frame-
SF:Options:\x20DENY\x20always\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20
SF:Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</
SF:h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%
SF:r(RTSPRequest,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x
SF:2018\x20Dec\x202025\x2016:47:32\x20GMT\r\nContent-Type:\x20text/html\r
SF:nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG
SF:-13-NB\r\nServer:\x20wbaas\r\nX-Request-Id:\x2095b934cccb8a754f3b15879d
SF:d32b4881\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max_age":\x
SF:20604800,\x20"endpoints":\x20{\x20"url":\x20"https://nel.wb.ru/rep
SF:orts"}}\x20}\r\nNEL:\x20{\x20"report_to":\x20"nel",\x20"max_age\
SF:":\x20604800,\x20"include_subdomains":\x20false,\x20"success_fractio
SF:n":\x200.0,\x20"failure_fraction":\x201.0\x20}\r\nStrict-Transport
SF:-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Content-Type
SF:-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r\n<html
SF:>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r\n<ce
SF:nter><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie</cent
SF:er>\r\n</body>\r\n</html>\r\n");

```

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: general purpose

Running: Linux 2.4.X

OS CPE: cpe:/o:linux:linux\_kernel:2.4.37

OS details: DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 21.25 ms 185.62.202.8

Nmap scan report for fw.wb.ru (194.1.214.251)

Host is up (0.013s latency).

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_ http-title: Did not follow redirect to https://fw.wb.ru

443/tcp open ssl/http nginx

|\_ http-title: Did not follow redirect to https://wb.ru

| ssl-cert: Subject: commonName=fw.wb.ru

| Subject Alternative Name: DNS:fw.wb.ru

| Not valid before: 2025-12-06T01:04:42

|\_ Not valid after: 2026-03-06T01:04:41

|\_ ssl-date: TLS randomness does not represent time

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 0.43 ms 194.1.214.251

Nmap scan report for global.wb.ru (213.184.155.68)

Host is up (0.013s latency).

Other addresses for global.wb.ru (not scanned): 185.138.253.40 185.138.255.40

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_ http-title: Did not follow redirect to https://global.wildberries.ru/

443/tcp open ssl/http nginx

|\_ ssl-date: TLS randomness does not represent time

|\_ http-title: Did not follow redirect to https://global.wildberries.ru/

| tls-nextprotoneg:

| h2

|\_ http/1.1

| tls-alpn:

| h2

|\_ http/1.1

| ssl-cert: Subject: commonName=\*.wb.ru

| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

| Not valid before: 2025-07-03T14:59:14

|\_ Not valid after: 2026-08-04T14:59:13

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops



TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99

2 0.17 ms 213.184.155.68

Nmap scan report for id.wb.ru (185.62.202.9)

Host is up (0.020s latency).

PORT STATE SERVICE VERSION

80/tcp open http?

|\_http-title: Did not follow redirect to https://id.wb.ru/

| fingerprint-strings:

| DNSVersionBindReqTCP:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:47:36 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-13-NB

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>

| </body>

| </html>

| Help:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:47:36 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-12-DL

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>

| </body>

| </html>

| RPCCheck:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:47:36 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-11-XC

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>

| </body>

| </html>

| RTSPRequest:

```
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:31 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-12-EL
| Server: wbaas
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| X11Probe:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:31 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-12-DL
| Server: wbaas
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
|_ 443/tcp open  ssl/https?
|_ http-title: WB ID
| ssl-cert: Subject: commonName=*.wb.ru
| Subject Alternative Name: DNS:*.wb.ru, DNS:wb.ru
| Not valid before: 2025-07-07T13:20:16
|_ Not valid after: 2026-08-08T13:20:15
| fingerprint-strings:
| GenericLines:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:38 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-13-DP
| Server: wbaas
| X-Request-Id: 8a3e647633c57791e73de934898ba6b6
| Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
| NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
```

```

| RTSPRequest:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:38 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-11-XC
| Server: wbaas
| X-Request-Id: 97fd75370be35f2e7d6f7c48198dd090
| Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
| NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| tor-versions:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:38 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-11-EL
| Server: wbaas
| X-Request-Id: 9e29bfd6d948a0b52e124c036bbbb03f
| Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
| NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>

```

2 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====

SF-Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=69443023%P=x86\_64-pc-linux-gnu%(

SF:RTSPRequest,13F,"HTTP/1\1x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2

SF:018x20Dec\x202025\x2016:47:31\x20GMT\r\nContent-Type:\x20text/html\r\n

SF:Content-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-1

SF:2-EL\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Re

SF:quest</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1

SF:></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%(

SF:X11Probe,13F,"HTTP/1\1x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018

SF:\x20Dec\x202025\x2016:47:31\x20GMT\r\nContent-Type:\x20text/html\r\nCon

SF:tent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-12-D

SF:L\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Reque

```
SF:st</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></  
SF:center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r(RPC  
SF:Check,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x2  
SF:0Dec\x202025\x2016:47:36\x20GMT\r\nContent-Type:\x20text/html\r\nConen  
SF:t-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-11-XC\r  
SF:\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Request<  
SF:/title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></cen  
SF:ter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r(DNSVer  
SF:sionBindReqTCP,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,  
SF:\x2018\x20Dec\x202025\x2016:47:36\x20GMT\r\nContent-Type:\x20text/html\  
SF:\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20P  
SF:G-13-NB\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x2  
SF:0Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request<  
SF:/h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")  
SF:%r(Help,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\  
SF:\x20Dec\x202025\x2016:47:36\x20GMT\r\nContent-Type:\x20text/html\r\nCont  
SF:ent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-12-DL  
SF:\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Reques  
SF:t</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></c  
SF:enter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n");  
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====  
SF:Port443-TCP:V=7.94SVN%T=SSL%I=5%D=12/18%Time=6944302A%P=x86_64-pc-linux  
SF:-gnu%r(tor-versions,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x2  
SF:0Thu,\x2018\x20Dec\x202025\x2016:47:38\x20GMT\r\nContent-Type:\x20text/  
SF:html\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:  
SF:\x20PG-11-EL\r\nServer:\x20wbaas\r\nX-Request-Id:\x209e29bfd6d948a0b52e  
SF:124c036bbb03f\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max_ag  
SF:e":\x20604800,\x20"endpoints":\x20{\x20"url":\x20"https://nel.wb\  
SF:ru/reports"}\x20}\r\nNEL:\x20{\x20"report_to":\x20"nel",\x20"ma  
SF:x_age":\x20604800,\x20"include_subdomains":\x20false,\x20"success_f  
SF:raction":\x200.0,\x20"failure_fraction":\x201.0\x20}\r\nStrict-Tra  
SF:nsport-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Conten  
SF:t-Type-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r\  
SF:n<html>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r  
SF:\r\n<center><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie  
SF:</center>\r\n</body>\r\n</html>\r\n")%r(GenericLines,2D2,"HTTP/1.1\x20  
SF:400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:47:38  
SF:\x20GMT\r\nContent-Type:\x20text/html\r\nContent-Length:\x20150\r\nConn  
SF:ection:\x20close\r\nStatus-NO-Id:\x20PG-13-DP\r\nServer:\x20wbaas\r\nX-  
SF:Request-Id:\x208a3e647633c57791e73de934898ba6b6\r\nReport-To:\x20{\x20\  
SF:"group":\x20"nel",\x20"max_age":\x20604800,\x20"endpoints":\x20\  
SF:[{\x20"url":\x20"https://nel.wb.ru/reports"}\x20}\r\nNEL:\x20{\x20\  
SF:"report_to":\x20"nel",\x20"max_age":\x20604800,\x20"include_subdo  
SF:mains":\x20false,\x20"success_fraction":\x200.0,\x20"failure_fract  
SF:ion":\x201.0\x20}\r\nStrict-Transport-Security:\x20max-age=31536000;\r  
SF:x20preload;\x20always\r\nX-Content-Type-Options:\x20nosniff\r\nX-Frame-  
SF:Options:\x20DENY\x20always\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20  
SF:Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</  
SF:h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%  
SF:r(RTSPRequest,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\r  
SF:\x2018\x20Dec\x202025\x2016:47:38\x20GMT\r\nContent-Type:\x20text/html\r  
SF:\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG  
SF:-11-XC\r\nServer:\x20wbaas\r\nX-Request-Id:\x2097fd75370be35f2e7d6f7c48  
SF:198dd090\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max_age":\x20  
SF:20604800,\x20"endpoints":\x20{\x20"url":\x20"https://nel.wb.ru/rep  
SF:orts"}\x20}\r\nNEL:\x20{\x20"report_to":\x20"nel",\x20"max_age\  
SF:"":\x20604800,\x20"include_subdomains":\x20false,\x20"success_fractio  
SF:n":\x200.0,\x20"failure_fraction":\x201.0\x20}\r\nStrict-Transport
```

```
SF:-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Content-Type
SF:-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r\n<html
SF:>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r\n<ce
SF:nter><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie</cent
SF:er>\r\n</body>\r\n</html>\r\n");
```

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: general purpose

Running: Linux 2.4.X

OS CPE: cpe:/o:linux:linux\_kernel:2.4.37

OS details: DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99

2 20.94 ms 185.62.202.9

Nmap scan report for insole.wb.ru (185.62.200.156)

Host is up (0.017s latency).

PORT STATE SERVICE VERSION

80/tcp filtered http

443/tcp open ssl/http nginx

| ssl-cert: Subject: commonName=nosoc.wb.ru/organizationName=Wildberries/stateOrProvinceName=Moscow Oblast/countryName=RU

| Subject Alternative Name: DNS:nosoc.wb.ru, DNS:insole.wildberries.ru, DNS:insole.wb.ru, DNS:nosoc.wildberries.ru

| Not valid before: 2025-03-25T11:06:15

|\_ Not valid after: 2026-04-26T11:06:14

|\_ http-title: 403 Forbidden

|\_ ssl-date: TLS randomness does not represent time

|\_ tls-alpn:

| http/1.1

| http/1.0

|\_ http/0.9

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP

Running: Actiontec embedded, Linux

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel

OS details: Actiontec MI424WR-GEN3I WAP

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99

2 21.18 ms 185.62.200.156

Nmap scan report for ip.wb.ru (85.198.79.102)

Host is up (0.018s latency).

Other addresses for ip.wb.ru (not scanned): 85.198.77.15 213.184.155.75

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_ http-title: Did not follow redirect to https://ip.wb.ru/

443/tcp open ssl/http nginx

|\_ tls-alpn:

| h2

|\_ http/1.1

| ssl-cert: Subject: commonName=\*.wb.ru  
| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru  
| Not valid before: 2025-07-03T14:59:14  
|\_ Not valid after: 2026-08-04T14:59:13  
|\_ http-title: 400 The plain HTTP request was sent to HTTPS port  
| tls-nextprotoneg:  
| h2  
|\_ http/1.1  
|\_ ssl-date: TLS randomness does not represent time  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP  
Running: Actiontec embedded, Linux  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel  
OS details: Actiontec MI424WR-GEN3I WAP  
Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)  
HOP RTT ADDRESS  
- Hop 1 is the same as for 85.198.77.99  
2 21.80 ms 85.198.79.102

Nmap scan report for jitsi.wb.ru (194.1.214.98)  
Host is up (0.018s latency).

PORT STATE SERVICE VERSION  
80/tcp open http nginx  
|\_ http-title: Did not follow redirect to https://stream.wb.ru  
443/tcp open ssl/http nginx  
|\_ ssl-date: TLS randomness does not represent time  
| http-title: WB Stream  
|\_ Requested resource was https://stream.wb.ru  
| ssl-cert: Subject: commonName=\*.wb.ru  
| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru  
| Not valid before: 2025-07-07T13:20:16  
|\_ Not valid after: 2026-08-08T13:20:15  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP  
Running: Actiontec embedded, Linux  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel  
OS details: Actiontec MI424WR-GEN3I WAP  
Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)  
HOP RTT ADDRESS  
- Hop 1 is the same as for 85.198.77.99  
2 22.57 ms 194.1.214.98

Nmap scan report for lms.wb.ru (85.198.77.15)  
Host is up (0.020s latency).  
Other addresses for lms.wb.ru (not scanned): 213.184.155.75 85.198.79.102

PORT STATE SERVICE VERSION  
80/tcp open http nginx  
|\_ http-title: Did not follow redirect to https://edtech.rwb.ru/  
443/tcp open ssl/http nginx  
|\_ tls-alpn:  
| h2  
|\_ http/1.1

| tls-nextprotoneg:  
| h2  
|\_ http/1.1  
| ssl-cert: Subject: commonName=\*.wb.ru  
| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru  
| Not valid before: 2025-07-03T14:59:14  
|\_ Not valid after: 2026-08-04T14:59:13  
|\_ http-title: Did not follow redirect to https://edtech.rwb.ru/  
|\_ ssl-date: TLS randomness does not represent time  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP|general purpose  
Running: Actiontec embedded, Linux 2.4.X  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37  
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 21.74 ms 85.198.77.15

Nmap scan report for partners.wb.ru (185.138.253.70)

Host is up (0.021s latency).

Other addresses for partners.wb.ru (not scanned): 213.184.155.90 185.138.255.70

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_ http-title: Did not follow redirect to https://suppliers-portal.wildberries.ru/

443/tcp open ssl/http nginx

| ssl-cert: Subject: commonName=\*.wb.ru

| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

| Not valid before: 2025-07-03T14:59:14

|\_ Not valid after: 2026-08-04T14:59:13

|\_ http-title: Did not follow redirect to https://suppliers-portal.wildberries.ru/

| tls-nextprotoneg:

| h2

|\_ http/1.1

|\_ ssl-date: TLS randomness does not represent time

| tls-alpn:

| h2

|\_ http/1.1

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP

Running: Actiontec embedded, Linux

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel

OS details: Actiontec MI424WR-GEN3I WAP

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 21.70 ms 185.138.253.70

Nmap scan report for point.wb.ru (85.198.79.0)

Host is up (0.014s latency).

Other addresses for point.wb.ru (not scanned): 213.184.156.20 185.138.254.19

PORT STATE SERVICE VERSION

80/tcp open http nginx  
|\_ http-title: Did not follow redirect to https://point.wb.ru/  
443/tcp open ssl/http nginx  
|\_ http-title: Did not follow redirect to http://pvz.wb.ru/  
|\_ tls-nextprotoneg:  
|\_ http/1.1  
|\_ tls-alpn:  
|\_ http/1.1  
|\_ ssl-date: TLS randomness does not represent time  
|\_ ssl-cert: Subject: commonName=\*.wb.ru  
|\_ Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru  
|\_ Not valid before: 2025-07-07T13:20:16  
|\_ Not valid after: 2026-08-08T13:20:15  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP|general purpose  
Running: Actiontec embedded, Linux 2.4.X  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37  
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)  
HOP RTT ADDRESS  
- Hop 1 is the same as for 85.198.77.99  
2 0.14 ms 85.198.79.0

Nmap scan report for reports.wb.ru (85.198.76.99)  
Host is up (0.018s latency).  
Other addresses for reports.wb.ru (not scanned): 85.198.79.99 85.198.77.99

PORT STATE SERVICE VERSION  
80/tcp open http?  
|\_ fingerprint-strings:  
| FourOhFourRequest:  
| HTTP/1.1 301 Moved Permanently  
| Date: Thu, 18 Dec 2025 16:47:39 GMT  
| Content-Type: text/html  
| Content-Length: 216  
| Connection: close  
| Location: https://\_/\_nice%20ports%2C/Tri%6Eity.txt%2ebak  
| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">  
| <html>  
| <head><title>301 Moved Permanently</title></head>  
| <body>  
| <center><h1>301 Moved Permanently</h1></center>  
| <hr><center>tengine</center>  
| </body>  
| </html>  
| GetRequest:  
| HTTP/1.1 301 Moved Permanently  
| Date: Thu, 18 Dec 2025 16:47:38 GMT  
| Content-Type: text/html  
| Content-Length: 216  
| Connection: close  
| Location: https://\_/\_/  
| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">  
| <html>  
| <head><title>301 Moved Permanently</title></head>  
| <body>



```
| <center><h1>301 Moved Permanently</h1></center>
| <hr><center>tengine</center>
| </body>
| </html>
| HTTPOptions:
|   HTTP/1.1 301 Moved Permanently
|   Date: Thu, 18 Dec 2025 16:47:39 GMT
|   Content-Type: text/html
|   Content-Length: 216
|   Connection: close
|   Location: https://_/_/
|   <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
|   <html>
|   <head><title>301 Moved Permanently</title></head>
|   <body>
|   <center><h1>301 Moved Permanently</h1></center>
|   <hr><center>tengine</center>
|   </body>
|   </html>
| RTSPRequest, X11Probe:
|   HTTP/1.1 400 Bad Request
|   Date: Thu, 18 Dec 2025 16:47:39 GMT
|   Content-Type: text/html
|   Content-Length: 204
|   Connection: close
|   <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
|   <html>
|   <head><title>400 Bad Request</title></head>
|   <body>
|   <center><h1>400 Bad Request</h1></center>
|   <hr><center>tengine</center>
|   </body>
|_  </html>
|_ http-title: Did not follow redirect to https://reports.wb.ru/
443/tcp open  ssl/https?
| ssl-cert: Subject: commonName=*.wb.ru
| Subject Alternative Name: DNS:*.wb.ru, DNS:wb.ru
| Not valid before: 2025-07-07T13:20:16
|_ Not valid after: 2026-08-08T13:20:15
|_ ssl-date: TLS randomness does not represent time
| fingerprint-strings:
|   FourOhFourRequest, GetRequest, HTTPOptions:
|   HTTP/1.1 421 Misdirected Request
|   Date: Thu, 18 Dec 2025 16:47:48 GMT
|   Content-Type: text/html
|   Content-Length: 220
|   Connection: close
|   Strict-Transport-Security: max-age=31536000; preload;
|   <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
|   <html>
|   <head><title>421 Misdirected Request</title></head>
|   <body>
|   <center><h1>421 Misdirected Request</h1></center>
|   <hr><center>tengine</center>
|   </body>
|   </html>
| tor-versions:
|   HTTP/1.1 400 Bad Request
```



Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP|general purpose  
Running: Actiontec embedded, Linux 2.4.X  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37  
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

Nmap scan report for seller.wb.ru (185.138.255.70)  
Host is up (0.022s latency).  
Other addresses for seller.wb.ru (not scanned): 185.138.253.70 213.184.155.90

```
PORT STATE SERVICE VERSION
80/tcp open  http  nginx
|_ http-title: Did not follow redirect to https://seller.wildberries.ru/
443/tcp open  ssl/http  nginx
|_ ssl-date: TLS randomness does not represent time
|_ tls-alpn:
|_ h2
|_ http/1.1
|_ tls-nextprotoneg:
|_ h2
|_ http/1.1
```

| ssl-cert: Subject: commonName=\*.wb.ru  
| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru  
| Not valid before: 2025-07-03T14:59:14  
|\_Not valid after: 2026-08-04T14:59:13  
|\_http-title: Did not follow redirect to https://seller.wildberries.ru/  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP|general purpose  
Running: Actiontec embedded, Linux 2.4.X  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37  
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 21.43 ms 185.138.255.70

Nmap scan report for sp.wb.ru (194.1.214.88)  
Host is up (0.015s latency).

PORT STATE SERVICE VERSION

80/tcp open http?

|\_http-title: Did not follow redirect to https://sp.wb.ru/

| fingerprint-strings:

| DNSVersionBindReqTCP, Help, RPCCheck, RTSPRequest, SSLSessionReq, X11Probe:

| HTTP/1.1 400 Bad request

| Content-length: 90

| Cache-Control: no-cache

| Connection: close

| Content-Type: text/html

| <html><body><h1>400 Bad request</h1>

| Your browser sent an invalid request.

| </body></html>

| FourOhFourRequest:

| HTTP/1.1 302 Found

| content-length: 0

| location: https:///nice%20ports%2C/Tri%6Eity.txt%2ebak

| cache-control: no-cache

| connection: close

| GetRequest, HTTPOptions:

| HTTP/1.1 302 Found

| content-length: 0

| location: https:///

| cache-control: no-cache

|\_ connection: close

443/tcp open ssl/https?

|\_http-title: 404 Not Found

| ssl-cert: Subject: commonName=\*.wb.ru

| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

| Not valid before: 2025-07-03T14:59:14

|\_Not valid after: 2026-08-04T14:59:13

|\_ssl-date: TLS randomness does not represent time

| fingerprint-strings:

| FourOhFourRequest, GetRequest, HTTPOptions:

| HTTP/1.1 404 Not Found

| date: Thu, 18 Dec 2025 16:47:49 GMT

| content-type: text/html

| content-length: 146

```
| strict-transport-security: max-age=31536000; includeSubDomains
| connection: close
| <html>
| <head><title>404 Not Found</title></head>
| <body>
| <center><h1>404 Not Found</h1></center>
| <hr><center>nginx</center>
| </body>
| </html>
```

```
| RPCCheck, RTSPRequest, tor-versions:
| HTTP/1.1 400 Bad request
| Content-length: 90
| Cache-Control: no-cache
| Connection: close
| Content-Type: text/html
| <html><body><h1>400 Bad request</h1>
| Your browser sent an invalid request.
|_ </body></html>
```

2 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====

SF-Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=6944302F%P=x86\_64-pc-linux-gnu%(

SF:GetRequest,6A,"HTTP/1.1\x20302\x20Found\r\ncontent-length:\x200\r\nloc

SF:ation:\x20https://\r\n\r\n" )%(HTTPOptions,6A,"HTTP/1.1\x20302\x20Found\r\ncontent-len

SF:ngth:\x200\r\nlocation:\x20https://\r\n\r\n" )%(RTSPRequest,CF,"HTTP/1.1\x20400\x20Bad\

SF:nnection:\x20close\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

SF:x20request\r\nContent-length:\x2090\r\nCache-Control:\x20no-cache\r\nCo

SF:nnection:\x20close\r\nContent-Type:\x20text/html\r\n\r\n" )%(X11Probe,CF,"HTTP/1.1\x20400\x20Bad\

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP|general purpose  
Running: Actiontec embedded, Linux 2.4.X  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37  
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

```
HOP RTT    ADDRESS
- Hop 1 is the same as for 85.198.77.99
2 0.40 ms 194.1.214.88
```

```
PORT      STATE      SERVICE VERSION
80/tcp    filtered  http
443/tcp   filtered  https
```

```
TRACEROUTE (using port 80/tcp)
HOP RTT  ADDRESS
- Hop 1 is the same as for 85.198.77.99
```

2 0.18 ms 91.230.107.135

Nmap scan report for tickets.wb.ru (185.138.254.19)

Host is up (0.023s latency).

Other addresses for tickets.wb.ru (not scanned): 85.198.79.0 213.184.156.20

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_http-title: Did not follow redirect to https://tickets.wb.ru/

443/tcp open ssl/http nginx

|tls-nextprotoneg:

|\_ http/1.1

|tls-alpn:

|\_ http/1.1

|\_ssl-date: TLS randomness does not represent time

|ssl-cert: Subject: commonName=\*.wb.ru

|Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

|Not valid before: 2025-07-07T13:20:16

|\_Not valid after: 2026-08-08T13:20:15

|\_http-title: 404 Not Found

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: general purpose

Running: Linux 2.4.X

OS CPE: cpe:/o:linux:linux\_kernel:2.4.37

OS details: DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99

2 21.30 ms 185.138.254.19

Nmap scan report for track.wb.ru (213.184.156.20)

Host is up (0.015s latency).

Other addresses for track.wb.ru (not scanned): 185.138.254.19 85.198.79.0

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_http-title: Did not follow redirect to https://track.wb.ru/

443/tcp open ssl/http nginx

|tls-nextprotoneg:

|\_ http/1.1

|\_http-title: PVZ Track

|tls-alpn:

|\_ http/1.1

|\_ssl-date: TLS randomness does not represent time

|ssl-cert: Subject: commonName=\*.wb.ru

|Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

|Not valid before: 2025-07-07T13:20:16

|\_Not valid after: 2026-08-08T13:20:15

|http-robots.txt: 1 disallowed entry

|\_

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP

Running: Actiontec embedded, Linux

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel

OS details: Actiontec MI424WR-GEN3I WAP

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 0.55 ms 213.184.156.20

Nmap scan report for vpn-test.wb.ru (194.1.214.6)

Host is up (0.00062s latency).

PORT STATE SERVICE VERSION

80/tcp filtered http

443/tcp filtered https

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Aggressive OS guesses: D-Link DFL-700 firewall (89%), HP Officejet Pro 8500 printer (89%), ReactOS 0.3.7 (89%), Sanyo PLC-XU88 digital video projector (89%), Sonus GSX9000 VoIP proxy (88%), Asus WL-500gP wireless broadband router (88%), Microsoft Windows 2000 (88%), Microsoft Windows Server 2003 Enterprise Edition SP2 (88%), Microsoft Windows Server 2003 SP2 (88%), Novell NetWare 6.5 (88%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 0.15 ms 194.1.214.6

Nmap scan report for vpn.wb.ru (194.1.214.89)

Host is up (0.00068s latency).

Other addresses for vpn.wb.ru (not scanned): 91.230.107.89

PORT STATE SERVICE VERSION

80/tcp filtered http

443/tcp filtered https

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Aggressive OS guesses: D-Link DFL-700 firewall (89%), HP Officejet Pro 8500 printer (89%), ReactOS 0.3.7 (89%), Sanyo PLC-XU88 digital video projector (89%), Sonus GSX9000 VoIP proxy (88%), Asus WL-500gP wireless broadband router (88%), Microsoft Windows 2000 (88%), Microsoft Windows Server 2003 Enterprise Edition SP2 (88%), Microsoft Windows Server 2003 SP2 (88%), Novell NetWare 6.5 (88%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 0.11 ms 194.1.214.89

Nmap scan report for wb.ru (185.138.253.1)

Host is up (0.022s latency).

Other addresses for wb.ru (not scanned): 213.184.155.142 185.138.255.1

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_ http-title: Did not follow redirect to https://wb.ru/

443/tcp open ssl/http nginx

|\_ tls-nextprotoneg:

|\_ h2

|\_ http/1.1

|\_ ssl-cert: Subject: commonName=\*.wb.ru

|\_ Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru



| Not valid before: 2025-07-03T14:59:14  
|\_ Not valid after: 2026-08-04T14:59:13  
|\_ ssl-date: TLS randomness does not represent time  
| tls-alpn:  
| h2  
|\_ http/1.1  
|\_ http-title: Did not follow redirect to https://www.wildberries.ru/  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP|general purpose  
Running: Actiontec embedded, Linux 2.4.X  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37  
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 20.89 ms 185.138.253.1

Nmap scan report for wbjobs-employee-status.wb.ru (91.230.107.137)

Host is up (0.00018s latency).

PORT STATE SERVICE VERSION

80/tcp filtered http

443/tcp filtered https

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Aggressive OS guesses: D-Link DFL-700 firewall (89%), HP Officejet Pro 8500 printer (89%), ReactOS 0.3.7 (89%), Sanyo PLC-XU88 digital video projector (89%), Sonus GSX9000 VoIP proxy (88%), Asus WL-500gP wireless broadband router (88%), Microsoft Windows 2000 (88%), Microsoft Windows Server 2003 Enterprise Edition SP2 (88%), Microsoft Windows Server 2003 SP2 (88%), Novell NetWare 6.5 (88%)  
No exact OS matches for host (test conditions non-ideal).  
Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 0.34 ms 91.230.107.137

Nmap scan report for wildmetrics.wb.ru (85.198.79.99)

Host is up (0.022s latency).

Other addresses for wildmetrics.wb.ru (not scanned): 85.198.76.99 85.198.77.99 85.198.78.11

PORT STATE SERVICE VERSION

80/tcp open http?

| fingerprint-strings:

| FourOhFourRequest:

| HTTP/1.1 301 Moved Permanently

| Date: Thu, 18 Dec 2025 16:47:45 GMT

| Content-Type: text/html

| Content-Length: 216

| Connection: close

| Location: https://\_/\_nice%20ports%2C/Tri%6Eity.txt%2ebak

| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">

| <html>

| <head><title>301 Moved Permanently</title></head>

| <body>

| <center><h1>301 Moved Permanently</h1></center>

| <hr><center>tengine</center>

```
| </body>
| </html>
| GetRequest, HTTPOptions:
| HTTP/1.1 301 Moved Permanently
| Date: Thu, 18 Dec 2025 16:47:45 GMT
| Content-Type: text/html
| Content-Length: 216
| Connection: close
| Location: https://_/
| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
| <html>
| <head><title>301 Moved Permanently</title></head>
| <body>
| <center><h1>301 Moved Permanently</h1></center>
| <hr><center>tengine</center>
| </body>
| </html>
| RTSPRequest, X11Probe:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:45 GMT
| Content-Type: text/html
| Content-Length: 204
| Connection: close
| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>tengine</center>
| </body>
| </html>
|_ http-title: Did not follow redirect to https://wildmetrics.wb.ru/
443/tcp open  ssl/https?
|_ http-title: Wild Metrics
| fingerprint-strings:
| FourOhFourRequest, GetRequest, HTTPOptions:
| HTTP/1.1 421 Misdirected Request
| Date: Thu, 18 Dec 2025 16:47:55 GMT
| Content-Type: text/html
| Content-Length: 220
| Connection: close
| Strict-Transport-Security: max-age=31536000; preload;
| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
| <html>
| <head><title>421 Misdirected Request</title></head>
| <body>
| <center><h1>421 Misdirected Request</h1></center>
| <hr><center>tengine</center>
| </body>
| </html>
| tor-versions:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:47:55 GMT
| Content-Type: text/html
| Content-Length: 204
| Connection: close
| Strict-Transport-Security: max-age=31536000; preload;
| <!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
```

```
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>tengine</center>
| </body>
|_ </html>
```

|\_tls-alpn:

| http/1.1

| http/1.0

|\_ http/0.9

|\_ssl-date: TLS randomness does not represent time

|\_ssl-cert: Subject: commonName=\*.wb.ru

|\_Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

|\_Not valid before: 2025-07-07T13:20:16

|\_Not valid after: 2026-08-08T13:20:15

2 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====

SF-Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=69443031%P=x86\_64-pc-linux-gnu%(

SF:GetRequest,176,"HTTP/1.1x20301x20Movedx20Permanently\r\nDate:x20Th

SF:u,x2018x20Decx202025x2016:47:45x20GMT\r\nContent-Type:x20text/hm

SF:l\r\nContent-Length:x20216\r\nConnection:x20close\r\nLocation:x20htt

SF:ps://\_/\r\n\r\n<!DOCTYPEx20HTMLx20PUBLICx20"/-//IETF//DTDx20HTMLx2

SF:02\0//EN">\r\n<html>\r\n<head><title>301x20Movedx20Permanently</tit

SF:le></head>\r\n<body>\r\n<center><h1>301x20Movedx20Permanently</h1></c

SF:enter>\r\n<hr><center>tengine</center>\r\n</body>\r\n</html>\r\n")%(HT

SF:TPOptions,176,"HTTP/1.1x20301x20Movedx20Permanently\r\nDate:x20Thu

SF:,x2018x20Decx202025x2016:47:45x20GMT\r\nContent-Type:x20text/html

SF:l\r\nContent-Length:x20216\r\nConnection:x20close\r\nLocation:x20http

SF:s://\_/\r\n\r\n<!DOCTYPEx20HTMLx20PUBLICx20"/-//IETF//DTDx20HTMLx20

SF:2\0//EN">\r\n<html>\r\n<head><title>301x20Movedx20Permanently</titl

SF:e></head>\r\n<body>\r\n<center><h1>301x20Movedx20Permanently</h1></ce

SF:nter>\r\n<hr><center>tengine</center>\r\n</body>\r\n</html>\r\n")%(RTS

SF:PRequest,14E,"HTTP/1.1x20400x20Badx20Request\r\nDate:x20Thu,x2018

SF:x20Decx202025x2016:47:45x20GMT\r\nContent-Type:x20text/html\r\nCon

SF:tent-Length:x20204\r\nConnection:x20close\r\n\r\n<!DOCTYPEx20HTMLx2

SF:0PUBLICx20"/-//IETF//DTDx20HTMLx202\0//EN">\r\n<html>\r\n<head><ti

SF:tle>400x20Badx20Request</title></head>\r\n<body>\r\n<center><h1>400x

SF:20Badx20Request</h1></center>\r\n<hr><center>tengine</center>\r\n</bod

SF:y>\r\n</html>\r\n")%(X11Probe,14E,"HTTP/1.1x20400x20Badx20Request\

SF:r\nDate:x20Thu,x2018x20Decx202025x2016:47:45x20GMT\r\nContent-Typ

SF:e:x20text/html\r\nContent-Length:x20204\r\nConnection:x20close\r\n\r

SF:l\n<!DOCTYPEx20HTMLx20PUBLICx20"/-//IETF//DTDx20HTMLx202\0//EN">\

SF:r\n<html>\r\n<head><title>400x20Badx20Request</title></head>\r\n<body

SF:>\r\n<center><h1>400x20Badx20Request</h1></center>\r\n<hr><center>ten

SF:gine</center>\r\n</body>\r\n</html>\r\n")%(FourOhFourRequest,199,"HTTP

SF:/1.1x20301x20Movedx20Permanently\r\nDate:x20Thu,x2018x20Decx202

SF:025x2016:47:45x20GMT\r\nContent-Type:x20text/html\r\nContent-Length:

SF:x20216\r\nConnection:x20close\r\nLocation:x20https://\_/\_nice%20ports%

SF:2C/Tri%6Eity\l.txt%2ebak\r\n\r\n<!DOCTYPEx20HTMLx20PUBLICx20"/-//IETF

SF://DTDx20HTMLx202\0//EN">\r\n<html>\r\n<head><title>301x20Movedx20

SF:Permanently</title></head>\r\n<body>\r\n<center><h1>301x20Movedx20Per

SF:manently</h1></center>\r\n<hr><center>tengine</center>\r\n</body>\r\n</

SF:html>\r\n");

=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====

SF-Port443-TCP:V=7.94SVN%T=SSL%I=5%D=12/18%Time=6944303B%P=x86\_64-pc-linux

SF:-gnu%(GetRequest,19D,"HTTP/1.1x20421x20Misdirectedx20Request\r\nDa

```

SF:te:\x20Thu,\x2018\x20Dec\x202025\x2016:47:55\x20GMT\r\nContent-Type:\x2
SF:0text/html\r\nContent-Length:\x20220\r\nConnection:\x20close\r\nStrict-
SF:Transport-Security:\x20max-age=31536000;\x20preload;\r\n\r\n<!DOCTYPE\x
SF:20HTML\x20PUBLIC\x20\"-//IETF//DTD\x20HTML\x202.0//EN\">\r\n<html>\r\n
SF:<head><title>421\x20Misdirected\x20Request</title></head>\r\n<body>\r\n
SF:<center><h1>421\x20Misdirected\x20Request</h1></center>\r\n<hr><center>
SF:tengine</center>\r\n</body>\r\n</html>\r\n")%(HTTPOptions,19D,"HTTP/1\
SF:.1\x20421\x20Misdirected\x20Request\r\nDate:\x20Thu,\x2018\x20Dec\x2020
SF:25\x2016:47:55\x20GMT\r\nContent-Type:\x20text/html\r\nContent-Length:\
SF:x20220\r\nConnection:\x20close\r\nStrict-Transport-Security:\x20max-age
SF:=31536000;\x20preload;\r\n\r\n<!DOCTYPE\x20HTML\x20PUBLIC\x20\"-//IETF/
SF:/DTD\x20HTML\x202.0//EN\">\r\n<html>\r\n<head><title>421\x20Misdirecte
SF:d\x20Request</title></head>\r\n<body>\r\n<center><h1>421\x20Misdirected
SF:\x20Request</h1></center>\r\n<hr><center>tengine</center>\r\n</body>\r\
SF:n</html>\r\n")%(FourOhFourRequest,19D,"HTTP/1.1\x20421\x20Misdirected
SF:\x20Request\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:47:55\x20GMT\r\
SF:nContent-Type:\x20text/html\r\nContent-Length:\x20220\r\nConnection:\x2
SF:0close\r\nStrict-Transport-Security:\x20max-age=31536000;\x20preload;\r
SF:\r\n\r\n<!DOCTYPE\x20HTML\x20PUBLIC\x20\"-//IETF//DTD\x20HTML\x202.0//EN
SF:\r\n\">\r\n<html>\r\n<head><title>421\x20Misdirected\x20Request</title></he
SF:ad>\r\n<body>\r\n<center><h1>421\x20Misdirected\x20Request</h1></center
SF:>\r\n<hr><center>tengine</center>\r\n</body>\r\n</html>\r\n")%(tor-ver
SF:sions,185,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x2
SF:0Dec\x202025\x2016:47:55\x20GMT\r\nContent-Type:\x20text/html\r\nConten
SF:t-Length:\x20204\r\nConnection:\x20close\r\nStrict-Transport-Security:\
SF:x20max-age=31536000;\x20preload;\r\n\r\n<!DOCTYPE\x20HTML\x20PUBLIC\x20
SF:\r\n\"-//IETF//DTD\x20HTML\x202.0//EN\">\r\n<html>\r\n<head><title>400\x20
SF:Bad\x20Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Re
SF:quest</h1></center>\r\n<hr><center>tengine</center>\r\n</body>\r\n</htm
SF:l>\r\n");

```

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99

2 21.60 ms 85.198.79.99

Nmap scan report for www.wb.ru (185.138.255.1)

Host is up (0.012s latency).

Other addresses for www.wb.ru (not scanned): 185.138.253.1 213.184.155.142

PORT STATE SERVICE VERSION

80/tcp open http nginx

\_http-title: Did not follow redirect to https://wb.ru/

443/tcp open ssl/https?

|ssl-cert: Subject: commonName=\*.wb.ru

| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

| Not valid before: 2025-07-03T14:59:14

|\_Not valid after: 2026-08-04T14:59:13

|\_ssl-date: TLS randomness does not represent time

|tls-alpn:

|\_ h2

|\_http-title: Did not follow redirect to https://www.wildberries.ru/

| tls-nextprotoneg:  
| h2  
|\_ http/1.1

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Aggressive OS guesses: Actiontec MI424WR-GEN3I WAP (97%), DD-WRT v24-sp2 (Linux 2.4.37) (97%),  
Microsoft Windows XP SP3 or Windows 7 or Windows Server 2012 (97%), Linux 3.2 (94%), Microsoft Windows  
XP SP3 (94%), VMware Player virtual NAT device (94%), Linux 4.4 (93%), BlueArc Titan 2100 NAS device (89%)  
No exact OS matches for host (test conditions non-ideal).  
Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 85.198.77.99  
2 0.32 ms 185.138.255.1

Nmap scan report for finance.wb.ru (185.62.202.14)  
Host is up (0.017s latency).

PORT STATE SERVICE VERSION

80/tcp open http?

| fingerprint-strings:

| DNSVersionBindReqTCP:  
| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:49:56 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: INF-01-EL  
| Server: wbaas  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>  
| <hr><center>Angie</center>  
| </body>  
| </html>

| Help:

| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:49:56 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: INF-02-XC  
| Server: wbaas  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>  
| <hr><center>Angie</center>  
| </body>  
| </html>

| RPCCheck:

| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:49:56 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: INF-01-XS

```
| Server: wbaas
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| RTSPRequest:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:49:51 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: INF-01-XC
| Server: wbaas
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| X11Probe:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:49:51 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: INF-02-XC
| Server: wbaas
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
|_ http-title: Did not follow redirect to https://finance.wb.ru/
443/tcp open https?
| ssl-cert: Subject: commonName=finance.wb.ru
| Subject Alternative Name: DNS:bank.wb.ru, DNS:bank.wildberries.ru, DNS:finance.wb.ru,
DNS:finance.wildberries.ru
| Not valid before: 2025-10-30T10:41:01
|_ Not valid after: 2026-01-28T10:41:00
|_ http-title: WB Finance
1 service unrecognized despite returning data. If you know the service/version, please submit the following
fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=694430AF%P=x86_64-pc-linux-gnu%(
SF:RTSPRequest,140,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2
SF:018\x20Dec\x202025\x2016:49:51\x20GMT\r\nContent-Type:\x20text/html\r\n
SF:Content-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20INF-
SF:01-XC\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20R
SF:quest</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h
SF:1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r
SF:(X11Probe,140,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x201
SF:8\x20Dec\x202025\x2016:49:51\x20GMT\r\nContent-Type:\x20text/html\r\nCo
SF:ntent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20INF-02
```

```

SF:-XC\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Req
SF:uest</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1>
SF:</center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r(R
SF:PCCheck,140,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\
SF:\x20Dec\x202025\x2016:49:56\x20GMT\r\nContent-Type:\x20text/html\r\nCont
SF:ent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20INF-01-X
SF:S\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Reque
SF:st</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></
SF:center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r(DNS
SF:VersionBindReqTCP,140,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20T
SF:hu,\x2018\x20Dec\x202025\x2016:49:56\x20GMT\r\nContent-Type:\x20text/ht
SF:ml\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x
SF:20INF-01-EL\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Ba
SF:d\x20Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Requ
SF:est</h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r
SF:\n")%r(Help,140,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2
SF:018\x20Dec\x202025\x2016:49:56\x20GMT\r\nContent-Type:\x20text/html\r\n
SF:Content-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20INF-
SF:02-XC\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20R
SF:quest</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h
SF:1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n");
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: WAP|general purpose
Running: Actiontec embedded, Linux 2.4.X
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux_kernel cpe:/o:linux:linux_kernel:2.4.37
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)
Network Distance: 2 hops

```

```

TRACEROUTE (using port 443/tcp)
HOP RTT ADDRESS
- Hop 1 is the same as for 185.62.202.8
2 21.32 ms 185.62.202.14

```

```

Nmap scan report for go.wb.ru (85.198.79.101)
Host is up (0.017s latency).
Other addresses for go.wb.ru (not scanned): 85.198.77.14 213.184.155.74

```

```

PORT STATE SERVICE VERSION
80/tcp open http nginx
|_ http-title: Did not follow redirect to https://go.wb.ru/
443/tcp open ssl/http nginx
|_ ssl-date: TLS randomness does not represent time
| ssl-cert: Subject: commonName=*.wb.ru
| Subject Alternative Name: DNS:*.wb.ru, DNS:wb.ru
| Not valid before: 2025-07-03T14:59:14
|_ Not valid after: 2026-08-04T14:59:13
|_ http-title: Did not follow redirect to http://drive.wb.ru/
|_ tls-alpn:
| h2
|_ http/1.1
|_ tls-nextprotoneg:
| h2
|_ http/1.1

```

```

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Aggressive OS guesses: Actiontec MI424WR-GEN3I WAP (98%), DD-WRT v24-sp2 (Linux 2.4.37) (98%), Linux
3.2 (96%), Linux 4.4 (96%), Microsoft Windows XP SP3 or Windows 7 or Windows Server 2012 (95%), VMware
Player virtual NAT device (95%), Microsoft Windows XP SP3 (93%), BlueArc Titan 2100 NAS device (92%),
Pirelli DP-10 VoIP phone (89%)

```

No exact OS matches for host (test conditions non-ideal).  
Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 185.62.202.8  
2 21.36 ms 85.198.79.101

Nmap scan report for map.wb.ru (185.62.202.7)  
Host is up (0.017s latency).

PORT STATE SERVICE VERSION

80/tcp open http?

|\_http-title: Did not follow redirect to https://map.wb.ru/

| fingerprint-strings:

| DNSVersionBindReqTCP, Help:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:49:56 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-01-EL

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>

| </body>

| </html>

| RPCCheck:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:49:56 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-02-EL

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>

| </body>

| </html>

| RTSPRequest:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:49:51 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-01-EL

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>



```
| </body>
| </html>
| X11Probe:
|   HTTP/1.1 400 Bad Request
|   Date: Thu, 18 Dec 2025 16:49:51 GMT
|   Content-Type: text/html
|   Content-Length: 150
|   Connection: close
|   Status-NO-Id: PG-02-DP
|   Server: wbaas
|   <html>
|   <head><title>400 Bad Request</title></head>
|   <body>
|   <center><h1>400 Bad Request</h1></center>
|   <hr><center>Angie</center>
|   </body>
|_  </html>
443/tcp open  ssl/https?
|_http-title: \xD0\x9A\xD0\xB0\xD1\x80\xD1\x82\xD0\xB0 \xD0\x9F\xD0\x92\xD0\x97
| fingerprint-strings:
|   GenericLines:
|     HTTP/1.1 400 Bad Request
|     Date: Thu, 18 Dec 2025 16:49:57 GMT
|     Content-Type: text/html
|     Content-Length: 150
|     Connection: close
|     Status-NO-Id: PG-03-EL
|     Server: wbaas
|     X-Request-Id: a314cf3a8946abb807240942f3dc4051
|     Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
|     NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
|     Strict-Transport-Security: max-age=31536000; preload; always
|     X-Content-Type-Options: nosniff
|     X-Frame-Options: DENY always
|     <html>
|     <head><title>400 Bad Request</title></head>
|     <body>
|     <center><h1>400 Bad Request</h1></center>
|     <hr><center>Angie</center>
|     </body>
|     </html>
|   RTSPRequest:
|     HTTP/1.1 400 Bad Request
|     Date: Thu, 18 Dec 2025 16:49:57 GMT
|     Content-Type: text/html
|     Content-Length: 150
|     Connection: close
|     Status-NO-Id: PG-04-EL
|     Server: wbaas
|     X-Request-Id: 16718d982a5ca8b92ff57dcdd49eeb8a
|     Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
|     NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
|     Strict-Transport-Security: max-age=31536000; preload; always
|     X-Content-Type-Options: nosniff
|     X-Frame-Options: DENY always
|     <html>
```

```

| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| tor-versions:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:49:57 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-04-EL
| Server: wbaas
| X-Request-Id: 9d0a42cb146ccb885db48c3179b3c103
| Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
| NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| ssl-cert: Subject: commonName=*.wb.ru
| Subject Alternative Name: DNS:*.wb.ru, DNS:wb.ru
| Not valid before: 2025-07-07T13:20:16
| Not valid after: 2026-08-08T13:20:15
2 services unrecognized despite returning data. If you know the service/version, please submit the following
fingerprints at https://nmap.org/cgi-bin/submit.cgi?new-service :
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=694430AF%P=x86_64-pc-linux-gnu%(
SF:RTSPRequest,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,\x2
SF:018x20Dec\x202025\x2016:49:51x20GMT\r\nContent-Type:\x20text/html\r\n
SF:Content-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-0
SF:1-EL\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Re
SF:quest</title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h1
SF:></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%(
SF:X11Probe,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,\x2018
SF:\x20Dec\x202025\x2016:49:51x20GMT\r\nContent-Type:\x20text/html\r\nCon
SF:tent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-02-D
SF:P\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Reque
SF:st</title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h1></
SF:center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%(RPC
SF:Check,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,\x2018x2
SF:0Dec\x202025\x2016:49:56x20GMT\r\nContent-Type:\x20text/html\r\nConen
SF:t-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-02-EL\r
SF:\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Request<
SF:/title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h1></cen
SF:ter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%(DNSVer
SF:sionBindReqTCP,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:\x20Thu,
SF:\x2018x20Dec\x202025\x2016:49:56x20GMT\r\nContent-Type:\x20text/html\r
SF:\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20P
SF:G-01-EL\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx2

```

```

SF:0Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request<
SF:/h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")
SF:%r(Help,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\
SF:\x20Dec\x202025\x2016:49:56\x20GMT\r\nContent-Type:\x20text/html\r\nCon
SF:ent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-01-EL
SF:\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Reques
SF:t</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></c
SF:enter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n");
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port443-TCP:V=7.94SVN%T=SSL%I=5%D=12/18%Time=694430B5%P=x86_64-pc-linux
SF:-gnu%r(tor-versions,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x2
SF:0Thu,\x2018\x20Dec\x202025\x2016:49:57\x20GMT\r\nContent-Type:\x20text/
SF:html\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:
SF:\x20PG-04-EL\r\nServer:\x20wbaas\r\nX-Request-Id:\x209d0a42cb146ccb885d
SF:b48c3179b3c103\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max_ag
SF:e":\x20604800,\x20"endpoints":\x20{\x20"url":\x20"https://nel.wb.
SF:ru/reports"}}\x20}\r\nNEL:\x20{\x20"report_to":\x20"nel",\x20"ma
SF:x_age":\x20604800,\x20"include_subdomains":\x20false,\x20"success_f
SF:raction":\x200.0,\x20"failure_fraction":\x201.0\x20}\r\nStrict-Tra
SF:nsport-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Conten
SF:t-Type-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r\
SF:n<html>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r
SF:n<center><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie
SF:</center>\r\n</body>\r\n</html>\r\n")%r(GenericLines,2D2,"HTTP/1.1\x20
SF:400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:49:57
SF:\x20GMT\r\nContent-Type:\x20text/html\r\nContent-Length:\x20150\r\nConn
SF:ection:\x20close\r\nStatus-NO-Id:\x20PG-03-EL\r\nServer:\x20wbaas\r\nX-
SF:Request-Id:\x20a314cf3a8946abb807240942f3dc4051\r\nReport-To:\x20{\x20\
SF:"group":\x20"nel",\x20"max_age":\x20604800,\x20"endpoints":\x20\
SF:{\x20"url":\x20"https://nel.wb.ru/reports"}}\x20}\r\nNEL:\x20{\x20\
SF:"report_to":\x20"nel",\x20"max_age":\x20604800,\x20"include_subdo
SF:mains":\x20false,\x20"success_fraction":\x200.0,\x20"failure_fract
SF:ion":\x201.0\x20}\r\nStrict-Transport-Security:\x20max-age=31536000;\x
SF:20preload;\x20always\r\nX-Content-Type-Options:\x20nosniff\r\nX-Frame-
SF:Options:\x20DENY\x20always\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20
SF:Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</
SF:h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%
SF:r(RTSPRequest,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x
SF:2018\x20Dec\x202025\x2016:49:57\x20GMT\r\nContent-Type:\x20text/html\r
SF:nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG
SF:-04-EL\r\nServer:\x20wbaas\r\nX-Request-Id:\x2016718d982a5ca8b92ff57dcd
SF:d49eeb8a\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max_age":\x
SF:20604800,\x20"endpoints":\x20{\x20"url":\x20"https://nel.wb.ru/rep
SF:orts"}}\x20}\r\nNEL:\x20{\x20"report_to":\x20"nel",\x20"max_age\
SF:":\x20604800,\x20"include_subdomains":\x20false,\x20"success_fractio
SF:n":\x200.0,\x20"failure_fraction":\x201.0\x20}\r\nStrict-Transport
SF:-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Content-Type
SF:-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r\n<html
SF:>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r\n<ce
SF:nter><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie</cent
SF:er>\r\n</body>\r\n</html>\r\n");

```

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 185.62.202.8

2 21.90 ms 185.62.202.7

Nmap scan report for meet.wb.ru (194.1.214.98)

Host is up (0.018s latency).

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_http-title: Did not follow redirect to https://stream.wb.ru

443/tcp open ssl/http nginx

| ssl-cert: Subject: commonName=\*.wb.ru

| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

| Not valid before: 2025-07-07T13:20:16

|\_Not valid after: 2026-08-08T13:20:15

|\_ssl-date: TLS randomness does not represent time

| http-title: WB Stream

|\_Requested resource was https://stream.wb.ru

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 185.62.202.8

2 22.57 ms 194.1.214.98

Nmap scan report for meta.wb.ru (213.184.159.8)

Host is up (0.017s latency).

PORT STATE SERVICE VERSION

80/tcp filtered http

443/tcp open ssl/https?

|\_ssl-date: TLS randomness does not represent time

|\_http-title: WRP default page

| fingerprint-strings:

| FourOhFourRequest:

| HTTP/1.0 404 Not Found

| content-type: text/html; charset=utf-8

| access-control-allow-methods: GET, POST, PUT, DELETE, HEAD, OPTIONS, CONNECT, PATCH, TRACE

| access-control-allow-credentials: true

| access-control-allow-headers: authorization, x-pow

| access-control-expose-headers: x-pow

| access-control-allow-origin: \*

| date: Thu, 18 Dec 2025 16:49:54 GMT

| <!DOCTYPE html>

| <html>

| <head>

| <meta http-equiv="content-type" content="text/html; charset=utf-8">

| <title>404 Not Found</title>

| </head>

| <body>

| <center><h1>404 Not Found</h1></center>

| </body></html>

```

GetRequest:
  HTTP/1.0 200 OK
  content-type: text/html; charset=utf-8
  access-control-allow-methods: GET, POST, PUT, DELETE, HEAD, OPTIONS, CONNECT, PATCH, TRACE
  access-control-allow-credentials: true
  access-control-allow-headers: authorization, x-pow
  access-control-expose-headers: x-pow
  access-control-allow-origin: *
  date: Thu, 18 Dec 2025 16:49:54 GMT
  <!DOCTYPE html>
  <html>
  <head>
  <meta http-equiv="content-type" content="text/html; charset=utf-8">
  <title>WRP default page</title>
  </head>
  <body>
  <center><h1>Hello from WRP</h1></center>
  </body></html>
HTTPOptions:
  HTTP/1.0 200 OK
  access-control-allow-methods: GET, POST, PUT, DELETE, HEAD, OPTIONS, CONNECT, PATCH, TRACE
  access-control-allow-credentials: true
  access-control-allow-headers: authorization, x-pow
  access-control-expose-headers: x-pow
  date: Thu, 18 Dec 2025 16:49:55 GMT
RTSPRequest:
  HTTP/1.1 400 Bad Request
  connection: close
  content-length: 0
  date: Thu, 18 Dec 2025 16:50:00 GMT
tor-versions:
  HTTP/1.1 400 Bad Request
  connection: close
  content-length: 0
  date: Thu, 18 Dec 2025 16:49:55 GMT
ssl-cert: Subject: commonName=*.wb.ru
Subject Alternative Name: DNS:*.wb.ru, DNS:wb.ru
Not valid before: 2025-07-07T13:20:16
Not valid after: 2026-08-08T13:20:15
1 service unrecognized despite returning data. If you know the service/version, please submit the following
fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port443-TCP:V=7.94SVN%T=SSL%I=5%D=12/18%Time=694430B3%P=x86_64-pc-linux
SF:-gnu%(GetRequest,226,"HTTP/1.0x20200x20OKr\ncontent-type:x20text/
SF:html;x20charset=utf-8r\naccess-control-allow-methods:x20GET,x20POST
SF:,x20PUT,x20DELETE,x20HEAD,x20OPTIONS,x20CONNECT,x20PATCH,x20TRAC
SF:E\naccess-control-allow-credentials:x20true\naccess-control-allow-
SF:headers:x20authorization,x20x-pow\naccess-control-expose-headers:x
SF:20x-pow\naccess-control-allow-origin:x20*r\nndate:x20Thu,x2018x2
SF:0Decx202025x2016:49:54x20GMT\n\n\n<!DOCTYPEx20html>\n<html>\n<hea
SF:d>\n<metax20http-equiv="content-type"x20content="text/html;x20cha
SF:rset=utf-8"\n\n<title>WRPx20defaultx20page</title>\n</head>\n<body>\n
SF:<center><h1>Hellox20fromx20WRP</h1></center>\n</body></html>")%(HTTP
SF:Options,116,"HTTP/1.0x20200x20OKr\naccess-control-allow-methods:x2
SF:0GET,x20POST,x20PUT,x20DELETE,x20HEAD,x20OPTIONS,x20CONNECT,x20P
SF:ATCH,x20TRACE\n\naccess-control-allow-credentials:x20true\naccess-c
SF:ontrol-allow-headers:x20authorization,x20x-pow\naccess-control-expo
SF:se-headers:x20x-pow\nndate:x20Thu,x2018x20Decx202025x2016:49:55\
SF:x20GMT\n\n\n")%(FourOhFourRequest,229,"HTTP/1.0x20404x20Notx20Fo

```

SF:und\r\ncontent-type:\x20text/html;\x20charset=utf-8\r\naccess-control-a  
SF:llow-methods:\x20GET,\x20POST,\x20PUT,\x20DELETE,\x20HEAD,\x20OPTIONS,\  
SF:x20CONNECT,\x20PATCH,\x20TRACE\r\naccess-control-allow-credentials:\x20  
SF:true\r\naccess-control-allow-headers:\x20authorization,\x20x-pow\r\nacc  
SF:ess-control-expose-headers:\x20x-pow\r\naccess-control-allow-origin:\x2  
SF:0\*\r\nndate:\x20Thu,\x2018\x20Dec\x202025\x2016:49:54\x20GMT\r\n\r\n<!D  
SF:OCTYPE\x20html>\r\n<html>\r\n<head>\r\n<meta\x20http-equiv=\x20"content-type"\x  
SF:20content=\x20"text/html;\x20charset=utf-8"\x20>\r\n<title>404\x20Not\x20Found<  
SF:/title>\r\n</head>\r\n<body>\r\n<center>\r\n<h1>404\x20Not\x20Found</h1></center>  
SF:\r\n</body></html>")%r(tor-versions,67,"HTTP/1.\x201\x20400\x20Bad\x20Reques  
SF:\r\n\r\nconnection:\x20close\r\n\r\ncontent-length:\x200\r\nndate:\x20Thu,\x201  
SF:8\x20Dec\x202025\x2016:49:55\x20GMT\r\n\r\n")%r(RTSPRequest,67,"HTTP/1\  
SF:.1\x20400\x20Bad\x20Request\r\n\r\nconnection:\x20close\r\n\r\ncontent-length:\x  
SF:x200\r\nndate:\x20Thu,\x2018\x20Dec\x202025\x2016:50:00\x20GMT\r\n\r\n");  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP|general purpose  
Running: Actiontec embedded, Linux 2.4.X  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37  
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)  
HOP RTT ADDRESS  
- Hop 1 is the same as for 185.62.202.8  
2 22.14 ms 213.184.159.8

Nmap scan report for mta-sts.dnd.wb.ru (91.230.107.156)  
Host is up (0.017s latency).  
rDNS record for 91.230.107.156: mx.wbteamchat.ru

PORT STATE SERVICE VERSION  
80/tcp open http?  
| fingerprint-strings:  
| FourOhFourRequest:  
| HTTP/1.0 400 Bad Request  
| Content-Security-Policy: default-src 'none'  
| Server: acmetool-redirector  
| Date: Thu, 18 Dec 2025 16:49:56 GMT  
| Content-Length: 0  
| GetRequest, HTTPOptions:  
| HTTP/1.0 400 Bad Request  
| Content-Security-Policy: default-src 'none'  
| Server: acmetool-redirector  
| Date: Thu, 18 Dec 2025 16:49:51 GMT  
| Content-Length: 0  
| Help, Kerberos, RTSPRequest, SIPOptions, SSLSessionReq, TLSSessionReq:  
| HTTP/1.1 400 Bad Request  
| Content-Type: text/plain; charset=utf-8  
| Connection: close  
|\_ Request  
|\_ http-title: Permanently Moved  
443/tcp open ssl/http nginx  
|\_ http-title: Russian.Network  
| ssl-cert: Subject: commonName=dnd.wb.ru  
| Subject Alternative Name: DNS:dnd.wb.ru, DNS:mta-sts.dnd.wb.ru, DNS:www.dnd.wb.ru  
| Not valid before: 2025-11-15T12:21:44  
|\_ Not valid after: 2026-02-13T12:21:43  
|\_ ssl-date: TLS randomness does not represent time

1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

SF-Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=694430AF%P=x86\_64-pc-linux-gnu%(

SF:GetRequest,9E,"HTTP/1.0\x20400\x20Bad\x20Request\r\nContent-Security-P

SF:olicy:\x20default-src\x20'\x20none'\r\nServer:\x20acmetool-redirector\r\nDa

SF:te:\x20Thu,\x2018\x20Dec\x202025\x2016:49:51\x20GMT\r\nContent-Length:\

SF:x200\r\n\r\n")%(HTTPOptions,9E,"HTTP/1.0\x20400\x20Bad\x20Request\r\n

SF:Content-Security-Policy:\x20default-src\x20'\x20none'\r\nServer:\x20acmetoo

SF:l-redirector\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:49:51\x20GMT\r

SF:\r\nContent-Length:\x200\r\n\r\n")%(RTSPRequest,67,"HTTP/1.1\x20400\x20

SF:Bad\x20Request\r\nContent-Type:\x20text/plain;\x20charset=utf-8\r\nConn

SF:ection:\x20close\r\n\r\n400\x20Bad\x20Request")%(FourOhFourRequest,9E,

SF:"HTTP/1.0\x20400\x20Bad\x20Request\r\nContent-Security-Policy:\x20defa

SF:ult-src\x20'\x20none'\r\nServer:\x20acmetool-redirector\r\nDate:\x20Thu,\x2

SF:018\x20Dec\x202025\x2016:49:56\x20GMT\r\nContent-Length:\x200\r\n\r\n")

SF:%r(Help,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent-Type:\x20text

SF:/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r\n400\x20Bad\x20R

SF:quest")%(SSLSessionReq,67,"HTTP/1.1\x20400\x20Bad\x20Request\r\nCont

SF:ent-Type:\x20text/plain;\x20charset=utf-8\r\nConnection:\x20close\r\n\r

SF:\r\n400\x20Bad\x20Request")%(TLSSessionReq,67,"HTTP/1.1\x20400\x20Bad\x

SF:20Request\r\nContent-Type:\x20text/plain;\x20charset=utf-8\r\nConnectio

SF:n:\x20close\r\n\r\n400\x20Bad\x20Request")%(Kerberos,67,"HTTP/1.1\x20

SF:400\x20Bad\x20Request\r\nContent-Type:\x20text/plain;\x20charset=utf-8\

SF:\r\nConnection:\x20close\r\n\r\n400\x20Bad\x20Request")%(SIPOptions,67,

SF:"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent-Type:\x20text/plain;\x20

SF:charset=utf-8\r\nConnection:\x20close\r\n\r\n400\x20Bad\x20Request");

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP

Running: Actiontec embedded, Linux

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel

OS details: Actiontec MI424WR-GEN3I WAP

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 185.62.202.8

2 0.14 ms mx.wbteamchat.ru (91.230.107.156)

Nmap scan report for pro.wb.ru (85.198.79.102)

Host is up (0.018s latency).

Other addresses for pro.wb.ru (not scanned): 85.198.77.15 213.184.155.75

PORT STATE SERVICE VERSION

80/tcp open http nginx

\_http-title: Did not follow redirect to <https://pro.wildberries.ru/>

443/tcp open ssl/http nginx

|ssl-cert: Subject: commonName=\*.wb.ru

|Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

|Not valid before: 2025-07-03T14:59:14

|\_Not valid after: 2026-08-04T14:59:13

|tls-nextprotoneg:

| h2

|\_ http/1.1

|\_ssl-date: TLS randomness does not represent time

|\_http-title: Did not follow redirect to <https://pro.wildberries.ru/>

|tls-alpn:

| h2

|\_ http/1.1

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: WAP|general purpose  
Running: Actiontec embedded, Linux 2.4.X  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37  
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 185.62.202.8  
2 21.80 ms 85.198.79.102

Nmap scan report for stream.wb.ru (185.62.202.8)  
Host is up (0.017s latency).

PORT STATE SERVICE VERSION

80/tcp open http?

|\_http-title: Did not follow redirect to https://stream.wb.ru/

| fingerprint-strings:

| DNSVersionBindReqTCP:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:49:56 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-11-DL

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>

| </body>

| </html>

| Help:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:49:56 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-14-DP

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>

| </body>

| </html>

| RPCCheck:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:49:56 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-11-XC

| Server: wbaas

| <html>



```
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| RTSPRequest:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:49:51 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-14-EL
| Server: wbaas
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| X11Probe:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:49:51 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-12-DL
| Server: wbaas
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
|_ 443/tcp open  ssl/https?
| ssl-cert: Subject: commonName=*.wb.ru
| Subject Alternative Name: DNS:*.wb.ru, DNS:wb.ru
| Not valid before: 2025-07-07T13:20:16
|_ Not valid after: 2026-08-08T13:20:15
| fingerprint-strings:
| GenericLines:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:49:57 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-11-EL
| Server: wbaas
| X-Request-Id: c2599bd972905b38097893a59ccd8928
| Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
| NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
```

```

| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| RTSPRequest:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:49:57 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-14-EL
| Server: wbaas
| X-Request-Id: e7a34e553563b40ad0cbb72fd37698fd
| Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
| NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
| tor-versions:
| HTTP/1.1 400 Bad Request
| Date: Thu, 18 Dec 2025 16:49:57 GMT
| Content-Type: text/html
| Content-Length: 150
| Connection: close
| Status-NO-Id: PG-13-NB
| Server: wbaas
| X-Request-Id: c7dbe9155e1f495f4bcd697a956beeed
| Report-To: { "group": "nel", "max_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }
| NEL: { "report_to": "nel", "max_age": 604800, "include_subdomains": false, "success_fraction": 0.0,
"failure_fraction": 1.0 }
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
|_ http-title: WB Stream
2 services unrecognized despite returning data. If you know the service/version, please submit the following
fingerprints at https://nmap.org/cgi-bin/submit.cgi?new-service :
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=694430AF%P=x86_64-pc-linux-gnu%(
SF:RTSPRequest,13F,"HTTP/1.1 400 Bad Request\r\nDate:\x20Thu,\x2
SF:018\x20Dec\x202025\x2016:49:51\x20GMT\r\nContent-Type:\x20text/html\r\n
SF:Content-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-1

```

SF:4-EL\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Re  
SF:quest</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1  
SF:></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r(  
SF:X11Probe,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018  
SF:\x20Dec\x202025\x2016:49:51\x20GMT\r\nContent-Type:\x20text/html\r\nCon  
SF:tent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-12-D  
SF:L\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Reque  
SF:st</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></  
SF:center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r(RPC  
SF:Check,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x2  
SF:0Dec\x202025\x2016:49:56\x20GMT\r\nContent-Type:\x20text/html\r\nConten  
SF:t-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-11-XC\r  
SF:\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Request<  
SF:/title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></cen  
SF:ter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r(DNSVer  
SF:sionBindReqTCP,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,  
SF:\x2018\x20Dec\x202025\x2016:49:56\x20GMT\r\nContent-Type:\x20text/html\  
SF:\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20P  
SF:G-11-DL\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x2  
SF:0Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request<  
SF:/h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")  
SF:%r(Help,13F,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\  
SF:x20Dec\x202025\x2016:49:56\x20GMT\r\nContent-Type:\x20text/html\r\nCont  
SF:ent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-14-DP  
SF:\r\nServer:\x20wbaas\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Reques  
SF:t</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></c  
SF:enter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n");  
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====  
SF-Port443-TCP:V=7.94SVN%T=SSL%I=5%D=12/18%Time=694430B5%P=x86\_64-pc-linux  
SF:gnu%r(tor-versions,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x2  
SF:0Thu,\x2018\x20Dec\x202025\x2016:49:57\x20GMT\r\nContent-Type:\x20text/  
SF:html\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:  
SF:\x20PG-13-NB\r\nServer:\x20wbaas\r\nX-Request-Id:\x20c7dbe9155e1f495f4b  
SF:cd697a956beed\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max\_ag  
SF:e":\x20604800,\x20"endpoints":\x20{\x20"url":\x20"https://nel.wb\  
SF:ru/reports"}\x20}\r\nNEL:\x20{\x20"report\_to":\x20"nel",\x20"ma  
SF:x\_age":\x20604800,\x20"include\_subdomains":\x20false,\x20"success\_f  
SF:raction":\x200.0,\x20"failure\_fraction":\x201.0\x20}\r\nStrict-Tra  
SF:nsport-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Conten  
SF:t-Type-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r  
SF:n<html>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r  
SF:\r\n<center><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie  
SF:</center>\r\n</body>\r\n</html>\r\n")%r(GenericLines,2D2,"HTTP/1.1\x20  
SF:400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:49:57  
SF:\x20GMT\r\nContent-Type:\x20text/html\r\nContent-Length:\x20150\r\nConn  
SF:ection:\x20close\r\nStatus-NO-Id:\x20PG-11-EL\r\nServer:\x20wbaas\r\nX-  
SF:Request-Id:\x20c2599bd972905b38097893a59ccd8928\r\nReport-To:\x20{\x20\  
SF:"group":\x20"nel",\x20"max\_age":\x20604800,\x20"endpoints":\x20\  
SF:[{\x20"url":\x20"https://nel.wb.ru/reports"}\x20}\r\nNEL:\x20{\x20\  
SF:"report\_to":\x20"nel",\x20"max\_age":\x20604800,\x20"include\_subdo  
SF:main":\x20false,\x20"success\_fraction":\x200.0,\x20"failure\_fract  
SF:ion":\x201.0\x20}\r\nStrict-Transport-Security:\x20max-age=31536000;\r  
SF:x20preload;\x20always\r\nX-Content-Type-Options:\x20nosniff\r\nX-Frame-  
SF:Options:\x20DENY\x20always\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20  
SF:Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</  
SF:h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%  
SF:r(RTSPRequest,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\r  
SF:x2018\x20Dec\x202025\x2016:49:57\x20GMT\r\nContent-Type:\x20text/html\r

SF:\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG  
SF:-14-EL\r\nServer:\x20wbaas\r\nX-Request-Id:\x20e7a34e553563b40ad0cbb72f  
SF:d37698fd\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max\_age":\x  
SF:20604800,\x20"endpoints":\x20[{"url":\x20"https://nel.wb.ru/rep  
SF:orts"}]}\x20}\r\nNEL:\x20{\x20"report\_to":\x20"nel",\x20"max\_age\  
SF:":\x20604800,\x20"include\_subdomains":\x20false,\x20"success\_fratio  
SF:n":\x200,\x20"failure\_fraction":\x201.0}\x20}\r\nStrict-Transport  
SF:-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Content-Type  
SF:-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r\n<html  
SF:>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r\n<ce  
SF:nter><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie</cent  
SF:er>\r\n</body>\r\n</html>\r\n");

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

1 0.34 ms \_gateway (192.168.94.2)

2 21.25 ms 185.62.202.8

Nmap scan report for team.wb.ru (213.184.155.74)

Host is up (0.017s latency).

Other addresses for team.wb.ru (not scanned): 85.198.79.101 85.198.77.14

PORT STATE SERVICE VERSION

80/tcp open http nginx

\_http-title: Did not follow redirect to https://team.wb.ru/

443/tcp open ssl/http nginx

\_ssl-date: TLS randomness does not represent time

\_http-title: Site doesn't have a title.

|\_tls-nextprotoneg:

| h2

\_ http/1.1

|\_tls-alpn:

| h2

\_ http/1.1

|\_ssl-cert: Subject: commonName=\*.wb.ru

| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

| Not valid before: 2025-07-03T14:59:14

\_Not valid after: 2026-08-04T14:59:13

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP

Running: Actiontec embedded, Linux

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel

OS details: Actiontec MI424WR-GEN3I WAP

Network Distance: 2 hops

TRACEROUTE (using port 443/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 185.62.202.8

2 21.55 ms 213.184.155.74

Nmap scan report for openid.wb.ru (85.198.79.101)

Host is up (0.012s latency).

Other addresses for openid.wb.ru (not scanned): 85.198.77.14 213.184.155.74

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_ http-title: Did not follow redirect to https://openid.wb.ru/

443/tcp open ssl/http nginx

| tls-alpn:

| h2

|\_ http/1.1

|\_ http-title: Site doesn't have a title (text/plain; charset=utf-8).

|\_ ssl-date: TLS randomness does not represent time

| ssl-cert: Subject: commonName=\*.wb.ru

| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

| Not valid before: 2025-07-03T14:59:14

|\_ Not valid after: 2026-08-04T14:59:13

| tls-nextprotoneg:

| h2

|\_ http/1.1

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP

Running: Actiontec embedded, Linux

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel

OS details: Actiontec MI424WR-GEN3I WAP

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

- Hop 1 is the same as for 185.62.202.7

2 21.36 ms 85.198.79.101

Nmap scan report for service.wb.ru (185.62.202.7)

Host is up (0.012s latency).

PORT STATE SERVICE VERSION

80/tcp open http?

| fingerprint-strings:

|\_ DNSVersionBindReqTCP:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:50:38 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-01-EL

| Server: wbaas

| <html>

| <head><title>400 Bad Request</title></head>

| <body>

| <center><h1>400 Bad Request</h1></center>

| <hr><center>Angie</center>

| </body>

| </html>

| Help:

| HTTP/1.1 400 Bad Request

| Date: Thu, 18 Dec 2025 16:50:38 GMT

| Content-Type: text/html

| Content-Length: 150

| Connection: close

| Status-NO-Id: PG-01-DL

| Server: wbaas  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>  
| <hr><center>Angie</center>  
| </body>  
| </html>  
| RPCCheck:  
| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:50:38 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: PG-01-XC  
| Server: wbaas  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>  
| <hr><center>Angie</center>  
| </body>  
| </html>  
| RTSPRequest:  
| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:50:33 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: PG-01-EL  
| Server: wbaas  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>  
| <hr><center>Angie</center>  
| </body>  
| </html>  
| X11Probe:  
| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:50:33 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: PG-02-DL  
| Server: wbaas  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>  
| <hr><center>Angie</center>  
| </body>  
| </html>  
|\_ http-title: Did not follow redirect to https://service.wb.ru/  
443/tcp open ssl/https?  
| ssl-cert: Subject: commonName=\*.wb.ru  
| Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru  
| Not valid before: 2025-07-07T13:20:16

|\_Not valid after: 2026-08-08T13:20:15  
| fingerprint-strings:  
| GenericLines:  
| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:50:39 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: PG-01-XC  
| Server: wbaas  
| X-Request-Id: f4ab38655126b042f0ae2affc4405760  
| Report-To: { "group": "nel", "max\_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }  
| NEL: { "report\_to": "nel", "max\_age": 604800, "include\_subdomains": false, "success\_fraction": 0.0,  
"failure\_fraction": 1.0 }  
| Strict-Transport-Security: max-age=31536000; preload; always  
| X-Content-Type-Options: nosniff  
| X-Frame-Options: DENY always  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>  
| <hr><center>Angie</center>  
| </body>  
| </html>  
| RTSPRequest:  
| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:50:39 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: PG-01-XC  
| Server: wbaas  
| X-Request-Id: 8a7d0b4da74e8bc21e2d8e69ca4a8d6e  
| Report-To: { "group": "nel", "max\_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }  
| NEL: { "report\_to": "nel", "max\_age": 604800, "include\_subdomains": false, "success\_fraction": 0.0,  
"failure\_fraction": 1.0 }  
| Strict-Transport-Security: max-age=31536000; preload; always  
| X-Content-Type-Options: nosniff  
| X-Frame-Options: DENY always  
| <html>  
| <head><title>400 Bad Request</title></head>  
| <body>  
| <center><h1>400 Bad Request</h1></center>  
| <hr><center>Angie</center>  
| </body>  
| </html>  
| tor-versions:  
| HTTP/1.1 400 Bad Request  
| Date: Thu, 18 Dec 2025 16:50:39 GMT  
| Content-Type: text/html  
| Content-Length: 150  
| Connection: close  
| Status-NO-Id: PG-01-EL  
| Server: wbaas  
| X-Request-Id: 0ae3f050e9b0bd61ea013d9b4143376e  
| Report-To: { "group": "nel", "max\_age": 604800, "endpoints": [{"url": "https://nel.wb.ru/reports"}] }  
| NEL: { "report\_to": "nel", "max\_age": 604800, "include\_subdomains": false, "success\_fraction": 0.0,  
"failure\_fraction": 1.0 }

```
| Strict-Transport-Security: max-age=31536000; preload; always
| X-Content-Type-Options: nosniff
| X-Frame-Options: DENY always
| <html>
| <head><title>400 Bad Request</title></head>
| <body>
| <center><h1>400 Bad Request</h1></center>
| <hr><center>Angie</center>
| </body>
| </html>
```

\_http-title: Wildberries Service

2 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====

SF-Port80-TCP:V=7.94SVN%I=5%D=12/18%Time=694430D9%P=x86\_64-pc-linux-gnu%(

SF:RTSPRequest,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:x20Thu,x2

SF:018x20Decx202025x2016:50:33x20GMT\r\nContent-Type:x20text/html\r\n

SF:Content-Length:x20150\r\nConnection:x20close\r\nStatus-NO-Id:x20PG-0

SF:1-EL\r\nServer:x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Re

SF:quest</title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h1

SF:></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%(

SF:X11Probe,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:x20Thu,x2018

SF:x20Decx202025x2016:50:33x20GMT\r\nContent-Type:x20text/html\r\nCon

SF:tent-Length:x20150\r\nConnection:x20close\r\nStatus-NO-Id:x20PG-02-D

SF:L\r\nServer:x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Reque

SF:st</title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h1></

SF:center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%(RPC

SF:Check,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:x20Thu,x2018x2

SF:0Decx202025x2016:50:38x20GMT\r\nContent-Type:x20text/html\r\nConten

SF:t-Length:x20150\r\nConnection:x20close\r\nStatus-NO-Id:x20PG-01-XC\r

SF:\r\nServer:x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Request<

SF:/title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h1></cen

SF:ter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%(DNSVer

SF:sionBindReqTCP,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:x20Thu,

SF:x2018x20Decx202025x2016:50:38x20GMT\r\nContent-Type:x20text/html\

SF:\r\nContent-Length:x20150\r\nConnection:x20close\r\nStatus-NO-Id:x20P

SF:G-01-EL\r\nServer:x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx2

SF:0Request</title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request<

SF:/h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")

SF:%r(Help,13F,"HTTP/1.1x20400x20Badx20Request\r\nDate:x20Thu,x2018\

SF:x20Decx202025x2016:50:38x20GMT\r\nContent-Type:x20text/html\r\nCont

SF:ent-Length:x20150\r\nConnection:x20close\r\nStatus-NO-Id:x20PG-01-DL

SF:\r\nServer:x20wbaas\r\n\r\n<html>\r\n<head><title>400x20Badx20Reques

SF:t</title></head>\r\n<body>\r\n<center><h1>400x20Badx20Request</h1></c

SF:enter>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n");

=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====

SF-Port443-TCP:V=7.94SVN%T=SSL%I=5%D=12/18%Time=694430DF%P=x86\_64-pc-linux

SF:-gnu%(tor-versions,2D2,"HTTP/1.1x20400x20Badx20Request\r\nDate:x2

SF:0Thu,x2018x20Decx202025x2016:50:39x20GMT\r\nContent-Type:x20text/

SF:html\r\nContent-Length:x20150\r\nConnection:x20close\r\nStatus-NO-Id:

SF:x20PG-01-EL\r\nServer:x20wbaas\r\nX-Request-Id:x200ae3f050e9b0bd61ea

SF:013d9b4143376e\r\nReport-To:x20{"group":x20"nel",x20"max\_ag

SF:e":x20604800,x20"endpoints":x20[{"url":x20"https://nel.wbl.

SF:ru/reports"}]\r\nNEL:x20{"report\_to":x20"nel",x20"ma

SF:x\_age":x20604800,x20"include\_subdomains":x20false,x20"success\_f

SF:raction":x200.0,x20"failure\_fraction":x201.0\r\nStrict-Tra

SF:nsport-Security:x20max-age=31536000;x20preload;x20always\r\nX-Conen

SF:t-Type-Options:x20nosniff\r\nX-Frame-Options:x20DENYx20always\r\n\r\n



```
SF:n<html>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r{(GenericLines,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:50:39\x20GMT\r\nContent-Type:\x20text/html\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-01-XC\r\nServer:\x20wbaas\r\nX-Request-Id:\x20f4ab38655126b042f0ae2affc4405760\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max_age":\x20604800,\x20"endpoints":\x20{\x20"url":\x20"https://nel.wb.ru/reports"}\x20}\r\nNEL:\x20{\x20"report_to":\x20"nel",\x20"max_age":\x20604800,\x20"include_subdomains":\x20false,\x20"success_fraction":\x200.0,\x20"failure_fraction":\x201.0}\x20}\r\nStrict-Transport-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Content-Type-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n")%r{(RTSPRequest,2D2,"HTTP/1.1\x20400\x20Bad\x20Request\r\nDate:\x20Thu,\x2018\x20Dec\x202025\x2016:50:39\x20GMT\r\nContent-Type:\x20text/html\r\nContent-Length:\x20150\r\nConnection:\x20close\r\nStatus-NO-Id:\x20PG-01-XC\r\nServer:\x20wbaas\r\nX-Request-Id:\x208a7d0b4da74e8bc21e2d8e69ca4a8d6e\r\nReport-To:\x20{\x20"group":\x20"nel",\x20"max_age":\x20604800,\x20"endpoints":\x20{\x20"url":\x20"https://nel.wb.ru/reports"}\x20}\r\nNEL:\x20{\x20"report_to":\x20"nel",\x20"max_age":\x20604800,\x20"include_subdomains":\x20false,\x20"success_fraction":\x200.0,\x20"failure_fraction":\x201.0}\x20}\r\nStrict-Transport-Security:\x20max-age=31536000;\x20preload;\x20always\r\nX-Content-Type-Options:\x20nosniff\r\nX-Frame-Options:\x20DENY\x20always\r\n\r\n<html>\r\n<head><title>400\x20Bad\x20Request</title></head>\r\n<body>\r\n<center><h1>400\x20Bad\x20Request</h1></center>\r\n<hr><center>Angie</center>\r\n</body>\r\n</html>\r\n");
```

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.34 ms \_gateway (192.168.94.2)

2 21.90 ms 185.62.202.7

Nmap scan report for travel.wb.ru (85.198.79.101)

Host is up (0.012s latency).

Other addresses for travel.wb.ru (not scanned): 85.198.77.14 213.184.155.74

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_http-title: Did not follow redirect to https://travel.wildberries.ru/

443/tcp open ssl/http nginx

|\_ssl-date: TLS randomness does not represent time

|\_http-title: Did not follow redirect to https://travel.wildberries.ru/

|ssl-cert: Subject: commonName=\*.wb.ru

|Subject Alternative Name: DNS:\*.wb.ru, DNS:wb.ru

|Not valid before: 2025-07-03T14:59:14

|\_Not valid after: 2026-08-04T14:59:13

|tls-nextprotoneg:

| h2

|\_ http/1.1

| tls-alpn:

| h2

|\_ http/1.1

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP

Running: Actiontec embedded, Linux

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel

OS details: Actiontec MI424WR-GEN3I WAP

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.34 ms \_gateway (192.168.94.2)

2 21.36 ms 85.198.79.101

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

# Nmap done at Thu Dec 18 21:51:02 2025 -- 44 IP addresses (44 hosts up) scanned in 282.36 seconds

Выводы по сканированию:

Целевые хосты: сканирование проведено для 44 поддоменов wb.ru, из которых 39 хостов были доступны.

Результаты сканирования.

Общая статистика:

- Всего поддоменов: 44
- Доступных хостов: 39
- Неразрешимых доменов: 5
- Открытых портов 80/tcp: 36
- Открытых портов 443/tcp: 39

Анализ веб-серверов.

1. Nginx (основной веб-сервер)

Количество хостов: 22

Особенности:

- Широкое использование HTTP/2
- Поддержка TLS 1.2/1.3
- Редиректы с HTTP на HTTPS
- Распределены по различным сервисам компании.

Примеры хостов: [auth.wb.ru](https://auth.wb.ru), [bb.wb.ru](https://bb.wb.ru), [development.wb.ru](https://development.wb.ru), [en.wb.ru](https://en.wb.ru).

2. Tengine (Nginx-based от Alibaba)

Количество хостов: 4

Особенности:

- Возвращает код 421 Misdirected Request
- Строгая политика HSTS
- Используется для балансировки нагрузки

Хосты: [a.wb.ru](https://a.wb.ru), [reports.wb.ru](https://reports.wb.ru), [wildmetrics.wb.ru](https://wildmetrics.wb.ru)

3. WBAAS с Angie

Количество хостов: 10

Особенности:

- Кастомные идентификаторы ошибок (Status-NO-Id)

- Интеграция с NEL (Network Error Logging)
- Единая система мониторинга через [nel.wb.ru](https://nel.wb.ru)

Хосты: [bank.wb.ru](https://bank.wb.ru), [drive.wb.ru](https://drive.wb.ru), [finance.wb.ru](https://finance.wb.ru), [forms.wb.ru](https://forms.wb.ru), [id.wb.ru](https://id.wb.ru), [map.wb.ru](https://map.wb.ru), [service.wb.ru](https://service.wb.ru), [stream.wb.ru](https://stream.wb.ru)

#### 4. WRP (Wildberries Reverse Proxy)

Количество хостов: 2

Особенности:

- Широкие CORS политики
- Кастомная страница "Hello from WRP"
- Поддержка различных HTTP методов

Хосты: [catalog.wb.ru](https://catalog.wb.ru), [meta.wb.ru](https://meta.wb.ru)

#### 5. Прочие сервисы:

- HAProxy: [sp.wb.ru](https://sp.wb.ru) (балансировщик нагрузки)
- Golang: [dnd.wb.ru](https://dnd.wb.ru), [mta-sts.dnd.wb.ru](https://mta-sts.dnd.wb.ru)

Анализ SSL/TLS конфигурации

Сертификаты:

1. Wildcard сертификаты (\*.wb.ru):
  - Действительны с июля 2025 по август 2026
  - Поддержка SAN: DNS:\*.wb.ru, DNS:[wb.ru](https://wb.ru)
  - Используются на большинстве поддоменов
2. Специфические сертификаты:
  - [finance.wb.ru](https://finance.wb.ru) - отдельный сертификат
  - [dnd.wb.ru](https://dnd.wb.ru) - собственный сертификат
  - [fw.wb.ru](https://fw.wb.ru) - отдельный сертификат
  - [insole.wb.ru](https://insole.wb.ru) - сертификат для [nosoc.wb.ru](https://nosoc.wb.ru)

Безопасность:

- HSTS: Повсеместно внедрено с preload
- Security Headers:
  - X-Content-Type-Options: nosniff
  - X-Frame-Options: DENY
  - Strict-Transport-Security

Детальный анализ по категориям сервисов

Аутентификация и идентификация:

- [auth.wb.ru](https://auth.wb.ru) - основной сервис аутентификации
- [id.wb.ru](https://id.wb.ru) - система идентификации
- [openid.wb.ru](https://openid.wb.ru) - OpenID Connect провайдер

Финансовые сервисы:

- [bank.wb.ru](https://bank.wb.ru), [finance.wb.ru](https://finance.wb.ru) - финансовые операции
- Используют WBAAS с Angie
- Отдельные SSL сертификаты

Медиа и стриминг:

- [bb.wb.ru](https://bb.wb.ru) - видео контент
- [stream.wb.ru](https://stream.wb.ru) - стриминг платформа
- [jitsi.wb.ru](https://jitsi.wb.ru), [meet.wb.ru](https://meet.wb.ru) - видеоконференции

Внутренние сервисы:

- [catalog.wb.ru](https://catalog.wb.ru), [meta.wb.ru](https://meta.wb.ru) - каталог товаров (WRP)
- [development.wb.ru](https://development.wb.ru) - среда разработки

- team.wb.ru - внутренний портал

Аналитика и мониторинг:

- reports.wb.ru, wildmetrics.wb.ru - системы отчетности
- nel.wb.ru - сбор ошибок клиентов

Выявленные особенности инфраструктуры

Архитектурные паттерны:

- Микросервисная архитектура - различные сервисы на разных технологических стеках
- Единая система мониторинга через NEL
- Стандартизированные ошибки через Status-NO-Id
- Единая система балансировки через Tengine

Технологический стек:

- Основной веб-сервер: Nginx
- Балансировщики: Tengine, HAProxy
- Кастомные прокси: WRP
- Платформа как услуга: WBAAS с Angie

Выводы по безопасности

Сильные стороны:

1. Единая система мониторинга ошибок
2. Повсеместное использование HSTS
3. Стандартизированное использование security headers
4. Актуальные SSL сертификаты

Области для возможных улучшений:

1. Использование единообразных технологий, т.к. разнообразие веб-серверов может усложнить поддержку
2. Открытые порты 80 всегда редиректят на HTTPS, но порт остается открытым
3. Некоторые сервисы возвращают детальную информацию об ошибках

Анализ ПО веб-серверов на примере 15 любых хостов.

Т.к. нам нужно провести анализ ПО веб-серверов, то сканировать хосты мы будем с помощью следующей команды nmap:

```
nmap -p 80,443 -sV --version-intensity 5 -A <web-server-address>
```

где <web-server-address> - адрес соответствующего веб сервера.

1.

```
nmap -p 80,443 -sV --version-intensity 5 -A ozon.ru
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:15 +05

Nmap scan report for ozon.ru (185.73.193.68)

Host is up (0.0055s latency).

Other addresses for ozon.ru (not scanned): 185.73.194.82

PORT STATE SERVICE VERSION

80/tcp open http nginx

|\_http-title: Did not follow redirect to <https://ozon.ru/>

443/tcp open ssl/http nginx

|\_ssl-date: TLS randomness does not represent time

|\_http-title: Did not follow redirect to [https://ozon.ru/?\\_\\_rr=6](https://ozon.ru/?__rr=6)

| ssl-cert: Subject: commonName=\*.ozon.ru/organizationName=INTERNET SOLUTIONS LLC/stateOrProvinceName=Moscow/countryName=RU

| Subject Alternative Name: DNS:\*.ozon.ru, DNS:\*.ozone.ru, DNS:www.ozon.ru, DNS:ozon.ru

| Not valid before: 2025-10-03T14:46:02

|\_Not valid after: 2026-11-04T14:46:01

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Aggressive OS guesses: Actiontec MI424WR-GEN3I WAP (97%), Microsoft Windows XP SP3 or Windows 7 or Windows Server 2012 (97%), DD-WRT v24-sp2 (Linux 2.4.37) (96%), VMware Player virtual NAT device (96%), Linux 3.2 (95%), Microsoft Windows XP SP3 (95%), Linux 4.4 (93%), BlueArc Titan 2100 NAS device (90%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.17 ms \_gateway (192.168.94.2)

2 0.09 ms 185.73.193.68

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 29.32 seconds

2.

```
nmap -p 80,443 -sV --version-intensity 5 -A nmap.org
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:19 +05

Nmap scan report for nmap.org (50.116.1.184)

Host is up (0.21s latency).

Other addresses for nmap.org (not scanned): 2600:3c01:e000:3e6::6d4e:7061

rDNS record for 50.116.1.184: ack.nmap.org

PORT STATE SERVICE VERSION

80/tcp open http Apache httpd 2.4.6

|\_http-title: Did not follow redirect to https://nmap.org/

443/tcp open ssl/http Apache httpd 2.4.6

| ssl-cert: Subject: commonName=insecure.com

| Subject Alternative Name: DNS:insecure.com, DNS:insecure.org, DNS:issues.nmap.com, DNS:issues.nmap.org, DNS:issues.npcap.com, DNS:issues.npcap.org, DNS:nmap.com, DNS:nmap.net, DNS:nmap.org, DNS:npcap.com, DNS:npcap.org, DNS:seclists.com, DNS:seclists.net, DNS:seclists.org, DNS:sectools.com, DNS:sectools.net, DNS:sectools.org, DNS:secwiki.com, DNS:secwiki.net, DNS:secwiki.org, DNS:svn.nmap.org, DNS:www.nmap.org

| Not valid before: 2025-11-20T10:06:54

|\_Not valid after: 2026-02-18T10:06:53

|\_ssl-date: TLS randomness does not represent time

|\_http-title: Nmap: the Network Mapper - Free Security Scanner

| http-methods:

|\_ Potentially risky methods: TRACE

| http-robots.txt: 6 disallowed entries

| /favicon/\* /search.html?\* /search/\* /dist/

|\_ /dist-old/ /mailman/

|\_http-favicon: Nmap Project

Service Info: Host: issues.nmap.org

Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.

Nmap done: 1 IP address (1 host up) scanned in 23.72 seconds

3.

```
nmap -p 80,443 -sV --version-intensity 5 -A linux.org
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:20 +05

Nmap scan report for linux.org (8.47.69.0)

Host is up (0.010s latency).

Other addresses for linux.org (not scanned): 8.6.112.0 2a06:98c1:3123:8000:: 2a06:98c1:3122:8000::

PORT STATE SERVICE VERSION

80/tcp open http Cloudflare http proxy

|\_http-title: Did not follow redirect to https://linux.org/

443/tcp open ssl/http Cloudflare http proxy

|\_ssl-date: TLS randomness does not represent time

| tls-nextprotoneg:

| h2

|\_ http/1.1

|\_http-title: Just a moment...

| ssl-cert: Subject: commonName=linux.org

| Subject Alternative Name: DNS:linux.org, DNS:\*.linux.org

| Not valid before: 2025-10-21T20:54:38

|\_Not valid after: 2026-01-19T21:54:34

| tls-alpn:

| h2

|\_ http/1.1

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.25 ms \_gateway (192.168.94.2)

2 0.28 ms 8.47.69.0

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 20.82 seconds

4.

```
nmap -p 80,443 -sV --version-intensity 5 -A mephi.ru
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:23 +05

Nmap scan report for mephi.ru (85.143.112.110)

Host is up (0.0060s latency).

PORT STATE SERVICE VERSION

80/tcp open http nginx 1.10.3

|\_http-title: Did not follow redirect to <https://mephi.ru/>

443/tcp open ssl/http nginx 1.10.3

|\_ssl-date: TLS randomness does not represent time

| http-robots.txt: 36 disallowed entries (15 shown)

| /includes/ /misc/ /modules/ /profiles/ /scripts/

| /themes/ /CHANGELOG.txt /cron.php /INSTALL.mysql.txt

| /INSTALL.pgsql.txt /INSTALL.sqlite.txt /install.php /INSTALL.txt

|\_ /LICENSE.txt /MAINTAINERS.txt

| tls-alpn:

| h2

|\_ http/1.1

|\_http-title: 400 The plain HTTP request was sent to HTTPS port

| tls-nextprotoneg:

| h2

|\_ http/1.1

| ssl-cert: Subject: commonName=\*.mephi.ru

| Subject Alternative Name: DNS:\*.mephi.ru, DNS:mephi.ru

| Not valid before: 2024-11-25T12:06:07

|\_ Not valid after: 2025-12-27T12:06:06

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Aggressive OS guesses: Actiontec MI424WR-GEN3I WAP (97%), DD-WRT v24-sp2 (Linux 2.4.37) (97%), Microsoft Windows XP SP3 or Windows 7 or Windows Server 2012 (97%), Linux 3.2 (95%),

Microsoft Windows XP SP3 (95%), VMware Player virtual NAT device (95%), Linux 4.4 (92%), BlueArc Titan 2100 NAS device (90%)  
No exact OS matches for host (test conditions non-ideal).  
Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)  
HOP RTT ADDRESS  
1 0.20 ms \_gateway (192.168.94.2)  
2 0.13 ms mephi.ru (85.143.112.110)

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .  
Nmap done: 1 IP address (1 host up) scanned in 22.05 seconds

5.

```
nmap -p 80,443 -sV --version-intensity 5 -A go.dev
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:26 +05

Nmap scan report for go.dev (216.239.34.21)

Host is up (0.0092s latency).

Other addresses for go.dev (not scanned): 216.239.38.21 216.239.36.21 216.239.32.21  
2001:4860:4802:34::15 2001:4860:4802:36::15 2001:4860:4802:32::15 2001:4860:4802:38::15

rDNS record for 216.239.34.21: any-in-2215.1e100.net

PORT STATE SERVICE VERSION  
80/tcp open http Google httpd  
|\_http-title: Did not follow redirect to <https://go.dev/>  
443/tcp open ssl/http Google httpd  
| ssl-cert: Subject: commonName=go.dev  
| Subject Alternative Name: DNS:go.dev  
| Not valid before: 2025-12-15T06:46:59  
|\_Not valid after: 2026-03-15T07:37:29  
|\_http-title: The Go Programming Language

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Aggressive OS guesses: Microsoft Windows XP SP3 or Windows 7 or Windows Server 2012 (97%), VMware Player virtual NAT device (97%), Actiontec MI424WR-GEN3I WAP (96%), DD-WRT v24-sp2 (Linux 2.4.37) (96%), Microsoft Windows XP SP3 (95%), Linux 3.2 (93%), Linux 4.4 (93%), BlueArc Titan 2100 NAS device (90%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)  
HOP RTT ADDRESS  
1 0.11 ms \_gateway (192.168.94.2)  
2 0.14 ms any-in-2215.1e100.net (216.239.34.21)

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .  
Nmap done: 1 IP address (1 host up) scanned in 23.88 seconds

6.



```
nmap -p 80,443 -sV --version-intensity 5 -A rsdn.org
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:36 +05

Nmap scan report for rsdn.org (95.165.130.157)

Host is up (0.0078s latency).

PORT STATE SERVICE VERSION

80/tcp open http Microsoft IIS httpd 8.5

| http-methods:

|\_ Potentially risky methods: TRACE

|\_ http-title: RSDN

| http-robots.txt: 37 disallowed entries (15 shown)

| /\_private/ /account/forumratedisp/

| /Account/ForumRateDisp/ /account/forumdisp/ /Account/ForumDisp/

| /account/violations/ /Account/Violations/ /admin/ /script/ /images/

| /Forum/NewMsg.aspx /forum/NewMsg.aspx /Forum/MsgUList.aspx

|\_ /Forum/RateList.aspx /Forum/TagList.aspx

443/tcp open ssl/http Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)

|\_ http-title: RSDN

| http-methods:

|\_ Potentially risky methods: TRACE

|\_ ssl-date: 2025-12-18T19:36:25+00:00; -42s from scanner time.

| ssl-cert: Subject: commonName=\*.rsdn.org

| Subject Alternative Name: DNS:\*.rsdn.org, DNS:rsdn.org

| Not valid before: 2025-10-03T00:00:00

|\_ Not valid after: 2026-11-03T23:59:59

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Aggressive OS guesses: Actiontec MI424WR-GEN3I WAP (97%), DD-WRT v24-sp2 (Linux 2.4.37) (96%), Linux 3.2 (94%), Microsoft Windows XP SP3 or Windows 7 or Windows Server 2012 (94%), VMware Player virtual NAT device (94%), Microsoft Windows XP SP3 (93%), Linux 4.4 (92%), BlueArc Titan 2100 NAS device (89%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 2 hops

Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Host script results:

|\_ clock-skew: -42s

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.19 ms \_gateway (192.168.94.2)

2 0.23 ms 95.165.130.157

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 20.04 seconds

7.

```
nmap -p 80,443 -sV --version-intensity 5 -A urfu.ru
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:39 +05  
Nmap scan report for urfu.ru (93.88.179.201)  
Host is up (0.00088s latency).

PORT STATE SERVICE VERSION  
80/tcp open http nginx  
|\_http-title: Did not follow redirect to https://urfu.ru/  
443/tcp open ssl/http nginx  
|\_tls-alpn:  
| h2  
| http/1.1  
| http/1.0  
|\_ http/0.9  
|\_http-title: 400 The plain HTTP request was sent to HTTPS port  
|\_ssl-cert: Subject: commonName=\*.urfu.ru  
| Subject Alternative Name: DNS:\*.urfu.ru, DNS:urfu.ru  
| Not valid before: 2025-12-09T07:43:38  
|\_ Not valid after: 2027-01-10T07:43:37  
|\_ssl-date: TLS randomness does not represent time  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Aggressive OS guesses: Actiontec MI424WR-GEN3I WAP (97%), DD-WRT v24-sp2 (Linux 2.4.37) (97%), Microsoft Windows XP SP3 or Windows 7 or Windows Server 2012 (97%), Linux 3.2 (95%), Microsoft Windows XP SP3 (95%), VMware Player virtual NAT device (95%), Linux 4.4 (92%), BlueArc Titan 2100 NAS device (90%)  
No exact OS matches for host (test conditions non-ideal).  
Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)  
HOP RTT ADDRESS  
1 0.08 ms \_gateway (192.168.94.2)  
2 0.10 ms urfu.ru (93.88.179.201)

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .  
Nmap done: 1 IP address (1 host up) scanned in 22.90 seconds

8.

```
nmap -p 80,443 -sV --version-intensity 5 -A mail.ru
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:40 +05  
Nmap scan report for mail.ru (185.180.201.1)  
Host is up (0.0082s latency).  
Other addresses for mail.ru (not scanned): 90.156.232.4 89.221.239.1

PORT STATE SERVICE VERSION  
80/tcp open http nginx 1.26.2  
|\_http-title: Did not follow redirect to https://mail.ru/  
443/tcp open ssl/http nginx 1.26.2  
|\_tls-alpn:  
| h2  
| http/1.1

| http/1.0  
|\_ http/0.9  
|\_http-title: Did not follow redirect to  
https://login.vk.ru/?act=autologin&app\_id=7539952&redirect\_uri=https%3A%2F%2Faccount.mail.ru%  
2Flogin%3Fautologin\_exp%3Dv22%26autologin\_project%3Dhome%26page%3Dhttps%253A%252F%  
252Fmail.ru%252F%253Fautologin%253D1766086870&state=7be397c4cca944cc86e52006b073d  
d66&uuid=3a0f477f-3d49-4534-9771-e57f865104a8&service\_group=autologin\_home\_experiment\_spl  
it\_oid\_5Z7yLXCJFXwdt1WFHUCgL  
|\_ssl-date: TLS randomness does not represent time  
|\_ssl-cert: Subject: commonName=\*.mail.ru/organizationName=VK  
LLC/stateOrProvinceName=Moscow/countryName=RU  
| Subject Alternative Name: DNS:\*.mail.ru, DNS:bk.ru, DNS:inbox.ru, DNS:list.ru,  
DNS:xn--i1aeb2e.xn--p1ai, DNS:mail.ru  
| Not valid before: 2025-10-21T12:52:03  
|\_Not valid after: 2026-11-22T12:52:02  
| http-robots.txt: 1 disallowed entry  
|\_  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed  
port  
Device type: WAP|general purpose  
Running: Actiontec embedded, Linux 2.4.X  
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37  
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)  
HOP RTT ADDRESS  
1 0.14 ms \_gateway (192.168.94.2)  
2 0.15 ms mail.ru (185.180.201.1)

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .  
Nmap done: 1 IP address (1 host up) scanned in 19.58 seconds

9.

```
nmap -p 80,443 -sV --version-intensity 5 -A cppreference.com
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:44 +05  
Nmap scan report for cppreference.com (208.80.6.137)  
Host is up (0.040s latency).  
Other addresses for cppreference.com (not scanned): 2604:4f00::3:0:1238:1

PORT STATE SERVICE VERSION  
80/tcp open http Apache httpd  
|\_http-generator: MediaWiki 1.21.2  
| http-robots.txt: 7 disallowed entries  
| /wiki\_old/ /mwiki/ /tmpw/ /w/Special: /w/Template:  
|\_w/Mediawiki: /w/Talk:  
|\_http-title: cppreference.com  
443/tcp open ssl/http Apache httpd  
|\_http-generator: MediaWiki 1.21.2  
|\_tls-alpn:

```
| h2
|_ http/1.1
|_http-title: cppreference.com
|_ssl-date: TLS randomness does not represent time
| http-robots.txt: 7 disallowed entries
| /wiki_old/ /mwiki/ /tmpw/ /w/Special: /w/Template:
|_ /w/Mediawiki: /w/Talk:
| ssl-cert: Subject: commonName=*.cppreference.com
| Subject Alternative Name: DNS:*.cppreference.com, DNS:cppreference.com
| Not valid before: 2025-11-23T08:55:08
|_Not valid after: 2026-02-21T08:55:07
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: WAP|general purpose
Running: Actiontec embedded, Linux 2.4.X
OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux_kernel cpe:/o:linux:linux_kernel:2.4.37
OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)
Network Distance: 2 hops
```

```
TRACEROUTE (using port 80/tcp)
HOP RTT ADDRESS
1 0.16 ms _gateway (192.168.94.2)
2 0.12 ms cppreference.com (208.80.6.137)
```

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .  
Nmap done: 1 IP address (1 host up) scanned in 26.89 seconds

10.

```
nmap -p 80,443 -sV --version-intensity 5 -A learn.microsoft.com
```

Результат:

```
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-12-19 00:46 +05
Nmap scan report for learn.microsoft.com (2.23.90.85)
Host is up (0.0095s latency).
Other addresses for learn.microsoft.com (not scanned): 2a02:26f0:e2:583::3544
2a02:26f0:e2:590::3544
rDNS record for 2.23.90.85: a2-23-90-85.deploy.static.akamaitechnologies.com
```

```
PORT STATE SERVICE VERSION
80/tcp open http AkamaiGHost (Akamai's HTTP Acceleration/Mirror service)
|_http-title: Access Denied
443/tcp open ssl/http AkamaiGHost (Akamai's HTTP Acceleration/Mirror service)
|_ssl-cert: Subject: commonName=learn.microsoft.com/organizationName=Microsoft Corporation/stateOrProvinceName=WA/countryName=US
| Subject Alternative Name: DNS:www.learn.microsoft.com, DNS:learn.microsoft.com
| Not valid before: 2025-12-16T02:26:09
|_Not valid after: 2026-12-11T02:26:09
|_http-title: Access Denied
|_ssl-date: TLS randomness does not represent time
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: WAP|general purpose
```

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.13 ms \_gateway (192.168.94.2)

2 0.15 ms a2-23-90-85.deploy.static.akamaitechnologies.com (2.23.90.85)

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 23.34 seconds

11.

```
nmap -p 80,443 -sV --version-intensity 5 -A leetcode.com
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:48 +05

Nmap scan report for leetcode.com (8.47.69.0)

Host is up (0.0098s latency).

Other addresses for leetcode.com (not scanned): 8.6.112.0 2a06:98c1:3123:8000::  
2a06:98c1:3122:8000::

PORT STATE SERVICE VERSION

80/tcp open http Cloudflare http proxy

443/tcp open ssl/http Cloudflare http proxy

|\_ http-title: Just a moment...

| http-robots.txt: 19 disallowed entries (15 shown)

| /submissions /api/ /\*/api

| /problems/random-one-question /accounts /contest/\*/problems /playground

|\_ /subscription /list /notes /session /progress /points /library /forums

| ssl-cert: Subject: commonName=leetcode.com

| Subject Alternative Name: DNS:leetcode.com, DNS:static-lcn.leetcode.com

| Not valid before: 2025-12-16T22:40:40

|\_ Not valid after: 2026-03-16T23:40:36

| tls-alpn:

| h2

|\_ http/1.1

| tls-nextprotoneg:

| h2

|\_ http/1.1

|\_ ssl-date: TLS randomness does not represent time

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.13 ms \_gateway (192.168.94.2)  
2 0.09 ms 8.47.69.0

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .  
Nmap done: 1 IP address (1 host up) scanned in 82.42 seconds

12.

```
nmap -p 80,443 -sV --version-intensity 5 -A metanit.com
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:52 +05

Nmap scan report for metanit.com (77.222.61.70)

Host is up (0.0079s latency).

rDNS record for 77.222.61.70: vip47.sweb.ru

PORT STATE SERVICE VERSION

80/tcp open http nginx 1.27.4

\_http-title: Spaceweb. \xD0\x92\xD1\x81\xD1\x91 \xD0\xB1\xD1\x83\xD0\xB4\xD0\xB5\xD1\x82  
\xD1\x85\xD0\xBE\xD1\x80\xD0\xBE\xD1\x88\xD0\xBE!

443/tcp open ssl/http nginx 1.27.4

\_http-title: Spaceweb. \xD0\x92\xD1\x81\xD1\x91 \xD0\xB1\xD1\x83\xD0\xB4\xD0\xB5\xD1\x82  
\xD1\x85\xD0\xBE\xD1\x80\xD0\xBE\xD1\x88\xD0\xBE!

| ssl-cert: Subject: commonName=www.metanit.com

| Subject Alternative Name: DNS:www.metanit.com, DNS:autodiscover.metanit.com,  
DNS:mail.metanit.com, DNS:owa.metanit.com, DNS:metanit.com

| Not valid before: 2025-11-15T17:49:36

|\_ Not valid after: 2026-12-17T17:49:35

| tls-alpn:

| h2

| http/1.1

| http/1.0

|\_ http/0.9

|\_ ssl-date: TLS randomness does not represent time

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Aggressive OS guesses: Actiontec MI424WR-GEN3I WAP (99%), DD-WRT v24-sp2 (Linux 2.4.37) (97%), Linux 3.2 (95%), Microsoft Windows XP SP3 or Windows 7 or Windows Server 2012 (95%), Linux 4.4 (94%), Microsoft Windows XP SP3 (94%), BlueArc Titan 2100 NAS device (92%), VMware Player virtual NAT device (90%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.12 ms \_gateway (192.168.94.2)

2 0.19 ms vip47.sweb.ru (77.222.61.70)

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .  
Nmap done: 1 IP address (1 host up) scanned in 22.97 seconds

13.

```
nmap -p 80,443 -sV --version-intensity 5 -A codechef.com
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:55 +05

Nmap scan report for codechef.com (8.6.112.0)

Host is up (0.0056s latency).

Other addresses for codechef.com (not scanned): 8.47.69.0 2a06:98c1:3123:8000::  
2a06:98c1:3122:8000::

PORT STATE SERVICE VERSION

80/tcp open http Cloudflare http proxy

|\_ http-title: Did not follow redirect to <https://codechef.com/>

443/tcp open ssl/http Cloudflare http proxy

| tls-alpn:

| h2

|\_ http/1.1

|\_ ssl-date: TLS randomness does not represent time

|\_ http-title: Did not follow redirect to <https://www.codechef.com/>

| ssl-cert: Subject: commonName=codechef.com

| Subject Alternative Name: DNS:codechef.com, DNS:\*.codechef.com

| Not valid before: 2025-11-29T12:13:23

|\_ Not valid after: 2026-02-27T13:13:20

| tls-nextprotoneg:

| h2

|\_ http/1.1

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

Device type: WAP|general purpose

Running: Actiontec embedded, Linux 2.4.X

OS CPE: cpe:/h:actiontec:mi424wr-gen3i cpe:/o:linux:linux\_kernel cpe:/o:linux:linux\_kernel:2.4.37

OS details: Actiontec MI424WR-GEN3I WAP, DD-WRT v24-sp2 (Linux 2.4.37)

Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.16 ms \_gateway (192.168.94.2)

2 0.16 ms 8.6.112.0

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 21.93 seconds

14.

```
nmap -p 80,443 -sV --version-intensity 5 -A cppconf.ru
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 00:56 +05

Nmap scan report for cppconf.ru (51.250.41.118)

Host is up (0.0059s latency).

PORT STATE SERVICE VERSION

80/tcp open http nginx (reverse proxy)

|\_ http-title: 308 Permanent Redirect

443/tcp open ssl/http nginx (reverse proxy)  
|\_ssl-date: TLS randomness does not represent time  
| http-robots.txt: 2 disallowed entries  
|\_/\_api /subscription\_thanks/  
| ssl-cert: Subject: commonName=cppconf.ru  
| Subject Alternative Name: DNS:cppconf.ru  
| Not valid before: 2025-11-13T18:06:21  
|\_Not valid after: 2026-02-11T18:06:20  
|\_http-title: C++ Russia 2026.  
\xD0\x9A\xD0\xBE\xD0\xBD\xD1\x84\xD0\xB5\xD1\x80\xD0\xB5\xD0\xBD\xD1\x86\xD0\xB8\xD1\x8F  
\xD0\xB4\xD0\xBB\xD1\x8F C++ \xD1\x80\xD0\xB0\xD0\xB7\xD1\x80\xD0\xB0\xD0...  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Device type: general purpose  
Running: Linux 2.4.X  
OS CPE: cpe:/o:linux:linux\_kernel:2.4.37  
OS details: DD-WRT v24-sp2 (Linux 2.4.37)  
Network Distance: 2 hops

TRACEROUTE (using port 80/tcp)  
HOP RTT ADDRESS  
1 0.24 ms \_gateway (192.168.94.2)  
2 0.13 ms 51.250.41.118

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .  
Nmap done: 1 IP address (1 host up) scanned in 27.31 seconds

15.

```
nmap -p 80,443 -sV --version-intensity 5 -A cpp.sh
```

Результат:

Starting Nmap 7.94SVN ( <https://nmap.org> ) at 2025-12-19 01:03 +05  
Nmap scan report for cpp.sh (192.95.29.57)  
Host is up (0.036s latency).  
Other addresses for cpp.sh (not scanned): 2607:5300:60:2c39:c::  
rDNS record for 192.95.29.57: bx.cpp.sh

PORT STATE SERVICE VERSION  
80/tcp open http nginx 1.18.0 (Ubuntu)  
|\_http-title: Did not follow redirect to https://cpp.sh/  
443/tcp open ssl/http nginx 1.18.0 (Ubuntu)  
|\_http-title: C++ Shell  
|\_ssl-date: TLS randomness does not represent time  
| ssl-cert: Subject: commonName=bx.cpp.sh  
| Subject Alternative Name: DNS:bx.cpp.sh, DNS:cpp.sh, DNS:cppshell.com, DNS:www.cpp.sh, DNS:www.cppshell.com  
| Not valid before: 2025-11-21T13:22:35  
|\_Not valid after: 2026-02-19T13:22:34  
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port  
Aggressive OS guesses: Actiontec MI424WR-GEN3I WAP (98%), DD-WRT v24-sp2 (Linux 2.4.37) (98%), Linux 3.2 (96%), Linux 4.4 (96%), Microsoft Windows XP SP3 or Windows 7 or Windows



Server 2012 (95%), VMware Player virtual NAT device (95%), Microsoft Windows XP SP3 (93%), BlueArc Titan 2100 NAS device (92%), Pirelli DP-10 VoIP phone (89%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 2 hops

Service Info: OS: Linux; CPE: cpe:/o:linux:linux\_kernel

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.15 ms \_gateway (192.168.94.2)

2 0.16 ms bx.cpp.sh (192.95.29.57)

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.

Nmap done: 1 IP address (1 host up) scanned in 28.13 seconds

Анализ и выводы:

1. Многие веб-ресурсы скрыты за reverse проху, такими как nginx (разных версий), cloudflare http проху и AkamaiGHost (у microsoft)
2. Встречаются веб-ресурсы, которые управляются с помощью сервиса (демона) Apache httpd (у кого-то указана версия, у кого-то нет).
3. Судя по всему, во многих больших software корпорациях используются свои решения для хостинга веб ресурсов: например, ресурс go.dev (которым владеет корпорация google) хостится с помощью сервиса (демона) Google httpd.
4. Встречаются ресурсы (например, rsn.org), которые хостятся на веб серверах от microsoft напрямую, без всяких reverse проху.
5. Сканирование ОС давало либо невозможность явно определить ее, либо, что это Linux примерно в соотношении 50/50.
6. На самом деле данная выборка абсолютно не репрезентативна. Я например, могу подобрать 15 ресурсов, которые все хостятся на веб серверах от microsoft напрямую, без всяких reverse проху.