Probability and Statistics

R version of Q11 and Q12 of 2015 Exam Paper.

Output for Question 11

Paired t-test

Two Sample t-test

data: Before and After
t = 0.36504, df = 22, p-value = 0.7186
alternative hypothesis: true difference in means is not equal to 0
95 percent confidence interval:
 -0.5071372 0.7238038
sample estimates:
mean of x mean of y
 11.89167 11.78333

Question 12

Output for Question 12 (a)

```
xbar <- sum(Observed_Frequency * cells) / n
xbar</pre>
```

[1] 2.5125

	Observed	Poisson	Probability	Expected	(Or - Er)^2 / Er
0	4		0.08106532	6.485226	0.95237197
1	18		0.20367662	16.294130	0.17859150
2	23		0.25586876	20.469501	0.31282773
3	15		0.21429008	17.143207	0.26793908
4	12		0.13460096	10.768077	0.14093835
5	5		0.06763698	5.410959	0.03121202
>=6	3		0.04286127	3.428902	0.05364890

Chi-squared test for given probabilities

```
data: Observed
```

X-squared = 1.9375, df = 6, p-value = 0.9254

Warning message:

```
In chisq.test(Observed, p = Poisson_Probability) :
   Chi-squared approximation may be incorrect
```

```
1 - pchisq(5.1458, df = 5)
```

[1] 0.3983471

Question 12 (b) i)

State the reason for the presence of the warning message in the output:

Warning message:

```
In chisq.test(Observed, p = Poisson_Probability) :
   Chi-squared approximation may be incorrect
```

Output for Question 12 (c)

```
ss <- sum(Observed_Frequency * cells^2) - n * xbar^2
ss

[1] 177.9875

variance <- ss / (n - 1)
variance

[1] 2.253006

index <- ss / xbar
index

[1] 70.8408

pvalue <- 1 - pchisq(index, df = n - 1)
pvalue

[1] 0.7321637</pre>
```