





Should we include a fuse? 


What should the current sense resistor be?




File: battery_pack.sch		
Sheet: /battery_pack/		
Title:		
Size: A4	Date: 14 dec 2013	Rev:
KiCad E.D.A.		Id: 2/18









File: sensors_temperature.sch		
Sheet: /sensors_temperature/		
Title:		
Size: A4	Date: 14 dec 2013	Rev:
KiCad E.D.A.		Id: 7/18






File: sensors_light.sch		
Sheet: /sensors_light/		
Title:		
Size: A4	Date: 14 dec 2013	Rev:
KiCad E.D.A.		Id: 8/18



File: sensors_acceleration.sch		
Sheet: /sensors_acceleration/		
Title:		
Size: A4	Date: 14 dec 2013	Rev:
KiCad E.D.A.		Id: 9/18







File: sensors_touch.sch		
Sheet: /sensors_touch/		
Title:		
Size: A4	Date: 14 dec 2013	Rev:
KiCad E.D.A.		Id: 11/18




A	B	C
---	---	---




File: output_signal_brake_2.sch		
Sheet: /output_signal_brake_2/		
Title:		
Size: A4	Date: 14 dec 2013	Rev:
KiCad E.D.A.		Id: 13/18







File: power_regulation.sch		
Sheet: /power_regulation/		
Title:		
Size: A4	Date: 14 dec 2013	Rev:
KiCad E.D.A.		Id: 15/18



File: interface_JTAG_2_wire.sch		
Sheet: /interface_JTAG_2_wire/		
Title:		
Size: A4	Date: 14 dec 2013	Rev:
KiCad E.D.A.		Id: 16/18





File: battery_charger.sch		
Sheet: /battery_charger/		
Title:		
Size: A4	Date: 14 dec 2013	Rev:
KiCad E.D.A.		Id: 18/18