

Atelier 6 : La base de données.

Valentin Chaussegros.

Dans ce TP nous allons répondre aux attentes du cahier des charges.

Objectif : Déployer un Système de Gestion de Base de Données (SGBD) sur un serveur autonome afin de centraliser, sécuriser et administrer efficacement les données de l'application. Cette nouvelle infrastructure se substituera à la solution MySQL actuellement intégrée au serveur web.

1.

Pour créer ma base de données je vais donc utiliser PostgreSQL et je placerais cette base de données sur une VM Windows 10.

2.

On télécharge PostgreSQL sur la VM dédié :





3.

On suit la procédure d'installation et on rentre un mot de passe pour l'utilisateur et on active le port d'écoute 5432.

4. init01!

5. On doit installer les prérequis :





Wampserver - Installers, Updates, Addons, Tools

The site don't use cookies, contents no ads, no plotters, no statistics. No information is collected about visitors of the site. The only information collected is that of the hoster and concerns the legal and mandatory log files of access to the site.

WampServer Last Wampserver full install version 3.4.0 - Last update 3.4.2 english

WampServer is a Windows-based Web development platform, without Internet access, for dynamic Web applications using the Apache 2.4 server, PHP scripting language and a MySQL and/or MariaDB database. Includes PHPMyAdmin and Adminer for database management. WampServer automatically installs everything you need to intuitively develop Web applications. You can adjust your server without touching its configuration files, using the various left-click and right-click menus of the Tray Menu Manager installed in the taskbar.

News MySQL 8.4.9, 9.7.0 - Update Wampmanager 3.4.2 - Language files - PHP 8.4.20, 8.5.5 - Tray Menu Manager 3.2.7.7 - PhpSysInfo 3.4.5 - Apache 2.4.66.3


Update page on: 2026-04-22 (Y-M-D) [Page modifications](#) [Installation requirements](#) [Changelog](#)

[Installers](#) [Updates](#) [Applications](#) [Addons](#) [Tools](#) [VC++ Packages](#) [All](#)

Visual C++ Redistributable Packages

The latest Microsoft VC++ packages are available at : [Microsoft Visual C++ Redistributable Latest Supported Downloads](#)

On accède au site qui contient tout les packages à installer.



[All available versions](#)

Microsoft VC++ Packages x86 (32 bits)

VC 2008 (VC9) is required for PHP 5.3 and 5.4.



- [VC 2010 SP1 Package \(x86\) MD5](#)
- [VC 2012 Update 4 \(x86\) MD5](#)
- [VC 2013 Package Up 5 \(x86\) MD5](#)
- [Visual C++ v14 - 14.50.35719 MD5](#)

Microsoft VC Packages x64 (64bits)

VC 2008 (VC9) is required for PHP 5.3 and 5.4.

- [VC 2010 SP1 Package \(x64\) MD5](#)
- [VC 2012 Up 4 \(x64\) MD5](#)
- [VC 2013 Up 5 \(x64\) MD5](#)
- [Visual C++ v14 - 14.50.35719 MD5](#)

6. On installe ensuite Wampserver pour disposer de l'environnement PHP/Apache.



7. On récupère phpPgAdmin :

▼ Assets 5

 phpPgAdmin-7.13.0.tar.bz2	606 KB	Nov 7, 2020
 phpPgAdmin-7.13.0.tar.gz	781 KB	Nov 7, 2020
 phpPgAdmin-7.13.0.zip	937 KB	Nov 7, 2020
 Source code (zip)		Nov 7, 2020
 Source code (tar.gz)		Nov 7, 2020

8.

On extrait ensuite le contenu puis on le copie dans le répertoire www de WampServer :


```
// If extra login security is true, then logins via phpPgAdmin with no
// password or certain usernames (pgsql, postgres, root, administrator)
// will be denied. Only set this false once you have read the FAQ and
// understand how to change PostgreSQL's pg_hba.conf to enable
// passworded local connections.
$conf['extra_login_security'] = true;
```

Par :

```
// If extra login security is true, then logins via phpPgAdmin with no
// password or certain usernames (pgsql, postgres, root, administrator)
// will be denied. Only set this false once you have read the FAQ and
// understand how to change PostgreSQL's pg_hba.conf to enable
// passworded local connections.
$conf['extra_login_security'] = false;
```

10.

Activation dans php.ini pour réparer le problème :



The screenshot shows a code editor with the file 'php.ini' open. The editor's title bar indicates the path 'C: > wamp64 > bin > php > php8.2.29 >'. The code content shows a list of extensions being enabled, with line numbers 943 through 960 visible. The extension 'extension=pgsql' on line 960 is highlighted with a blue selection background.

```
943 extension=gd
944 extension=gettext
945 extension=gmp
946 extension=intl
947 extension=imap
948 extension=mbstring
949 extension=exif ; Must
950 extension=mysqli
951 ;extension=oci8_19 ; Use
952 ;extension=odbc
953 extension=openssl
954 ;extension=pdo_firebird
955 extension=pdo_mysql
956 ;extension=pdo_oci
957 ;extension=pdo_odbc
958 extension=pdo_pgsql
959 extension=pdo_sqlite
960 extension=pgsql
```

On accède donc à <http://localhost/phpPgAdmin-7.13.0/> :

