Visoka ICT škola za informacione i komunikacione tehnologije



DOKUMENTACIJA

SADRŽAJ

UVOD

- 1. Korišćeni programski jezici
- 2. Opis funkcionalnosti
- 3. Template
- 4. CSS

ORGANIZACIJA

- 1. Organizaciona šema
- 2. Mapa sajta
- 3. Slike stranica

KODOVI

- 1.HTML
- 2.CSS
- 3. Javascript i jQuery (regularni izrazi)

UVOD

1. Korišćeni programski jezici:

- 1. HTML
- 2. CSS
- 3. Javascript
- 4. jQuery biblioteka
- 5. Bootstrap framework

2. Opis funkcionalnosti sajta

Index.html

HEADER: Sa leve strane logo, sa desne strane navigacioni meni sa 3 linka (Laptopi, Narudžbina i Autor), prelaskom misa preko linkova bolduju se i postaju crvene boje.

"SLAJDER": Slajder urađen uz pomoć bootstrapa, razmenjuju se 2 slike koje predstavljaju poslovne i gejmerske laptopove.

BENEFITS: U kratkim crtama opisano zašto klijent treba baš nas da izabere sa intuitivnim ikonicama. Pogodnosti su ispisane iz JSON fajla gde je podržano dinamičko dodavanje/uklanjanje pogodnosti.

FILTERI: Filteri urađeni uz pomoć javaskripta i jQuery-ja. Inicijalno se prikazuju svi proizvodi preuzeti iz JSON datoteke. Klikom na bilo kakvo sortiranje ili filtriranje pamti se u local storage-u, zatim se uz pomoć funkcija filter() i sort() određuju proizvodi i prikazuju klijentu. Prilikom ponovnog učitavanja stranice, local storage biva izbrisan.

PROIZVODI: Svi proizvodi inicijalno prikazani, sa specifikacijama o proizvodu, klikom na link "order" vodi na stranicu order.html gde klijent može da poruči željeni proizvod.

FOOTER: U footer-u se nalaze linkovi ka društvenim mrežama (facebook, instagram, linkedin) i linkovi ka korisnim datotekama kao što su dokumentacija, javascript ili css, takođe se nalaze i informacije o našem e-mailu i broju telefona.

order.html

HEADER: Blago izmenjen dizajn menija.

FORMA: Forma za naručivanje određenog proizvoda. Stilizovano uz pomoć boostrap-a. Prilikom plaćanja karticom, klijentu se pojavljuje još jedno polje za popunjavanje broja kartice sa koje želi da izvrši plaćanje, u drugom slučaju polje se ne pojavljuje. Forma je validirana uz pomoć regularnih izraza.

FOOTER: Bez promena.

3.TEMPLATE

- Template nije korišćen.

4.Korišćeni CSS

 Nije korišćen tuđi css, osim clippy css-a i css-a za resetovanje boja koje je pregledač inicijalno postavio.

ORGANIZACIJA

1. Organizaciona šema


- Sajt sa 2 stranice, obe stranice obezbeđuju pristup onoj drugoj.

2. Mapa sajta (Sitemap)

3. Slike stranica

- Index.html

Navigacioni meni i slajder



Pogodnosti



Proizvodi



ROG STRIX HERO II

CPU: intel i7-8750H GPU: nVidia GTX 2060 RAM: 32gb DDR4 2666Mhz HDD: 1T8 5400rpm SSD: 1TB M.2 Display: 15.6-inch full HD

> \$1799.00 \$1499.00

Order now



ASUS ZENBOOK

CPU: intel i5-7200U GPU: nVidia GTX 2060 RAM: 8gb DDR4 1666Mhz SSD: 256GB Display: 14-inch full HD

> \$1119.00 \$1030.00



Asus TUF GAMING

CPU: Intel i5-8300H GPU: nVidia GTX 1050 RAM: 8gb DDR4 2666Mhz HDD: 1TB 5400rpm SSD: 256GB M.2 Display: 15.6-inch full HD

> \$1299.00 \$1099.00



MACBOOK AIR

CPU: Intel I5-8210Y GPU: Intel UHD 617 RAM: 8gb LPDDR3 2133Mhz SSD: 128gb 5400rpm Display: 13.3 Retina-IPS 2560px x 1600px

> \$1749.00 \$1529.00



Asus ROG ZEPHYRUS

CPU: intel I7-9750H GPU: nVidia RTX 2070 RAM: 32gb DDR4 2666Mhz HDD: 1T8 5400rpm SSD: 1TB M.2 Display: 15.6-inch full HD

> \$2499.00 \$2049.00



MACBOOK PRO

CPU : Intel I5-8750H GPU : Intel Iris Plus Graphics 640 RAM : 8gb LPDDR3 2133Mhz SSD : 128gb Display : 13.3-inch LED 2560px x 1600px

\$1999.00

Footer

FOLLOW US ON SOCIAL MEDIA

(f) (in)

HAVE A QUESTION? CONTACT US

SUPPORT@RUBYSTAR.COM

J +38164 12 34 567

USEFUL LINKS

DOCUMENTATION

Copyright © 2020 Stefan Bogdanovski ICT College

- order.html

	Ноте	Or	rder	Author
FILL YOUR ORD≣R H≣R≣!				
Name	ı	Last name		
Product		Address		
CHOOSE	*	Street and house n	umber	
City				
Your City				
Mobile phone number	Email		Payment method	
Number	example@gmail.com		Choose	•
Order				
Copyright © 2020 Stefan Bogdanovski ICT College				

KODOVI

1.HTML (index.html)

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Ruby Star</title>
    <meta name="keywords" content="apple, macbook, asus, technology, laptop"/>
    <meta name="description" content="Ruby star offers best laptops around with a</pre>
ffordable prices, come and check which would suit you the best!"/>
    <script src="https://kit.fontawesome.com/0f0bb38c5e.js" crossorigin="anonymou</pre>
s"></script>
    <link rel="shortcut icon" href="images/favicon.ico">
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4</pre>
.1/css/bootstrap.min.css" integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="an
onymous">
    <link rel="stylesheet" href="css/style.css" type="text/css"/>
</head>
<body>
    <header>
        <div class="container-fluid bg-light">
            <div class="container">
                <div class="row">
                    <div class="col-lg-4">
                         <div id="logo" class="text-center">
                             <a href="index.html" class="text-</pre>
danger twinds" id="logo"> Ruby Star </a>
                         </div>
                    </div>
                    <div class="col-lg-8">
                        <nav id="navigation">
```

```
around mb-0">
                               <1i>>
                                   <a href="#products"> <i> Laptops </i> </a>
                               <1i>>
                                   <a href="order.html"> <i> Order </i> </a>
                               <1i>>
                                  <a href="http://stefanb.000webhostapp.com/"</pre>
 target=" blank"> <i> Author </i> </a>
                              </nav>
                  </div>
              </div>
           </div>
       </div>
   </header>
   <div id="carouselExampleInterval" class="carousel slide carousel-fade" data-</pre>
ride="carousel">
       <div class="carousel-inner">
         <div class="carousel-item active visina" data-interval="6000">
           <img src="images/carouselPictures/slider1.jpg" class=" images d-</pre>
block w-100 h-100" alt="...">
           <div class="carousel-caption top-caption d-none d-md-block">
              <h5 class="text-danger font-weight-bold mb-
3 bigFont vermin">Enchance your gaming NOW!</h5>
              bold">Enjoy your gaming experience with powerful ASUS ROG laptops.
            </div>
         </div>
         <div class="carousel-item visina" data-interval="5000">
           <div class="carousel-caption top-caption d-none d-md-block">
             <h5 class="text-danger font-weight-bold mb-
3 bigFont twinds">Remote job? Laptop is just what you need.</h5>
              light">With amazing asus laptop collection you will fall in love at first sight.<
/p>
             </div>
           <img src="images/carouselPictures/proba2.webp" class="d-</pre>
block images w-100 h-100" alt="...">
           </div>
       </div>
```

```
<a class="carousel-control-</pre>
prev" href="#carouselExampleInterval" role="button" data-slide="prev">
          <span class="carousel-control-prev-icon" aria-hidden="true"></span>
          <span class="sr-only">Previous</span>
        </a>
        <a class="carousel-control-</pre>
next" href="#carouselExampleInterval" role="button" data-slide="next">
          <span class="carousel-control-next-icon" aria-hidden="true"></span>
          <span class="sr-only">Next</span>
        </a>
    </div>
    <div class="container-fluid bg-dark">
      <div class="container">
        <div class="row pb-5 pt-3" id="Icons">
       </div>
      </div>
    </div>
    <div class="container pt-3 mt-3 mb-2">
      <div class="row pt-3 pb-3 justify-content-</pre>
center paddingFilter" id="filters">
            <div class="col-lg-4 text-center">
                <h2 class="p-2 redColor twinds"> <i> price </i></h2>
                Ascending <input type="radio" name="price" value="1" id="PriceAs
c"/> <br/>
                Descending <input type="radio" name="price" value="-
1" id="PriceDesc"/> <br/>
            </div>
            <div class="col-lg-4 text-center">
                <h2 class="p-2 redColor twinds"><i>brand</i></h2>
                Asus <input type="radio" name="brand" value="Asus" id="AsusChb"/
> <br/>
                Apple <input type="radio" name="brand" value="Apple" id="AppleChb
"/> <br/>
                All <input type="radio" name="brand" value="All" id="BrandAll"/>
            </div>
            <div class="col-lg-4 text-center">
                <h2 class="p-2 redColor twinds"><i>components</i></h2>
                8gb RAM <input type="radio" name="RAM" id="ram8" value="8gb"/> <b
                16gb RAM <input type="radio" name="RAM" id="ram16" value="16gb"/>
                32gb RAM <input type="radio" name="RAM" id="ram32" value="32gb"/>
                All <input type="radio" name="RAM" id="ramAll" value="gb"/>
```

```
</div>
     </div>
     <div class="container-fluid">
       <div class="row pb-3" id="products">
       </div>
     </div>
   </div>
   <footer>
     <div class="container-fluid bg-dark pt-2">
         <div class="row justify-content-around text-center mt-3">
           <div class="col-lg-4 col-md-4 pt-2 twinds text-</pre>
center"><h4 class="redColor">Follow us on social media</h4>
           <1i>>
             <a href="https://www.facebook.com" target=" blank"> <i class="fab</pre>
fa-facebook m-2 text-light bigFont redColor"></i> </a></a>
            <1i>>
              <a href="https://www.instagram.com" target="_blank"> <i class="fa</pre>
b fa-instagram bigFont text-light m-2"></i> </a>
            <1i>>
              <a href="https://www.linkedin.com" target=" blank"> <i class="fab</pre>
 fa-linkedin m-2 text-light bigFont redColor"></i> </a>
            </div>
           <div class="col-lg-4 col-md-4 p-
2 twinds"><h4 class="redColor">Have a question? Contact us</h4>
           envelope"></i> support@rubystar.com
                                    phone"></i> +38164 12 34 567 
         </div>
           <div class="col-lg-4 col-md-4 p-
2 twinds"><h4 class="redColor">Useful links</h4>
           <l
            <1i>>
              <a href="documentation.pdf" target="_blank" class="text-</pre>
light">Documentation</a>
            <
              <a href="js/main.js" target="_blank" class="text-</pre>
light">Main JS</a>
```

```
<1i>>
               <a href="js/order.js" target="_blank" class="text-</pre>
light">Order JS</a>
             <
               <a href="css/style.css" target="_blank" class="text-</pre>
light">CSS</a>
             </div>
         </div>
         <div class="row bg-danger">
           <div class="col-lg-12">
             bolder">Copyright <b>&copy;</b> 2020 Stefan Bogdanovski ICT College
           </div>
         </div>
     </div>
   </footer>
   <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js</pre>
"></script>
   <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.</pre>
min.js" integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6" crossorigin="an
onymous"></script>
   <script type="text/javascript" src="js/main.js"></script>
</body>
</html>
```

2. HTML (order.html)

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Ruby Star</title>
    <meta name="keywords" content="form, purchase, order, technology, laptop"/>
    <meta name="description" content="Order asus or apple laptop online without a</pre>
ny problems! Ruby star is here!"/>
    <script src="https://kit.fontawesome.com/0f0bb38c5e.js" crossorigin="anonymou</pre>
s"></script>
    <link rel="shortcut icon" href="images/favicon.ico">
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4</pre>
.1/css/bootstrap.min.css" integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh" crossorigin="an
onymous">
    <link rel="stylesheet" href="css/style.css" type="text/css"/>
</head>
<body>
        <div class="container-fluid bg-dark">
            <div class="container">
                <div class="row">
                    <div class="col-lg-4">
                        <div id="logo" class="text-center">
                            <a href="index.html" class="text-</pre>
danger twinds" id="logo"> Ruby Star </a>
                        </div>
                    </div>
                    <div class="col-lg-8">
                        <nav id="navigation">
                              around mb-0">
                                  <1i>>
                                      <a href="index.html" class="text-
light"> <i> Home </i> </a>
```

```
<1i>>
                                      <a href="order.html" class="text-</pre>
light"> <i> Order </i> </a>
                                  <1i>>
                                      <a href="http://stefanb.000webhostapp.com/"</pre>
  class="text-light" target="_blank"> <i> Author </i> </a>
                                 </nav>
                    </div>
                </div>
            </div>
        </div>
    </header>
    <div id="clippy">
    </div>
    <div class="container-fluid" id="formDiv">
        <div class="container">
            <h1 class="redColor vermin bigFont text-center p-3 m-
3">Fill your order here!</h1>
            <form method="POST" action="#" name="forma" onSubmit="return validate</pre>
();">
                <div class="form-row mb-3">
                  <div class="form-group col-md-6">
                    <label for="inputName4">Name</label>
                    <input type="text" name="Name" class="form-</pre>
control" id="inputName4"/>
                    <span class="redColor d-</pre>
none">Name should start with capital letter.
                  <div class="form-group col-md-6">
                    <label for="inputLastName4">Last name</label>
                    <input type="text" name="LastName" class="form-</pre>
control" id="inputLastName4"/>
                    <span class="redColor d-</pre>
none">Last name should start with capital letter.
                  </div>
                </div>
                <div class="form-row mb-3">
                  <div class="form-group col-md-6" id="DDL">
                    <label for="product">Product</label>
```

```
<select name="ddlProduct" class="form-control font-</pre>
form vermin redColor" name="Product" id="product">
                      <option value="0"> Choose.. </option>
                    </select>
                    <span class="redColor d-</pre>
none">Please select a product you want to order.
                  </div>
                  <div class="form-group col-md-6">
                    <label for="inputAddress">Address</label>
                    <input type="text" class="form-control font-</pre>
form" name="Address" id="inputAddress" placeholder="Street and house number"/>
                    <span class="redColor d-</pre>
none">Address should start with a capital letter and may include numbers.</span>
                  </div>
                </div>
                <div class="form-row mb-3">
                <div class="form-group col-md-12">
                  <label for="inputCity2">City </label>
                  <input type="text" class="form-control font-</pre>
form" name="City" id="inputCity2" placeholder="Your City"/>
                  <span class="redColor d-</pre>
none">City should start with capital letter.</span>
                </div>
              </div>
                <div class="form-row mb-3">
                  <div class="form-group col-md-4 col-sm-12">
                    <label for="inputNumber">Mobile phone number</label>
                    <input type="text" class="form-control font-</pre>
form" name="Mobile" id="inputNumber" placeholder="Number"/>
                    <span class="redColor d-</pre>
none">Minimum 9 digits required, optional + at start./span>
                  </div>
                  <div class="form-group col-md-4 col-sm-12">
                    <label for="inputEmail">Email</label>
                    <input type="text" class="form-control font-</pre>
form" name="Email" id="inputEmail" placeholder="example@gmail.com"/>
                    <span class="redColor d-none">Invalid email format.
                  <div class="form-group col-md-4 col-sm-12 mb-4">
                    <label for="inputState">Payment method</label>
                    <select id="inputState" name="Payment" class="form-</pre>
control font-form">
                      <option selected value="0">Choose...</option>
                      <option value="1">Cash on delivery</option>
                      <option value="2">Pay with credit card</option>
```

```
</select>
                   <span class="redColor d-</pre>
none">Please select payment method.</span>
                 </div>
                 <div class="form-group col-md-12 d-none" id="creditCard">
                   <label for="inputCity2">Credit card number </label>
                   <input type="text" class="form-</pre>
control" name="City" id="CCnumber" placeholder="XXXX-XXXX-XXXX-XXXX"/>
                   <span class="redColor d-</pre>
none">Input 16 digits and - after every four digits.
                 </div>
                 <div class="form-group col-md-12 text-center mt-3">
                  <input type="submit" value="Order" name="poslato" class="p-</pre>
2 bg-danger form-control text-dark dugme"/>
                 </div>
               </div>
             </form>
       </div>
   </div>
   <footer>
     <div class="container-fluid bg-dark pt-2">
         <div class="row justify-content-around text-center mt-3">
           <div class="col-lg-4 col-md-4 pt-2 twinds text-</pre>
center"><h4 class="redColor">Follow us on social media</h4>
           <a href="https://www.facebook.com" target="_blank"> <i class="fab</pre>
fa-facebook m-2 text-light bigFont redColor"></i> </a></a>
             <1i>>
               <a href="https://www.instagram.com" target=" blank"> <i class="fa</pre>
b fa-instagram bigFont text-light m-2"></i> </a>
             <1i>>
               <a href="https://www.linkedin.com" target="_blank"> <i class="fab</pre>
 fa-linkedin m-2 text-light bigFont redColor"></i> </a>
             </div>
           <div class="col-lg-4 col-md-4 p-</pre>
2 twinds"><h4 class="redColor">Have a question? Contact us</h4>
            <i class="fas fa-</pre>
envelope"></i> support@rubystar.com
                                    phone"></i> +38164 12 34 567
```

```
</div>
           <div class="col-lg-4 col-md-4 p-</pre>
2 twinds"><h4 class="redColor">Useful links</h4>
           <l
             <1i>>
               <a href="documentation.pdf" target="_blank" class="text-</pre>
light">Documentation</a>
             <
               <a href="js/main.js" target="_blank" class="text-</pre>
light">Main JS</a>
             <1i>>
               <a href="js/order.js" target="_blank" class="text-</pre>
light">Order JS</a>
             <1i>>
               <a href="css/style.css" target="_blank" class="text-</pre>
light">CSS</a>
             </div>
         </div>
         <div class="row bg-danger">
           <div class="col-lg-12">
             bolder">Copyright <b>&copy;</b> 2020 Stefan Bogdanovski ICT College
           </div>
         </div>
     </div>
    </footer>
     <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.</pre>
js"></script>
     <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstra</pre>
p.min.js" integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6" crossorigin="an
onymous"></script>
     <script type="text/javascript" src="js/order.js"></script>
  </body>
 </html>
```

3.CSS

```
@import url('https://fonts.googleapis.com/css?family=Trade+Winds&display=swap');
    padding: 0px;
    margin: 0px;
    scroll-behavior: smooth;
@font-face {
    font-family: 'Vermin Vibes';
    src: url('FontVermin/Vermin-Vibes.eot');
    src: url('FontVermin/Vermin-Vibes.eot?#iefix') format('embedded-opentype'),
        url('FontVermin/Vermin-Vibes.woff2') format('woff2'),
        url('FontVermin/Vermin-Vibes.woff') format('woff'),
        url('FontVermin/Vermin-Vibes.ttf') format('truetype'),
        url('FontVermin/Vermin-Vibes.svg#Vermin-Vibes') format('svg');
    font-weight: normal;
    font-style: normal;
.vermin
    font-family: 'Vermin Vibes';
.twinds
    font-family: 'Trade Winds';
ul {
    list-style-type: none;
a, a:hover, a:focus {
    text-decoration: none;
    color: #000;
.bigFont
    font-size: 25px;
```

```
.smallFont
    font-size: 18px;
#navigation ul li{
    padding: 25px 0px;
#navigation ul li a{
    font-size: 22px;
#navigation ul li a:hover{
    color: #dc3545;
   font-weight: bold;
.redColor
    color: #dc3545;
.top-caption{
   right: 15%;
   top: 3%;
.hFont{
    font-size: 32px;
#logo, #logo a:focus, #logo a:hover {
   font-size: 25px;
    padding: 25px 0px;
.visina {
   max-height: 700px;
.images {
    background-size: cover;
    background-position: bottom;
@media screen and (max-width:991px)
    #logo
        padding:25px 0 0 0;
@media screen and (max-width:768px)
```

```
.item
        width: 100% !important;
@media screen and (max-width:575px)
    .paddingFilter
        margin: 0px 15px 0px 15px;
@media screen and (max-width:445px)
    .v-align
        flex-direction: column !important;
       text-align: center;
    .v-align li{
        padding: 10px !important;
#clippy
   width: 100%;
   min-height: 72px;
    background-color: #343a40!important;
    clip-path: polygon(50% 0%, 100% 0, 100% 100%, 50% 0, 50% 0, 0 100%, 0 0);
.font-form
    font-size: 20px;
#filters
    border: 1px solid #000;
   border-radius: 10px;
.item
    background-color: #fff;
    border-radius: 10px;
   width: 33%;
```

```
.malifontLista{
    font-size: 12px;
.order {
   border-radius: 5px;
.t-left
    text-align: left !important;
.labelBoja
    color: #dc3545;
 dugme
    font-weight: bold;
    border: none !important;
    width: 35%;
   margin: 0px auto;
    border-radius: 15px !important;
 form-control
    box-shadow: none;
    border:none;
    border-radius: 0px;;
    border-bottom:1px solid #212529;
.form-control:focus{
   box-shadow: none;
    border:none;
    border-bottom: 1px solid #dc3545;
    border-radius: 0px;
input:-webkit-autofill,
input:-webkit-autofill:hover,
input:-webkit-autofill:focus,
input:-webkit-autofill:active {
    box-shadow: 0 0 0 30px white inset !important;
    -webkit-box-shadow: 0 0 0 30px white inset !important;
#formDiv
```

```
{
    margin-top: -50px;
    padding-bottom: 30px;
}
```

4. Javascript Main

```
window.onload = function()
    $('.carousel').carousel(0);
    dohvatiPogodnosti();
    dohvatiProizvode();
    dodajDogadjaj(document.getElementsByName("price"), sortirajPoCeni);
    dodajDogadjaj(document.getElementsByName("RAM"), filtrirajRAM);
    dodajDogadjaj(document.getElementsByName("brand"), filtrirajBrand)
};
var reset;
function dohvatiProizvode()
    $.ajax(
        method : "GET",
        url : "data/products.json",
        dataType : "json",
        success: function(data)
            reset = data;
            ispisiProizvode(data);
        },
        error: function(xhr, status, error)
    });
function dohvatiPogodnosti()
    $.ajax(
            method : "GET",
            url : "data/benefits.json",
            dataType : "json",
            success: function(data)
                ispisiPogodnosti(data);
```

```
error: function(xhr, status, error)
        });
function ispisiProizvode(proizvodi)
        let proizvodiNew = [];
        if(localStorage.getItem("BrandOnly")!="All" && localStorage.getItem("Bran
dOnly"))
            proizvodiNew = proizvodi.filter(p => p.brand == localStorage.getItem(
"BrandOnly"));
            proizvodi = proizvodiNew;
        if(localStorage.getItem("Sort"))
            if(localStorage.getItem("Sort")=="ASC")
                    proizvodiNew = proizvodi.sort(function(a,b)
                        if(a.price.newPrice > b.price.newPrice)
                             return 1;
                        else if(a.price.newPrice < b.price.newPrice)</pre>
                             return -1;
                        else return 0;
                    });
            else
                proizvodiNew = proizvodi.sort(function(a,b)
                    if(a.price.newPrice > b.price.newPrice)
                        return -1;
                    else if(a.price.newPrice < b.price.newPrice)</pre>
                        return 1;
```

```
else return 0;
               });
            proizvodi = proizvodiNew;
       if(localStorage.getItem("RAM"))
            for(let i = 0; i < proizvodi[0].specifications.length; i++)</pre>
               if(proizvodi[0].specifications[i].name == "RAM")
                   rb = i;
                   break;
           proizvodiNew = proizvodi.filter(p => p.specifications[rb].value.inclu
des(localStorage.getItem("RAM")));
            proizvodi = proizvodiNew;
       let html=``;
            for(let p of proizvodi)
            {
               html+=
               <div class="item text-center mb-3">
               <figure class="text-center">
               <img src="images/laptops/${p.image.src}" alt="${p.image.alt}" cla</pre>
ss="img-fluid"/>
                <caption class="text-</pre>
center"> <h3 class="twinds"> ${p.name} </h3></caption>
                </figure>
               p.specifications.forEach(element => {
                   html+= ` ${element.name} : ${element.value}`
                });
               html+=`
               <del class="malifontLista"> $${p.price.oldPrice}.00 </del>
               <span class="d-block redColor pb-</pre>
2"> $${p.price.newPrice}.00 </span>
               <a href="order.html" class="bg-danger p-2 t-left order text-</pre>
light" data-id="${p.id}">Order now</a>
            </div>
```

```
if(proizvodi.length)
                document.getElementById("products").innerHTML = html;
                localStorage.setItem("Products", JSON.stringify(proizvodi));
        else
                document.getElementById("products").innerHTML = `No products avai
lable with given criteria. `;
function ispisiPogodnosti(data)
    let html= ``;
    for(let p of data)
        html+=
        <div class="text-light col-lg-3 col-sm-6 text-</pre>
center"> <h1><i class="redColor bigFont">${p.naziv}</i></h1></h1>
             <i class="${p.ikonica} bigFont m-3"></i></i>
             <br/>
<br/>
${p.opis}
             </div>
    $("#Icons").html(html);
function dodajDogadjaj(array, func)
    array.forEach(element => {
        element.addEventListener("click", func)
    });
//sortiranje
function sortirajPoCeni()
    if(this.value == 1)
        localStorage.setItem("Sort", "ASC");
    else if(this.value == -1)
```

```
localStorage.setItem("Sort", "DESC");
}
ispisiProizvode(reset);
}
//filteri RAM
function filtrirajRAM()
{
  localStorage.setItem("RAM", this.value);
  ispisiProizvode(reset);
}
//filteri BRAND
function filtrirajBrand()
{
  localStorage.setItem("BrandOnly", this.value);
  ispisiProizvode(reset);
}
window.onunload = function()
{
  localStorage.clear();
}
```

5. Javascript Order

```
window.onload = function()
            $(".form-control").focus(obojiLabelu);
            $(".form-control").focusout(defaultLabela)
            this.dohvatiProizvode();
            $("#inputState").change(function()
                if($(this).val() == 2)
                    $("#creditCard").addClass("d-block");
                else
                     $("#creditCard").removeClass("d-block");
            })
        function obojiLabelu()
            $(this).prev().addClass("labelBoja")
        };
        function defaultLabela()
            $(this).prev().removeClass("labelBoja")
        var regexAdresa = /^([A-ZČĆĐŠŽ][a-zčćđšž\.]+)(\s[A-zČĆĐŠŽčćđšž][a-
z\check{c}\check{d}\check{s}\check{z}+)*\s?(([0-9]w]{2,4})|([0-9]))$/;
        var regexBrojTelefona = /^((\+3816[0-9]{7,9})|(06[0 1 2 3 4 5 6 9][0-
9]{6,7}))$/;
        var regexPrezime = /^([A-ZČĆĐŠŽ][a-zčćđšž]{2,30})(\s[A-ZČĆĐŠŽ][a-
zčćđšž]{2,30})*$/;
        var regexIme = /^[A-ZČĆĐŠŽ][a-zčćđšž]{2,29}$/;
        function dohvatiProizvode()
            $.ajax(
                    method : "GET",
                     url : "data/products.json",
                     dataType : "json",
                     success: function(data)
```

```
popuniDDL(data);
                    },
                    error: function(xhr, status, error)
                });
        function popuniDDL(data)
            let select = ``;
            for (let p of data)
                select += `<option value="${p.id}" class="vermin"> ${p.name} </op</pre>
tion>`;
            document.getElementById("product").innerHTML += select;
        function validate()
            let ide = true;
            let imeTag = $("#inputName4");
            let ime = imeTag.val();
            let regexIme = /^[A-ZČĆĐŠŽ][a-zčćđšž]{2,29}$/;
            if(!ime.match(regexIme))
                imeTag.next().addClass("d-block");
                ide = false;
            else
                imeTag.next().removeClass("d-block");
            let prezimeTag = $("#inputLastName4");
            let prezime = prezimeTag.val();
            let regexPrezime = /^([A-ZČĆĐŠŽ][a-zčćđšž]{2,30})(\s[A-ZČĆĐŠŽ][a-
zčćđšž]{2,30})*$/;
            if(!prezime.match(regexPrezime))
                prezimeTag.next().addClass("d-block");
                ide = false;
            else
```

```
prezimeTag.next().removeClass("d-block");
            let proizvodTag = $("#product");
            let proizvod = proizvodTag.val();
            if(proizvod == 0)
                proizvodTag.next().addClass("d-block");
                ide = false;
            else
                proizvodTag.next().removeClass("d-block");
            let adresaTag = $("#inputAddress");
            let adresa = adresaTag.val();
            let regexAdresa = /^([A-ZČĆĐŠŽ][a-zčćđšž\.]+)(\s[A-zČĆĐŠŽčćđšž][a-
z\check{c}\check{d}\check{s}\check{z}]+)*\s?(([0-9\w]{2,4})|([0-9]))$/;
            if (!adresa.match(regexAdresa))
                adresaTag.next().addClass("d-block");
                ide = false;
            else
                adresaTag.next().removeClass("d-block");
            let gradTag = $("#inputCity2");
            let grad = gradTag.val();
            let regexGrad = /^[A-ZĐŽĆŠČ]+[a-zđžćšč]{2,30}$/;
            if(!grad.match(regexGrad))
                gradTag.next().addClass("d-block");
                ide = false;
            else
                gradTag.next().removeClass("d-block");
            let telefonTag = $("#inputNumber");
            let telefon = telefonTag.val();
            let regexBrojTelefona = /^[\+]?([0-9]){9,25}$/;
            if(!telefon.match(regexBrojTelefona))
                telefonTag.next().addClass("d-block");
                ide = false;
```

```
}
            else
            {
                telefonTag.next().removeClass("d-block");
            let emailTag = $("#inputEmail");
            let email = emailTag.val();
            let regexEmail = /^[a-z]+[0-9a-z]*@[a-z]{2,10}(\.[a-z]{2,10})+$/;
            if(!email.match(regexEmail))
                emailTag.next().addClass("d-block");
                ide = false;
            else
            {
                emailTag.next().removeClass("d-block");
            let placanje = $("#inputState").val();
            if(placanje != 0)
            {
                $("#inputState").next().removeClass("d-block");
                if(placanje == 2)
                    let ccNumber = $("#CCnumber").val();
                    let regexCCNumber = /^[0-9][0-9][0-9][0-9][0-9][0-9][0-9]
9][0-9]\-[0-9][0-9][0-9][0-9]\-[0-9][0-9][0-9][0-9]$/
                    if(!ccNumber.match(regexCCNumber))
                        $("#CCnumber").next().addClass("d-block");
                        ide = false;
                    else
                        $("#CCnumber").next().removeClass("d-block");
            else
                $("#inputState").next().addClass("d-block");
            if(ide)
                alert("Form successfully sent! Check your email!");
```

return ide;

٦