

Visoka škola strukovnih studija za informacione i komunikacione tehnologije



DOKUMENTACIJA

Student: **Stefan Stanisavljević**

Predmet: **Web programiranje PHP**

8/3/2021

Sadržaj

sadrzaj

DOKUMENTACIJA.....	1
UVOD	4
Programski jezici	4
Opis funkcionalnosti	4
Index strana	4
Proizvodi.php	8
Cart.php	11
Logovanje.php	12
Registracija.php	13
Admin_panel.php	13
Anketa.php	15
kontaktSaAdminom.php	16
KODOVI	17
PHP.....	17
Range.php	20
header.php	21
Nav.php.....	21
Footer.php	22
formProizvod.php.....	24
RegistracijaForm.php.....	25
Index.php	26
Proizvodi.php	30
Registracija.php	31
Logovanje.php	34
Korpa.php	35
Korisnik.php	36
kontaktSaAdminom.php	39
Anketa.php	40
Admin_panel.php	41
Models	44
Autor.php.....	44

brisanjeGlasaAnketa.php.....	45
brisanjeKorisnika.php	45
brisanjePorudzbine.php.....	46
brisanjeProizvoda.php	47
Cart.php	47
Cenovnik.php	48
Logovanje.php	49
obradaAnkete.php.....	50
Odjava.php.....	51
Opseg.cene	52
podaciZaRange.php	52
registracija.php	52
slanjeAdminu.php.....	55
sortiranje.php	56
sortiranjeCena.php	57
upisProizvoda.php	58
Konekcija.php	60
CSS3	61
Style.css	61
javaScript I JQuery	70
main.js.....	70
Cart.js.....	85
Sitemap.xml	87
Rss.xml	89

UVOD

Programski jezici

Tokom izrade sajta korišćeno je više jezika, a to su: **HTML5, CSS3, JavaScript, jQuery, PHP**.

Program koji je korišćen: **Microsoft Visual Code**

Početak izrade sajta četvrta nedelja, završetak deveta nedelja

Opis funkcionalnosti

Index strana pocetni deo sadrži include headera I navigacije U ovom delu sajta se nalaze svi glavni linkovi ka ostalim delovima sajta.Logo je pravljen rucno u programu za editovanje slika.



Teretana i Fitnes

FoxPro

AUTOR

DOKUMENTACIJA

ANKETA



Postigni više!

Personalni trener

POSVEĆENI VAMA

Početnik ili ne, personalni trener ti pomaže da ostaneš fokusiran i brže ostvariš svoje ciljeve! Radi 24 sata*, svakog dana u godini. Naše lokacije su za vas otvorene i tokom praznika!



O nama

FoxPro teretane su napravljene sa osnovnom idejom da svojim klijentima i svim vežbačima pruže odlične uslove za treniranje. Stotine najrazličitijih, vrhunskih sprava za vežbanje vas čekaju u svim FoxPro teretanama. Vrhunska ventilacija, higijena i moderne radne jedinice čine FoxPro teretane među najboljim teretanama u regionu. Lanac FoxPro teretana je nastao iz ljubavi prema sportu, a praćen je predanošću i velikom posvećenošću vežbanju. Naša misija je da neprestano poboljšavamo uslove vežbanja, kako u Beogradu, tako i u ostalim gradovima.

Više



Ovaj deo je staticki dodat, klikom na taster Više pojavljuje se dodatni tekst.

Treneri



Petar

Rodjen: 1998-03-02

mail: petar@gmail.com.

telefon: [0641180555](tel:0641180555)

Online i uživo sam pomogao više od 3000 klijenata širom Balkana ali i iz inostranstva koji su želeli da naprave neku promenu na svom telu. Rešio sam i mnoge zdravstvene probleme poput diskus hernije, povišenog holesterola, anemije (snižena koncentracija gvožđa), blagih deformiteta kičmenog stuba, gojaznosti i generalno sam se bazirao na unapređenje zdravstvenog statusa.

Marko

Rodjen: 2000-03-02

mail: marko@gmail.com.

telefon: [0695657702](tel:0695657702)

Apsolvent na Biološkom fakultetu u Beogradu i licencirani IFBB fitnes instruktor i personalni trener. Od svoje šeste godine aktivno se bavi sportom (fudbal, boks, košarka), a poslednjih osam godina provodi vezbajući i radeći u teretani. Svoje klijente motiviše i pomaže im da pronađu ono najbolje u sebi i da svakog treninga budu bolja verzija sebe. Često im govori: „Trening prvenstveno treba biti oruđe u izgradnji vašeg zdravlja, a ne lek u terapiji vaših eventualnih kompleksa!

Trenere sam zamislio kao radnike I oni imaju svoju tabelu u bazi iz koje se izčitavaju njihovi podaci.

Cenovnik		
STANDARD	STUDENT	DNEVNI
2991RSD	2491RSD	2190RSD
mesečno	mesečno	mesečno
Bez dodatnih troškova, sve je	Bez dodatnih troškova, sve je	Bez dodatnih troškova, sve je
Sve lokacije ✓	Sve lokacije ✓	Sve lokacije ✓
00-24 ✓	00-24 ✓	Pon-Pet 06-16 ✓
Neograničeno ✓	Neograničeno ✓	Neograničeno ✓
Teretana ✓	Teretana ✓	Teretana ✓
Kardio ✓	Kardio ✓	Kardio ✓
Ženska zona ✓	Ženska zona ✓	Ženska zona ✓
Svi grupni treningi ✓	Svi grupni treningi ✓	Svi grupni treningi ✓

Cenovnik takođe ima tabelu u bazi iz koje se dohvata i prikazuje.



AUTOR

Ime i prezime: Stefan Stanisavljević

Grad: Osečina

Adresa: Podgorska 26

Obrazovanje: Završena srednja tehnička škola, smer administrator računarskih mreza

Trenutno: Student Visoke ICT škole

Hobi: Odlazak u teretanu, sport, IT

Sposobnosti: Rad u officu, rad sa bazama, programiranje...

Deo strane na kojoj se nalazi moja slika i podaci. Isto se nalazi u bazi sa tim da sam sebe stavio u ulogu administratora i autora.

KONTAKT

IME _____ EMAIL _____

ADRESA PONOVO _____

PORUKA _____

POŠALJI

ADRESA
Bulevar kralja Aleksandra 328

Telefon
0695151704

EMAIL
stefan.stanisavljevic@ict.edu.rs

Ovo je futer u kome postoji forma za komunikaciju sa adminom posetilaca sajta koji se nisu registrovali.

Proizvodi.php

POĆETNA ONAMA TRENERI KONTAKT PRODAVNICA ULOGUJ SE PRIJAVI SE ODJAVITE SE

Teretana i Fitnes
FoxPro

AUTOR DOKUMENTACIJA ANKETA


YOGA PROSTIRKA

Trenirajte jogu udobno i bez klizanja.
Savršeno za vaš dom!

Izaberite boju:

490,00 RSD

Ispod ulazne slike se nalazi slajder.



Sa leve strane smestena je korpa I funkcije opseg cene,sortiranje,filtriranje.



Konopac za preskakanje

Jump rope




500RSD

550RSD

Konopac za preskakanje je oprema za vežbanje koja nikada neće izaći iz mode. Bilo da hoćete da smršate, da poboljšate svoju kondiciju ili samo da se zagrejete pred neki drugi trening. Preskakanje konopca pokriva sve te potrebe.

[Ubaci u korpu](#)

Jedan element proizvoda, svi proizvodi se nalaze u tabeli proizvodi odakle se dohvataju.Klikom na dugme Ubaci u korpu proizvod se smesta na ovaj način:



Cart.php

Pojavljuju se dva dugmeta, klikom na Uđi u korpu korisnik se salje na stranicu Korpa.php gde se prikazuju njegovi proizvodi u korpi u potpunosti:

Redni broj	Proizvod	Naziv proizvoda	Osnovna cena	Kolicina	Cena	Ukloni
1.		Konopac za preskakanje	500 RSD	1	500 RSD	<button>Remove</button>
2.		Lateks trake sa opterecenjem	781 RSD	4	3124 RSD	<button>Remove</button>

KONTAKT

Gde se proizvodi mogu ili ukloniti ili završiti sa kupovinom, kupovina je moguće obaviti samo ako je korisnik ulogovan na svoj nalog



Teretana i Fitnes

FoxPro

[AUTOR](#)[DOKUMENTACIJA](#)[ANKETA](#)

Ako je korisnik ulogovan daje mu se opcija da popuni anketu to je link ispod autora.

Klikom na link odjavite se prekida se sesija I korisnik više nije prijavljen I to može opet obaviti na linku prijavi se

Logovanje.php

Logovanje

Potrebno je pravilno popuniti formu ako se korisnik pre toga registrovo na linku
Registracija.php

Registracija

IME I PREZIME

EMAIL

SIFRA

Izaberi pol



Muski



Zenski

Registruj se

Gde sve mora popuniti kako treba po normama naše zemlje

Admin_panel.php

Unos novih proizvoda

Unesi naziv proizvoda	Unesi staru cenu
Unesi novu cenu	Unesi broj zvezdica
Unesi opis	Unesi putanju slike
Unesi alt atribut	Unesi id kategorije

Unesi proizvod

Administrator ima mogućnost da unosi nove proizvode gde će opet biti proveren sadržaj unosa

Proizvodi

Id proizvoda	naziv_proizvoda	stara_cena	nova_cena	zvezdice	opis	slika_src	slika_alt	id_kategorije	
1	Konopac za preskakanje	550	500	4	Konopac za preskakanje je oprema za vežbanje koja nikada neće izaći iz mode. Bilo da hoćete da smršate, da poboljšate svoju kondiciju ili samo da se zagrejete pred neki drugi trening. Preskakanje konopca pokriva sve te potrebe.	Konopac-za-2.jpg	Konopac za preskakanje	7	izbrisni
2	Lateks trake sa opterecenjem	801	781	4	Jedan od najjednostavnijih pomagala za trening koje pokriva širok spektar vežbi i ogroman broj mišića.	Lateks-trake-sa-opt.jpg	Lateks trake sa opterecenjem	6	izbrisni
3	Lopta za pilates	700	950	5	Stara, dobra fitnes lopta koja nikada neće izaći iz mode. Dolazi u dve veličine 55cm i 65cm i dve boje, pink i plavoj, zajedno sa pumpom za naduvavanje. Izaberite boju i veličinu.	Lopta-za-pilates-3.jpg	Lopta za pilates	8	izbrisni
4	Total Abs Set	990	891	5	Definišite svoje trbušne mišiće brzo i efikasno. Roler za trbušnjake je lak za upotrebu, kompaktan i efikasan. Pored trbušnih mišića, točak za trening učvršćuje i mišiće ruku, grudi i leđa.	Core-set-NOVI.jpg	Core set	5	izbrisni
5	Full body set	890	802	3	Sklek tabla za celo telo predstavlja je set koji omogućava da pogodite svaku mišićnu grupu! Bilo da želite da ojačate stomačne mišiće, mišiće ruku, nogu ili grudi uz pomoć ove magične sprave to ćete i uraditi.	Full-Bodz-Set-2.jpg	Full body set	7	izbrisni
6	Gluteus set	460	416	5	Ukoliko ne voliš osećaj lateksa na telu, od kog je većina traka za trening napravljena, onda je ovo pravo rešenje za tebe. Elastične tekstilne trake su napravljene od gume.	Gluteus-set-NOVI.jpg	Gluteus set	2	izbrisni
7	Roler za trbusnjake	801	771	4	Definišite svoje trbušne mišiće brzo i efikasno. Roler za trbušnjake je lak za upotrebu, kompaktan i efikasan. Pored trbušnih mišića, točak za trening učvršćuje i mišiće ruku, grudi i leđa.	Roler-za-trbusnjake-2.jpg	Roler za trbusnjake	5	izbrisni
8	Rucke za sklekovе	301	251	3	Ručke za sklekovе vam omogućavaju da se sputstite više aktivirajući veći broj mišića grudnog koša. Takođe skeleksi osiguravaju da zglob i podlaktica ostanu u ravni, sprečavajući potencijalne povrede zgloba i podlaktice.	Rucke-za-sklekovе.jpg	Push-ups	4	izbrisni

Gume za vežbanje set se sastoji od čak 11 delova koji će u potpunosti potrebiti za hilo

Izlistani svi proizvodi iz baze sa mogućnošću brisanja proizvoda.

Korisnici

Id korisnika	Ime i prezime	Pol	Email	Sifra	Datum Registracije	Id uloge	
14	Marko Mitrov	M	marko@gmail.com	1cfdcff48536b2e8952c16369b398aa5	2021-03-07 16:38:15	2	izbrisni
15	Mina Minic	Z	mina123@gmail.com	e5259b392906d97e35964d947464f7ed	2021-03-07 16:41:41	2	izbrisni
16	Tanja Mitrović	Z	tanja@gmail.com	7c1acebfbb0ab2e6e98741e8bd049a27	2021-03-07 16:45:30	2	izbrisni
17	Stefan Stanislavljević	M	stefanstanislavljevic@gmail.com	82384864179f86c71698fa8388ed8f47	2021-03-08 14:06:15	1	izbrisni
18	Marta Mitrović	Z	marta@gmail.com	415ebaeed0eba49d3b1d76349c67aa19	2021-03-08 14:33:20	2	izbrisni

Brisanje korisnika koji su registrovani

Anketa

Id korisnika	Email_korisnika	vrednost_glasanja
14	marko@gmail.com	5
17	stefanstanislavljevic@gmail.com	4
18	marta@gmail.com	3

Prikaz ko je popunio anketu sa kojom vrednošću,ako je neko već popunio anketu ali hoće da promeni vrednost mora kontaktirati administratora da ga pre svega

izbrise iz baze anketa.

Porudzbine				
Id porudzbine	id_kupca	ime_prezime_kupca	sadrzaj	
2	14	Marko Mitrov	[{"id":1,"quantity":2}, {"id":2,"quantity":3}, {"id":3,"quantity":2}]	izbrisи
3	14	Marko Mitrov	[{"id":1,"quantity":2}, {"id":2,"quantity":3}, {"id":3,"quantity":2}]	izbrisи
4	14	Marko Mitrov	[{"id":1,"quantity":2}, {"id":2,"quantity":3}, {"id":3,"quantity":2}]	izbrisи
5	14	Marko Mitrov	[{"id":1,"quantity":2}, {"id":2,"quantity":3}, {"id":3,"quantity":2}]	izbrisи
18	14	Marko Mitrov	[{"id":1,"quantity":1}]	izbrisи
19	14	Marko Mitrov	[{"id":1,"quantity":1}]	izbrisи
20	14	Marko Mitrov	[{"id":1,"quantity":1}]	izbrisи
22	14	Marko Mitrov	[{"id":2,"quantity":2}, {"id":1,"quantity":1}]	izbrisи
23	14	Marko Mitrov	[{"id":1,"quantity":1}, {"id":2,"quantity":1}]	izbrisи
24	17	Stefan Stanisavljević	[{"id":2,"quantity":2}]	izbrisи
25	18	Marta Mitrović	[{"id":2,"quantity":2}, {"id":5,"quantity":1}, {"id":6,"quantity":1}]	izbrisи
26	18	Marta Mitrović	[]	izbrisи

Porudzbine se prikazuju iz baze sa vrednostima za id porudzbine, id kupca, ime i prezime i sadrzaj. Moguće je ukloniti porudzbine.

Anketa.php

Koju ocenu bi ste nam dali

1

2

3

4

5

Malo pre spominjana anketa koja se može popuniti samo ako je korisnik prijavljen i to jednom. Ako je već glasano sa tog naloga korisnik se o tome obaveštava.

kontaktSaAdminom.php

KONTAKT SA ADMINISTRATOROM

Pošalji

Kontakt sa administratorom ova strana se prikazuje samo ulogovanim korisnicima, ovde je trebala da se nadje forma za unos fajla(nisam baš imao vremena da to odradim, nisam uspeo problem da rešim pa sam je izostavio).

Poruka se skladisti u bazu, a korisnik se obavestava da je administrator dobio poruku

KODOVI

PHP

PdaciZaRange.php

The screenshot shows a Visual Studio Code window with the following details:

- Title Bar:** podaciZaRange.php - stefanstarisavljievicphp - Visual Studio Code
- File Explorer:** Shows a folder named "models" containing "podaciZaRange.php".
- Code Editor:** The file "podaciZaRange.php" is open, displaying the following PHP code:

```
models > podaciZaRange.php
1  <?php
2  //session_start();
3  header("Content-type: application/json");
4  if($_SERVER['REQUEST_METHOD'] == 'POST'){
5      include "../config/konekcija2.php";
6      include "function.php";
7
8      try{
9          $maxcena=maxCena();
10         $mincena=minCena();
11         $odgovor=[["max"=>$maxcena,"min"=>$mincena];
12         echo json_encode($odgovor);
13     }
14    catch(PDOException $exception){
15        http_response_code(500);
16    }
17 }
18 else{
19     http_response_code(404);
20 }
21 ?>
```

The code implements a POST endpoint that retrieves the maximum and minimum values from a database and returns them as a JSON object.

Status Bar: Ln 13, Col 40 Spaces: 4 UTF-8 CRLF PHP Go Live

sortiranjeCeneDole.php

```
sortiranjeCenaDole.php
models > sortiranjeCenaDole.php
1 <?php
2 //session_start();
3 header("Content-type: application/json");
4 if($_SERVER['REQUEST_METHOD'] == 'POST'){
5     include "../config/konekcija2.php";
6     include "function.php";
7
8     try
9     {
10         $pod = $_POST['podaci'];
11         if($pod=="cenaDoGore")
12         {
13             $proizvod=cenaGore();
14         }
15         else if($pod=="cenaDoDole")
16         {
17             $proizvod=cenaDole();
18         }
19         else if($pod=="nazivDoGore")
20         {
21             $proizvod=nazivGore();
22         }
23         else if($pod=="nazivDoDole")
24         {
25             $proizvod=nazivDole();
26         }
27         if($proizvod)
28         {
29             echo json_encode($proizvod);
30             http_response_code(200);
31         }
32         // $proizvod = ispisPokat($pod);
33     }
34     catch(PDOException $exception){
35         http_response_code(500);
36     }
37 }
38 else{
39     http_response_code(404);
40 }
?>
```

```
sortiranjeCenaDole.php
models > sortiranjeCenaDole.php
1 <?php
2 //session_start();
3 header("Content-type: application/json");
4 if($_SERVER['REQUEST_METHOD'] == 'POST'){
5     include "../config/konekcija2.php";
6     include "function.php";
7
8     try
9     {
10         $pod = $_POST['podaci'];
11         if($pod=="cenaDoGore")
12         {
13             $proizvod=cenaGore();
14         }
15         else if($pod=="cenaDoDole")
16         {
17             $proizvod=cenaDole();
18         }
19         else if($pod=="nazivDoGore")
20         {
21             $proizvod=nazivGore();
22         }
23         else if($pod=="nazivDoDole")
24         {
25             $proizvod=nazivDole();
26         }
27         if($proizvod)
28         {
29             echo json_encode($proizvod);
30             http_response_code(200);
31         }
32         // $proizvod = ispisPokat($pod);
33     }
34     catch(PDOException $exception){
35         http_response_code(500);
36     }
37 }
38 else{
39     http_response_code(404);
40 }
?>
```

slanjeAdmina.php

The screenshot shows the Visual Studio Code interface with the file 'slanjeAdmina.php' open. The code is a PHP script that handles a POST request to send messages to an administrator. It starts by initializing a session and checking if the request is a POST. It then tries to retrieve the recipient's name and email from the session. If the session is empty, it uses values from the POST request. Finally, it sends a message to the administrator's email and returns a success or error response.

```
<?php
session_start();
header("Content-type: application/json");
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    include "../config/konekcija2.php";
    include "function.php";

    try{
        $pod = $_POST['podaci'];
        //var_dump($_SESSION['korisnik']);
        if(isset($_SESSION['korisnik'])){
            $imePrezime=$_SESSION['korisnik']->ime_prezime;
            $mejl=$_SESSION['korisnik']->email;
        }
        else{
            $imePrezime=$_POST['imePrezime'];
            $mejl=$_POST['email'];
        }
    }

    $poruka = slanjePoruke($imePrezime,$mejl,$pod);
    if($poruka){
        echo json_encode("Poruka je dostavljena administratoru");
        http_response_code(200);
    }
    else{
        echo json_encode("Došlo je do greške");
        http_response_code(500);
    }
}
catch(PDOException $exception){
    http_response_code(500);
}
```

Ln 18, Col 39 Spaces: 4 UTF-8 CRLF PHP Go Live

This screenshot is identical to the one above, but with the cursor positioned at line 18, specifically on the closing brace of the try-catch block. This highlights the current line of code being edited.

```
<?php
session_start();
header("Content-type: application/json");
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    include "../config/konekcija2.php";
    include "function.php";

    try{
        $pod = $_POST['podaci'];
        //var_dump($_SESSION['korisnik']);
        if(isset($_SESSION['korisnik'])){
            $imePrezime=$_SESSION['korisnik']->ime_prezime;
            $mejl=$_SESSION['korisnik']->email;
        }
        else{
            $imePrezime=$_POST['imePrezime'];
            $mejl=$_POST['email'];
        }
    }

    $poruka = slanjePoruke($imePrezime,$mejl,$pod);
    if($poruka){
        echo json_encode("Poruka je dostavljena administratoru");
        http_response_code(200);
    }
    else{
        echo json_encode("Došlo je do greške");
        http_response_code(500);
    }
}
catch(PDOException $exception){
    http_response_code(500);
}

else{
    http_response_code(404);
}??
```

Ln 18, Col 39 Spaces: 4 UTF-8 CRLF PHP Go Live

Sortiranje.php

The screenshot shows the Visual Studio Code interface with the file "sortiranje.php" open. The code handles a POST request to sort products by ID. It includes session start, header setup, and a try-catch block for PDO exceptions. The code uses json_encode to return the sorted products.

```
<?php
//session_start();
header("Content-type: application/json");
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    include "../config/konekcija2.php";
    include "function.php";

    try{
        $pod = $_POST['idKat'];

        $proizvod = ispisPoKat($pod);
        if($proizvod)
        {
            echo json_encode($proizvod);
        }
        else{
            $sve=vratisve();
            echo json_encode($sve);
        }
        http_response_code(200);
    } catch(PDOException $exception){
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}
?>
```

podaciZaRange.php

The screenshot shows the Visual Studio Code interface with the file "podaciZaRange.php" open. The code handles a POST request to get products within a specified price range. It includes session start, header setup, and a try-catch block for PDO exceptions. The code uses json_encode to return the filtered products.

```
<?php
//session_start();
header("Content-type: application/json");
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    include "../config/konekcija2.php";
    include "function.php";

    try{
        $maxcena=maxCena();
        $mincena=minCena();
        $odgovor=[ "max"=>$maxcena, "min"=>$mincena];
        echo json_encode($odgovor);
    } catch(PDOException $exception){
        http_response_code(500);
    }
}
else{
    http_response_code(404);
}
?>
```

header.php

```
pages > header.php
1  <!doctype html>
2  <html lang="en">
3  <head>
4  |   <!-- Meta tagovi -->
5  |   <meta charset="utf-8">
6  |   <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
7  |   <meta name="description" content="FoxPro je teretana domaćeg brenda koja nudi najbolje uslove za trening uz nisk
8  |   <meta name="keywords" content="Teretana, Fitnes, FoxPro,Treneri,Kardio">
9  |   <meta name="author" content="Stefan Stanisljević">
10 |   <link rel="icon" href="assets/images/logoico.ico" type="image/gif" sizes="32x32">
11 <title>Fox - Teretana i fitnes</title>
12 <!-- Bootstrap CSS -->
13 <link href="assets/css/animate.css" rel="stylesheet">
14 <link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
15 <link href="https://fonts.googleapis.com/css?family=Lato:300,400,700" rel="stylesheet">
16 <link rel="stylesheet" href="assets/css/style.css">
17 <link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">
18 </head>
19 <body>
```

U ovom delu koda se nalaze header i svi linkovi.

Nav.php

```
pages > nav.php
1  <?php session_start();?>
2  <button id="myBtn" title="Go to top"><span class="material-icons md-dark">keyboard_arrow_up</span></button>
3  <div id="posleKorpa" class="container-fluid pl-0 pr-0 bg-img clearfix parallax-window2" data-parallax="scroll" data-
4    <nav class="navbar navbar-expand-md navbar-dark">
5      <div class="container">
6        <a class="navbar-brand mr-auto" href="#"></a>
7        <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#collapsibleNavbar">
8          <span class="navbar-toggler-icon"></span> </button>
9        <!-- Navbar links -->
10       <div class="collapse navbar-collapse" id="collapsibleNavbar">
11         <ul class="navbar-nav ml-auto" id="meni">
12           <?php
13             require_once "config/konekcija.php";
14             if($konekcija)
15             {
16               $upit = "select * from nav_menu";
17               $rezultat=$konekcija->query($upit);
18               $html="";
19               if(isset($_SESSION['korisnik']))
20               {
21                 foreach($rezultat as $red)
22                 {
23                   $html.= "<li><a href='".$red['meni_href']."'>".$red['meni_ime']."</a></li>&ampnbsp &ampnbsp &ampnbsp";
24                 }
25                 $html.= "<li><a href='models/odjava.php'>Odjavite se</a></li>";
26               }
27             }
28             else{
29               foreach($rezultat as $red)
30               {
31                 $html.= "<li><a href='".$red['meni_href']."'>".$red['meni_ime']."</a></li>&ampnbsp &ampnbsp &ampnbsp";
32               }
33             }
34           }>
```

```

35     | else{
36     | | echo "Nema konekcije sa bazom";
37     | }
38     | echo($html);
39     | ?>
40
41     | <ul class="navbar-nav ml-5">
42     | | <li class="nav-item"> <a class="nav-link btn btn-danger" href="#"&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;>
43     | | | </a>
44     | | </li>
45     | </ul>
46   </div>
47 </nav>
48
49 <div class="container">
50
51   <div class="fh5co-banner-text-box">
52     <div class="quote-box pl-5 pr-5 wow bounceInRight">
53       <h2 style="text-align: center;"> Teretana i Fitnes <br><span style="text-align: center;">FoxPro</span> </h2>
54       <a href="index.php #autor" class="btn text-uppercase btn-outline-danger btn-lg mr-3 mb-3 wow bounceInUp">Autor</a>
55     <?php
56       | | | if(isset($_SESSION['korisnik'])):
57       | | | ?>
58     <a href="anketa.php" class="btn text-uppercase btn-outline-danger btn-lg mr-3 mb-3 wow bounceInUp">Anketa</a>
59   <?php endif ?>
60   </div>
61 </div>
62 </div>

```

Footer.php

```

pages > 📂 footer.php
1  <footer class="container-fluid">
2    <div class="container">
3      <div class="row">
4        <div class="col-md-3 footer1 d-flex wow bounceInLeft" data-wow-delay=".25s">
5          <div class="d-flex flex-wrap align-content-center"> <a href="#">
6            <div class="mapouter"><div class="gmap_canvas"><iframe width="256" height="282" id="gmap_canvas" src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d2923.41420205477!2d15.37324!3d45.7516!2m3!1f0!2f0!3f0!3m2!1i1024!2i512!4f13.1!3m3!1m2!1s0x47e8c3a9f8a2a23b%3A0x1a0a83a3a0a2a23b!2sCroatia!5e0!3m2!1scs!2scs!4v1578321500000!5m2!1scs!2scs" data-bbox="158 158 358 282" />
7          </div>
8        </div>
9        <div class="col-md-6 footer2 wow bounceInUp" data-wow-delay=".25s" id="contact">
10         <div class="form-box" id="kontakt">
11           <h4>KONTAKT</h4>
12           <table class="table table-responsive d-table">
13             <tr>
14               <td><input type="text" id="imePrezime" class="form-control pl-0" placeholder="IME" />
15               <span id="primerIme">Treba ovako-Primer Primerič</span>
16             </td>
17
18               <td><input type="text" class="form-control pl-0" placeholder="EMAIL" id="mejl" />
19               <span id="primerMejl">Treba ovako-primer@gmail.com</span>
20             </td>
21           </tr>
22           <tr>
23             <td colspan="2"></td>
24           </tr>
25           <tr>
26             <td colspan="2"><input type="text" class="form-control pl-0" id="adresa" placeholder="ADRESA PONOVO" />
27             <span id="primerAdresaIsti" style="color:black;">Mejlovi se ne podudaraju</span>
28             <span id="primerAdresa" style="color:black;">Forma mejla nije dobra(primer@gmail.com) </span>
29           </td>
30           </tr>
31           <tr>
32             <td colspan="2"></td>
33           </tr>
34           <tr>

```

```

32 |         <td colspan="2"></td>
33 |     </tr>
34 |     <tr>
35 |         <td colspan="2"><input type="text" id="por" class="form-control pl-0" placeholder="PORUKA" /></td>
36 |     </tr>
37 |     <tr>
38 |         <td colspan="2"></td>
39 |     </tr>
40 |     <tr>
41 |         <td colspan="2" class="text-center pl-0"><button type="submit" id='dugmeSlanje' class="btn btn-dark">
42 |             </td>
43 |
44 |         </table>
45 |     </div>
46 | </div>
47 | <div class="col-md-3 footer3 wow bounceInRight" data-wow-delay=".25s">
48 |     <h5>ADRESA</h5>
49 |     <p>Bulevar kralja Aleksandra 328</p>
50 |     <h5>Telefon</h5>
51 |     <p>0695151704</p>
52 |     <h5>EMAIL</h5>
53 |     <p>stefan.stanisavljevic@ict.edu.rs</p>
54 |     <div class="social-links">
55 |         <ul class="nav nav-item">
56 |             <li><a href="https://www.facebook.com/fh5co" class="btn btn-secondary mr-1 mb-2"></a></li>
57 |             <li><a href="https://www.instagram.com/?hl=sr" class="btn btn-secondary mr-1 ml-1 mb-2"></a></li>
58 |             <li><a href="https://twitter.com/?lang=sr" class="btn btn-secondary mr-1 ml-1 mb-2"></a></li>
59 |         </ul>
60 |     </div>
61 | </div>
62 |
63 | <h5>EMAIL</h5>
64 | <p>stefan.stanisavljevic@ict.edu.rs</p>
65 |     <div class="social-links">
66 |         <ul class="nav nav-item">
67 |             <li><a href="https://www.facebook.com/fh5co" class="btn btn-secondary mr-1 mb-2"></a></li>
68 |             <li><a href="https://www.instagram.com/?hl=sr" class="btn btn-secondary mr-1 ml-1 mb-2"></a></li>
69 |             <li><a href="https://twitter.com/?lang=sr" class="btn btn-secondary mr-1 ml-1 mb-2"></a></li>
70 |         </ul>
71 |     </div>
72 | </div>
73 | </div>
74 | <!-- Optional JavaScript -->
75 | <!-- jQuery first, then Bootstrap JS, ... -->
76 | <script src="assets/js/jquery.min.js"></script>
77 | <script src="assets/js/bootstrap.min.js"></script>
78 | <script src="assets/js/parallax.js"></script>
79 | <script src="assets/js/wow.js"></script>
80 | <script src="assets/js/main.js"></script>
81 | <script src="assets/js/cart.js"></script>
82 | <script src="https://kit.fontawesome.com/a076d05399.js" crossorigin="anonymous"></script>
83 | </body>
84 | </html>

```

U futeru su smestene veze sa JS

formProizvod.php

```
pages > formProizvod.php
1  <h1 style=" background:#ffebbb; color: #ff8013;text-align:center;width:100%">Unos novih proizvoda</h1>
2  <div id="proizvod" style="margin-top:50px;display:flex;justify-content:center;align-item:center;margin-bottom:50px">
3  <form>
4    <table id="tabla">
5      <tr>
6        <td>
7          <input type="text" id="nazivProizvoda" name="nazivProizvoda" placeholder="Unesi naziv proizvoda" size=
8        </td>
9        <td>
10          <input type="text" id="staraCena" name="staraCena" placeholder="Unesi staru cenu" size="40"/>
11        </td>
12    </tr>
13    <tr>
14      <td>
15        <input type="text" id="novaCena" name="novaCena" placeholder="Unesi novu cenu" size="40"/>
16      </td>
17      <td>
18        <input type="text" id="zvezdice" name="zvezdice" placeholder="Unesi broj zvezdica" size="40"/>
19      </td>
20    </tr>
21    <tr>
22      <td>
23        <input type="text" id="opis" name="opis" placeholder="Unesi opis" size="40"/>
24      </td>
25      <td>
26        <input type="text" id="slikaSrc" name="slikaSrc" placeholder="Unesi putanju slike" size="40"/>
27      </td>
28    </tr>
29    <tr>
30      <td>
31        <input type="text" id="slikaAlt" name="slikaAlt" placeholder="Unesi alt atribut" size="40"/>
32      </td>
33      <td>
34        <input type="text" id="idKat" name="idKat" placeholder="Unesi id kategorije" size="40"/>
35      </td>
36    </tr>
37    <tr style="padding:auto;"><td colspan='2'><input type="button" class='btn' name="upisProizvoda" id="upisPro" value="Unesi"></td>
38  </tr>
39  </form>
40  </div>
41
```

Forma za unos proizvoda

RegistracijaForm.php

```
pages > 📄 registracijaForm.php
1   <br><br>
2 <div class="col-md-6 footer2 wow bounceInUp" data-wow-delay=".25s" id="contact" style='margin:auto;'>
3   <div class="form-box" id="kontakt">
4     <h4 style="text-align:center;">Registracija</h4>
5     <table class="table table-responsive d-table">
6       <tr>
7         <td><input type="text" id="username" class="form-control pl-0" placeholder="IME I PREZIME" />
8         | <span id="primerIme">Treba ovako-Primer Primerić</span>
9         </td>
10
11        <td><input type="text" class="form-control pl-0" placeholder="EMAIL" id="mejl" />
12        | <span id="primerMejl">Treba ovako-primer@gmail.com</span>
13        </td>
14      </tr>
15      <tr>
16        <td colspan="2"></td>
17      </tr>
18
19      <tr>
20        <td colspan="2"><input type="password" class="form-control pl-0" id="sifra" placeholder="SIFRA" />
21        | <span id="primerAdresa"></span>
22        </td>
23      </tr>
24      <tr>
25        <td colspan="2"></td>
26      </tr>
27
28      <tr>
29        <td colspan="2">
30          <p>Izaberi pol</p>
31          <!-- <label>Izaberi pol</label> -->
32          <label><input type="radio" class="form-control pl-0" name='pol' value='M'>/>Muski</label><br>
33          <label><input type="radio" class="form-control pl-0" name='pol' value='Z'>/>Zenski</label><br>
34        </td>
35      </tr>
36      <td colspan="2"><input type="password" class="form-control pl-0" id="sifra" placeholder="SIFRA" />
37      | <span id="primerAdresa"></span>
38      </td>
39      <tr>
40        <td colspan="2" class="text-center pl-0"><button type="submit" id='registracija' class="btn btn-dark">
41        </td>
42      </table>
43      <div id="odgovor"></div>
44    </div><br><br>
```

Index.php

The screenshot shows the Visual Studio Code interface with the file 'index.php' open. The code editor displays PHP and HTML code for a website. The sidebar on the left contains icons for file operations like Open, Save, and Find. The status bar at the bottom shows file statistics: Ln 5, Col 7, Spaces: 2, UTF-8, CRLF, PHP, Go Live, and a refresh icon.

```
index.php - stefanstanisavljevicphp - Visual Studio Code

index.php x
index.php
1 <?php
2     include "pages/header.php";
3     include "pages/nav.php";
4     include "models/function.php";
5     // $rezultat=podaciAutor();
6     //var_dump($rezultat);
7     include "config/konekcija.php";
8
9
10    <div class="container-fluid fh5co-network">
11        <div class="container">
12            <div class="row">
13                <div class="col-md-6">
14                    <h4 class="wow bounceInUp">Postigni više!</h4>
15                    <h2 class="wow bounceInRight">Personalni trener</h2>
16                    <hr />
17                    <h5 class="wow bounceInLeft">POSVЕĆENI
18                    | VAMA</h5>
19                    <p class="wow bounceInDown">Početnik ili ne, personalni trener ti pomaže da ostaneš
20                    fokusiran i brže ostvariš svoje ciljeve!
21                    Radi 24 sata*, svakog dana u godini.
22                    Naše lokacije su za vas otvorene i tokom praznika!</p>
23                </div>
24                <div class="col-md-6">
25                    <figure class="wow bounceInDown">  </figure>
26                </div>
27            </div>
28        </div>
29    </div>
30
31    <div id="about-us" class="container-fluid fh5co-about-us pl-0 pr-0 parallax-window" data-parallax="scroll" data-image-src="assets/images/about-us.jpg">
32        <div class="container">
33            <div class="col-sm-6 offset-sm-6" id="onama">
34                <h2 class="wow bounceInLeft" data-wow-delay=".25s">O nama</h2>
35            </div>
36        </div>
37    </div>
```

File Edit Selection View Go Run Terminal Help index.php - stefanstanisavljevicphp - Visual Studio Code

```
index.php
<div id="about-us" class="container-fluid fh5co-about-us pl-0 pr-0 parallax-window" data-parallax="scroll" data-image-src="assets/images/about-us.jpg">
    <div class="container">
        <div class="col-sm-6 offset-sm-6" id="onama">
            <h2 class="wow bounceInLeft" data-wow-delay=".25s">O nama</h2>
            <hr/>
            <p class="wow bounceInRight" data-wow-delay=".25s">FoxPro teretane su napravljene sa osnovnom idejom da svojim klijentima i svim vežbačima  
Lanac FoxPro teretana je nastao iz ljubavi prema sportu, a praćen je predanošću i velikom posvećenošću vežbanju. Naša misija je da nepreskačemo  
</p>
        <div id="skloni">
            <a class="btn btn-lg btn-outline-danger d-inline-block text-center mx-auto wow bounceInDown" id="pvise">Više</a>
        </div>
    </div>
</div>
<div class="container-fluid fh5co-content-box">
    <div class="container">
        <div class="row">
            <div class="col-md-5 pr-0"></div>
            <div class="col-md-7 pl-0">
                <div class="wow bounceInRight" data-wow-delay=".25s">
                    <div class="card-img-overlay" style="top: 12%;">
                        <p id="vise">Naš cilj je da svima pružimo najbolje moguće uslove za vežbanje i da pomognemo svima onoliko koliko smo u mogućnosti.<br>
                            FoxPro JE PROGLAŠEN NAJBOLJIM KLUBOM U DRŽAVI U BODIBILDINGU I FITNESU ZA 2019. I 2020. GODINU.<br>
                            Ponosni smo da pored ispunjavanja svojih društvenih obaveza , veliku pažnju pridajemo i humanitarnim akcijama.<br>
                        </p>
                    </div>
                </div>
                
            </div>
        </div>
        <div class="row trainers pl-0 pr-0" id="treneri">
            <div class="col-12 bg-50">
                <div class="quote-box2 wow bounceInDown" data-wow-delay=".25s">
                    <h2> Treneri </h2>
                </div>
            </div>
            <div class="col-md-6 pr-5 pl-5">
                <div class="card text-center wow bounceInLeft" data-wow-delay=".25s"> 
                <div class="card-body mb-5">
                    <p class="card-text" id="petar" style="text-align: left;">
                        <?php
                            include "config/konekcija.php";
                            if($konekcija)
                            {
                                $upit = "select* from treneri inner join opis_posla on treneri.id_trenera=opis_posla.id_trenera where treneri.id_trenera=2";
                                $rezultat=$konekcija->query($upit);

                                $ispis="";
                                foreach($rezultat as $red)
                                {
                                    $ispis.= "<h1>".$red['ime_trenera']. "</h1><br>
                                            <span>Rodjen: ".$red['datum_rodjenja']. "</span><br>
                                            mail: <a href='".$red['mejl']."'>".$red['mejl']. "</a>.<br>
                                            telefon: <a href='".$red['telefon']."'>".$red['telefon']. "</a><br>
                                            <span>". $red['opis']. "</span>";
                                }
                            }
                            else{
                        
```

Ln 5, Col 7 Spaces: 2 UTF-8 CRLF PHP Go Live

File Edit Selection View Go Run Terminal Help index.php - stefanstanisavljevicphp - Visual Studio Code

```
index.php x
index.php
}
}
else{
    echo "Nema konekcije sa bazom";
}
echo($ispis);
?>
    </p>
</div>
</div>
</div>
<div class="col-md-6 pl-5 pr-5">
    <div class="card text-center wow bounceInRight" data-wow-delay=".25s"> 
        <div class="card-body mb-5">
            <p class="card-text" id="marko" style="text-align: left;">
                <?php
                    include "config/konekcija.php";
                    if($konekcija)
                    {
                        $upit = "select* from treneri inner join opis_posla on treneri.id_trenera=opis_posla.id_trenera where treneri.id_trenera=1";
                        $rezultat=$konekcija->query($upit);
                    }
                    $ispis="";
                    foreach($rezultat as $red)
                    {
                        $ispis.= "<h1>".$red['ime_trenera']. "</h1><br>
                            <span>Rodjen:<span>".$red['datum_rodjenja']. "</span><br>
                            mail: <a href='".$red['mejl']."'>".$red['mejl']. "</a>.<br>
                            telefon: <a href='".$red['telefon']."'>".$red['telefon']. "</a><br>
                            <span>".$red['opis']. "</span>";
                    }
                </p>
            </div>
        </div>
    </div>
</div>
```

The screenshot shows the Visual Studio Code interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, Terminal, Help.
- Title Bar:** index.php - stefanstanisavljevicphp - Visual Studio Code
- Left Sidebar:** Includes icons for file operations (New, Open, Save, Find, Replace, Find in Files, Find in Symbol, Find in Settings, Settings).
- Code Editor:** The main area displays PHP code for a file named index.php. The code includes HTML structure, PHP logic, and CSS classes like "col-12 bg-50". A specific line of code is highlighted in red: "echo "Nema konekcije sa bazom";". The code spans from line 125 to 158.
- Right Sidebar:** Shows a vertical stack of tabs representing other open files or documents.
- Bottom Status Bar:** Ln 5 Col 7, Spaces: 2, UTF-8, CRLF, PHP, Go Live, and a few small icons.

File Edit Selection View Go Run Terminal Help index.php - stefanstanisavljevicphp - Visual Studio Code

```
index.php
148 <div class="col-md-6">
149   <div class="card"> 
150   </div>
151 </div>
152 <div class="col-md-6">
153   <div class="card">
154     <div class="card-body mb-4 wow bounceInLeft" data-wow-delay=".25s">
155       <?php
156       $rezultat=podaciAutor();
157       if($rezultat[0]):
158         ?>
159         <h4 class="card-title">AUTOR</h4>
160         <p class="card-text"><b>Ime i prezime:</b>&ampnbsp<?= $rezultat[0]->ime_prezime ?></p><br>
161         <p class="card-text"><b>Grad:</b>&ampnbsp<?= $rezultat[0]->grad ?></p><br>
162         <p class="card-text"><b>Adresa:</b>&ampnbsp<?= $rezultat[0]->adresa ?></p><br>
163         <p class="card-text"><b>Obrazovanje:</b> &ampnbsp<?= $rezultat[0]->obrazovanje ?></p><br>
164         <p class="card-text"><b>Trenutno:</b>&ampnbsp<?= $rezultat[0]->trenutna_aktivnost ?></p><br>
165         <p class="card-text"><b>Hobi:</b>&ampnbsp<?= $rezultat[0]->hobi ?></p><br>
166         <p class="card-text"><b>Sposobnosti:</b>&ampnbsp<?= $rezultat[0]->sposobnost ?></p>
167         <p>
168           </p>
169           <?php endif ?>
170         </div>
171       </div>
172     </div>
173   </div>
174 </div>
175 </div>
176 <?php include "pages/footer.php"?>
177
178
```

Ln 5, Col 7 Spaces: 2 UTF-8 CRLF PHP Go Live ⚙️ 🌐

Proizvodi.php

The screenshot shows two instances of Visual Studio Code side-by-side, both displaying the same PHP file: 'proizvodi.php'. The file contains HTML and PHP code for a web page.

```
<?php
//session_start();
include "pages/header.php";
include "pages/nav.php";
?>
<div class="w3-content w3-section" style="margin: auto;">



</div>
<div class="box">
<div class="card p-3 mt-4" id="cart">
<label id="cartdod" for=""><span class="material-icons md-dark" style="font-size:50px">shopping_cart</span></label>
<div id="cart-content"></div>
</div>
<div id="treći" style="background-color:white; border: 1px solid rgba(0,0,0,.125);>
<label >Opseg cene u dinarima &nbsp;</label><br><span style=" color: black; " id="range1"></span><input type="range" min=200 max=990 id="range2" value="200" style="width:100%;"/>
</div>
<div id='drugi'>
<select id="ddl8" style="width:100%;">
<option value="">Sortiraj</option>
<option value="nazivDoGore">Od A-Z</option>
<option value="nazivDoDole">Od Z-A</option>
<option value="cenaDoGore">Cena rastuce</option>
<option value="cenaDoDole">Cena opadajuće</option>
</select>
</div>
<div class="row" id="row1">
<div id="prvi">
<select name='name' id="ddl" style="width:100%;">
<?php
    include "config/konekcija2.php";
    if($konekcija)
        if($konekcija)
            $upit="SELECT* FROM kategorije";
            $priprema = $konekcija->query($upit);
            $rezultat = $priprema->fetchAll();
            $ispis="";
            foreach($rezultat as $red){
                $ispis .= "<option class='list-group-item' value='".$red->id_kategorije.">
                ".$red->naziv_kat."
                </option>";
            }
            echo ($ispis);
        }
    ?>
</select>
</div>
</div>
<div class="row" id="proizvodi" class="col-md-8">
<?php
    include "config/konekcija2.php";

    if($konekcija)
    {
        $upit="SELECT* FROM proizvodi JOIN kategorije on proizvodi.id_kategorije=kategorije.id_kategorije";
        $priprema = $konekcija->query($upit);
        $rezultat = $priprema->fetchAll();
        $ispis="";
        foreach($rezultat as $red){
            $br=$red->zvezdice;
            $zvzIspis="";
            for($i=0;$i<$br;$i++)
            {
                $zvzIspis.= "<span class='material-icons md-dark'>star</span>";
            }
        }
    }
?>
```

The status bar at the bottom of both windows indicates the following details:

- Ln 99, Col 1 (40 selected)
- Spaces: 2
- UTF-8
- CRLF
- PHP
- Go Live

File Edit Selection View Go Run Terminal Help proizvodi.php - stefanstanisavljevicphp - Visual Studio Code

proizvodi.php X

```
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
```

for(\$i=0;\$i<\$br;\$i++)
{
 \$zvzIspis.= "star";
}
for(\$n=0;\$n<5-\$br;\$n++)
{
 \$zvzIspis.= "star_border";
}
\$ispis.= "<div class='col-lg-4 col-md-6 mb-4' id='raspored'>
<div class='card h-100'>
slika_src."' alt='".\$red->slika_alt."'>
<div class='card-body' style='display: grid'>
 <h4 class='card-title'>
 <h2 style='color:orange;'>".\$red->naziv_proizvoda."</h2>
 </h4>
 <p class='card-text'>".\$red->naziv_kat."</p>
 <p>".\$zvzIspis."</p>
 <h5>".\$red->nova_cena." RSD</h5>
 <s>".\$red->stara_cena." RSD</s><p>
 <p class='card-text'>".\$red->opis."</p>
 <button class='btn korpa' data-naziv='".\$red->naziv_proizvoda."' data-name='".\$red->id_proizvoda."'>Ubaci u korpu
 </div>
</div>
</div>";
};
echo (\$ispis);
]
?
</div>
</div>
<div id="baza">
</div>
<?php
 include "pages/footer.php"

Ln 93, Col 14 Spaces: 2 UTF-8 CRLF PHP Go Live

Registracija.php

File Edit Selection View Go Run Terminal Help registracija.php - stefanstanisavljevicphp - Visual Studio Code

models > registracija.php X

```
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
```

```
<?php  
header("Content-type: application/json");  
if($_SERVER['REQUEST_METHOD'] == 'POST'){  
    include "../config/konekcija.php";  
    include "function.php";  
    try{  
        $imePrezime = $_POST['imeprezime'];  
        $pol=$_POST['pol'];  
        $email = $_POST['email'];  
        $lozinka = $_POST['lozinka'];  
        // provjera podataka  
        // var_dump($imePrezime);  
        // var_dump($pol);  
        // var_dump($email);  
        // var_dump($lozinka);  
        $sifrovanaLozinka = md5($lozinka);  
        $idUloga = 2;  
        $greske = [];  
        //pregMatchImePrezime = '/[A-zžčđš][a-zžčđš]{2,15}\s[A-zžčđš][a-zžčđš]{2,15}$/';  
        //pregMatchEmail = '/^[_a-z0-9-]+(\._[a-z0-9-]+)(\.[a-z0-9-]+)(\.[a-z]{2,3})$/';  
        //pregMatchLozinka = '/^(?=.*[a-z])(?=.*[A-Z])(?=.*[0-9])(?=.*[@#$%^&*])(?=.{8,})$/';  
        $polNiz=[ 'M', 'Z' ];  
        // if(!preg_match($regimePrezime,$imePrezime)){  
        //     array_push($greske,"Greska Ime prezime");  
        // }  
        if(!preg_match($regemail,$email)){  
            array_push($greske,"Greska email");  
        }  
        if(!preg_match($regpass,$lozinka)){  
            array_push($greske,"Greska password");  
        }  
        if(!in_array($pol, $polNiz)){  
            array_push($greske,"Niste izabrali pol");  
        }  
        if(count($greske))
```

Ln 40, Col 18 Spaces: 4 UTF-8 CRLF PHP Go Live

The screenshot shows the Visual Studio Code interface with the following details:

- Title Bar:** File Edit Selection View Go Run Terminal Help
- File Path:** models > registracija.php
- Code Editor:** The main area contains PHP code for user registration. The code includes error handling, database insertion, JSON encoding of errors, and HTTP response codes. It also includes a catch block for PDO exceptions.
- Status Bar:** Ln 40, Col 18 Spaces: 4 UTF-8 CRLF PHP Go Live

```
models > registracija.php
33     |     array_push($greske,"Niste izabrali pol");
34 }
35 if(empty($greske))
36 {
37     $unosKorisnika = unosKorisnika($imePrezime,$pol, $email, $sifrovanaLozinka,$idUloga);
38
39     if($unosKorisnika)
40     {
41         $odgovor = ["poruka"=>"Uspešan unos"];
42         echo json_encode($odgovor);
43         http_response_code(201);
44     }
45     else
46     {
47         $odg=implode(",",$greske);
48         echo json_encode($greske);
49         http_response_code(401);
50     }
51
52     // if($unosKorisnika){
53     //     $odgovor = ["poruka"=>"Uspešan unos."];
54     //     echo json_encode($odgovor);
55     //     http_response_code(201);
56     // }
57 }
58 catch(PDOException $exception){
59     http_response_code(500);
60 }
61
62 }
63 else{
64     http_response_code(404);
65 }
66 ?>
```

```
File Edit Selection View Go Run Terminal Help registracija.php - stefanstanisavljevicphp - Visual Studio Code
registracija.php ×
@register
1 <?php
2 //session_start();
3 include 'config/konekcija.php';
4 include 'pages/header.php';
5 include 'pages/nav.php';
6 ?>
7 <br><br>
8 <div class="col-md-6 footer2 wow bounceInUp" data-wow-delay=".25s" id="contact" style='margin:auto;'>
9     <div class="form-box" id="kontakt">
10         <h4 style="text-align:center;">Registracija</h4>
11         <table class="table table-responsive d-table">
12             <tr>
13                 <td><input type="text" id="ime_prezime" class="form-control pl-0" placeholder="IME I PREZIME" />
14                 | <span id="primerime">Treba ovako Primer Primerić</span>
15             </td>
16
17             <td><input type="text" class="form-control pl-0" placeholder="EMAIL" id="mejl" />
18             | <span id="primerMejl">Treba ovako primer@gmail.com</span>
19             </td>
20         </tr>
21         <tr>
22             | <td colspan="2"></td>
23         </tr>
24         <tr>
25             <td colspan="2"><input type="password" class="form-control pl-0" id="sifra" placeholder="SIFRA" />
26             | <span id="primerAdresa"></span>
27             </td>
28         </tr>
29         <tr>
30             | <td colspan="2"></td>
31         </tr>
32
33         <tr>
34             | <td colspan="2"></td>
35         </tr>
36
37         <tr>
38             <td colspan="2">
39                 <p>Izabereti pol</p>
40                 <!-- <label>Izabereti pol</label> -->
41                 <label><input type="radio" class="form-control pl-0" name='pol' value='M'>Muski</label><br>
42                 <label><input type="radio" class="form-control pl-0" name='pol' value='Z'>Zenski</label><br>
43             </td>
44         </tr>
45         <tr>
46             <td colspan="2" class="text-center pl-0"><button type="submit" id='registracija' class="btn btn-dark">Registruj se</button></td>
47         </tr>
48         </table>
49         <div id="odgovor"></div>
50     </div><br><br>
51     <?php
52     | include 'pages/footer.php';
53 ?>
```

Ln 2, Col 7 Spaces: 2 UTF-8 CRLF PHP Go Live


```
File Edit Selection View Go Run Terminal Help registracija.php - stefanstanisavljevicphp - Visual Studio Code
registracija.php ×
@register
1 <?php
2 //session_start();
3 include 'config/konekcija.php';
4 include 'pages/header.php';
5 include 'pages/nav.php';
6 ?>
7 <br><br>
8 <div class="col-md-6 footer2 wow bounceInUp" data-wow-delay=".25s" id="contact" style='margin:auto;'>
9     <div class="form-box" id="kontakt">
10         <h4 style="text-align:center;">Registracija</h4>
11         <table class="table table-responsive d-table">
12             <tr>
13                 <td colspan="2"></td>
14             </tr>
15
16             <tr>
17                 <td colspan="2">
18                     <p>Izabereti pol</p>
19                     <!-- <label>Izabereti pol</label> -->
20                     <label><input type="radio" class="form-control pl-0" name='pol' value='M'>Muski</label><br>
21                     <label><input type="radio" class="form-control pl-0" name='pol' value='Z'>Zenski</label><br>
22                 </td>
23             </tr>
24             <tr>
25                 <td colspan="2" class="text-center pl-0"><button type="submit" id='registracija' class="btn btn-dark">Registruj se</button></td>
26             </tr>
27             </table>
28             <div id="odgovor"></div>
29         </div>
30     </div><br><br>
31     <?php
32     | include 'pages/footer.php';
33 ?>
```

Ln 2, Col 7 Spaces: 2 UTF-8 CRLF PHP Go Live

Logovanje.php

The image shows two instances of the Visual Studio Code editor side-by-side, both displaying the same PHP file: 'logovanje.php'. The file contains a login form with fields for email and password, and a button to log in.

```
logovanje.php
1 <?php
2 //session_start();
3 include "pages/header.php";
4 include "pages/nav.php";
5 include "models/function.php";
6
7
8
9 <br><br>
10 <div class="col-md-6 footer2 wow bounceInUp" data-wow-delay=".25s" id="contact" style='margin:auto;'>
11     <div class="form-box" id="kontakt">
12         <h4 style="text-align:center;">Logovanje</h4>
13         <table class="table table-responsive d-table">
14             <tr>
15                 <td colspan="2"><input type="text" class="form-control pl-0" placeholder="EMAIL" id="e-mail" />
16                 | <span id="primerMejl">Treba ovako-primer@gmail.com</span>
17             </td>
18         </tr>
19         <tr>
20             | <td colspan="2"></td>
21         </tr>
22         <tr>
23             <td colspan="2"><input type="password" class="form-control pl-0" id="loz" placeholder="SIFRA" />
24             | <span id="primerAdresa"></span>
25             | </td>
26         </tr>
27         <tr>
28             | <td colspan="2"></td>
29         </tr>
30         <tr>
31             | <td colspan="2"></td>
32         </tr>
33         <tr>
34             | <td colspan="2" class="text-center pl-0"><input type="button" value="Logovanje" id="logovanje" class="btn btn-primary"/></td>
35         </tr>
36     </table>
37
38     <div id="ispis12">
39
40     </div>
41
42     </div>
43
44     </div>
45     <br><br>
46
47 <?php
48     include "pages/footer.php";
49 >>
```

Korpa.php

The screenshot shows the Visual Studio Code interface with the file 'korpa.php' open in the main editor area. The code is a PHP script that includes header and navigation files, checks if a user is logged in, and displays a button for purchasing items if they are. It also includes footer code and an if statement for non-logged-in users.

```
<?php
include "pages/header.php";
include "pages/nav.php";
?>
<div class="container korp">
<div id="korpica">
</div>
<?php
if(isset($_SESSION['korisnik'])):
?>
<div style="display:flex;align-item:center;flex-direction:center;"><p><input type="button" class='btn' value="Kupi" /></p></div>
<?php endif ?>
<?php
if(!isset($_SESSION['korisnik'])):
?>
<div style="display:flex;align-item:center;flex-direction:center;"><p><b>Morate se prijaviti da bi izvrsili kupovinu!</b></p></div>
<?php endif ?>
</div>
<?php
include "pages/footer.php"
?>
```

File Explorer sidebar:

- STEFANSTANISAVLJEVIC - 1 file
- cart.php
- cenovnik.php
- function.php
- korpa.php
- logovanje.php
- obradaAnkete.php
- odjava.php
- opssegCene.php
- podaciZaRange.php
- registracija.php
- slanjeAdminu.php
- sortiranje.php
- sortiranjeCenaDole.php
- upisProizvoda.php
- pages
- admin_panel.php
- admin.php
- anketa.php
- index.php
- kontaktSaAdminom.php
- korisnik.php
- korpa.php**
- logovanje.php
- New Microsoft Word Document.docx
- proizvodi.php
- regEx
- registracija.php

Bottom status bar:

Ln 16, Col 132 (131 selected) Spaces: 2 UTF-8 CRLF PHP Go Live

Korisnik.php

```
korisnik.php x
korisnik.php
1 <?php
2     include "pages/header.php";
3     include "pages/nav.php";
4     include "models/function.php";
5     include "config/konekcija.php";
6     //autor=podaciAutor();
7     //var_dump($autor);
8 >
9
10    <?php
11        if(isset($_SESSION['korisnik'])):
12    >
13        <div class="container-fluid fh5co-network">
14            <div class="container">
15                <div class="row">
16                    <div class="col-md-6">
17                        <h4 class="wow bounceInUp">Postigni više!</h4>
18                        <h2 class="wow bounceInRight">Personalni trener</h2>
19                        <hr />
20                        <h5 class="wow bounceInLeft">POSVEĆENI
21                            | VAMA</h5>
22                        <p class="wow bounceInDown">Početnik ili ne, personalni trener ti pomaže da ostaneš
23                            fokusiran i brže ostvariš svoje ciljeve!
24                            Radi 24 sata*, svakog dana u godini.
25                            Naše lokacije su za vas otvorene i tokom praznika!</p>
26                    </div>
27                    <div class="col-md-6">
28                        <figure class="wow bounceInDown">  </figure>
29                    </div>
30                </div>
31            </div>
32        </div>
33
34        <div id="about-us" class="container-fluid fh5co-about-us pl-0 pr-0 parallax-window" data-parallax="scroll" data-image-src="assets/images/about-us-
35            <div class="container">
36                <div class="col-sm-6 offset-sm-6 id="onama">
37                    <h2 class="wow bounceInLeft" data-wow-delay=".25s">0 nama</h2>
38                    <hr/>
39                    <p class="wow bounceInRight" data-wow-delay=".25s">FoxPro teretane su napravljene sa osnovnom idejom da svojim klijentima i svim vežbačima
40                        | Lanac FoxPro teretana je nastao iz ljubavi prema sportu, a praćen je predanošću i velikom posvećenošću vežbanju. Naša misija je da nepres
41                    </p>
42                    <div id="skloni">
43                        | <a class="btn btn-lg btn-outline-danger d-inline-block text-center mx-auto wow bounceInDown" id="pvise">Više</a>
44                    </div>
45                </div>
46            </div>
47        </div>
48        <div class="container-fluid fh5co-content-box">
49            <div class="container">
50                <div class="row">
51                    <div class="col-md-5 pr-0"> </div>
52                    <div class="col-md-7 pl-0">
53                        <div class="card-img-overlay" style="top: 12%;"
54                            <p id="vise">Naš cilj je da svima pružimo najbolje moguće uslove za vežbanje i da pomognemo svima onoliko koliko smo u mogućnosti.<br>
55                                FoxPro JE PROGLAŠEN NAJBOLJIM KLUBOM U DRŽAVI U BODIBILDINGU I FITNESU ZA 2019. I 2020. GODINU.<br>
56                                Ponosni smo da pored ispunjavanja svojih društvenih obaveza , veliku pažnju pridajemo i humanitarnim akcijama.<br>
57
58 Ovo su samo neke od njih...
59
60
61                     </div>
62                </div>
63            </div>
64            <div class="row trainers pl-0 pr-0" id="treneri">
65                <div class="col-12 bg-50">
66                    <div class="quote-box2 wow bounceInDown" data-wow-delay=".25s">
67                        | <h2> Treneri </h2>
68                    </div>
69                </div>
70            </div>
71        </div>
72    </div>
73
```

```
File Edit Selection View Go Run Terminal Help korisnik.php - stefanstanisavljevicphp - Visual Studio Code
Ln 6, Col 28 Spaces: 2 UTF-8 CRLF PHP Go Live
korisnik.php x
korisnik.php
35     <div class="container">
36         <div class="col-sm-6 offset-sm-6 id="onama">
37             <h2 class="wow bounceInLeft" data-wow-delay=".25s">0 nama</h2>
38             <hr/>
39             <p class="wow bounceInRight" data-wow-delay=".25s">FoxPro teretane su napravljene sa osnovnom idejom da svojim klijentima i svim vežbačima
40                 | Lanac FoxPro teretana je nastao iz ljubavi prema sportu, a praćen je predanošću i velikom posvećenošću vežbanju. Naša misija je da nepres
41             </p>
42             <div id="skloni">
43                 | <a class="btn btn-lg btn-outline-danger d-inline-block text-center mx-auto wow bounceInDown" id="pvise">Više</a>
44             </div>
45         </div>
46     </div>
47
48     <div class="container-fluid fh5co-content-box">
49         <div class="container">
50             <div class="row">
51                 <div class="col-md-5 pr-0"> </div>
52                 <div class="col-md-7 pl-0">
53                     <div class="card-img-overlay" style="top: 12%;"
54                         <p id="vise">Naš cilj je da svima pružimo najbolje moguće uslove za vežbanje i da pomognemo svima onoliko koliko smo u mogućnosti.<br>
55                             FoxPro JE PROGLAŠEN NAJBOLJIM KLUBOM U DRŽAVI U BODIBILDINGU I FITNESU ZA 2019. I 2020. GODINU.<br>
56                             Ponosni smo da pored ispunjavanja svojih društvenih obaveza , veliku pažnju pridajemo i humanitarnim akcijama.<br>
57
58 Ovo su samo neke od njih...
59
60
61                      </div>
62                 </div>
63             </div>
64             <div class="row trainers pl-0 pr-0" id="treneri">
65                 <div class="col-12 bg-50">
66                     <div class="quote-box2 wow bounceInDown" data-wow-delay=".25s">
67                         | <h2> Treneri </h2>
68                     </div>
69                 </div>
70             </div>
71         </div>
72     </div>
73
```

```
<?php
$upit = "select* from treneri inner join opis_posla on treneri.id_trenera=opis_posla.id_trenera where treneri.id_trenera=2";
$rezultat=$konekcija->query($upit);

$ispis="";
foreach($rezultat as $red)
{
    $ispis.= "<h1>".$red['ime_trenera']."</h1><br>
<span>Rodjen:<".$red['datum_rodjenja']."'></span><br>
mail: <a href='".$red['mejl']."'>".$red['mejl']."'</a><br>
telefon: <a href='".$red['telefon']."'>".$red['telefon']."'</a><br>
<span>".$red['opis']."'</span>";

}
else{
    echo "Nema konekcije sa bazom";
}
echo($ispis);
?>
| </p>
| </div>
</div>
</div>
```

korisnik.php - stefanstanisavljevicphp - Visual Studio Code

```
117
118     foreach($rezultat as $red)
119     {
120
121         $ispis.= "<h1>".$red['ime_trenera']."</h1><br>
122         <span>Rodjen: ".$red['datum_rodjenja']."</span><br>
123         mail: <a href='".$red['mejl']."' '".$red['mejl']."'></a>.<br>
124         telefon: <a href='".$red['telefon']."' '".$red['telefon']."'></a><br>
125         <span>".$red['opis']."</span>";
126
127     }
128     else{
129         echo "Nema konekcije sa bazom";
130     }
131     echo($ispis);
132
133    ?>
134    | </p>
135    | </div>
136    | </div>
137    | </div>
138    | </div>
139    <div class="col-12 bg-50">
140
141        | | <h2 style="text-align:center;"> Cenovnik </h2>
142
143
144        <div class="row gallery">
145
146            | | <?php
147            | | include ("models/cenovnik.php");
148            | | ?>
149        </div>
150        <div class="row" id="autor">
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
```

korisnik.php - stefanstanisavljevicphp - Visual Studio Code

```
140
141        | | <h2 style="text-align:center;"> Cenovnik </h2>
142
143
144        <div class="row gallery">
145
146            | | <?php
147            | | include ("models/cenovnik.php");
148            | | ?>
149        </div>
150        <div class="row" id="autor">
151            <div class="col-md-6">
152                <div class="card"> 
153            </div>
154        </div>
155        <div class="col-md-6">
156            <div class="card">
157                <div class="card-body mb-4 wow bounceInLeft" data-wow-delay=".25s">
158                    <?php
159                    $rezultat=podaciAutor();
160                    if($rezultat[0]):
161                    ?>
162                        <h4 class="card-title">AUTOR</h4>
163                        <p class="card-text"><b>Ime i prezime:</b>&ampnbsp<?= $rezultat[0]->ime_prezime ?></p><br>
164                        <p class="card-text"><b>Grad:</b>&ampnbsp<?= $rezultat[0]->grad ?></p><br>
165                        <p class="card-text"><b>Adresa:</b>&ampnbsp<?= $rezultat[0]->adresa ?></p><br>
166                        <p class="card-text"><b>Obrazovanje:</b> &ampnbsp<?= $rezultat[0]->obrazovanje ?></p><br>
167                        <p class="card-text"><b>Trenutno:</b>&ampnbsp<?= $rezultat[0]->trenutna_aktivnost ?></p><br>
168                        <p class="card-text"><b>Hobi:</b>&ampnbsp<?= $rezultat[0]->hobi ?></p><br>
169                        <p class="card-text"><b>Sposobnosti:</b>&ampnbsp<?= $rezultat[0]->sposobnost ?></p>
170
171
172
173
174        </div>
175        <?php endif ?>
176    </div>
```

korisnik.php

```
File Edit Selection View Go Run Terminal Help konsnik.php - stefanstanisavljevicphp - Visual Studio Code

korisnik.php
162 <h4 class="card-title">AUTOR</h4>
163 <p class="card-text"><b>Ime i prezime:</b>&ampnbsp<?= $rezultat[0]->ime_prezime ?></p><br>
164 <p class="card-text"><b>Grad:</b>&ampnbsp<?= $rezultat[0]->grad ?></p><br>
165 <p class="card-text"><b>Adresa:</b>&ampnbsp<?= $rezultat[0]->adresa ?></p><br>
166 <p class="card-text"><b>Obrazovanje:</b> &ampnbsp<?= $rezultat[0]->obrazovanje ?></p><br>
167 <p class="card-text"><b>Trenutno:</b>&ampnbsp<?= $rezultat[0]->trenutna_aktivnost ?></p><br>
168 <p class="card-text"><b>Hobi:</b>&ampnbsp<?= $rezultat[0]->hobi ?></p><br>
169 <p class="card-text"><b>Sposobnosti:</b>&ampnbsp<?= $rezultat[0]->sposobnost ?></p>
170 <p>
171 </p>
172 <?php endif ?>
173 </div>
174 </div>
175 </div>
176 </div>
177 </div>
178 </div>
179 <?php endif ?>
180
181
182
183 <?php
184 | | include "pages/footer.php";
185 ?>
```

Ln 6, Col 28 Spaces: 2 UTF-8 CRLF PHP Go Live

kontaktSaAdminom.php

kontaktSaAdminom.php

```
File Edit Selection View Go Run Terminal Help kontaktSaAdminom.php - stefanstanisavljevicphp - Visual Studio Code

kontaktSaAdminom.php
1 <?php
2 | | include "pages/header.php";
3 | | include "pages/nav.php";
4 | | include "models/function.php";
5 | | include "config/konekcija.php";
6 //autor=podaciAutor();
7 //var_dump($autor);
8 ?>
9
10 <?php
11 | | if(isset($_SESSION['korisnik'])):
12 | |
13 <div class="col-md-6 footer2 wow bounceInUp" style="margin:auto; margin-bottom:50px;" data-wow-delay=".25s" id="contact">
14 <div class="form-box" id="kontakt12">
15 <h4 style="text-align:center;">KONTAKT SA ADMINISTRATOROM</h4>
16 <textarea style="margin:auto;" id="w3review" name="w3review" rows="7" cols="50">
17 </textarea>
18 <button id="adminSub" class="btn btn-submit btn-sm mt-3">Pošalji</button>
19 </div>
20 </div>
21 <?php endif ?>
22 <?php
23 | | if(!isset($_SESSION['korisnik'])):
24 | |
25 <div style='display:flex; align-items:center; flex-direction:center;'><h1><b>Da bi ste kontaktirali administratora potrebno je da se pr
26 | | <?php endif ?>
27 <?php
28 | | include "pages/footer.php"
29 ?>
```

Ln 16, Col 53 (8 selected) Spaces: 2 UTF-8 CRLF PHP Go Live

Anketa.php

```
File Edit Selection View Go Run Terminal Help
anketa.php - stefanstanisavljevicphp - Visual Studio Code

anketa.php ×
anketa.php
1 <?php
2 //|session_start();
3 include "pages/header.php";
4 include "pages/nav.php";
5 //include "models/function.php";
6
7 ?>
8 <?php if(isset($_SESSION['korisnik'])):>?
9
10 <div class="row" style="margin:auto;display:flex;align-items:center;justify-content:center;margin-bottom:50px">
11
12 <h1>Koju ocenu bi ste nam dali</h1>
13 <form id="forma" style="width:70%;">
14 <p id="pri"><input type="radio" value="1" name="fdb">1</p>
15 <p><input type="radio" value="2" name="fdb">2</p>
16 <p><input type="radio" value="3" name="fdb">3</p>
17 <p><input type="radio" value="4" name="fdb">4</p>
18 <p><input type="radio" value="5" name="fdb">5</p>
19 <span style="margin:auto;"><input style="padding:10px;" type="button" id="anketa" value="pošalji"></span><br>
20 <span id="prosek"></span>
21 </form>
22 </div>
23
24 <?php endif;?>
25
26 <?php include "pages/footer.php"?>
```

Ln 2, Col 7 Spaces: 4 UTF-8 CRLF PHP Go Live ⚡

Admin_panel.php

The screenshot shows the Visual Studio Code interface with the file "admin_panel.php" open. The code is a PHP script for an admin panel. It includes header files, session checks, and a table for product management.

```
<?php
include "pages/header.php";
include "pages/nav.php";
include "config/konekcija2.php";
include "models/function.php";
$sviKorisnici=dohvatiSveKorisnike();
$anketa=dohvatAnketu();
$porudzbina=dohvatiPorudzbinu();
$proizvodi=vratiSve();
//var_dump($sviKorisnici);
?>
<?php if(isset($_SESSION['korisnik'])):>
<?php if($_SESSION['korisnik']->ime_uloge=='admin'):>
<?php
    include "pages/formProizvod.php";
?>
<h1 style="background:#ffebbb; color: #ff8013;text-align:center;width:100%">Proizvodi</h1>
<div id="porudzbinaAdmin" style="display:flex;justify-content:center;align-item:center;margin-bottom:50px">
<table id="porudzbinatb" style="border-collapse: collapse;">
<tr><td>Id proizvoda</td>
<tr><td>naziv_proizvoda</td>
<td>stara_cena</td>
<td>nova_cena</td>
<td>zvezdice</td>
<td>opis</td>
<td>slika_src</td>
<td>slika_alt</td>
<td>id_kategorije</td>
```

Ln 136, Col 15 Spaces: 4 UTF-8 CRLF PHP Go Live

File Edit Selection View Go Run Terminal Help admin_panel.php - stefanstanisavljevicphp - Visual Studio Code

```
admin_panel.php
35 <?php
36 for($i=0;$i<count($proizvodi);$i++)
37 {
38     echo "<tr><td>".$proizvodi[$i]->id_proizvoda."</td>
39     <td>".$proizvodi[$i]->naziv_proizvoda."</td>
40     <td>".$proizvodi[$i]->stara_cena."</td>
41     <td>".$proizvodi[$i]->nova_cena."</td>
42     <td>".$proizvodi[$i]->vezdice."</td>
43     <td>".$proizvodi[$i]->opis."</td>
44     <td>".$proizvodi[$i]->slika_src."</td>
45     <td>".$proizvodi[$i]->slika_alt."</td>
46     <td>".$proizvodi[$i]->id_kategorije."</td>
47     <td><input type='button' class='btnProizvod btn' value='izbrisi' data-id='".$proizvodi[$i]->id_proizvoda."'></td>";
48 }
49 ?>
50 </table>
51 </div>
52 <h1 style="background:#ffebbb; color: #ff8013;text-align:center;width:100%">Korisnici</h1>
53 <div id="panel" style="display:flex;justify-content:center;align-item:center;">
54 <table id="korisnikTb" style="border-collapse: collapse;">
55 <tr>
56 <tr><td>Id korisnika</td>
57     <td>Ime i prezime</td>
58     <td>Pol</td>
59     <td>Email</td>
60     <td>Sifra</td>
61     <td>Datum Registracije</td>
62     <td>Id uloge</td>
63 <?php
64 for($i=0;$i<count($sviKorisnici);$i++)
65 {
66     echo "<tr><td>".$sviKorisnici[$i]->id_korisnika."</td>
67     <td>".$sviKorisnici[$i]->ime_prezime."</td>
68     <td>".$sviKorisnici[$i]->pol."</td>
69 }
```

Ln 136, Col 15 Spaces: 4 UTF-8 CRLF PHP Go Live ⚙

File Edit Selection View Go Run Terminal Help admin_panel.php - stefanstanisavljevicphp - Visual Studio Code

```
admin_panel.php
69     <td>".$sviKorisnici[$i]->pol."</td>
70     <td>".$sviKorisnici[$i]->email."</td>
71     <td>".$sviKorisnici[$i]->sifra."</td>
72     <td>".$sviKorisnici[$i]->datum_registracije."</td>
73     <td>".$sviKorisnici[$i]->id_uloge."</td>
74     <td><input type='button' class='btnA btn' value='izbrisi' data-id='".$sviKorisnici[$i]->id_korisnika."'></td>";
75 }
76 ?>
77 </table>
78 </div>
79 <h1 style="background:#ffebbb; color: #ff8013;text-align:center;width:100%">Anketa</h1>
80 <div id="anketaPanel" style="display:flex;justify-content:center;align-item:center;">
81 <table id="anketaTb" style="border-collapse: collapse;">
82 <tr>
83 <tr><td>Id korisnika</td>
84     <td>Email_korisnika</td>
85     <td>Vrednost_glasanja</td>
86 <?php
87 for($i=0;$i<count($anketa);$i++)
88 {
89     echo "<tr><td>".$anketa[$i]->id_korisnika."</td>
90     <td>".$anketa[$i]->mejl_korisnika."</td>
91     <td>".$anketa[$i]->vrednost_glasanja."</td>
92     <td><input type='button' class='btnI btn' value='izbrisi' data-id='".$anketa[$i]->id_korisnika."'></td>";
93 }
94 ?>
95 </table>
96 </div>
97 <h1 style="background:#ffebbb; color: #ff8013;text-align:center;width:100%">Porudzbine</h1>
98 <div id="porudzbinAdmin" style="display:flex;justify-content:center;align-item:center;margin-bottom:50px">
99 <table id="porudzbinaiTb" style="border-collapse: collapse;">
100 <tr>
```


Ln 136, Col 15 Spaces: 4 UTF-8 CRLF PHP Go Live ⚙

```
File Edit Selection View Go Run Terminal Help
admin_panel.php - stefanstanisavljevicphp - Visual Studio Code
admin_panel.php
104 <tr><td>Id porudzbine</td>
105 <td>id_kupca</td>
106 <td>ime_prezime_kupca</td>
107 <td>sadrzaj</td>
108 <?php
109 for($i=0;$i<count($porudzbina);$i++)
110 {
111     echo "<tr><td>".$porudzbina[$i]->id_porudzbine."</td>
112     <td>".$porudzbina[$i]->id_kupca."</td>
113     <td>".$porudzbina[$i]->ime_prezime_kupca."</td>
114     <td>".$porudzbina[$i]->sadrzaj."</td>
115     <td><input type='button' class='btnPorudzbina btn' value='izbrisni' data-id='".$porudzbina[$i]->id_porudzbine."'></td>";
116 }
117
118 ?>
119 </table>
120 </div>
121 </table>
122 </div>
123
124
125 <?php endif ?>
126 <?php if($_SESSION['korisnik']->ime_uloge=='korisnik'):?>
127     <div style="height:200px ;display:flex;align-item:center;justify-content:center;">
128         <h1 style="font-size:50px;text-align:center;">Vi niste administrator</h1>
129     </div>
130     <?php endif ?>
131     <?php endif ?>
132     <?php if(!isset($_SESSION['korisnik'])):?>
133     <div style="height:200px ;display:flex;align-item:center;justify-content:center;">
134         <h1 style="font-size:50px;text-align:center;">Vi niste autorizovani korisnik kategorije administrator</h1>
135     </div>
136     <?php endif ?>
137     <?php include "pages/footer.php"?>
```

Ln 136, Col 15 Spaces: 4 UTF-8 CRLF PHP Go Live

Models

Autor.php



The screenshot shows the Visual Studio Code interface with the file "autor.php" open. The code is a PHP script that handles a GET request to provide author data in JSON format. It includes session start, header setup, and PDO exception handling.

```
autor.php - stefanstanisavljevicphp - Visual Studio Code
File Edit Selection View Go Run Terminal Help
autor.php ×
models > autor.php
1 <?php
2     session_start();
3     header("Content-type: application/json");
4     if($_SERVER['REQUEST_METHOD'] == 'GET'){
5         include "../config/konekcija2.php";
6         include "function.php";
7
8         try{
9             $rezultat=podaciAutor();
10            //var_dump($rezultat);
11            //if($rezultat)
12        }
13    }
14    catch(PDOException $exception){
15        http_response_code(500);
16    }
17 }
18 else{
19     http_response_code(404);
20 }
21 ?>
```

Bottom status bar: Ln 12, Col 15 Spaces: 4 UTF-8 CRLF PHP Go Live ⚙️

brisanjeGlasaAnketa.php

The screenshot shows the Visual Studio Code interface with the file 'brisanjeGlasaAnketa.php' open. The code handles a POST request to delete a survey response. It includes session start, header setup, and a try-catch block for PDO exceptions. If successful, it returns a JSON response indicating the voter's ID and a message about their right to re-vote.

```
models > brisanjeGlasaAnketa.php
1 <?php
2 session_start();
3 header("Content-type: application/json");
4 if($_SERVER['REQUEST_METHOD'] == 'POST'){
5     include "../config/konekcija2.php";
6     include "function.php";
7
8     try{
9         $id = $_POST['id'];
10        $brisanje = brisanjeGlasaAnketa($id);
11        if($brisanje){
12            $odgovor = ["odgovor"=>"Korisnik sa id-jem:".$id."ponovo može glasati,njegov glas je uklonjen"];
13            echo json_encode($odgovor);
14            http_response_code(200);
15        }
16    } catch(PDOException $exception){
17        http_response_code(500);
18    }
19
20 } else{
21     http_response_code(404);
22 }
23
24 ?>
```

brisanjeKorisnika.php

The screenshot shows the Visual Studio Code interface with the file 'brisanjeKorisnika.php' open. The code handles a POST request to delete a user. It follows a similar structure to the first file, starting with session start, header setup, and a try-catch block for PDO exceptions. It returns a JSON response confirming the user's ID and stating that their account has been deleted.

```
models > brisanjeKorisnika.php
1 <?php
2 session_start();
3 header("Content-type: application/json");
4 if($_SERVER['REQUEST_METHOD'] == 'POST'){
5     include "../config/konekcija2.php";
6     include "function.php";
7
8     try{
9         $id = $_POST['id'];
10        $brisanje = brisanjeKorisnika($id);
11        if($brisanje){
12            $odgovor = ["odgovor"=>"Korisnik sa id-jem:".$id."je uklonjen"];
13            echo json_encode($odgovor);
14            http_response_code(200);
15        }
16    } catch(PDOException $exception){
17        http_response_code(500);
18    }
19
20 } else{
21     http_response_code(404);
22 }
23
24 ?>
```

brisanjePorudzbine.php

The screenshot shows a Visual Studio Code interface with the following details:

- Title Bar:** brisanjePorudzbine.php - stefanstanisavjevicphp - Visual Studio Code
- File Explorer:** Shows a folder named "models" containing "brisanjePorudzbine.php".
- Code Editor:** The file content is displayed:

```
models > brisanjePorudzbine.php ×
Start new or resume existing session
1 session_start([ array $options = array() ]): bool
2 session_start();
3 header("Content-type: application/json");
4 if($_SERVER['REQUEST_METHOD'] == 'POST'){
5     include "../config/konekcija2.php";
6     include "function.php";
7
8     try{
9         $id = $_POST['id'];
10        $brisanje = brisanjePorudzbine($id);
11        if($brisanje){
12            $odgovor = ["odgovor"=>"Porudzbina sa id-jem:".$id." je uspesno obrisana"];
13            echo json_encode($odgovor);
14            http_response_code(200);
15        }
16    }
17    catch(PDOException $exception){
18        http_response_code(500);
19    }
20
21    else{
22        http_response_code(404);
23    }
24 }
```
- Bottom Status Bar:** Ln 24, Col 3 | Spaces: 4 | UTF-8 | CRLF | PHP | Go Live | Refresh | Help

brisanjeProizvoda.php

The screenshot shows the Visual Studio Code interface with the file 'brisanjeProizvoda.php' open. The code handles a POST request to delete a product by its ID. It includes session initialization, header setup, and PDO exception handling. The code is as follows:

```
models > brisanjeProizvoda.php
1 <?php
2 session_start();
3 header("Content-type: application/json");
4 if($_SERVER['REQUEST_METHOD'] == 'POST'){
5     include "../config/konekcija2.php";
6     include "function.php";
7
8     try{
9         $id = $_POST['id'];
10        $brisanje = brisanjeProizvoda($id);
11        if($brisanje){
12            $odgovor = ["odgovor"=>"Proizvod sa id-jem:".$id." je uspesno obrisan"];
13            echo json_encode($odgovor);
14            http_response_code(200);
15        }
16    } catch(PDOException $exception){
17        http_response_code(500);
18    }
19
20 } else{
21     http_response_code(404);
22 }
23
24 ?>
```

The status bar at the bottom indicates: Ln 24, Col 3 Spaces: 4 UTF-8 CRLF PHP Go Live

Cart.php

The screenshot shows the Visual Studio Code interface with the file 'cart.php' open. The code processes a POST request to add items to a shopping cart. It includes session initialization, header setup, and PDO exception handling. The code is as follows:

```
models > cart.php
1 <?php
2 session_start();
3 header("Content-type: application/json");
4 if($_SERVER['REQUEST_METHOD'] == 'POST')
5 {
6     include "../config/konekcija2.php";
7     include "function.php";
8     $kupac=$_SESSION['korisnik'];
9     $id=$kupac->id_korisnika;
10    $imePrezime=$kupac->ime_prezime;
11    //var_dump($kupac);
12    $podaci=$_POST['podaci'];
13    $rez=porudzbina($id,$imePrezime,$podaci);
14    if(strlen($podaci)>3)
15    {
16
17        if($rez)
18        {
19            echo json_encode("Vaša porudzbina je kreirana");
20            http_response_code(201);
21        }
22        else{
23            echo json_encode("Greska sa porudzbinom, pokušajte kasnije");
24            http_response_code(500);
25        }
26    }
27    else{
28        echo json_encode("Nemate nista u korpi");
29    }
30
31    else
32    {
33        http_response_code(404);
34    }
35
36 ?>
```

The status bar at the bottom indicates: Ln 18, Col 21 Spaces: 4 UTF-8 CRLF PHP Go Live

Cenovnik.php

The screenshot shows the Visual Studio Code interface with the file 'cenovnik.php' open. The code is a PHP script that retrieves data from a database and displays it in a card-based format. The code includes logic for selecting data, fetching all results, and echoing the HTML output for each row.

```
File Edit Selection View Go Run Terminal Help
cenovnik.php - stefanstanisavjevicphp - Visual Studio Code
cenovnik.php ×
models > cenovnik.php
1 <?php
2     include "config/konekcija2.php";
3 ?>
4 <?php
5     global $konekcija;
6     $upit="SELECT * FROM cenovnik";
7     $rez=$konekcija->query($upit);
8     $rezultat=$rez->fetchAll();
9     $html="";
10    for($i=0;$i<count($rezultat);$i++)
11    {
12        echo
13        "<div class='col-lg-4 col-md-6 mb-4' id=' hover'>
14            <div class='card h-100' id='".$rezultat[$i]->naziv_cenovnika."' style='color:white;text-align:center;border-radius:20px;'>
15                <h3>".$rezultat[$i]->naziv_cenovnika."</h3><br>
16                <h2>".$rezultat[$i]->cena."<small>RSd</small><br>
17                <h5>".$rezultat[$i]->period."</h5><br>
18                <h6>".$rezultat[$i]->opis."</h6><br>
19                <p>".$rezultat[$i]->lokacija."<span class='material-icons md-dark'>done</span></p><br>
20                <p>".$rezultat[$i]->vreme."<span class='material-icons md-dark'>done</span></p><br>
21                <p>".$rezultat[$i]->kolicina."<span class='material-icons md-dark'>done</span></p><br>
22                <p>".$rezultat[$i]->vrsta."<span class='material-icons md-dark'>done</span></p><br>
23                <p>".$rezultat[$i]->dodatak."<span class='material-icons md-dark'>done</span></p><br>
24                <p>".$rezultat[$i]->zona."<span class='material-icons md-dark'>done</span></p><br>
25                <p>".$rezultat[$i]->grupe."<span class='material-icons md-dark'>done</span></p><br>
26            </div>
27        </div>";
28    }
29 ?>
30
Ln 14, Col 85  Spaces: 2  UTF-8  CRLF  PHP  Go Live  ⚙  ⌂
```

Logovanje.php


```
File Edit Selection View Go Run Terminal Help logovanje.php - stefanstanisavljevicphp - Visual Studio Code
models > logovanje.php
1 <?php
2     session_start();
3     header("Content-type: application/json");
4     if($_SERVER['REQUEST_METHOD'] == 'POST'){
5         include "../config/konekcija2.php";
6         include "function.php";
7
8         try{
9             $email = $_POST['email'];
10            $lozinka = $_POST['lozinka'];
11            // provra
12            $greske=[];
13            $regemail='^[_a-z0-9-]+(\.[_a-z0-9-]+)*@[a-z0-9-]+\.([_a-z0-9-]+)*(\.[a-z]{2,3})$';
14            $regpass='^(?=.*[a-z])(?=.*[0-9])(?=.*[@#$%^&*])(?=.{8,})';
15            if(!preg_match($regemail,$email)){
16                array_push($greske,"Greska email");
17            }
18            if(!preg_match($regpass,$lozinka)){
19                array_push($greske,"Greska password");
20            }
21            $sifrovanaLozinka = md5($lozinka);
22            //var_dump($greske);
23            if(empty($greske)){
24                $korisnikObj = proveraLogovanje($email, $sifrovanaLozinka);
25                //var_dump($korisnikObj);
26                if($korisnikObj){
27                    $_SESSION['korisnik'] = $korisnikObj;
28                    //$_odgovor= $_SESSION['korisnik']->ime_ulege;
29                    $odgovor = ["nazivUloge"=>$korisnikObj->ime_ulege];
30
31                    echo json_encode($odgovor);
32                    http_response_code(200);
33                }
34            }
35        }
36    }
37
38    else{
39        //$_odg=implode(",",$greske);
40        echo json_encode($greske);
41        http_response_code(401);
42    }
43
44    catch(PDOException $exception){
45        http_response_code(500);
46    }
47
48    else{
49        http_response_code(404);
50    }
51 ?>
```

Ln 30, Col 23 Spaces: 4 UTF-8 CRLF PHP Go Live



```
File Edit Selection View Go Run Terminal Help logovanje.php - stefanstanisavljevicphp - Visual Studio Code
models > logovanje.php
1 <?php
2     session_start();
3     header("Content-type: application/json");
4     if($_SERVER['REQUEST_METHOD'] == 'POST'){
5         include "../config/konekcija2.php";
6         include "function.php";
7
8         try{
9             $email = $_POST['email'];
10            $lozinka = $_POST['lozinka'];
11            // provra
12            $greske=[];
13            $regemail='^[_a-z0-9-]+(\.[_a-z0-9-]+)*@[a-z0-9-]+\.([_a-z0-9-]+)*(\.[a-z]{2,3})$';
14            $regpass='^(?=.*[a-z])(?=.*[0-9])(?=.*[@#$%^&*])(?=.{8,})';
15            if(!preg_match($regemail,$email)){
16                array_push($greske,"Greska email");
17            }
18            if(!preg_match($regpass,$lozinka)){
19                array_push($greske,"Greska password");
20            }
21            $sifrovanaLozinka = md5($lozinka);
22            //var_dump($greske);
23            if(empty($greske)){
24                $korisnikObj = proveraLogovanje($email, $sifrovanaLozinka);
25                //var_dump($korisnikObj);
26                if($korisnikObj){
27                    $_SESSION['korisnik'] = $korisnikObj;
28                    //$_odgovor= $_SESSION['korisnik']->ime_ulege;
29                    $odgovor = ["nazivUloge"=>$korisnikObj->ime_ulege];
30
31                    echo json_encode($odgovor);
32                    http_response_code(200);
33                }
34            }
35        }
36    }
37
38    else{
39        //$_odg=implode(",",$greske);
40        echo json_encode($greske);
41        http_response_code(401);
42    }
43
44    catch(PDOException $exception){
45        http_response_code(500);
46    }
47
48    else{
49        http_response_code(404);
50    }
51 ?>
```

Ln 30, Col 23 Spaces: 4 UTF-8 CRLF PHP Go Live

obradaAnkete.php



```
models > obradaAnkete.php
1 <?php
2 session_start();
3 header("Content-type: application/json");
4 if($_SERVER['REQUEST_METHOD'] == 'POST'){
5     include "../config/konekcija2.php";
6     include "function.php";
7
8     try{
9         $vrednost=$_POST['vrednost'];
10        $id_kor=$_SESSION['korisnik']->id_korisnika;
11        $mejl=$_SESSION['korisnik']->email;
12        $rezultat=0;
13        if(!proveraGlasanja($id_kor))
14        {
15            $rezultat=upisUAnketu($id_kor,$mejl,$vrednost);
16        }
17        else{
18            $upis = 0;//vec glasano
19        }
20        if($rezultat){
21            $upis = 1;//vas rezultat je upisan
22        }
23    }
24    $prosekGlasanja=prikazProsekaAnketa();
25    if($upis)
26    {
27        $odgovor=[ "uspeh"=>"Vas glas je upisan u bazu","prosek"=>$prosekGlasanja];
28    }
29    else
30    {
31        $odgovor=[ "uspeh"=>"Vec ste glasali sa ovog naloga","prosek"=>$prosekGlasanja];
32    }
33    echo json_encode($odgovor);
34    http_response_code(200);
35
36
37
38 } catch(PDOException $exception){
39     http_response_code(500);
40 }
41
42 else{
43     http_response_code(404);
44 }
45 ?>
```



```
models > obradaAnkete.php
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
```

Odjava.php

A screenshot of the Visual Studio Code interface. The title bar reads "odjava.php - stefanstanisavljevicphp - Visual Studio Code". The left sidebar shows a tree view with "models > odjava.php". The main editor area contains the following PHP code:

```
1  <?php
2      session_start();
3      if(isset($_SESSION['korisnik'])){
4          unset($_SESSION['korisnik']);
5          header('Location: ../logovanje.php');
6      }
7  ?>
```

The status bar at the bottom shows "Ln 7, Col 3" and "Spaces: 4" and "UTF-8". There are also icons for Go Live and a refresh button.

Opseg.cene

opsegCene.php - stefanstanisavljevicphp - Visual Studio Code

```
models > opsegCene.php
1 <?php
2     header("Content-type: application/json");
3     if($_SERVER['REQUEST_METHOD'] == 'POST'){
4         include "../config/konekcija2.php";
5         include "function.php";
6
7         try{
8             $pod = $_POST['podatak'];
9             $proizvod = opsegCena($pod);
10            if(count($proizvod))
11            {
12                echo json_encode($proizvod);
13            }
14            http_response_code(200);
15        }
16        catch(PDOException $exception){
17            http_response_code(500);
18        }
19    }
20    else{
21        http_response_code(404);
22    }
23 ?>
```

Ln 14, Col 35 Spaces: 4 UTF-8 CRLF PHP Go Live

podaciZaRange.php

podaciZaRange.php - stefanstanisavljevicphp - Visual Studio Code

```
models > podaciZaRange.php
1 <?php
2 //session_start();
3 header("Content-type: application/json");
4 if($_SERVER['REQUEST_METHOD'] == 'POST'){
5     include "../config/konekcija2.php";
6     include "function.php";
7
8     try{
9         $maxcena=maxCena();
10        $mincena=minCena();
11        $odgovor=[ "max"=>$maxcena, "min"=>$mincena];
12        echo json_encode($odgovor);
13    }
14    catch(PDOException $exception){
15        http_response_code(500);
16    }
17 }
18 else{
19     http_response_code(404);
20 }
21 ?>
```

Ln 13, Col 40 Spaces: 4 UTF-8 CRLF PHP Go Live

registracija.php

The image shows two instances of the Visual Studio Code editor side-by-side, both displaying the same PHP file: 'registracija.php'. The file is located in a folder named 'models'.

Top Editor:

```
models > registracija.php
33     array_push($greske,"Niste izabrali pol");
34 }
35 if(empty($greske))
36 {
37     $unosKorisnika = unosKorisnika($imePrezime,$pol, $email, $sifrovanaLozinka,$idUloga);
38
39     if($unosKorisnika)
40     {
41         $odgovor = ["poruka"=>"Uspešan unos"];
42         echo json_encode($odgovor);
43         http_response_code(201);
44     }
45     else
46     {
47         $odgovor=implode(",",$greske);
48         echo json_encode($greske);
49         http_response_code(401);
50     }
51
52     // if($unosKorisnika){
53     //     $odgovor = ["poruka"=>"Uspešan unos."];
54     //     echo json_encode($odgovor);
55     //     http_response_code(201);
56     // }
57 }
58 catch(PDOException $exception){
59     http_response_code(500);
60 }
61
62 }
63 else{
64     http_response_code(404);
65 }
66 ?>
```

Bottom Editor:


```
<?php
header("Content-type: application/json");
if($_SERVER['REQUEST_METHOD'] == 'POST'){
    include "../config/konekcija.php";
    include "function.php";
try{
    $imePrezime = $_POST['imeprezime'];
    $pol=$_POST['pol'];
    $email = $_POST['email'];
    $lozinka = $_POST['lozinka'];
    // provjera podataka
    // var_dump($imePrezime);
    // var_dump($pol);
    // var_dump($email);
    // var_dump($lozinka);
    $sifrovanaLozinka = md5($lozinka);
    $idUloga = 2;
    $greske=[];
    // pregImePrezime='^([A-Z][a-z]*[A-Z][a-z]*){2,15}@[a-zA-Z][a-zA-Z]*\.[a-zA-Z]{2,15}$';
    $regEmail='^[_a-zA-Z-]+@[a-zA-Z-]+\.[a-zA-Z-]+\.(a-zA-Z){2,3}$';
    $regPass='/^(?=.*[a-zA-Z])(?=.*[0-9])(?=.*[$@#%&])[a-zA-Z0-9@#$%&]{8,}/';
    $polNiz=['M','Z'];
    // if(!preg_match($regImePrezime,$imePrezime)){
    //     array_push($greske,"Greska Ime prezime");
    // }
    if(!preg_match($regEmail,$email)){
        array_push($greske,"Greska email");
    }
    if(!preg_match($regPass,$lozinka)){
        array_push($greske,"Greska password");
    }
    if(!in_array($pol, $polNiz)){
        array_push($greske,"Niste izabrali pol");
    }
    if(empty($greske))
```

The screenshot shows a Visual Studio Code window with the following details:


- Title Bar:** File Edit Selection View Go Run Terminal Help
- Active File:** registracija.php - stefanstanisavjevicphp - Visual Studio Code
- Code Content:** A PHP script for user registration. It includes header(), if(\$_SERVER['REQUEST_METHOD'] == 'POST'), include('function.php'), try{} catch{}, and various validation logic using preg_match() for email, password, and phone number.
- Right Panel:** Shows a preview of the code output or a related file.
- Bottom Status Bar:** In 40 Col 18 Spaces: 4 UTF-8 CRIE PHP Go Live

```
models > registracija.php
22     if($pol=="muški" || $pol=="ženski")
23     {
24         array_push($greske,"Niste izabrali pol");
25     }
26     if(empty($greske))
27     {
28         $unosKorisnika = unosKorisnika($imePrezime,$pol, $email, $sifrovanaLozinka,$idUloga);
29
30         if($unosKorisnika)
31         {
32             $odgovor = ["poruka"=>"Uspešan unos"];
33             echo json_encode($odgovor);
34             http_response_code(201);
35         }
36         else
37         {
38             $odg=implode(", ",$greske);
39             echo json_encode($greske);
40             http_response_code(401);
41         }
42     }
43
44     // if($unosKorisnika){
45     //     $odgovor = ["poruka"=>"Uspešan unos."];
46     //     echo json_encode($odgovor);
47     //     http_response_code(201);
48     //     // }
49
50     catch(PDOException $exception){
51         http_response_code(500);
52     }
53     else{
54         http_response_code(404);
55     }
56 }
```

slanjeAdminu.php



```
slanjeAdminu.php
models > slanjeAdminu.php
1  <?php
2  session_start();
3  header("Content-type: application/json");
4  if($_SERVER['REQUEST_METHOD'] == 'POST'){
5      include "../config/konekcija2.php";
6      include "function.php";
7
8      try{
9          $pod = $_POST['podaci'];
10         //var_dump($_SESSION['korisnik']);
11         if(isset($_SESSION['korisnik'])){
12             {
13                 $imePrezime=$_SESSION['korisnik']->ime_prezime;
14                 $mejl=$_SESSION['korisnik']->email;
15             }
16             else{
17                 $imePrezime=$_POST['imePrezime'];
18                 $mejl=$_POST['email'];
19             }
20
21             $poruka = slanjePoruke($imePrezime,$mejl,$pod);
22             if($poruka)
23             {
24                 echo json_encode("Poruka je dostavljena administratoru");
25                 http_response_code(200);
26             }
27             else{
28                 echo json_encode("Došlo je do greške");
29                 http_response_code(500);
30             }
31
32         }
33         catch(PDOException $exception){
34             http_response_code(500);
35         }
36     }
37     else{
38         http_response_code(404);
39     }
40 ?>
```



```
slanjeAdminu.php
models > slanjeAdminu.php
14         $mejl=$_SESSION['korisnik']->email;
15     }
16     else{
17         $imePrezime=$_POST['imePrezime'];
18         $mejl=$_POST['email'];
19     }
20
21     $poruka = slanjePoruke($imePrezime,$mejl,$pod);
22     if($poruka)
23     {
24         echo json_encode("Poruka je dostavljena administratoru");
25         http_response_code(200);
26     }
27     else{
28         echo json_encode("Došlo je do greške");
29         http_response_code(500);
30     }
31
32     }
33     catch(PDOException $exception){
34         http_response_code(500);
35     }
36     }
37     else{
38         http_response_code(404);
39     }
40 ?>
```

sortiranje.php

```
sortiranje.php X
models > sortiranje.php
1  <?php
2  //session_start();
3  header("Content-type: application/json");
4  if($_SERVER['REQUEST_METHOD'] == 'POST'){
5      include "../config/konekcija2.php";
6      include "function.php";
7
8      try{
9          $pod = $_POST['idKat'];
10         $proizvod = ispisiPoKat($pod);
11         if($proizvod)
12         {
13             echo json_encode($proizvod);
14         }
15         else{
16             $sve=vrsiSve();
17             echo json_encode($sve);
18         }
19         http_response_code(200);
20     }
21     catch(PDOException $exception){
22         http_response_code(500);
23     }
24 }
25 else{
26     http_response_code(404);
27 }
28 ?>
```

Ln 24, Col 10 Spaces: 4 UTF-8 CRLF PHP Go Live ⚙️

sortiranjeCena.php

```
sortiranjeCenaDole.php
models > sortiranjeCenaDole.php
1  <?php
2  //session_start();
3  header("Content-type: application/json");
4  if($_SERVER['REQUEST_METHOD'] == 'POST'){
5      include "../config/konekcija2.php";
6      include "function.php";
7
8      try
9      {
10         $pod = $_POST['podaci'];
11         if($pod=="cenaDoGore")
12         {
13             $proizvod=cenaGore();
14         }
15         else if($pod=="cenaDoDole")
16         {
17             $proizvod=cenaDole();
18         }
19         else if($pod=="nazivDoGore")
20         {
21             $proizvod=nazivGore();
22         }
23         else if($pod=="nazivDoDole")
24         {
25             $proizvod=nazivDole();
26         }
27         if($proizvod)
28         {
29             echo json_encode($proizvod);
30             http_response_code(200);
31         }
32         // $proizvod = ispisPoKat($pod);
33     }
34     catch(PDOException $exception){
35         http_response_code(500);
36     }
37 }
```

```
sortiranjeCenaDole.php
models > sortiranjeCenaDole.php
19         else if($pod=="nazivDoGore")
20         {
21             $proizvod=nazivGore();
22         }
23         else if($pod=="nazivDoDole")
24         {
25             $proizvod=nazivDole();
26         }
27         if($proizvod)
28         {
29             echo json_encode($proizvod);
30             http_response_code(200);
31         }
32         // $proizvod = ispisPoKat($pod);
33     }
34     catch(PDOException $exception){
35         http_response_code(500);
36     }
37 } else{
38     http_response_code(404);
39 }
40 ?>
```

upisProizvoda.php

The image shows two instances of the Visual Studio Code editor side-by-side, both displaying the same PHP file: `upisProizvoda.php`. The file is located in a folder named `models`.

Top Tab Content:

```
models > upisProizvoda.php
1 <?php
2 session_start();
3 header("Content-type: application/json");
4 if($_SERVER['REQUEST_METHOD'] == 'POST'){
5     include "../config/konekcija2.php";
6     include "function.php";
7
8     try{
9         $ime=$_POST['ime'];
10        $staraCena=$_POST['staraCena'];
11        $novaCena=$_POST['novaCena'];
12        $zvezdice=$_POST['zvezdice'];
13        $opis=$_POST['opis'];
14        $slikaAlt=$_POST['slikaAlt'];
15        $slikaSrc=$_POST['slikaSrc'];
16        $idKat=$_POST['idKat'];
17        if(empty($ime)||empty($staraCena)||empty($novaCena)||empty($zvezdice)||empty($opis)||empty($slikaAlt)||empty($slikaSrc)||empty($idKat))
18        [
19            $odgovor=[ "odgovor"=>"greska u unosu"];
20            echo json_encode($odgovor);
21        ]
22    else
23    {
24        $resultat=upisiProizvod($ime,$staraCena,$novaCena,$zvezdice,$opis, $slikaAlt,$slikaSrc,$idKat);
25    }
26 //brisanje = brisanjeProizvoda($id);
27 if($resultat){
28     $odgovor = [ "odgovor"=>"Proizvod je unet u bazu"];
29     echo json_encode($odgovor);
30     http_response_code(200);
31 }
32 else{
33     $odgovor = [ "odgovor"=>"Proizvod nije unet u bazu"];
34     echo json_encode($odgovor);
35 }
```

Bottom Tab Content:

```
models > upisProizvoda.php
27     if($resultat){
28         $odgovor = [ "odgovor"=>"Proizvod je unet u bazu"];
29         echo json_encode($odgovor);
30         http_response_code(200);
31     }
32     else{
33         $odgovor = [ "odgovor"=>"Proizvod nije unet u bazu"];
34         echo json_encode($odgovor);
35     }
36 }
37 catch(PDOException $exception){
38     http_response_code(500);
39 }
40 }
41 else{
42     http_response_code(404);
43 }
44 ?>
```

config

Konekcija.php

The screenshot shows a Visual Studio Code interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, Terminal, Help.
- Title Bar:** konekcija2.php - stefanstanisavljevicphp - Visual Studio Code
- Left Sidebar:** Shows icons for file operations like Open, Save, Find, and Refresh, along with a search bar and a status bar indicating 0 changes.
- Code Editor:** Displays the following PHP code:

```
1 //?php
2 //konekcija sa fetch-on
3 $serverBaze = "localhost";
4 $username = "root";
5 $password = "";
6 $bazaPodataka = "teretana";
7 try {
8     $konekcija = new PDO("mysql:host=$serverBaze;dbname=$bazaPodataka", $username, $password);
9     $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
10    $konekcija ->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
11
12 }
13 catch(PDOException $e)
14 {
15     echo "Greska sa konekcijom: " . $e->getMessage();
16 }
17
18 ?>
```
- Bottom Status Bar:** Ln 3, Col 24, Spaces: 4, UTF-8, CRLF, PHP, Go Live, and a refresh icon.

CSS3

Style.css

The screenshot shows the Visual Studio Code interface with the file 'style.css' open. The code defines various CSS rules for a website, including styles for the body, .mySlides class, #slpro, #proizvodi, #prvi, #drugi, #treci, #ddl, #vise, #skloni, .dugme, #divKorpa, #dd1B, #row1, #imePrezime, #primerIme, #dd1, and .button. The code uses modern CSS features like flexbox and border colors.

```
# style.css
assets > css > # style.css > img
1 * {box-sizing: border-box;}
2 body {font-family: Verdana, sans-serif;}
3 .mySlides {display: none;}
4 img [vertical-align: middle;]
5
6 .mySlides {display:none;}
7
8
9
10 #slpro{
11   display: flex;
12   flex-direction: column;
13 }
14 #proizvodi{
15   width: 90%;
16   margin-bottom: 50px;
17   margin-left: auto;
18   margin-right: auto;
19 }
20 #prvi ,#drugi,#treci{
21   width: 100%;
22 }
23 #ddl{
24   padding-right: 20px;
25 }
26 #vise{
27   display: none;
28 }
29 #skloni{
30   display: block;
31 }
32 .dugme{
33
34   width: 50%;
35   height: 40px;
36 }
```

The screenshot shows the Visual Studio Code interface with the file 'style.css' open. The code has been modified to include height and margin auto properties for the img element, and a padding and border rule for the #divKorpa element. The rest of the code remains the same as in the first screenshot.

```
# style.css
assets > css > # style.css > img
35   height: 40px;
36   margin: auto;
37 }
38 }
39
40 #divKorpa{
41   padding: 5px;
42   border:1px solid red;
43   text-align: center;
44 }
45 #dd1B{
46   padding-right: 20px;
47 }
48 #row1{
49   display: flex;
50   flex-direction: row;
51   justify-content: space-around;
52   align-items: center;
53   margin: auto;
54 }
55
56 /* #imePrezime{
57   border-bottom: 2px solid #000;
58 } */
59 #primerIme{
60   display: none;
61   color: #df6700;
62 }
63 #dd1{
64   border: 1px solid #rgba(0,0,0,.125);
65   padding: 5px;
66 }
67 .button {
68   color: white;
69   padding: 16px 32px;
```

style.css

```
assets > css > # style.css > img
  69  position: topx 52px;
  70  text-align: center;
  71  text-decoration: none;
  72  display: inline-block;
  73  font-size: 16px;
  74  margin: 4px 2px;
  75  transition-duration: 0.4s;
  76  cursor: pointer;
  77 }
  78 .korpa{
  79   background-color: #343a40;
  80   border-color: #343a40;
  81   width: 50%;
  82   margin: auto;
  83   color: white;
  84 }
  85 .korpa:hover {
  86   background-color: white; /* Green */
  87   border-color: #343a40;
  88   color: black;
  89 }
  90 #dd1B{
  91   border: 1px solid rgba(0,0,0,.125);
  92   padding: 5px;
  93 }
  94 #range{
  95   color: #464646;
  96 }
  97 #primerMejl{
  98   display: none;
  99   color: #df6700;
 100 }
 101 #primerAdresa{
 102   display: none;
 103 }
```

Ln 5, Col 30 Spaces: 2 UTF-8 LF CSS Go Live ⚡

style.css

```
assets > css > # style.css > img
  104  color: #df6700;
  105 }
  106 body {
  107   font-family: 'Lato', sans-serif;
  108   overflow: hidden;
  109   overflow-y: scroll;
  110   background-color: whitesmoke;
  111 }
  112 body .bg-img {
  113   background-repeat: no-repeat;
  114   padding-bottom: 100px;
  115 }
  116 }
  117
  118 body nav {
  119   background: rgba(255, 255, 255, 0.1);
  120 }
  121 body nav .navbar-nav a {
  122   font-size: 16px;
  123   text-transform: uppercase;
  124   color: #fff !important;
  125   transition: all 0.3s;
  126   -webkit-transition: all 0.3s;
  127   -ms-transition: all 0.3s;
  128   -o-transition: all 0.3s;
  129 }
  130 body nav .navbar-nav a:hover {
  131   color: #ff8013 !important;
  132 }
  133 body nav .navbar-nav .btn-danger {
  134   background: #ff8013;
  135   border-color: #ff8013;
  136   border-radius: 0;
  137 }
```

Ln 5, Col 30 Spaces: 2 UTF-8 LF CSS Go Live ⚡

File Edit Selection View Go Run Terminal Help

style.css - stefanstanisavljevicphp - Visual Studio Code

```
# style.css
assets > css > # style.css > img
138 body nav .navbar-nav .btn-danger:hover {
139   background: #df6700;
140   border-color: #df6700;
141 }
142 .btn-submit{
143   background: #7ae96b;
144   border-color: #7ae96b;
145 }
146 .btn-submit:hover {
147   background: #4bb43d;
148   border-color: #4bb43d;
149 }
150 a, a:hover {
151   color: #ff8013;
152 }
153
154 .fh5co-banner-text-box {
155   position: relative;
156   max-height: 120px;
157   display: inline-block;
158   margin-top: 250px;
159 }
160 .fh5co-banner-text-box .quote-box {
161   max-width: 455px;
162   padding: 20px 0;
163 }
164 .fh5co-banner-text-box .quote-box h2 {
165   font-family: 'Lato', sans-serif;
166   font-weight: 700;
167   color: #fff;
168   font-size: 40px;
169 }
170 .fh5co-banner-text-box .quote-box h2 span {
171   color: #ff8013;
172   font-size: 20px;
173 }
```

Ln 5, Col 30 Spaces: 2 UTF-8 LF CSS Go Live ⚡

File Edit Selection View Go Run Terminal Help

style.css - stefanstanisavljevicphp - Visual Studio Code

```
# style.css
assets > css > # style.css > img
172   font-size: 34px;
173 }
174 .fh5co-banner-text-box .quote-box::before {
175   content: "";
176   position: absolute;
177   height: 38px;
178   width: 38px;
179   left: 0;
180   top: 0;
181   background: url("../images/right-quote.png");
182   background-repeat: no-repeat;
183 }
184 #myBtn {
185   display: none;
186   position: fixed;
187   bottom: 20px;
188   right: 30px;
189   z-index: 99;
190   font-size: 18px;
191   border: none;
192   outline: none;
193   background-color: #rgb(177, 172, 172);
194   opacity: 0.6;
195   color: white;
196   cursor: pointer;
197   padding: 15px;
198   border-radius: 4px;
199 }
200
201 #myBtn:hover {
202   background-color: ##555;
203 }
204 .fh5co-banner-text-box .quote-box::after {
205   content: "";
206   position: absolute;
```

Ln 5, Col 30 Spaces: 2 UTF-8 LF CSS Go Live ⚡

```
# style.css
assets > css > # style.css > img
266 position: absolute;
267 height: 38px;
268 width: 38px;
269 background: url("../images/left-quote.png");
270 background-repeat: no-repeat;
271 right: 0;
272 bottom: 0;
273 }
274 .fh5co-banner-text-box a {
275 color: #fff;
276 border-color: #4e2b0d;
277 border-radius: 0;
278 min-width: 150px;
279 }
280 .fh5co-banner-text-box a:hover {
281 background: transparent;
282 border-color: gray;
283 color: #ff8013;
284 }
285
286 .fh5co-network, .fh5co-about-us {
287 background: url("../images/about-bg.jpg");
288 background-repeat: no-repeat;
289 background-position: center;
290 background-size: 100% 100%;
291 padding: 50px 0;
292 padding-top: 30px;
293 }
294 .fh5co-network figure, .fh5co-about-us figure {
295 margin-top: -70px !important;
296 }
297 .fh5co-network h2, .fh5co-about-us h2 {
298 color: #ff8013;
299 font-family: 'Lato', sans-serif;
300 font-weight: 700;
301 }
```

```
# style.css
assets > css > # style.css > img
240 font-weight: 700;
241 font-size: 40px;
242 margin-bottom: 0;
243 }
244 .fh5co-network h4, .fh5co-about-us h4, .fh5co-network h5, .fh5co-about-us h5, .fh5co-network p, .fh5co-about-us p {
245 color: #282828;
246 font-family: 'Lato', sans-serif;
247 font-weight: 700;
248 }
249 .fh5co-network hr, .fh5co-about-us hr {
250 border-color: #ff8013;
251 border-width: 5px;
252 max-width: 100px;
253 margin-left: 0;
254 border-radius: 5px;
255 }
256 .fh5co-network figure, .fh5co-about-us figure {
257 text-align: center;
258 }
259
260 .fh5co-about-us {
261 background: transparent;
262 background-repeat: no-repeat;
263 background-size: contain;
264 background-position: center;
265 }
266 .fh5co-about-us p {
267 color: #fff;
268 font-family: 'Lato', sans-serif;
269 font-weight: normal;
270 }
271 .fh5co-about-us hr {
272 border-color: #fff;
273 margin-left: 50px;
274 margin-top: 5px;
275 }
```

```
# style.css
assets > css > # style.css > img
275 }
276 .fh5co-about-us a {
277   color: #fff !important;
278   border-color: #4e2b0d;
279   border-radius: 0;
280   min-width: 150px;
281 }
282 .fh5co-about-us a:hover {
283   background: transparent;
284   border-color: gray;
285   color: #ff8013;
286 }
287 .container-fluid{
288   padding-left: 0px!important;
289   padding-right: 0px !important;
290 }
291
292 .fh5co-content-box .pr-0 img {
293   margin-top: -128px;
294 }
295 .fh5co-content-box img {
296   width: 100%;
297 }
298 .fh5co-content-box .card-img-overlay {
299   color: #fff;
300   text-align: center;
301   top: 35%;
302 }
303 .fh5co-content-box .trainers {
304   position: relative;
305   padding: 50px 0;
306   margin: 70px 0;
307   background: url('../images/gym2.jpg");
308   background-repeat: no-repeat;
```

Ln 5, Col 30 Spaces:2 UTF-8 LF CSS Go Live

```
# style.css
assets > css > # style.css > img
309   background-position: center;
310   background-color: #000;
311 }
312 .fh5co-content-box .trainers .bg-50 {
313   background: rgba(0, 0, 0, 0.3);
314 }
315 .fh5co-content-box .trainers .card {
316   border: none;
317   background: transparent;
318 }
319 .fh5co-content-box .trainers .card img {
320   max-width: 250px;
321   margin: 0 auto;
322   max-height: 250px;
323 }
324 .fh5co-content-box .trainers .card .card-body {
325   background: #ccc;
326   border-radius: 15px;
327   padding: 30px 20px;
328   margin-top: 30px;
329   padding-bottom: 50px;
330 }
331 .fh5co-content-box .trainers .card .card-body::before {
332   content: "";
333   position: absolute;
334   border: 20px solid #ccc;
335   border-color: transparent transparent #ccc transparent;
336   margin-top: -70px;
337   text-align: center;
338   margin-left: -15px;
339 }
340 .fh5co-content-box .trainers .quote-box2 {
341   color: #fff;
342   max-width: 250px;
343   position: relative;
```

Ln 5, Col 30 Spaces:2 UTF-8 LF CSS Go Live

```
# style.css
assets > css > # style.css > img
343 position: relative;
344 text-align: center;
345 margin: auto;
346 margin-bottom: 50px;
347 }
348 .fh5co-content-box .trainers .quote-box2::before {
349 content: "";
350 position: absolute;
351 height: 20px;
352 width: 20px;
353 left: 0;
354 top: -10px;
355 background: url("../images/right-quote-white.png");
356 background-repeat: no-repeat;
357 background-size: 100% 100%;
358 }
359 .fh5co-content-box .trainers .quote-box2::after {
360 content: "";
361 position: absolute;
362 height: 20px;
363 width: 20px;
364 background: url("../images/left-quote-white.png");
365 background-repeat: no-repeat;
366 right: 0;
367 bottom: -10px;
368 background-size: 100% 100%;
369 }
370 .fh5co-content-box .trainers::before, .fh5co-content-box .trainers::after {
371 content: "";
372 position: absolute;
373 border: 5px solid #ff8013;
374 width: 100px;
375 top: -10px;
376 }
377 .fh5co-content-box .trainers::before {
```

```
# style.css
assets > css > # style.css > img
378 .fh5co-content-box .trainers::before {
379 bottom: -10px;
380 top: auto;
381 }
382 <element class="fh5co-content-box">
383   <element class="gallery">
384     ...
385       <element class="card">
386         ...
387           <element class="card-body">
388             ...
389               <h4> body {
390
391 Selector Specificity: (0, 4, 1)
392 .fh5co-content-box .gallery .card .card-body h4 {
393   color: #fff;
394 }
395 .fh5co-content-box .gallery .card .card-body p {
396   font-family: 'Lato', sans-serif;
397   font-weight: 700;
398 }
399 footer {
400   background: #101011;
401   color: #fff;
402 }
403 footer .footer1 p {
404   margin-top: 30px;
405 }
406 footer .footer2 h4 {
407   color: #ff8013;
408   font-family: 'Lato', sans-serif;
409   font-weight: 700;
410   text-align: center;
```

A screenshot of Visual Studio Code showing the content of the style.css file. The code is a CSS stylesheet with various rules for footer elements. The interface includes a left sidebar with icons for file operations, a status bar at the bottom, and a large central area for the code editor.

```
# style.css
assets > css > # style.css > img
412     margin: 20px auto;
413 }
414 footer .footer2 .form-box {
415     background: #ffff;
416     padding: 20px 30px;
417     margin-top: -30px;
418 }
419 footer .footer2 input[type='text'], footer .footer2 input[type='email'] {
420     background: transparent;
421     border-radius: 0;
422     border: none;
423     border-bottom: 2px solid #000;
424 }
425 footer .footer2 input[type='text']:focus, footer .footer2 input[type='email']:focus {
426     box-shadow: none;
427     border-color: #ff8013;
428 }
429 footer .footer2 .btn {
430     min-width: 150px;
431     border-radius: 0;
432 }
433 footer .footer2 ::webkit-input-placeholder {
434     /* Chrome/Opera/Safari */
435     color: #262626;
436 }
437 footer .footer2 ::-moz-placeholder {
438     /* Firefox 19+ */
439     color: #262626;
440 }
441 footer .footer2 :-ms-input-placeholder {
442     /* IE 10+ */
443     color: #262626;
444 }
445 footer .footer2 :-moz-placeholder {
```

A screenshot of Visual Studio Code showing the content of the style.css file. This version of the code is identical to the one above, containing the same CSS rules for footer elements. The interface is identical, with a left sidebar, a status bar at the bottom, and a large central code editor area.

```
# style.css
assets > css > # style.css > img
446     /* Firefox 18- */
447     color: #262626;
448 }
449 footer .footer3 {
450     padding-top: 50px;
451 }
452 footer .footer3 a {
453
454     border-radius: 50%;
455     height: 40px;
456     width: 40px;
457     padding: 5px;
458 }
459 footer .footer3 a:hover {
460     background: #ff8013;
461 }
462 footer .footer3 .nav-item li {
463     margin: 0 5px;
464 }
465 footer .table td, footer .table th {
466     border: none;
467 }
468 footer::before {
469     content: "";
470     position: absolute;
471     border: 3px solid #ff8013;
472     width: 100%;
473     left: 0;
474 }
475 }
476 @media (max-width: 1199px) {
477     .fh5co-content-box .pr-0 img {
478         margin-top: -107px;
479     }
```

A screenshot of Visual Studio Code showing the content of the style.css file. The code includes various CSS rules for different media queries and HTML elements like .box, .fh5co-content-box, and .card-img-overlay. The interface shows the code editor with syntax highlighting, a sidebar with icons, and a status bar at the bottom.

```
# style.css
assets > css > # style.css > img
480 }
481 }
482 @media (max-width: 991px) {
483     .fh5co-content-box .pr-0 img {
484         margin-top: -78px;
485     }
486     .fh5co-content-box .card-img-overlay {
487         top: 20%;
488     }
489 }
490 .box{
491     display: flex;
492     margin-top: 15px;
493 }
494 @media (max-width: 1000px) {
495     .box {
496         display: flex;
497         flex-direction: column;
498     }
499     .col-lg-2{
500         width: 100%;
501     }
502 }
503 @media (max-width: 767px) {
504     body nav .navbar-nav {
505         margin-left: 0 !important;
506         max-width: 50px;
507     }
508     .fh5co-network figure, .fh5co-about-us figure {
509         margin-top: 0 !important;
510     }
511 }
512 .fh5co-content-box .pr-0 img {
513     margin: 20px auto;
514 }
```

A screenshot of Visual Studio Code showing the content of the style.css file. This version of the code is more extensive, including rules for .fh5co-content-box .col-md-5, .fh5co-content-box .col-md-7, .gallery .card, .footer1, .footer2, #range1, #range2, .error, #forma p, and #kupiDugme. The interface is identical to the first screenshot, with the code editor, sidebar, and status bar.

```
# style.css
assets > css > # style.css > img
514 }
515     .fh5co-content-box .col-md-5 {
516         padding: 0 !important;
517     }
518     .fh5co-content-box .col-md-7 {
519         padding: 0 !important;
520     }
521
522     .gallery .card {
523         margin-bottom: 25px;
524     }
525
526     .footer1 {
527         min-height: 150px;
528     }
529
530     .footer2 .form-box {
531         margin-top: 0 !important;
532     }
533 }
534 #range1{
535     color: □#000 !important;
536 }
537 #range2{
538     color: □#000 !important;
539 }
540 .error{
541     border-bottom: 1px solid ▢#ff0000 !important;
542 }
543
544 #forma p{
545     padding: 20px;
546     background-color: □#dddbdb;
547 }
548 #kupiDugme{
```

A screenshot of the Visual Studio Code interface showing the file `style.css`. The code editor displays CSS rules for a website. The file includes styles for various elements like buttons and sections, using colors and flexbox properties. The status bar at the bottom shows the file path, line count (Ln 5, Col 30), and other settings.

```
# style.css
assets > css > # style.css > img
548 #kupitugime{
549   background-color: #rgb(27, 187, 62);
550   border-color: #rgb(27, 187, 62);
551 }
552 #kupitugime:hover{
553   background-color: #rgb(88, 199, 112);
554   border-color: #rgb(88, 199, 112);
555 }
556 #remove{
557   background-color: #rgb(252, 79, 79);
558   border-color: #rgb(252, 79, 79);
559 }
560 #remove:hover{
561   background-color: #rgb(255, 172, 172);
562   border-color: #rgb(255, 172, 172);
563 }
564 #korpica{
565   margin-bottom:100px ;
566   margin-top: 50px;
567   width: 70%;
568   display: flex;
569   align-items: center;
570   justify-content: center;
571   flex-direction: column-reverse;
572 }
573 .korp{
574   display: flex;
575   align-items: center;
576   justify-content: center;
577 }
578 #autor{
579   margin-bottom: 50px;
580 }
581 #kontakt12{
582   display: flex;
```

A screenshot of the Visual Studio Code interface showing the same `style.css` file after changes. The new code includes additional styling for the `.korp` class and the `#kontakt12` section, such as aligning items to center and setting a column direction. The status bar at the bottom shows the file path, line count (Ln 5, Col 30), and other settings.

```
# style.css
assets > css > # style.css > img
509   align-items: center;
510   justify-content: center;
511   flex-direction: column-reverse;
512 }
513 .korp{
514   display: flex;
515   align-items: center;
516   justify-content: center;
517 }
518 #autor{
519   margin-bottom: 50px;
520 }
521 #kontakt12{
522   display: flex;
523   align-items: center;
524   flex-direction: column;
525   justify-content: center;
526 }
527 #adminSub{
528   background-color: #slategray;
529   border-color: #slategray;
530 }
531 #adminSub:hover{
532   background-color: #rgb(103, 114, 126);
533   border-color: #rgb(103, 114, 126);
534 }
535 #primerAdresaIsti{
536   display: none;
537 }
```

javaScript I JQuery

main.js

```
JS main.js *  
assets > js > JS main.js > ⚡ on("click") callback  
1 var url=window.location.href;  
2 //Vise teksta na strani onama.html  
3 if(url.indexOf('admin_panel.php')!=-1)  
4 {  
5   $( ".tr:even" ).css( "background-color", "#ffebbb" );  
6   $(".btn").focus(function(){  
7     $( ".btn" ).css( "background-color", "#bbf" );  
8   })  
9 }  
10  
11 $("td").css("text-align","center");  
12 $("#upisPro").on("click",function(){  
13   var ime=$("#nazivProizvoda").val();  
14   var staraCena=$("#staraCena").val();  
15   var novaCena=$("#novaCena").val();  
16   var zvezdice=$("#zvezdice").val();  
17   var opis=$("#opis").val();  
18   var slikaSrc=$("#slikaSrc").val();  
19   var slikaAlt=$("#slikaAlt").val();  
20   var idKat=$("#idKat").val();  
21   var niz=[];  
22   if(ime=="")  
23   {  
24     niz.push("greska naziv");  
25   }  
26   if(staraCena=="")  
27   {  
28     niz.push("greska stara cena");  
29   }  
30   if(novaCena=="")  
31   {  
32     niz.push("greska nova cena");  
33   }  
34   if(zvezdice=="")  
35   {  
36     niz.push("greska zvezdice");  
37   }  
38   if(opis=="")  
39   {  
40     niz.push("greska opis");  
41   }  
42   if(slikaSrc=="")  
43   {  
44     niz.push("greska src");  
45   }  
46   if(slikaAlt=="")  
47   {  
48     niz.push("greska alt");  
49   }  
50   if(idKat=="")  
51   {  
52     niz.push("greska id");  
53   }  
54   if(niz.length==0)  
55   {  
56     data={  
57       ime:ime,  
58       staraCena:staraCena,  
59       novaCena:novaCena,  
60       zvezdice:zvezdice,  
61       opis:opis,  
62       slikaAlt:slikaAlt,  
63       slikaSrc:slikaSrc,  
64       idKat:idKat  
65     }  
66     $.post("admin_panel.php",data);  
67   }  
68 }  
69 }  
70 }  
71 }  
72 }  
73 }  
74 }  
75 }  
76 }  
77 }  
78 }  
79 }  
80 }  
81 }  
82 }  
83 }  
84 }  
85 }  
86 }  
87 }  
88 }  
89 }  
90 }  
91 }  
92 }  
93 }  
94 }  
95 }  
96 }  
97 }  
98 }  
99 }  
100 }  
101 }  
102 }  
103 }  
104 }  
105 }  
106 }  
107 }  
108 }  
109 }  
110 }  
111 }  
112 }  
113 }  
114 }  
115 }  
116 }  
117 }  
118 }  
119 }  
120 }  
121 }  
122 }  
123 }  
124 }  
125 }  
126 }  
127 }  
128 }  
129 }  
130 }  
131 }  
132 }  
133 }  
134 }  
135 }  
136 }  
137 }  
138 }  
139 }  
140 }  
141 }  
142 }  
143 }  
144 }  
145 }  
146 }  
147 }  
148 }  
149 }  
150 }  
151 }  
152 }  
153 }  
154 }  
155 }  
156 }  
157 }  
158 }  
159 }  
160 }  
161 }  
162 }  
163 }  
164 }  
165 }  
166 }  
167 }  
168 }  
169 }  
170 }  
171 }  
172 }  
173 }  
174 }  
175 }  
176 }  
177 }  
178 }  
179 }  
180 }  
181 }  
182 }  
183 }  
184 }  
185 }  
186 }  
187 }  
188 }  
189 }  
190 }  
191 }  
192 }  
193 }  
194 }  
195 }  
196 }  
197 }  
198 }  
199 }  
200 }  
201 }  
202 }  
203 }  
204 }  
205 }  
206 }  
207 }  
208 }  
209 }  
210 }  
211 }  
212 }  
213 }  
214 }  
215 }  
216 }  
217 }  
218 }  
219 }  
220 }  
221 }  
222 }  
223 }  
224 }  
225 }  
226 }  
227 }  
228 }  
229 }  
230 }  
231 }  
232 }  
233 }  
234 }  
235 }  
236 }  
237 }  
238 }  
239 }  
240 }  
241 }  
242 }  
243 }  
244 }  
245 }  
246 }  
247 }  
248 }  
249 }  
250 }  
251 }  
252 }  
253 }  
254 }  
255 }  
256 }  
257 }  
258 }  
259 }  
260 }  
261 }  
262 }  
263 }  
264 }  
265 }  
266 }  
267 }  
268 }  
269 }  
270 }  
271 }  
272 }  
273 }  
274 }  
275 }  
276 }  
277 }  
278 }  
279 }  
280 }  
281 }  
282 }  
283 }  
284 }  
285 }  
286 }  
287 }  
288 }  
289 }  
290 }  
291 }  
292 }  
293 }  
294 }  
295 }  
296 }  
297 }  
298 }  
299 }  
300 }  
301 }  
302 }  
303 }  
304 }  
305 }  
306 }  
307 }  
308 }  
309 }  
310 }  
311 }  
312 }  
313 }  
314 }  
315 }  
316 }  
317 }  
318 }  
319 }  
320 }  
321 }  
322 }  
323 }  
324 }  
325 }  
326 }  
327 }  
328 }  
329 }  
330 }  
331 }  
332 }  
333 }  
334 }  
335 }  
336 }  
337 }  
338 }  
339 }  
340 }  
341 }  
342 }  
343 }  
344 }  
345 }  
346 }  
347 }  
348 }  
349 }  
350 }  
351 }  
352 }  
353 }  
354 }  
355 }  
356 }  
357 }  
358 }  
359 }  
360 }  
361 }  
362 }  
363 }  
364 }  
365 }  
366 }  
367 }  
368 }  
369 }  
370 }  
371 }  
372 }  
373 }  
374 }  
375 }  
376 }  
377 }  
378 }  
379 }  
380 }  
381 }  
382 }  
383 }  
384 }  
385 }  
386 }  
387 }  
388 }  
389 }  
390 }  
391 }  
392 }  
393 }  
394 }  
395 }  
396 }  
397 }  
398 }  
399 }  
400 }  
401 }  
402 }  
403 }  
404 }  
405 }  
406 }  
407 }  
408 }  
409 }  
410 }  
411 }  
412 }  
413 }  
414 }  
415 }  
416 }  
417 }  
418 }  
419 }  
420 }  
421 }  
422 }  
423 }  
424 }  
425 }  
426 }  
427 }  
428 }  
429 }  
430 }  
431 }  
432 }  
433 }  
434 }  
435 }  
436 }  
437 }  
438 }  
439 }  
440 }  
441 }  
442 }  
443 }  
444 }  
445 }  
446 }  
447 }  
448 }  
449 }  
450 }  
451 }  
452 }  
453 }  
454 }  
455 }  
456 }  
457 }  
458 }  
459 }  
460 }  
461 }  
462 }  
463 }  
464 }  
465 }  
466 }  
467 }  
468 }  
469 }  
470 }  
471 }  
472 }  
473 }  
474 }  
475 }  
476 }  
477 }  
478 }  
479 }  
480 }  
481 }  
482 }  
483 }  
484 }  
485 }  
486 }  
487 }  
488 }  
489 }  
490 }  
491 }  
492 }  
493 }  
494 }  
495 }  
496 }  
497 }  
498 }  
499 }  
500 }  
501 }  
502 }  
503 }  
504 }  
505 }  
506 }  
507 }  
508 }  
509 }  
510 }  
511 }  
512 }  
513 }  
514 }  
515 }  
516 }  
517 }  
518 }  
519 }  
520 }  
521 }  
522 }  
523 }  
524 }  
525 }  
526 }  
527 }  
528 }  
529 }  
530 }  
531 }  
532 }  
533 }  
534 }  
535 }  
536 }  
537 }  
538 }  
539 }  
540 }  
541 }  
542 }  
543 }  
544 }  
545 }  
546 }  
547 }  
548 }  
549 }  
550 }  
551 }  
552 }  
553 }  
554 }  
555 }  
556 }  
557 }  
558 }  
559 }  
560 }  
561 }  
562 }  
563 }  
564 }  
565 }  
566 }  
567 }  
568 }  
569 }  
570 }  
571 }  
572 }  
573 }  
574 }  
575 }  
576 }  
577 }  
578 }  
579 }  
580 }  
581 }  
582 }  
583 }  
584 }  
585 }  
586 }  
587 }  
588 }  
589 }  
590 }  
591 }  
592 }  
593 }  
594 }  
595 }  
596 }  
597 }  
598 }  
599 }  
600 }  
601 }  
602 }  
603 }  
604 }  
605 }  
606 }  
607 }  
608 }  
609 }  
610 }  
611 }  
612 }  
613 }  
614 }  
615 }  
616 }  
617 }  
618 }  
619 }  
620 }  
621 }  
622 }  
623 }  
624 }  
625 }  
626 }  
627 }  
628 }  
629 }  
630 }  
631 }  
632 }  
633 }  
634 }  
635 }  
636 }  
637 }  
638 }  
639 }  
640 }  
641 }  
642 }  
643 }  
644 }  
645 }  
646 }  
647 }  
648 }  
649 }  
650 }  
651 }  
652 }  
653 }  
654 }  
655 }  
656 }  
657 }  
658 }  
659 }  
660 }  
661 }  
662 }  
663 }  
664 }  
665 }  
666 }  
667 }  
668 }  
669 }  
670 }  
671 }  
672 }  
673 }  
674 }  
675 }  
676 }  
677 }  
678 }  
679 }  
680 }  
681 }  
682 }  
683 }  
684 }  
685 }  
686 }  
687 }  
688 }  
689 }  
690 }  
691 }  
692 }  
693 }  
694 }  
695 }  
696 }  
697 }  
698 }  
699 }  
700 }  
701 }  
702 }  
703 }  
704 }  
705 }  
706 }  
707 }  
708 }  
709 }  
710 }  
711 }  
712 }  
713 }  
714 }  
715 }  
716 }  
717 }  
718 }  
719 }  
720 }  
721 }  
722 }  
723 }  
724 }  
725 }  
726 }  
727 }  
728 }  
729 }  
730 }  
731 }  
732 }  
733 }  
734 }  
735 }  
736 }  
737 }  
738 }  
739 }  
740 }  
741 }  
742 }  
743 }  
744 }  
745 }  
746 }  
747 }  
748 }  
749 }  
750 }  
751 }  
752 }  
753 }  
754 }  
755 }  
756 }  
757 }  
758 }  
759 }  
760 }  
761 }  
762 }  
763 }  
764 }  
765 }  
766 }  
767 }  
768 }  
769 }  
770 }  
771 }  
772 }  
773 }  
774 }  
775 }  
776 }  
777 }  
778 }  
779 }  
780 }  
781 }  
782 }  
783 }  
784 }  
785 }  
786 }  
787 }  
788 }  
789 }  
790 }  
791 }  
792 }  
793 }  
794 }  
795 }  
796 }  
797 }  
798 }  
799 }  
800 }  
801 }  
802 }  
803 }  
804 }  
805 }  
806 }  
807 }  
808 }  
809 }  
810 }  
811 }  
812 }  
813 }  
814 }  
815 }  
816 }  
817 }  
818 }  
819 }  
820 }  
821 }  
822 }  
823 }  
824 }  
825 }  
826 }  
827 }  
828 }  
829 }  
830 }  
831 }  
832 }  
833 }  
834 }  
835 }  
836 }  
837 }  
838 }  
839 }  
840 }  
841 }  
842 }  
843 }  
844 }  
845 }  
846 }  
847 }  
848 }  
849 }  
850 }  
851 }  
852 }  
853 }  
854 }  
855 }  
856 }  
857 }  
858 }  
859 }  
860 }  
861 }  
862 }  
863 }  
864 }  
865 }  
866 }  
867 }  
868 }  
869 }  
870 }  
871 }  
872 }  
873 }  
874 }  
875 }  
876 }  
877 }  
878 }  
879 }  
880 }  
881 }  
882 }  
883 }  
884 }  
885 }  
886 }  
887 }  
888 }  
889 }  
890 }  
891 }  
892 }  
893 }  
894 }  
895 }  
896 }  
897 }  
898 }  
899 }  
900 }  
901 }  
902 }  
903 }  
904 }  
905 }  
906 }  
907 }  
908 }  
909 }  
910 }  
911 }  
912 }  
913 }  
914 }  
915 }  
916 }  
917 }  
918 }  
919 }  
920 }  
921 }  
922 }  
923 }  
924 }  
925 }  
926 }  
927 }  
928 }  
929 }  
930 }  
931 }  
932 }  
933 }  
934 }  
935 }  
936 }  
937 }  
938 }  
939 }  
940 }  
941 }  
942 }  
943 }  
944 }  
945 }  
946 }  
947 }  
948 }  
949 }  
950 }  
951 }  
952 }  
953 }  
954 }  
955 }  
956 }  
957 }  
958 }  
959 }  
960 }  
961 }  
962 }  
963 }  
964 }  
965 }  
966 }  
967 }  
968 }  
969 }  
970 }  
971 }  
972 }  
973 }  
974 }  
975 }  
976 }  
977 }  
978 }  
979 }  
980 }  
981 }  
982 }  
983 }  
984 }  
985 }  
986 }  
987 }  
988 }  
989 }  
990 }  
991 }  
992 }  
993 }  
994 }  
995 }  
996 }  
997 }  
998 }  
999 }  
1000 }  
1001 }  
1002 }  
1003 }  
1004 }  
1005 }  
1006 }  
1007 }  
1008 }  
1009 }  
1010 }  
1011 }  
1012 }  
1013 }  
1014 }  
1015 }  
1016 }  
1017 }  
1018 }  
1019 }  
1020 }  
1021 }  
1022 }  
1023 }  
1024 }  
1025 }  
1026 }  
1027 }  
1028 }  
1029 }  
1030 }  
1031 }  
1032 }  
1033 }  
1034 }  
1035 }  
1036 }  
1037 }  
1038 }  
1039 }  
1040 }  
1041 }  
1042 }  
1043 }  
1044 }  
1045 }  
1046 }  
1047 }  
1048 }  
1049 }  
1050 }  
1051 }  
1052 }  
1053 }  
1054 }  
1055 }  
1056 }  
1057 }  
1058 }  
1059 }  
1060 }  
1061 }  
1062 }  
1063 }  
1064 }  
1065 }  
1066 }  
1067 }  
1068 }  
1069 }  
1070 }  
1071 }  
1072 }  
1073 }  
1074 }  
1075 }  
1076 }  
1077 }  
1078 }  
1079 }  
1080 }  
1081 }  
1082 }  
1083 }  
1084 }  
1085 }  
1086 }  
1087 }  
1088 }  
1089 }  
1090 }  
1091 }  
1092 }  
1093 }  
1094 }  
1095 }  
1096 }  
1097 }  
1098 }  
1099 }  
1100 }  
1101 }  
1102 }  
1103 }  
1104 }  
1105 }  
1106 }  
1107 }  
1108 }  
1109 }  
1110 }  
1111 }  
1112 }  
1113 }  
1114 }  
1115 }  
1116 }  
1117 }  
1118 }  
1119 }  
1120 }  
1121 }  
1122 }  
1123 }  
1124 }  
1125 }  
1126 }  
1127 }  
1128 }  
1129 }  
1130 }  
1131 }  
1132 }  
1133 }  
1134 }  
1135 }  
1136 }  
1137 }  
1138 }  
1139 }  
1140 }  
1141 }  
1142 }  
1143 }  
1144 }  
1145 }  
1146 }  
1147 }  
1148 }  
1149 }  
1150 }  
1151 }  
1152 }  
1153 }  
1154 }  
1155 }  
1156 }  
1157 }  
1158 }  
1159 }  
1160 }  
1161 }  
1162 }  
1163 }  
1164 }  
1165 }  
1166 }  
1167 }  
1168 }  
1169 }  
1170 }  
1171 }  
1172 }  
1173 }  
1174 }  
1175 }  
1176 }  
1177 }  
1178 }  
1179 }  
1180 }  
1181 }  
1182 }  
1183 }  
1184 }  
1185 }  
1186 }  
1187 }  
1188 }  
1189 }  
1190 }  
1191 }  
1192 }  
1193 }  
1194 }  
1195 }  
1196 }  
1197 }  
1198 }  
1199 }  
1200 }  
1201 }  
1202 }  
1203 }  
1204 }  
1205 }  
1206 }  
1207 }  
1208 }  
1209 }  
1210 }  
1211 }  
1212 }  
1213 }  
1214 }  
1215 }  
1216 }  
1217 }  
1218 }  
1219 }  
1220 }  
1221 }  
1222 }  
1223 }  
1224 }  
1225 }  
1226 }  
1227 }  
1228 }  
1229 }  
1230 }  
1231 }  
1232 }  
1233 }  
1234 }  
1235 }  
1236 }  
1237 }  
1238 }  
1239 }  
1240 }  
1241 }  
1242 }  
1243 }  
1244 }  
1245 }  
1246 }  
1247 }  
1248 }  
1249 }  
1250 }  
1251 }  
1252 }  
1253 }  
1254 }  
1255 }  
1256 }  
1257 }  
1258 }  
1259 }  
1260 }  
1261 }  
1262 }  
1263 }  
1264 }  
1265 }  
1266 }  
1267 }  
1268 }  
1269 }  
1270 }  
1271 }  
1272 }  
1273 }  
1274 }  
1275 }  
1276 }  
1277 }  
1278 }  
1279 }  
1280 }  
1281 }  
1282 }  
1283 }  
1284 }  
1285 }  
1286 }  
1287 }  
1288 }  
1289 }  
1290 }  
1291 }  
1292 }  
1293 }  
1294 }  
1295 }  
1296 }  
1297 }  
1298 }  
1299 }  
1300 }  
1301 }  
1302 }  
1303 }  
1304 }  
1305 }  
1306 }  
1307 }  
1308 }  
1309 }  
1310 }  
1311 }  
1312 }  
1313 }  
1314 }  
1315 }  
1316 }  
1317 }  
1318 }  
1319 }  
1320 }  
1321 }  
1322 }  
1323 }  
1324 }  
1325 }  
1326 }  
1327 }  
1328 }  
1329 }  
1330 }  
1331 }  
1332 }  
1333 }  
1334 }  
1335 }  
1336 }  
1337 }  
1338 }  
1339 }  
1340 }  
1341 }  
1342 }  
1343 }  
1344 }  
1345 }  
1346 }  
1347 }  
1348 }  
1349 }  
1350 }  
1351 }  
1352 }  
1353 }  
1354 }  
1355 }  
1356 }  
1357 }  
1358 }  
1359 }  
1360 }  
1361 }  
1362 }  
1363 }  
1364 }  
1365 }  
1366 }  
1367 }  
1368 }  
1369 }  
1370 }  
1371 }  
1372 }  
1373 }  
1374 }  
1375 }  
1376 }  
1377 }  
1378 }  
1379 }  
1380 }  
1381 }  
1382 }  
1383 }  
1384 }  
1385 }  
1386 }  
1387 }  
1388 }  
1389 }  
1390 }  
1391 }  
1392 }  
1393 }  
1394 }  
1395 }  
1396 }  
1397 }  
1398 }  
1399 }  
1400 }  
1401 }  
1402 }  
1403 }  
1404 }  
1405 }  
1406 }  
1407 }  
1408 }  
1409 }  
1410 }  
1411 }  
1412 }  
1413 }  
1414 }  
1415 }  
1416 }  
1417 }  
1418 }  
1419 }  
1420 }  
1421 }  
1422 }  
1423 }  
1424 }  
1425 }  
1426 }  
1427 }  
1428 }  
1429 }  
1430 }  
1431 }  
1432 }  
1433 }  
1434 }  
1435 }  
1436 }  
1437 }  
1438 }  
1439 }  
1440 }  
1441 }  
1442 }  
1443 }  
1444 }  
1445 }  
1446 }  
1447 }  
1448 }  
1449 }  
1450 }  
1451 }  
1452 }  
1453 }  
1454 }  
1455 }  
1456 }  
1457 }  
1458 }  
1459 }  
1460 }  
1461 }  
1462 }  
1463 }  
1464 }  
1465 }  
1466 }  
1467 }  
1468 }  
1469 }  
1470 }  
1471 }  
1472 }  
1473 }  
1474 }  
1475 }  
1476 }  
1477 }  
1478 }  
1479 }  
1480 }  
1481 }  
1482 }  
1483 }  
1484 }  
1485 }  
1486 }  
1487 }  
1488 }  
1489 }  
1490 }  
1491 }  
1492 }  
1493 }  
1494 }  
1495 }  

```

The image shows two instances of the Visual Studio Code editor side-by-side, both displaying the same file 'main.js'.

Top Editor:

```
assets > js > JS main.js > JS main.js > on("click") callback
62     slikaAlt:slikaAlt,
63     slikaSrc:slikaSrc,
64     idKat:idKat
65   }
66   ajaxBack("models/upisProizvoda.php", "post", data, function(result){
67     alert(result.odgovor);
68   })
69 }
70
71
72 $(".btnPorudzbina").on("click",function(){
73   console.log($(this).data("id"));
74   var idB=$(this).data("id");
75   data={
76     id:idB
77   }
78   ajaxBack("models/brisanjePorudzbine.php", "post", data, function(result){
79     alert(result.odgovor);
80   })
81 })
82 $(".btnProizvod").on("click",function(){
83   console.log($(this).data("id"));
84   var idB=$(this).data("id");
85   data={
86     id:idB
87   }
88   ajaxBack("models/brisanjeProizvoda.php", "post", data, function(result){
89     alert(result.odgovor);
90   })
91 })
92 $(".btnA").on("click",function(){
93   console.log($(this).data("id"));
94   var idB=$(this).data("id");
95 })
```

Bottom Editor:

```
assets > js > JS main.js > on("click") callback
93 $(".btnA").on("click",function(){
94   console.log($(this).data("id"));
95   var idB=$(this).data("id");
96   data={
97     id:idB
98   }
99   ajaxBack("models/brisanjeKorisnika.php", "post", data, function(result){
100    alert(result.odgovor);
101  })
102 })
103 $(".btnI").on("click",function(){
104   console.log($(this).data("id"));
105   var idB=$(this).data("id");
106   data={
107     id:idB
108   }
109   ajaxBack("models/brisanjeGlasaAnketa.php", "post", data, function(result){
110     alert(result.odgovor);
111   })
112 })
113 }
114 if(url.indexOf('kontaktSaAdminom.php')!=-1)
115 {
116
117 $("#adminSub").on("click",function(){
118   var podat=$("#textarea").val();
119   data=
120   {
121     podaci:podat
122   }
123   ajaxBack("models/slanjeAdminu.php", "post", data, function(result){
124     alert(result);
125     if(result=="Poruka je dostavljena administratoru")
126     {
127       $("#textarea").val("");
```

File Edit Selection View Go Run Terminal Help main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
127     $( "#textarea" ).val("");
128   }
129 }
130 })
131 }
132 if(url.indexOf('korpa.php')!=-1)
133 {
134   $("#kupiDugme").on("click",function()
135   {
136     var korpa=localStorage.getItem('korpa');
137     //console.log(korpa);
138     data=
139     {
140       podaci:korpa
141     }
142     ajaxBack("models/cart.php", "post", data, function(result){
143       alert(result);
144       if(result=="Vaša porudzbina je kreirana")
145       {
146         $(".korp").html("<div style='height:100px'><h1>Hvala na kupovini</h1></div>");
147         $("#kupiDugme").css("display:none;");
148       }
149       if(result=="Nemate nista u korpi")
150       {
151         $("#kupiDugme").css("display","none");
152       }
153     })
154   })
155 }
156 var url>window.location.href;
157 //Vise teksta na strani onama.html
158 if(url.indexOf('proizvodi.php')!=-1)
159 {
160   var pro=JSON.parse(localStorage.getItem("proizvodi"));
161 }
```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
159 {
160
161   var pro=JSON.parse(localStorage.getItem("proizvodi"));
162   console.log(pro);
163   var max=0;
164   var min=99999;
165   for(let i=0;i<pro.length;i++)
166   {
167     if(pro[i].nova_cena>max)
168     {
169       max=pro[i].nova_cena;
170     }
171     if(pro[i].nova_cena<min)
172     {
173       min=pro[i].nova_cena;
174     }
175   }
176   $("#range1").append(min);
177   $("#range2").append(max);
178
179
180 //}
181 $('.korpa').on('click',dodavanjeKorpa);
182 $('#submitCart').on('click',
183   function(){
184     $("#kupiDugme").css("display","block")
185   });
186 $('#deleteCart').on('click',
187   function(){
188     $("#kupiDugme").css("display","none");
189   });
190 });
191 
```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
188     function(){
189         $("#kupiDugme").css("display","none");
190     });
191
192     // Div za ispisivanje korpe
193     const cartContent = document.getElementById('cart-content');
194     // Inicijalno ispisivanje korpe
195     proveraKorpe();
196     // Dodeljivanje dogadaja za "Dodaj u korpu"
197     function proveraKorpe(){
198         let html = "";
199         console.log("uso");
200         const cookieCart = document.cookie.split("; ").find(row => row.startsWith('cart='));
201         if(cookieCart){
202             // Ukoliko postoji cookie i ima svojstvo cart ispisuju se sve knjige.
203             html="<ul class='list-group'>";
204             // JSON.parse zato sto nam je vrednost u cookie u vidu stringa.
205             for(const item of JSON.parse(cookieCart.split("=")[1])){
206                 html+=`<li data-book="${item.book}" class="list-group-item cart-product">${item.book}
207                 <span class="badge badge-primary">${item.quantity}</span>
208             </li>`;
209             }
210             html+="</ul>";
211             html+=`<button id="deleteCart" class="btn btn-danger btn-sm mt-3">Obriši
212             </button>&ampnbsp&ampnbsp
213             <form method="get" action="korpa.php">
214             <button id="submitCart" class="btn btn-submit btn-sm mt-3">Udji u korpu</button>
215             </form>`;
216
217             cartContent.innerHTML = html;
218
219             // Dodeljuju se dogadjaji za brisanje pojedinačnih knjiga i svih knjiga.
220             $('#deleteCart').click(brisanjeKorpe);
221             $('#submitCart').click(slanjeKorpe);
222         }
223     }
224
225     // Dodeljuju se dogadjaji za brisanje pojedinačnih knjiga i svih knjiga.
226     $('#deleteCart').click(brisanjeKorpe);
227     $('#submitCart').click(slanjeKorpe);
228
229     // Dodeljuju se dogadjaji za brisanje pojedinačnih knjiga i svih knjiga.
230     $('#deleteCart').click(brisanjeKorpe);
231     $('#submitCart').click(slanjeKorpe);
232     else {
233         html = "Korpa je prazna."
234         cartContent.innerHTML = html;
235     }
236
237     // Dodeljuju se dogadjaji za brisanje pojedinačnih knjiga i svih knjiga.
238     // Dodeljuju se dogadjaji za brisanje pojedinačnih knjiga i svih knjiga.
239     // Dodeljuju se dogadjaji za brisanje pojedinačnih knjiga i svih knjiga.
240     // Dodeljuju se dogadjaji za brisanje pojedinačnih knjiga i svih knjiga.
```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
219     // Dodeljuju se dogadjaji za brisanje pojedinačnih knjiga i svih knjiga.
220     $('#deleteCart').click(brisanjeKorpe);
221     $('#submitCart').click(slanjeKorpe);
222     else {
223         html = "Korpa je prazna."
224         cartContent.innerHTML = html;
225     }
226
227     $(".korpa").on("click",function(){
228         var id=$(this).data('name');
229         var proizvodizkorpe= getItemFromLocalStorage('korpa');
230         if(proizvodizkorpe){
231             if(productIsAlreadyInCart()) {
232                 updateQuantity();
233             }
234             else {
235                 addToLocalStorage();
236                 //printCartLength();
237             }
238         }
239         else{
240             addFirstItemToCart();
241             //printCartLength();
242         }
243     }
244     // funkcija za skladistenje podataka u local storage
245     function setItemToLocalStorage(name, data){
246         localStorage.setItem(name, JSON.stringify(data));
247     }
248     // funkcija za dohvatanje podataka iz local storage
249     function getItemFromLocalStorage(name){
250         return JSON.parse(localStorage.getItem(name));
251     }
252     // funkcija za dodavanje prvog proizvoda u korpu
253     function addFirstItemToCart(){}
```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
254 let products = [];
255 products[0] = {
256   id : id,
257   quantity : 1
258 };
259
260 setItemToLocalStorage("korpa", products);
261
262 }
263 // funkcija koja proverava da li proizvod vec postoji u korpi
264 function productIsAlreadyInCart(){
265   var proizvod=proizvodiizkorpe.filter(p => p.id == id).length;
266   //console.log(proizvod);
267   return proizvod;
268 }
269
270 // funkcija koja povecava kolicinu
271 function updateQuantity(){
272   let productsFromLS = getItemFromLocalStorage("korpa");
273   for(let i in productsFromLS)
274   {
275     if(productsFromLS[i].id == id) {
276       productsFromLS[i].quantity++;
277       break;
278     }
279   }
280
281   setItemToLocalStorage("korpa", productsFromLS)
282 }
283 function addToLocalStorage(){
284   let productsFromLS = getItemFromLocalStorage("korpa");
285   productsFromLS.push({
286     id : id,
287     quantity : 1
288   });
289   setItemToLocalStorage("korpa", productsFromLS);
290 }
291 ajaxCallBack("models/korpa.php", "post",  function(result){
292   setItemToLocalStorage("proizvodi", result);
293 });
294
295
296 function slanjeKorpe()
297 {
298   localStorage.getItem
299 }
300 function setCookie(name, value, exdays){
301   let date = new Date();
302   // Vreme isteka je za exdays više od današnjeg dana (ako je exdays manji od nule, cookie će isteći).
303   date.setTime(date.getTime() + (exdays*24*60*60*1000));
304   document.cookie = name + "=" + value + ";" + "expires=" + date.toUTCString();
305 }
306 function dodavanjeKorpa(){
307   console.log(this);
308   const book = $(this).data("naziv");
309   let cart = [];
310   const cookieCart = document.cookie.split("; ").find(row => row.startsWith('cart='));
311   if(cookieCart){
312     // Ukoliko već postoji cart u cookie, dodajemo nov član na već postojeći niz.
313     cart = JSON.parse(cookieCart.split("=")[1]);
314   }
315   if(cart.some(x => x.book == book)){
316     // Ako već postoji knjiga sa istim imenom, uvećavamo njenu količinu.
317     cart.find(x => x.book == book).quantity++;
318   } else {
319     // U suprotnom, dodajemo novu knjigu sa količinom 1.
320     cart.push({book, quantity: 1});
321   }
322   document.cookie = "cart=" + JSON.stringify(cart);
```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
320     // U suprotnom, dodajemo novu knjigu sa kolicinom 1.
321     cart.push({book, quantity: 1});
322 }
323 setCookie("cart", JSON.stringify(cart), 5);
324 // Niz pretvaramo u string.
325
326 proveraKorpe();
327 // Svaki put pozivamo proveraKorpe da bi se izmenili podaci u korpi.
328
329 function brisanjeKorpe(){
330     localStorage.removeItem(korpa);
331     proi=[];
332     const book = this.dataset.book;
333     const cookieCart = document.cookie.split("; ").find(row => row.startsWith('cart='));
334     if(cookieCart){
335         const cart = JSON.parse(cookieCart.split("=")[1]);
336         // Filtriramo tako da ostaju svi koji nemaju naziv kao prosledeni naziv.
337         const filtered = cart.filter(item => item.book != book);
338
339         if(filtered.length == 0){
340             // Ako je niz prazan, brišemo celu korpu iz cookie-a.
341             brisanjeKorpe();
342         } else {
343             setCookie("cart", JSON.stringify(filtered), 5);
344         }
345         proveraKorpe();
346     }
347 }
348 function brisanjeKorpe(){
349     setCookie("cart", null, -1);
350     // Postavljamo expires u cookie-u na neki prošli datum tako da cookie automatski ističe i uklanja se.
351     proveraKorpe();
352 }
353 var ddl=document.getElementById("ddl");

```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
351     proveraKorpe();
352 }
353 var ddl=document.getElementById("ddl");
354 ddl.addEventListener("click",function(){
355     var vrednost=$("#ddl option:selected").val();
356     //console.log(vrednost);
357     if(vrednost==0)
358     {
359         console.log(vrednost);
360         prikazProizvoda(proizvodi);
361         console.log(proizvodi);
362     }
363 })
364 $("#range1").css("color","white");
365 $("#range2").css("color","white");
366 var myIndex = 0;
367 carousel();
368
369 function carousel() {
370     var i;
371     var x = document.getElementsByClassName("mySlides");
372     for (i = 0; i < x.length; i++) {
373         x[i].style.display = "none";
374     }
375     myIndex++;
376     if (myIndex > x.length) {myIndex = 1}
377     x[myIndex-1].style.display = "block";
378     setTimeout(carousel, 2000); // Change image every 2 seconds
379 }
380 document.getElementById("ddlB").addEventListener("change",function(){
381     var podaciZaSlanje=$("#select#ddlB option:selected").val();
382     console.log(podaciZaSlanje);
383     let data = {
384         podaci:podaciZaSlanje
385     }

```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
383     let data = {
384       | podaciPodaciZaSlanje
385     }
386     ajaxBack("models/sortiranjeCenaDole.php", "post", data, function(result){
387       | console.log(result);
388       | var ispisi="";
389       | for(let i=0;i<result.length;i++)
390       {
391         |   br=result[i].zvezdice;
392         |   var zvezIspisi="";
393         |   for(var n=0;n<br;n++)
394         {
395           |   | zvezIspisi+="star";
396         }
397         |   console.log(n);
398         |   for(let m=0;m<5-n;m++)
399         {
400           |   | zvezIspisi+="star_border";
401         }
402         ispisi+=`<div class='col-lg-4 col-md-6 mb-4' id='raspored' >
403           <div class='card h-100' >
404             <a href="#"><img class='card-img-top' src='assets/images/${result[i].slika_src}' alt='${result[i].slika_alt}'></a>
405             <div class='card-body' style='display: grid' >
406               <h4 class='card-title' >
407                 <h2 style='color:orange; '>${result[i].naziv_proizvoda}</h1>
408               </h4>
409               <p class='card-text'></p>
410               <p>${zvezIspisi}</p>
411               <h5>${result[i].nova_cena} RSD</h5>
412               <small>${result[i].stara_cena} RSD</small></p>
413               <p class='card-text'>${result[i].opis}</p>
414               <button class='korpa' data-naziv='${result[i].naziv_proizvoda}' data-name='${result[i].id_proizvoda}'>Ubaci u korpus<but
415             </div>
416           </div>
417         </div>
418       }
419       $("#proizvodi").html(ispisi);
420     })
421   })
422   $(document).on("change","#ddl",function(){
423     console.log($("#select#ddl option:selected").val());
424     var podaciZaSlanje=$("#select#ddl option:selected").val();
425     var data={
426       idKat:podaciZaSlanje
427     }
428     console.log(data);
429     ajaxBack("models/sortiranje.php", "post", data, function(result){
430       var ispisi="";
431       for(let i=0;i<result.length;i++)
432       {
433         br=result[i].zvezdice;
434         var zvezIspisi="";
435         for(var n=0;n<br;n++)
436         {
437           | zvezIspisi+="star";
438         }
439         | console.log(n);
440         | for(let m=0;m<5-n;m++)
441         {
442           | | zvezIspisi+="star_border";
443         }
444         ispisi+=`<div class='col-lg-4 col-md-6 mb-4' id='raspored' >
445           <div class='card h-100' >
446             <a href="#"><img class='card-img-top' src='assets/images/${result[i].slika_src}' alt='${result[i].slika_alt}'></a>
447             <div class='card-body' style='display: grid' >
448               <h4 class='card-title' >
```

File Edit Selection View Go Run Terminal Help main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
414       |   <button class='korpa' data-naziv='${result[i].naziv_proizvoda}' data-name='${result[i].id_proizvoda}'>Ubaci u korpus<but
415       |   </div>
416       |   </div>
417       |   </div>;
418     }
419     $("#proizvodi").html(ispisi);
420   })
421   })
422   $(document).on("change","#ddl",function(){
423     console.log($("#select#ddl option:selected").val());
424     var podaciZaSlanje=$("#select#ddl option:selected").val();
425     var data={
426       idKat:podaciZaSlanje
427     }
428     console.log(data);
429     ajaxBack("models/sortiranje.php", "post", data, function(result){
430       var ispisi="";
431       for(let i=0;i<result.length;i++)
432       {
433         br=result[i].zvezdice;
434         var zvezIspisi="";
435         for(var n=0;n<br;n++)
436         {
437           | zvezIspisi+="star";
438         }
439         | console.log(n);
440         | for(let m=0;m<5-n;m++)
441         {
442           | | zvezIspisi+="star_border";
443         }
444         ispisi+=`<div class='col-lg-4 col-md-6 mb-4' id='raspored' >
445           <div class='card h-100' >
446             <a href="#"><img class='card-img-top' src='assets/images/${result[i].slika_src}' alt='${result[i].slika_alt}'></a>
447             <div class='card-body' style='display: grid' >
448               <h4 class='card-title' >
```

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

JS main.js x

```
assets > js > JS main.js > ⚡ on("click") callback
443     }
444     ispis+=`<div class='col-lg-4 col-md-6 mb-4' id='raspored' >
445         <a href="#"><img class='card-img-top' src='assets/images/${result[i].slika_src}' alt='${result[i].slika_alt}'></a>
446         <div class='card h-100' style='display: grid'>
447             <div class='card-body'>
448                 <h4 class='card-title'>
449                     <h2 style='color:orange;'>${result[i].naziv_proizvoda}</h2>
450                 </h4>
451                 <p class='card-text'></p>
452                 <p>${zvezdica}</p>
453                 <h5>${result[i].nova_cena} RSD</h5>
454                 <s>${result[i].stara_cena} RSD</s><p>
455                 <p class='card-text'>${result[i].opis}</p>
456                 <button class='korpa' data-naziv='${result[i].naziv_proizvoda}' data-name='${result[i].id_proizvoda}'>Ubaci u korpu</button>
457             </div>
458         </div>
459     </div>`;
460 }
461 $("#proizvodi").html(ispis);
462 }
463 }
464 $("#range").on("change",function(){
465     console.log($("#range").val());
466     var pod=$("#range").val();
467     var data=
468     {
469         podatak:pod
470     }
471     ajaxBack("models/opsegCene.php", "post", data, function(result){
472         console.log(result);
473         var ispis="";
474         for(let i=0;i<result.length;i++)
475         {
476             br=result[i].zvezdice;
477             var zvezdica="";
```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

JS main.js x

```
assets > js > JS main.js > ⚡ on("click") callback
475     {
476         br=result[i].zvezdice;
477         var zvezdica="";
478         for(var n=0;n<br;n++)
479         {
480             zvezdica+="star";
481         }
482         console.log(n);
483         for(let m=0;m<5-n;m++)
484         {
485             zvezdica+="star_border";
486         }
487         ispis+=`<div class='col-lg-4 col-md-6 mb-4' id='raspored' >
488             <a href="#"><img class='card-img-top' src='assets/images/${result[i].slika_src}' alt='${result[i].slika_alt}'></a>
489             <div class='card h-100' style='display: grid'>
490                 <div class='card-body'>
491                     <h4 class='card-title'>
492                         <h2 style='color:orange;'>${result[i].naziv_proizvoda}</h2>
493                     </h4>
494                     <p class='card-text'></p>
495                     <p>${zvezdica}</p>
496                     <h5>${result[i].nova_cena} RSD</h5>
497                     <s>${result[i].stara_cena} RSD</s><p>
498                     <p class='card-text'>${result[i].opis}</p>
499                     <button class='korpa' data-naziv='${result[i].naziv_proizvoda}' data-name='${result[i].id_proizvoda}'>Ubaci u korpu</button>
500                 </div>
501             </div>
502         </div>`;
503     }
504     $("#proizvodi").html(ispis);
505 }
506 }
```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help main.js - stefanstanisavljevicphp - Visual Studio Code

```

JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
506     })
507   }
508 }
509
510 if(url.indexOf('korisnik.php')!=-1)
511 {
512   $("#STANDARD").css("background-image","url('https://nonstopfitness.rs/wp-content/uploads/2021/01/NonStopFitness-Teretana-1.jpg')");
513   $("#STUDENT").css("background-image","url('https://nonstopfitness.rs/wp-content/uploads/2021/01/NonStopFitness-Teretana-2.jpg')");
514   $("#DNEVNI").css("background-image","url('https://nonstopfitness.rs/wp-content/uploads/2021/01/NonStopFitness-Teretana-3.jpg')");
515 }
516 if(url.indexOf('index.php')!=-1)
517 {
518   //prikan vise teksta
519   $("#pvice").on("click",function(){
520     $("#vise").css("display","block");
521     $("#skloni").css("display","none");
522   })
523   $(document).ready(function(){
524     $.ajax({
525       url:'models/autor.php',
526       method:"get",
527       dataType:"json",
528       success:function(result)
529       {
530         console.log(result);
531       }
532     })
533     $("#STANDARD").css("background-image","url('https://nonstopfitness.rs/wp-content/uploads/2021/01/NonStopFitness-Teretana-1.jpg')");
534     $("#STUDENT").css("background-image","url('https://nonstopfitness.rs/wp-content/uploads/2021/01/NonStopFitness-Teretana-2.jpg')");
535     $("#DNEVNI").css("background-image","url('https://nonstopfitness.rs/wp-content/uploads/2021/01/NonStopFitness-Teretana-3.jpg')");
536   })
537 }
538 }
539
540 //Get the button

```

File Edit Selection View Go Run Terminal Help main.js - stefanstanisavljevicphp - Visual Studio Code

```

JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
540 //Get the button
541 var mybutton = document.getElementById("myBtn");
542 window.onscroll = function() {scrollFunction()};
543 function scrollFunction() {
544   if (document.body.scrollTop > 20 || document.documentElement.scrollTop > 20) {
545     mybutton.style.display = "block";
546   } else {
547     mybutton.style.display = "none";
548   }
549 }
550 // vracanje na vrh
551 function topFunction() {
552   document.body.scrollTop = 0;
553   document.documentElement.scrollTop = 0;
554 }
555 $("#myBtn").on("click",topFunction);
556
557
558 //}
559 //Ovdje pocinje JS za PHP
560 $(document).ready(function(){
561   $("#dugmeSlanje").on("click",function(){
562     let imePrezime = $("#imePrezime");
563     let mejl = $("#mejl");
564     let adresa = $("#adresa");
565     //izrazi
566     let reImePrezime = /^[A-Z][a-z]{2,14}(\s[A-Z][a-z]{2,19})+$/;
567     let reMejl = /^[w\.\.]+@[w\.\.]+\.[w\.\.]{2,4}$/;
568     let reAdresa = ^([A-Z][1-9]{1,5})[A-Za-z\d\-\.\s]+$/;
569     let brojGresaka = 0;
570     console.log($("#imePrezime").val());
571     if(!reImePrezime.test($("#imePrezime").val())){
572       brojGresaka++;
573       $("#imePrezime").addClass('error');
574     }

```

```
File Edit Selection View Go Run Terminal Help main.js - stefanstanisavljevicphp - Visual Studio Code

JS main.js x

assets > js > JS main.js > ⚡ on("click") callback
569
570     let brojGresaka = 0;
571     console.log($("#imePrezime").val());
572     if(!reImePrezime.test($("#imePrezime").val())){
573         brojGresaka++;
574         $("#imePrezime").addClass('error');
575     }
576     else{
577         $("#imePrezime").removeClass('error');
578     }
579
580     if(!reAdresa.test($("#adresa").val())){
581         brojGresaka++;
582         $("#adresa").addClass('error');
583     }
584     else{
585         $("#adresa").removeClass('error');
586     }
587     if(!reMejl.test($("#mejl").val())){
588         brojGresaka++;
589         $("#mejl").addClass('error');
590     }
591     else{
592         $("#adresa").removeClass('error');
593     }
594     console.log(brojGresaka);
595     if(brojGresaka==0){
596         let podaciZaSlanje={
597             "imePrezime":$("#imePrezime").val(),
598             "adresa":$("#adresa").val(),
599             "mejl":$("#mejl").val()
600         }
601     }
602 }

In 15 Col 37 Spaces: 2 LITE-8 CRLF JavaScript Go Live
```

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
635     brojGresaka.push("Neispravna lozinka, minimum 8 karaktera, treba da sadrzi minimum jedno veliko slovo, broj,specijalni znak.");
636 }
637
638 if($(pol).val()=='M'||$(pol).val()=='Z')
639 {
640 }
641 else{
642     brojGresaka.push("Morate izabrati pol");
643 }
//console.log(brojGresaka);
//console.log(brojGresaka.length);
647 if(brojGresaka.length==0)
648 {
649     var podaciZaSlanje = {
650         imeprezime: $(prezimeIme).val(),
651         pol:$pol.val(),
652         email: $(email).val(),
653         lozinka: $(lozinka).val()
654     }
655
656     // console.log(podaciZaSlanje);
657 }
658
659
660 else
661 {
662     var ispis="";
663     for(let i=0;i<brojGresaka.length;i++)
664     {
665         ispis+="

" +brojGresaka[i]+"

";
666     }
667     $("#odgovor").html(ispis);
668 }
669 
```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
675
676
677
678 )
679 }
680 if(url.indexOf('logovanje.php')!==-1)
681 {
682     $(document).on('click', '#logovanje', function(){
683         let email, lozinka, brojGresaka;
684         email = $('#e-mail');
685         lozinka = $('#loz');
686         brojGresaka = [];
687         regpass=/^(?=.*[a-z])(?=.*[A-Z])(?=.*[0-9])(?=.*[!@#$%^&*])(?=.{8,})/;
688         regemail=/^[_a-zA-Z0-9-!#$%&+=?^_`{|}~-]+@[a-zA-Z0-9-]+\.(?:[a-zA-Z0-9-]+\.)?$/;
689         if(!regemail.test($('#email').val()))
690         {
691             brojGresaka.push("Neispravan mejl (stefan@gmail.com)");
692         }
693
694         if(!regpass.test($('#lozinka').val()))
695         {
696             brojGresaka.push("Neispravna lozinka, minimum 8 karaktera, treba da sadrzi minimum jedno veliko slovo, broj,specijalni znak.");
697         }
698         // regularni izrazi
699
700         // provera
701
702         if(brojGresaka.length==0){
703             let data = {
704                 email: $('#email').val(),
705                 lozinka: $('#lozinka').val()
706             }
707             ajaxBack("models/logovanje.php", "post", data, function(result){
708                 console.log(result.nazivUloge);
709             });
710         }
711     });
712 }
713 
```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
706     }
707     ajaxBack("models/logovanje.php", "post", data, function(result){
708         console.log(result.nazivUloge);
709         if(result.nazivUloge == "admin"){
710             $("#ispis12").append("<a href='admin_panel.php'>Stranica za adminnna</a>");
711         }
712         if(result.nazivUloge == "korisnik"){
713             $("#ispis12").append("<a href='korisnik.php'>Stranica za korisnika</a>");
714         }
715     });
716     else
717     {
718         var ispis="";
719         for(let i=0;i<brojGresaka.length;i++)
720         {
721             ispis+="

" +brojGresaka[i]+ "

";
722         }
723         $("#ispis12").html(ispis);
724     }
725 }
726 //
727
728
729
730
731
732 if(url.indexOf('anketa.php')!=-1)
733 {
734     $("#anketa").on("click",function(){
735         var rb=$("#form :radio:checked").val();
736         console.log(rb);
737         data=
738         {
739             vrednost:rb
740         }
741     })
742 }
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
```

File Edit Selection View Go Run Terminal Help main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
738     {
739         vrednost:rb
740     }
741     ajaxBack("models/obradaAnkete.php", "post", data, function(result){
742         alert(result.uspeh);
743         $("#prosek").html(("Prosecan rezultat glasanja-"+result.prosek[0]["avg(vrednost_glasanja)"]));
744     })
745 }
746 $("#forma p").click(function(){
747     $("#forma p").css("background-color"," #dddbdb");
748     $(this).css("background-color"," #9ACD32");
749     var dete=$(this).children();
750     console.log(dete[0].checked=true);
751 })
752 }
753
754 function ajaxBack(url, method, data, result){
755     $.ajax({
756         url: url,
757         method: method,
758         data: data,
759         dataType: "json",
760         success: result,
761         // error: function(xhr){
762             //console.error(xhr);
763             // if 500...
764             // if 404...
765         //}
766     });
767 }
768
769 //regex
770 var grRegNiz=[];
771 //provera imePrezime
```

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
    /ož
    // regex
    770 var grRegNiz=[];
    771     //provera imePrezime
    772 const imePrezime=document.getElementById("imePrezime");
    773 imePrezime.addEventListener("focus",fokus);
    774 function fokus(){
    775     $("#imePrezime").css("border-bottom","2px solid orange");
    776     $("#primerIme").css("display","none");
    777 }
    778 imePrezime.addEventListener("blur",proveraIme);
    779 function proveraIme(){
    780     var unetoImePrezime=$("#imePrezime").val();
    781     var kakoTreba=/^A-ZČĆŽŠB][a-zčćžšđ]{1,20}\s[A-ZČĆŽŠB][a-zčćžšđ]{1,20}+$/;
    782     if (kakoTreba.test(unetoImePrezime))
    783     {
    784         console.log("dobro je");
    785         $("#imePrezime").css("border-bottom","2px solid green");
    786         $("#primerIme").css("display","none");
    787     }
    788     else{
    789         grRegNiz.push("Greska ime prezime");
    790         $("#imePrezime").css("border-bottom","2px solid red");
    791         $("#primerIme").css("display","block");
    792     }
    793 }
    794 //mejl provera
    795 const mejl=document.getElementById("mejl");
    796 mejl.addEventListener("focus",fokusMejl);
    797 function fokusMejl(){
    798     $("#mejl").css("border-bottom","2px solid orange");
    799     $("#primerMejl").css("display","none");
    800 }
    801 mejl.addEventListener("blur",proveraMejl);
    802 function proveraMejl(){

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live
```

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > ⚡ on("click") callback
    /ož
    804 var unetiMejl=$("#mejl").val();
    805 var kakoTreba=/[w\.-]+@[w\.-]+\.[w\.-]{2,4}$/;
    806 if (kakoTreba.test(unetiMejl))
    807 {
    808     console.log("dobro je");
    809     $("#mejl").css("border-bottom","2px solid green");
    810     $("#primerMejl").css("display","none");
    811 }
    812 else{
    813     grRegNiz.push("Greska mejl");
    814     $("#mejl").css("border-bottom","2px solid red");
    815     $("#primerMejl").css("display","block");
    816 }
    817 //adresa provera
    818 const adresa=document.getElementById("adresa");
    819 adresa.addEventListener("focus",fokusAdresa);
    820 function fokusAdresa(){
    821     $("#adresa").css("border-bottom","2px solid orange");
    822     $("#primerAdresa").css("display","none");
    823     $("#primerAdresaIstil").css("display","none");
    824 }
    825 adresa.addEventListener("blur",proveraAdresa);
    826 function proveraAdresa(){
    827
    828     var unetaAdresa=$("#adresa").val();
    829     var unetiMejl=$("#mejl").val();
    830     var kakoTreba=/[w\.-]+@[w\.-]+\.[w\.-]{2,4}$/;
    831     if (kakoTreba.test(unetaAdresa))
    832     {
    833         if(unetiMejl==unetaAdresa)
    834         {
    835             console.log("dobro je");
    836             $("#adresa").css("border-bottom","2px solid green");
    837             $("#primerAdresa").css("display","none");
    838     }

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live
```

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > on("click") callback
835     console.log("dobro je");
836     $("#adresa").css("border-bottom", "2px solid green");
837     $("#primerAdresa").css("display", "none");
838     $("#primerAdresaIsti").css("display", "none");
839   }
840   else{
841     grRegNiz.push("Greska u ponovljenom unosu mejla");
842     $("#adresa").css("border-bottom", "2px solid red");
843     $("#primerAdresaIsti").css("display", "block");
844   }
845 }
846 else{
847   grRegNiz.push("Greska mejl");
848   $("#adresa").css("border-bottom", "2px solid red");
849   $("#primerAdresa").css("display", "block");
850 }
851 }
852 }
853 //}
854 //console.log(grRegNiz);
855 $("#dugmeSlanje").on("click",function(){
856   var imePrezime=$("#imePrezime").val();
857   var email=$("#mejl").val();
858   var emailPonovo=$("#adresa").val();
859   var poruka=$("#por").val();
860   regimePrezime=/[A-Z\u0100-\u017E][a-z\u0100-\u017E]{2,20}(\s[A-Z\u0100-\u017E][a-z\u0100-\u017E]{3,30})+$/;
861   regemail=/[\w\.-]+@[.\w\.-]+\.\w\-[2,4]$/;
862   brojGresaka = [];
863   if(!regimePrezime.test(imePrezime))
864   {
865     brojGresaka.push("Neispravno ime i prezime(Stefan Stanisavljević)");
866     console.log("ime");
867   }
868   if(regemail.test(email))
869   
```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicphp - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > on("click") callback
809   if(regemail.test(email))
810   {
811     if(emailPonovo==email)
812     {
813       brojGresaka.push("Ne poklapaju se mejlovi");
814       console.log("mejlisti");
815     }
816     else
817     {
818       brojGresaka.push("Neispravan mejl (stefan@gmail.com)");
819       console.log("neispravan");
820     }
821     console.log(brojGresaka);
822
823     if(brojGresaka.length==0)
824     {
825       var podaciZaSlanje =
826       {
827         imePrezime:imePrezime,
828         email:email,
829         podaci:poruka
830       }
831       ajaxBack("models/slanjeAdminu.php", "post", podaciZaSlanje, function(result){
832         alert(result);
833         if(result)
834         {
835           $("#imePrezime").val("");
836           $("#mejl").val("");
837           $("#adresa").val("");
838           $("#por").val("");
839         }
840         //$('#odgovor').html(`<p class="alert alert-success my-3">${result.poruka}</p>`);
841       }
842     }
843   }
844 }
845 
```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live

File Edit Selection View Go Run Terminal Help

main.js - stefanstanisavljevicph - Visual Studio Code

```
JS main.js x
assets > js > JS main.js > on("click") callback
885     if(brojGresaka.length==0)
886     {
887         var podaciZaSlanje =
888         {
889             imePrezime:imePrezime,
890             email:email,
891             podaci:poruka
892         }
893         ajaxBack("models/slanjeAdminu.php", "post", podaciZaSlanje, function(result){
894             alert(result);
895             if(result)
896             {
897                 $("#imePrezime").val("");
898                 $("#mejl1").val("");
899                 $("#adresa").val("");
900                 $("#por").val("");
901             }
902             //$("#odgovor").html(`<p class="alert alert-success my-3">${result.poruka}</p>`);
903         });
904     }
905     else{
906         // for(let i=0;i<brojGresaka.length;i++)
907         // {
908         //     $('#contact').append(brojGresaka[i]+"<br>");
909         // }
910     }
911 }
912 })
913 //reg za kontakt sa administratorom;
914 // (function () {
915
916 //     'use strict';
917
918 // )
919

```

Ln 15, Col 37 Spaces: 2 UTF-8 CRLF JavaScript Go Live ⚡ 🗑

Cart.js

```
JS main.js JS cart.js x
assets > js > JS cart.js > ajaxCallBack
1 v $(document).ready(function () {
2     let productsFromCartLS = getItemFromLocalStorage("korpa");
3     // console.log(productsFromCartLS);
4
5 v     if(productsFromCartLS == null){
6         showEmptyCart();
7     }
8 v     else{
9         displayCartData();
10    });
11
12
13 // funkcija za dohvatanje podataka iz local storage
14 v function getItemFromLocalStorage(name){
15     return JSON.parse(localStorage.getItem(name));
16 }
17
18 // funkcija za prikaz prazne korpe
19 v function showEmptyCart(){
20     $("#korpica").html("<h1>Your cart is empty!</h1>");
21 }
22 // funkcija za prikaz sadrzaja korpe
23 v function displayCartData(){
24     let productsFromCartLS = getItemFromLocalStorage("korpa");
25
26 v     ajaxCallBack("models/korpa.php", "post", function(data){
27         // console.log(data)
28
29         let productsForDisplay = [];
30
31 v         productsForDisplay = data.filter(p => {
32             for(let prod of productsFromCartLS)
33             {
34                 if(p.id_proizvoda == prod.id) {
35                     p.quantity = prod.quantity;
36                 }
37             }
38         });
39
40         return false;
41     });
42     // console.log(productsForDisplay)
43     generateTable(productsForDisplay)
44 }
45 }
46
47 // ajax callback function
48 function ajaxCallBack(url, method, result){
49     $.ajax({
50         url: url,
51         method: method,
52         dataType: "json",
53         success: result,
54         error: function(xhr){console.log(xhr);}
55     });
56 }
57 // funkcija koja kreira tabelu sa sadrzajem korpe
58 function generateTable(products){
59     let html = `
60     <table class="timetable_sub">
61         <thead>
62             <tr>
63                 <th>Redni broj</th>
64                 <th>Proizvod</th>
65                 <th>Naziv proizvoda</th>
66                 <th>Osnovna cena</th>
67             </tr>
68         </thead>
69         <tbody>
70             <tr>
71                 <td>1</td>
72                 <td>Dell XPS 13</td>
73                 <td>Dell XPS 13</td>
74                 <td>123456</td>
75             </tr>
76         </tbody>
77     </table>
78 }
```

File Edit Selection View Go Run Terminal Help

cart.js - stefanstanisavljevicph - Visual Studio Code

JS main.js JS cart.js

```
assets > js > JS cart.js > ajaxCallBack
67     <th>Kolicina</th>
68     <th>Cena</th>
69     <th>Ukloni</th>
70   </tr>
71 </thead>
72 <tbody>;
73
74 for(let p of products) {
75   html += generateTr(p);
76 }
77
78 html +=`</tbody>
79 </table>`;
80
81 $("#korpica").html(html);
82
83 function generateTr(p) {
84   console.log(p);
85   var prom=
86   `<tr class="rem1">
87   <td class="invert">${p.id_proizvoda}</td>
88   <td class="invert-image">
89     <a href="single.html">
90       
91     </a>
92   </td>
93   <td class="invert">${p.naziv_proizvoda}</td>
94   <td class="invert">${p.nova_cena} RSD</td>
95   <td class="invert">${p.quantity}</td>
96   <td class="invert">${p.nova_cena * p.quantity} RSD</td>
97   <td class="invert">
98     <div class="rem">
99       <div class=""><button class='btn' id="remove" onclick='removeFromCart(${p.id_proizvoda})'>Remove</button> </div>
100     </div>
101   </td>
102 </tr>
103
104   return prom;
105 }
106 }
107
108 function removeFromCart(id) {
109   let products = getItemFromLocalStorage("korpa");
110   let filtered = products.filter(p => p.id != id);
111
112   localStorage.setItem("korpa", JSON.stringify(filtered));
113
114   displayCartData();
115 }
116 }
```


File Edit Selection View Go Run Terminal Help

cart.js - stefanstanisavljevicph - Visual Studio Code

JS main.js JS cart.js

```
assets > js > JS cart.js > ajaxCallBack
96   <td class="invert">${p.nova_cena * p.quantity} RSD</td>
97   <td class="invert">
98     <div class="rem">
99       <div class=""><button class='btn' id="remove" onclick='removeFromCart(${p.id_proizvoda})'>Remove</button> </div>
100     </div>
101   </td>
102 </tr>
103
104   return prom;
105 }
106 }
107
108 function removeFromCart(id) {
109   let products = getItemFromLocalStorage("korpa");
110   let filtered = products.filter(p => p.id != id);
111
112   localStorage.setItem("korpa", JSON.stringify(filtered));
113
114   displayCartData();
115 }
116 }
```

Sitemap.xml



The image shows two instances of the Visual Studio Code editor side-by-side, both displaying the same XML file: sitemap.xml. The file is an XML document defining a sitemap for a website. It uses the schema defined at <http://www.sitemaps.org/schemas/sitemap/0.9>. The XML code lists various URLs with their last modification date, change frequency, and priority.

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <url>
    <loc>index.php</loc>
    <lastmod>2020-12-11</lastmod>
    <changefreq>monthly</changefreq>
    <priority>0.9</priority>
  </url>
  <url>
    <loc>proizvodi.php</loc>
    <lastmod>2020-12-11</lastmod>
    <changefreq>monthly</changefreq>
    <priority>0.8</priority>
  </url>
  <url>
    <loc>admin_panel.php</loc>
    <lastmod>2020-12-11</lastmod>
    <changefreq>monthly</changefreq>
    <priority>0.8</priority>
  </url>
  <url>
    <loc>anketa.php</loc>
    <lastmod>2020-12-11</lastmod>
    <changefreq>monthly</changefreq>
    <priority>0.7</priority>
  </url>
  <url>
    <loc>korisnik.php</loc>
    <lastmod>2020-12-11</lastmod>
    <changefreq>monthly</changefreq>
    <priority>0.7</priority>
  </url>
  <url>
    <loc>logovanje.php</loc>
    <lastmod>2020-12-11</lastmod>
    <changefreq>monthly</changefreq>
  </url>
</urlset>
```

The status bar at the bottom of each instance shows the file path as "sitemap.xml - stefanstanisavljevicphp - Visual Studio Code", line count as "Ln 109, Col 9", and other settings like "Spaces: 4", "UTF-8", "CRLF", "XML", "Go Live", and "File Save".

The screenshot shows the Visual Studio Code interface with the title bar "sitemap.xml - stefanstanisavljevicphp - Visual Studio Code". The left sidebar contains icons for file operations like Open, Save, Find, and others. The main editor area displays the XML code for a sitemap:

```
<lastmod>2020-12-11</lastmod>
<changefreq>monthly</changefreq>
<priority>0.7</priority>
</url>
</url>
<url>
<loc>korpa.php</loc>
<lastmod>2020-12-11</lastmod>
<changefreq>monthly</changefreq>
<priority>0.7</priority>
</url>
</url>
<url>
<loc>registracija.php</loc>
<lastmod>2020-12-11</lastmod>
<changefreq>monthly</changefreq>
<priority>0.7</priority>
</url>
</url>
<url>
<loc>kontaktSaAdminom.php</loc>
```

The status bar at the bottom shows "Ln 109, Col 9" and other settings like "Spaces: 4", "UTF-8", "CRLF", "XML", "Go Live", and a refresh icon.

This screenshot is identical to the one above, showing the same Visual Studio Code interface and sitemap.xml file content. The cursor is positioned at the very end of the file, after the final closing tag "</url>".

Rss.xml

The screenshot shows the Visual Studio Code interface with the following details:

- File Bar:** File, Edit, Selection, View, Go, Run, Terminal, Help.
- Title Bar:** rss.xml - stefanstanisavljevicph - Visual Studio Code.
- Left Sidebar:** Shows icons for File, Find, Go To, Open, Save, and a gear icon.
- Central Area:** A code editor window titled "rss.xml" containing the following XML code:

```
<?xml version="1.0" encoding="utf-8"?>
<rss version="2.0">
    <channel>
        <item>
            <title>Fox pro teretana</title>
            <description>Domaća teretana visokog kvalieta niske cene</description>
            <link>index.php</link>
        </item>
    </channel>
</rss>
```
- Bottom Status Bar:** Ln 10, Col 7, Spaces: 4, UTF-8, CRLF, XML, Go Live, and a search icon.

