



iOS Release — Quickstart

CANEI SUBIRATS · FOR SOMEONE WHO HAS SHIPPED TO THE APP STORE BEFORE

The model: the app is a native shell over the live web app. **Website changes reach the app automatically** (pull-to-refresh) — no new build, no review. You only upload a build to change the native shell (icon, tabs, permissions). Everything below is that upload path, automated to **one file + one command**.

One-time · the app record (5 min, skip if done)

1 Register the bundle id

developer.apple.com → Identifiers → + → App → `com.caneisubirats.erp`. Prefer your own prefix? Change `PRODUCT_BUNDLE_IDENTIFIER` in the Xcode target and `APP_BUNDLE_ID` in `fastlane/.env.default` to match — one place each.

2 Create the app in App Store Connect

Apps → + NEW APP → iOS · name **Canei Subirats** · pick the bundle id · SKU `CANEI-ERP-IOS`. No screenshots/description needed for internal TestFlight. Encryption compliance is pre-declared in the project — you won't be asked.

Fill once · `fastlane/.env.default`

From **App Store Connect** → **Users and Access** → **Integrations** → **App Store Connect API**, create a key with **App Manager** access and download the `.p8` (once-only download). Then:

KEY IN <code>.ENV.DEFAULT</code>	VALUE / WHERE
<code>ASC_KEY_ID</code>	the key's Key ID (10 chars)
<code>ASC_ISSUER_ID</code>	the Issuer ID at the top of that page (uuid)
<code>ASC_KEY_P8_PATH</code>	path to your saved <code>AuthKey_XXXX.p8</code> (keep it outside the repo)
<code>DEVELOPER_TEAM_ID</code>	developer.apple.com → Membership → Team ID (10 chars)

Secrets stay local. `fastlane/.env.default` and every `*.p8` are gitignored — nothing sensitive is committed. Store the `.p8` in a password manager.

Ship · one command

```
cd ios
make setup      # installs fastlane, creates .env.default (fill it), once
make ship       # signs, auto-bumps build no., uploads to TestFlight
```

Managed signing runs through the API key — no manual certificates or 2FA prompts. On success the build appears in **App Store Connect** → **TestFlight** after a few minutes of processing.

Testers (once per person)

You

App Store Connect → TestFlight → Internal Testing → add testers (they must be under Users and Access; up to 100, no review, instant) → attach the build.

Each tester

Install **TestFlight** from the App Store → open the invite email → **Install**. Allow camera on first use so site-visit photos work.

Updating — what needs a build, what doesn't

CHANGE	ACTION	TESTERS
Website content, prices, catalogue, documents, workflow, colours	Nothing — publish the site as usual	Pull to refresh
App icon, splash, a tab, permissions, OS support	<code>make ship</code> again	Update in TestFlight
Go public on the App Store	Add store listing → submit for review	Install from App Store

Hands-off alternative — GitHub

Add the four values as repo **Secrets** (`ASC_KEY_ID`, `ASC_ISSUER_ID`, `ASC_KEY_P8` = the .p8 contents, `DEVELOPER_TEAM_ID`), then Actions → “iOS · TestFlight” → **Run workflow**. It only runs when you click it — never on ordinary pushes, so no failure emails.

Troubleshooting

“No account for team” in Xcode

Xcode → Settings → Accounts → add your Apple ID; target → Signing & Capabilities → pick the Team.

Project won't open

`cd ios && ./setup.sh` regenerates it cleanly (needs XcodeGen; the script installs it).

Auth / key errors from fastlane

Check `ASC_KEY_P8_PATH` points to the real file and the key has **App Manager** role. Re-download if lost (generate a new key).

Build stuck “Processing”

Normal for a few minutes; refresh TestFlight. It clears itself.

In one breath: register the id + create the app record (once) → fill `fastlane/.env.default` (four values) → `make setup` then `make ship`. Future app updates = `make ship`; future content updates = just publish the website.

Canei Subirats, S.L. · v1.0 · bundle id com.caneisubirats.erp · No passwords or keys are contained in this document — you generate and store those yourself.