



CANEI SUBIRATS · FIELD ERP

iOS App — Beta Onboarding for TestFlight

Everything **you** need to do, by hand, to get the Canei Subirats app onto your iPhone through Apple TestFlight — written for a non-technical operator. Follow it top to bottom once; after that, new versions are a single tap.

~60-90 min

ONE-TIME SETUP

€99 / year

APPLE DEVELOPER

v1.0

APP VERSION

com.caneisubirats.erp

BUNDLE ID

Confidential — prepared for Canei Subirats, S.L. · Keep API keys and passwords private.

START HERE

How this works & what you'll do

The app is a **premium native shell** around your existing website. The website stays the brain; the app makes it feel like a first-class iPhone app and adds the camera, offline handling, share sheet and home-screen icon.

The one idea that saves you the most time

When we change the **website**, the **app updates itself** — the operator just pulls down to refresh, or reopens the app. You only need to send a *new TestFlight build* when the native shell itself changes (rare: a new icon, a new tab, an OS requirement).

Day-to-day content, prices, catalogue and workflow changes need no new build and no App Store review.

What you will set up (once)

Part 1 · Before you begin — the checklist	p.3
Part 2 · Join the Apple Developer Program	p.4
Part 3 · Create the app in App Store Connect	p.5
Part 4 · Send the first build to TestFlight (3 ways)	p.6
Part 5 · The App Store Connect API key (for automation)	p.8
Part 6 · Invite testers & install TestFlight	p.9
Part 7 · What to test (beta checklist)	p.10
Part 8 · Sending future updates	p.11
Part 9 · Troubleshooting & FAQ	p.11
Glossary	p.12

Two roles in this guide

DEVELOPER MAC steps happen once on a Mac with Xcode (yours, or ours).

OPERATOR IPHONE steps are what each field user does on their phone. Most of this document is the one-time Mac setup; the operator part is just Part 6.

Before you begin

Gather these first. If anything is missing, you can still read ahead — just come back when you have it.

You need

- ☐ A **Mac** (macOS Sonoma or newer) with **Xcode 16+** installed — free from the Mac App Store. **Needed for the first build.**
- ☐ An **Apple ID** you control (ideally a company one, e.g. `it@canei...`) with two-factor authentication on.
- ☐ A payment card for the **€99/year** Apple Developer Program.
- ☐ The **legal company details** (legal name, address, phone) — Apple verifies them.
- ☐ The iPhone(s) that will run the beta, and the Apple ID email of each tester.

Already prepared for you

- ☐ The complete app project (in the `ios/` folder of the repository).
- ☐ The app **icon**, splash, colours and navigation.
- ☐ The **bundle identifier** `com.caneisubirats.erp`.
- ☐ The upload automation (`fastlane`) and an optional one-click GitHub workflow.
- ☐ This guide + the Operations Guide PDF.

Key facts to keep handy (you'll be asked for these)

ITEM	VALUE	WHERE IT'S USED
App name	Canei Subirats (display name “Canei”)	App Store Connect
Bundle ID	<code>com.caneisubirats.erp</code>	Certificates, app record, signing
Primary language	Spanish (Spain) or English — your choice	App Store Connect
Category	Business (secondary: Productivity)	App Store Connect
Version / Build	1.0 / 1	Set automatically

If you prefer a different bundle id (for example using your own domain, like `com.yourcompany.canei`), change it in one place — see Part 9 — before the first build. It must match everywhere.

Join the Apple Developer Program

TestFlight — Apple's official beta system — requires a paid Developer Program membership. This is a one-time enrolment; renewal is yearly.

1 Open the enrolment page

On the Mac, go to developer.apple.com/programs/enroll and sign in with your company Apple ID. If you don't have two-factor authentication on, Apple will ask you to turn it on first.

2 Choose the entity type

Select **Company / Organization** if enrolling as Canei Subirats, S.L. (recommended — the app is published under the company name and multiple people can be added). You'll need your company's legal name, address and a **D-U-N-S number** (free; Apple links you to look it up — allow 1-5 business days if you don't have one yet). Choose **Individual** only if you want the fastest path and are comfortable publishing under a personal name.

3 Confirm your details & pay

Enter the company details exactly as they appear in official records, agree to the Apple Developer Agreement, and pay the **€99/year** fee. You'll get a confirmation email.

4 Wait for approval

Individual enrolments are often approved within a day. Company enrolments include a verification call/email from Apple — usually 1-3 business days. You cannot use TestFlight until this is **Active**.

While you wait

You can already open the project in Xcode and **run the app on the iPhone Simulator** (no membership needed) to see it working. You just can't send it to real devices via TestFlight until the membership is active.

Create the app in App Store Connect

App Store Connect is Apple's web dashboard for your apps and testers: appstoreconnect.apple.com. Do this once the membership is Active.

1 Register the bundle identifier

Go to **Certificates, Identifiers & Profiles** → **Identifiers** → **+**. Choose **App IDs** → **App**, description “Canei Subirats”, and Bundle ID **Explicit** = `com.caneisubirats.erp`. Leave capabilities at defaults and Register.

2 Create the app record

In App Store Connect → **Apps** → **+ NEW APP**. Fill in:

- **Platform:** iOS
- **Name:** Canei Subirats (this is public; “Canei” shows under the icon)
- **Primary language:** Spanish (Spain) or English
- **Bundle ID:** select `com.caneisubirats.erp` from the list
- **SKU:** any internal code, e.g. `CANEI-ERP-IOS`
- **User access:** Full Access

3 You do NOT need the full store listing yet

TestFlight betas don't require screenshots, a description, or App Review for **internal** testers. You can add all that later, only when you decide to publish publicly. For now, creating the record is enough.

Export-compliance: already handled

The app declares it uses no non-standard encryption (`ITSAAppUsesNonExemptEncryption = false` is set in the project), so Apple won't ask you the encryption question on every upload. Nothing to do here.

Send the first build to TestFlight

Pick **one** of the three methods. If you've never done this before, use Method A — it's the most visual.

Method A — Xcode (most visual, recommended first time)

1 Open the project & sign in

Double-click `ios/CaneiSubirats.xcodeproj`. In Xcode → **Settings** → **Accounts**, add your Apple ID (the one in the Developer Program).

2 Set the signing team

Select the **CaneiSubirats** target → **Signing & Capabilities**. Tick **Automatically manage signing** and pick your **Team** from the dropdown. Xcode creates the certificate and profile for you.

3 Choose the build destination

At the top of the window, set the device target to **Any iOS Device (arm64)** (not a simulator).

4 Archive

Menu **Product** → **Archive**. Wait for the build. When it finishes, the **Organizer** window opens with your archive.

5 Distribute to App Store Connect

Click **Distribute App** → **TestFlight & App Store** → **Upload**. Accept the defaults (automatic signing, upload symbols) and click through to **Upload**. Success shows a green tick.

6 Wait for processing

In App Store Connect → your app → **TestFlight**, the build shows “Processing” for a few minutes, then becomes available. Continue to Part 6 to add testers.

Methods B & C — one command / one click

Once you've done Part 5 (the API key), these let you skip Xcode entirely for every future build.

Method B — fastlane (one command on the Mac)

In Terminal:

```
# first time only – installs the automation
cd ios
bundle install

# set your four secrets (from Part 5)
export ASC_KEY_ID=XXXXXXXXXX
export ASC_ISSUER_ID=xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx
export ASC_KEY_P8="$(cat ~/Downloads/AuthKey_XXXXXXXXXX.p8)"
export DEVELOPER_TEAM_ID=XXXXXXXXXX

# build + upload to TestFlight
bundle exec fastlane beta
```

fastlane builds a signed release, auto-increments the build number, and uploads it. When it prints **“Uploaded to TestFlight”**, go to Part 6.

Method C — GitHub (one click, no Mac needed after setup)

1 Add four repository secrets

In GitHub → the repository → **Settings** → **Secrets and variables** → **Actions** → **New repository secret**, add: `ASC_KEY_ID`, `ASC_ISSUER_ID`, `ASC_KEY_P8` (paste the whole `.p8` file contents), `DEVELOPER_TEAM_ID`.

2 Run the workflow

Go to the **Actions** tab → **“iOS • TestFlight”** → **Run workflow**. A Mac runner builds and uploads for you. It only ever runs when you click it — it will never fire on ordinary code changes, so it won't send failure emails.

Which should I use?

First ever build → **Method A**. After that, if you like Terminal → **B**; if you'd rather click a button in the browser → **C**. All three produce identical builds.

The App Store Connect API key

Methods B and C sign in to Apple with a **key file** instead of your password, so there are no two-factor prompts. Create it once. (Skip this part if you only ever use Method A.)

1 Open the Integrations page

App Store Connect → **Users and Access** → **Integrations** tab → **App Store Connect API**.

2 Generate a key

Click **+**, name it `Canei CI`, set access to **App Manager**, and Generate.

3 Copy the three values

You'll now see:

VALUE	LOOKS LIKE	SECRET NAME
Key ID	<code>2X9ABC1DEF</code>	<code>ASC_KEY_ID</code>
Issuer ID	<code>69a6de70-...-1a2b3c</code>	<code>ASC_ISSUER_ID</code>
The key file	<code>AuthKey_2X9ABC1DEF.p8</code>	<code>ASC_KEY_P8</code>

Download the `.p8` file now — Apple lets you download it only once. Keep it somewhere safe (a password manager). Its full text becomes the `ASC_KEY_P8` secret.

4 Find your Team ID

developer.apple.com → **Membership** → **Team ID** (10 characters, e.g. `AB12CD34EF`).
That's `DEVELOPER_TEAM_ID`.

Keep these private

The `.p8` key and IDs can upload builds to your account. Never email them, never commit them to the repository, never paste them into a chat. Store them in GitHub Secrets or a password manager only. The project's `.gitignore` already blocks `*.p8` from being committed by accident.

Invite testers & install

This is the only part your field users do. It takes about two minutes per person.

You (admin) — add the testers

1 Open TestFlight for your app

App Store Connect → your app → **TestFlight**. Under **Internal Testing**, click  next to “Internal Group” (or create a group “Canei Field”). Internal testers must be added under **Users and Access** first (up to 100, no App Review, instant).

2 Attach the build & invite

Select the processed build, add the testers' Apple ID emails, and Save. Each person gets an email invitation from TestFlight.

Each tester — on the iPhone

1 Install TestFlight

Open the App Store, search **TestFlight** (made by Apple), install it, and sign in with the Apple ID that received the invite.

2 Accept the invitation

Open the invitation email on the iPhone and tap **View in TestFlight** (or open TestFlight → **Redeem** and paste the code). Tap **Install**.

3 Launch Canei

The Canei icon appears on the home screen. Open it — you'll see the brand splash, then the live app. On first camera use it will ask permission; tap **Allow** so site-visit photos work.

Add to Home Screen — the no-account alternative

Testers can also just open the website in Safari and use **Share → Add to Home Screen** for a lightweight icon. TestFlight is the real app (camera, offline, share, updates); “Add to Home Screen” is a quick fallback if someone can't install TestFlight in time.

What to test (beta checklist)

Run one real project end-to-end on the phone. Tick each item; note anything that feels slow, cut off, or confusing.

Navigation & feel

- ☐ Splash appears, then the Home tab loads.
- ☐ All four tabs switch instantly and keep their place.
- ☐ Tapping the active tab returns it to the top / home.
- ☐ The top progress line shows while pages load.
- ☐ Pull down to refresh works on every tab.
- ☐ Nothing is cut off on the left/right edges.

The real workflow

- ☐ Enter your own company & client data (not the sample).
- ☐ Take a **site-visit photo** — it saves into the project.
- ☐ Build an estimate → turn it into a quote.
- ☐ Generate the quote & invoice PDFs.
- ☐ **Export the project folder (ZIP)** → Save to Files works.
- ☐ Share a document via the share sheet.

How testers report problems (built into TestFlight)

In TestFlight, a tester can **take a screenshot and it is offered straight to “Share Beta Feedback”**, or press-and-hold the app in TestFlight → **Send Beta Feedback**. Their note + a screenshot + device details arrive in App Store Connect → TestFlight → **Feedback**. Ask testers to describe: what screen, what they tapped, what they expected.

What we can fix without a new build

Almost all feedback about **content, layout, wording, prices, catalogue, documents and workflow** is a website change — it goes live the moment we publish, and testers just pull to refresh. Only feedback about the **app frame** (icon, tabs, splash, permissions, crashes) needs a new TestFlight build.

PART 8

Sending future updates

WHAT CHANGED	WHAT YOU DO	TESTERS DO
Website content, prices, catalogue, documents, workflow, colours	Nothing — publish the website as usual	Pull to refresh / reopen
App icon, splash, a new tab, permissions, iOS version support	Bump the version, run Method A/B/C again	Update in TestFlight (auto-prompted)
Ready to go public on the App Store	Add screenshots + description, submit for App Review	Install from the App Store

PART 9

Troubleshooting & FAQ

The build shows “Missing Compliance” in TestFlight

Rare, because we pre-declare it. If it appears, click the build and answer “Does your app use encryption? → None of the algorithms mentioned above / Standard only.”

“No account for team” / signing errors in Xcode

Xcode → Settings → Accounts → add your Apple ID; then on the target → Signing & Capabilities pick the Team. Make sure the Developer Program membership is Active.

The project won't open

In Terminal: `cd ios && ./setup.sh`. It installs a helper and regenerates the project cleanly, then opens it.

I want a different bundle id / company domain

Change `PRODUCT_BUNDLE_IDENTIFIER` in the project (and `app_identifier` in `ios/fastlane/Appfile`) to your value, register that id in Part 3, and rebuild. Do it before the first upload.

A tester didn't get the invite

Check the exact Apple ID email, look in spam, or send them the public TestFlight redeem code. Internal testers must also be listed under Users and Access.

Does the camera / photos work in the beta?

Yes. The app asks permission on first use; the site-visit photo capture and the project folder both work through the native app.

How long can we stay in beta?

Each TestFlight build is valid for **90 days**. Sending a new build resets the clock. There's no limit on how long you use TestFlight overall.

Glossary

TERM	PLAIN MEANING
TestFlight	Apple's official app for trying beta versions before they're on the App Store.
App Store Connect	Apple's website where you manage your app, builds and testers.
Apple Developer Program	The €99/year membership that unlocks TestFlight and publishing.
Bundle ID	The app's unique code name — <code>com.caneisubirats.erp</code> . Must match everywhere.
Signing / certificate	Apple's proof the app is really from you. Xcode manages it automatically.
Archive	A finished, uploadable build of the app.
Build number	A counter (1, 2, 3...) that increases every upload. Handled for you.
API key (.p8)	A key file that lets automation upload builds without your password.
Team ID	Your 10-character Apple developer account code.
Internal tester	Someone on your account who can test instantly, no App Review.
Native shell	The iPhone app frame (splash, tabs, camera) around your website.
Pull to refresh	Drag the screen down to reload — fetches the latest website.

One-line summary

Join the Developer Program → create the app record with bundle id `com.caneisubirats.erp` → upload one build (Xcode, fastlane, or GitHub) → add testers in TestFlight. After that, website changes reach everyone automatically, and new app-frame versions are one command away.

Canei Subirats, S.L. · iOS Beta Onboarding · App version 1.0 · Bundle id com.caneisubirats.erp. This document contains no passwords or keys — you generate and store those yourself. Keep it with the Operations Guide.