



One system, one source of truth

Everything the company runs on lives in **one place**: a dedicated server in Germany. The phone app and the website are two doors into the **same** system — not two systems that copy each other. Whatever is typed on a phone at a job site is on the office laptop seconds later, because neither device keeps its own copy.

1 · WHERE PEOPLE WORK

iPhone app

Native app, delivered by TestFlight (build 1.0 (5)). Seven tabs, one sign-in, Face ID to unlock. Camera for site photos.

Laptop & tablet browser

The same screens at **178-105-10-156.sslip.io**. Nothing to install; sign in and work.

Android app

Shell and publishing pipeline built and ready. **Not yet published**

ENCRYPTED CONNECTION · HTTPS

2 · THE SERVER — ONE MACHINE, IN GERMANY

Caddy

Front door. Terminates HTTPS and renews the certificate by itself.

Application

Serves every screen and answers every request. Checks who you are first.

PostgreSQL 17

The database. Every quote, invoice, customer and photo lives here.

Nightly backup

02:30 every night, encrypted before it is written.

Four parts running side by side on one Hetzner Cloud server. They are started from a single definition file, so the machine can be rebuilt from scratch without anyone remembering how it was done.

NEW VERSIONS ARRIVE HERE

3 · WHERE CHANGES COME FROM

GitHub

Every line of code, with its full history.

Automatic build

Packages the new version.

Automatic test

Starts it and proves it works before release.

Server collects it

Checks for a new version every 60 seconds.

AT A GLANCE

1	2	~4 min	60 s	Nightly	30 days
Server, one database — no copies to reconcile	Ways in: phone app and browser	From a finished change to running live	How often the server checks for a new version	Encrypted backup, 02:30, kept on the machine	You stay signed in on a trusted device
The address to use Work only in the iPhone app or at 178-105-10-156.sslip.io . A public demonstration copy exists, with no database behind it and a warning banner on every page.			If a save ever fails, you will be told A lost connection or a clash with someone else raises a red bar naming what happened. It never closes the form and pretends the record was stored.		

Where your data lives, and how it moves

1 The three layers

What each part is responsible for — and what it is deliberately not allowed to decide.

Front end · what you see

The screens: home, project, clients, control tower, master data, finance, guide. Eleven pages, identical in the app and in the browser.

- Draws the screens and forms
- Sends every change to the server
- Keeps **no** company data of its own

Back end · the rules

The application on the server. Every request passes through it; nothing reaches the database without it.

- Checks who you are, on every request
- Decides which company's data you may see
- Stamps every change with your name

Database · the record

PostgreSQL. Two stores that matter to you day to day:

- **Documents** — the register of quotes, invoices, projects, customers
- **Attachments** — the site photographs, kept separately so the register stays fast

2 A customer typed on the phone

Six steps, about a second and a half.

1

You type

The form on the phone, at the job site.

2

Sent to the server

Over an encrypted connection, with your session.

3

Identity checked

Who you are, and which company's book you may write in.

4

Written down

Saved to the database and stamped with your name.

5

Confirmed

The phone is told it is safely stored — or told loudly if it is not.

6

The laptop notices

An open page sees the change and refreshes itself.

Two people at the same time cannot overwrite each other

Every save carries the version number it was based on. If somebody else saved first, the second save is **refused** rather than silently accepted — and the person is told to reload and re-enter. An afternoon's work can no longer disappear without a message.

An open page no longer shows yesterday's figures

A page used to read the data once and then show it all day. Now it asks the server "has anything changed?" when you come back to it. If nothing is half-typed it refreshes itself; if you are mid-form it offers, and never interrupts you.

3 On the server, and on the device

Company data belongs to the company. Device settings belong to the device.

WHAT	WHERE IT LIVES	STATUS
Quotes, invoices, projects, customers	Server database	On the server
Master data & financial data	Server database	On the server
Project folder, documents, emails drafted	Server database	On the server
Site photographs	Server database, stored as files	On the server
Column order, page size, chosen period	The device you set them on	By design
Language choice (ES / EN)	The device you set it on	By design


One thing to know about older photographs

Photographs taken **before 8 August 2026** were kept inside the phone or laptop that took them, and are not yet on the server. Anything taken from now on is stored centrally and backed up. Older pictures can be moved across on request.

How improvements reach you, and what guards the data

1 From a finished change to your screen

Automatic, and tested before it is released — never after.



Worth knowing: releases are automatic today

A change saved to the main line of code reaches the live server roughly four to five minutes later, with no human approving the release. That is fast and convenient while we build. Before more people rely on the system daily, we recommend adding a **one-tap approval** so nothing reaches the live server without you.

2 Three environments

Knowing which is which prevents work being entered in the wrong place.

Live system Use this
178-105-10-156.sslip.io and the iPhone app. Real data, real backups. The only place to do actual work.

Public preview
A published copy of the screens for demonstration. It has **no database** behind it and carries a warning banner on every page. Nothing entered there is kept.

Development
Where changes are written and tested before release. Never contains the company's real records.

3 What protects the data

Layered on purpose: no single measure is the only thing standing in the way.

Getting in	Email and password per person, created individually. No shared account.	Inside the database	The application connects with restricted rights and can only ever see one company's rows.
On the phone	Face ID unlocks the app; the device passcode always works as a fallback, so nobody can be locked out.	Administrative access	Direct access to the machine is limited to named addresses; everything else is refused.
In transit	Every connection encrypted (HTTPS), certificate renewed automatically.	If the worst happens	Encrypted backup every night at 02:30, plus a monthly automated restore rehearsal.

4 Honest status

What is finished, and what is knowingly still open.

IN PLACE AND WORKING

- All company data on the server, backed up nightly
- One sign-in across every screen and tab
- Face ID on the iPhone app
- Phone and browser stay in step automatically
- Two people can work at once without losing changes
- Releases built, tested and shipped automatically

OPEN, AND TRACKED

- Approval step before a release goes live — recommended next
- Restore rehearsal has not yet been run against real data
- Backups are kept on the same machine; a second, off-site copy is advisable
- Full Spanish / Catalan interface still to be switched on
- Android app built but not yet published
- Permanent company domain, replacing the pilot address