Implementing reproducibility in phonetic research: a computational workflow

Stefano Coretta
University of Manchester

mFiL 2017
28 April 2017

Reproducible research

A piece of research is **reproducible** when, along with its *results*, the *data* and the *computational environment* that produced those results are made available to other researchers (Fomel & Claerbout 2009).

Reproducible research



Why should we care?

The **problem** (**?**):

- difficulty of reproduction
- difficulty of replication
- retracted papers (`http://retractionwatch.com`)

The "Yokuts vowels" case (Weigel 2002):

- about **75%** of the data is contrived (**?**:149)
- some of the generalisations are **wrong** (Blevins 2004)

The **solution**:

- **Reproducible Research** (RR)

Reproducible Research in linguistics

- **linked data** (Bird & Simons 2003, Thieberger 2004)
- **computational grammar** (Maxwell & Amith 2005)
- RR in the Speech Sciences (Abari 2012)
  - lack of scientific culture
  - inefficiency of infrastructure

The workflow of phonetic research

- **Phase A**: scripting (Praat, Boersma & Weenink (2016))
- **Phase B**: results and analysis
- **Phase C**: dissemination

Phase A: source code and documentation

Praat scripting:

- Atom editor (`https://atom.io`)
  - syntax highlighting
  - autocompletion and snippets
- Literate Markdown
  - tangle: `lmt` (`https://github.com/driusan/lmt`)
  - weaving: `pandoc` (`http://pandoc.org`)

Atom


get-measurements.praat — ~/Documents/GitHub/reproducible-phonetics/code
code
get-measurements.praat
get-measurements.praat
get-measurements.praat.md
get-measurements.praat
selectObject: textgrid
intervals = Get number of intervals: 1
for interval to intervals - 1
label$ = Get label of interval: 1, interval
if label$ == "#"
start = Get start time of interval: 1, interval + 8
end = Get end time of interval: 1, interval + 8
duration = (end - start) * 1000
vowel$ = Get label of interval: 1, interval + 8
selectObject: formant
f1 = Get mean: 1, start, end, "Hertz"
f1Bark = Get mean: 1, start, end, "Bark"
f2 = Get mean: 2, start, end, "Hertz"
f2Bark = Get mean: 2, start, end, "Bark"
selectObject: textgrid
wordInterval = Get interval at time: 2, start
word$ = Get label of interval: 2, wordInterval
resultLine$ =
"'word$','vowel$','duration','f1','f2','f1Bark','f2Bark'"
appendFileLine: resultFile$, resultLine$
endif
endfor
get-measurements.praat 1:1
LF UTF-8 Praat master

`lmt` (literate markdown tangler)



pandoc (universal document converter)



Measurements extraction script

This script extracts the formant values (in Hertz and Bark) and the duration of vowels from the file `sc.wav`.

get-measurements.praat

```
<<<read files>>>

<<<measurements loop>>>
```

The sound and TextGrid files are read, and the result file is initialised. A Formant object is also created from the sound file.

"read files"

```
sound = Read from file: "../data/sc.wav"
formant = To Formant (burg): 0, 5, 5000, 0.025, 50
textgrid = Read from file: "../data/sc-palign.TextGrid"
createDirectory("../results")

header$ = "word,vowel,duration,F1,F2,F1.bark,F2.bark"
resultFile$ = "../results/vowels.csv"
writeFileLine: resultFile$, header$

selectObject: textgrid
intervals = Get number of intervals: 1
```

The following code is the main loop with extracts the measurements. For each vowel, as indicated in the TextGrid, the start and end time of the interval are used to calculate duration and extract formant values from the Formant object. The measurements are saved in `vowels.csv`.

"measurements loop"

```
for interval to intervals - 1
```

Phase B: the `speakr` package

`speakr` is an `R` (R Core Team 2015) package to aid Praat users (under development):

- aim: tangle and run Praat scripts from within `R`
- two main functions
  - `lmt()`: tangle a Praat script
  - `praatRun()`: run a Praat script

Phase B: the speakr package

```
# Tangle a Praat script
lmt("code/get-measurements.praat.md")

# Run the script
praatRun("code/get-measurements.praat")

# Read the results of the script
vowels <- read_csv("results/vowels.csv") %>%
    mutate_if(is.character, as.factor) %>%
    mutate(vowel = factor(vowel, c("i", "e", "a",
                                   "O", "u")))
```

Phase B: the speakr package



Phase C: dissemination

There is no investigation without dissemination.

Ricardo Bermúdez-Otero (p.c.)

- `knitr` (Xie 2014)
  - dynamic reports
  - reproducible documents
- GitHub (`https://github.com`)
  - versioning system (`git`)
  - online repository
- Open Science Framework (`https://osf.io`)
  - online repository (for data)

Summary

- share data, source file(s), versioning
- increasing awareness of RR in linguistics
- Atom, `lmt`, `pandoc`, `speakr`, `knitr`
- this presentation (along with source code and data) is available at `https://github.com/stefanocoretta/reproducible-phonetics`

Summary

THANK YOU!

References I

Abari, Kálmán. 2012. Reproducible research in speech sciences. *International Journal of Computer Science Issues* 9(6). 43–52.

Bird, Steven & Gary Simons. 2003. Seven dimensions of portability for language documentation and description. *Language* 557–582.

Blevins, Juliette. 2004. A reconsideration of Yokuts vowels. *International Journal of American Linguistics* 70(1). 33–51.

Boersma, Paul & David Weenink. 2016. Praat: doing phonetics by computer [Computer program]. Version 6.0.23.

Fomel, Sergey & Jon Claerbout. 2009. Guest editors' introduction: Reproducible research. *Computing in Science and Engineering* 11(1). 5–7.

References II

Maxwell, Michael & Jonathan D. Amith. 2005. Language documentation: the Nahuatl grammar. In A. Gelbukh (ed.), *Computational Linguistics and Intelligent Text Processing*, 474–485. Berlin Heidelberg: Springer-Verlag.

R Core Team. 2015. R: A language and environment for statistical computing.

Thieberger, Nicholas. 2004. Documentation in practice: Developing a linked media corpus of South Efate. In Peter K. Austin (ed.), *Language documenta and description*, vol. 2, Hans Rausing Endangered Languages Project, School of Oriental and African Studies, University of London.

Weigel, William F. 2002. The Yokuts canon: A case study in the interaction of theory and description. Paper presented at the annual meeting of the Linguistics Society of America, January 2002, San Francisco.

References III

Xie, Yihui. 2014. knitr: A comprehensive tool for reproducible research in R. In Victoria Stodden, Friedrich Leisch & Roger D. Peng (eds.), *Implementing reproducible computational research*, Chapman and Hall: CRC.