#### Steffi LaZerte

How can ornithologists find R packages?

Comment les ornithologues peuvent-ils trouver des packages R?

Symposium: Great R packages for Ornithologists, AOS & SCO-SOC 2021

- @steffilazerte
- **O** steffilazerte
- steffilazerte.ca





## What is R? | Qu'est ce que R?

#### A statistical programming language and environment

- Great for data management/manipulation (not just stats)
- Free and Open Source Software (FOSS)
- Almost infinitely extensible with packages

#### Un environment et langage de programmation statistique

- Idéal pour la gestion/manipulation des données (pas seulement les stats)
- Source libre et ouvert
- Presque infiniment extensible avec des packages



## What is R? | Qu'est ce que R?

#### A statistical programming language and environment

- Great for data management/manipulation (not just stats)
- Free and Open Source Software (FOSS)
- Almost infinitely extensible with packages

#### Un environment et langage de programmation statistique

- Idéal pour la gestion/manipulation des données (pas seulement les stats)
- Source libre et ouvert
- Presque infiniment extensible avec des packages

## Sounds great! | Parfait!



## Too many packages! | Trop de packages!

## How can ornithologists find R packages?

# Comment les ornithologues peuvent-ils trouver des packages R?

## Package collections | Collections de packages

#### rOpenSci

(https://ropensci.org)



#### tidyverse

(https://tidyverse.org/)



#### metaverse


(<a href="https://rmetaverse.github.io/">https://rmetaverse.github.io/</a>)






#### https://r-universe.dev

#### In development, soon with tags and categories! En développement, bientôt avec des tags et des catégories!







#### R Task Views

#### Annotated collections of packages

- Browse on CRAN (main network of R packages)
   <a href="https://cran.r-project.org/web/views/">https://cran.r-project.org/web/views/</a>
- Environmetrics, Spatial, Survival, Tracking

#### Collections annotées de packages

- Naviguez sur CRAN (réseau principal de packages R)
   <a href="https://cran.r-project.org/web/views/">https://cran.r-project.org/web/views/</a>
- Environmetrics, Spatial, Survival, Tracking

#### R Task Views

#### Annotated collections of packages

- Browse on CRAN (main network of R packages)
   <a href="https://cran.r-project.org/web/views/">https://cran.r-project.org/web/views/</a>
- Environmetrics, Spatial, Survival, Tracking

#### Collections annotées de packages

- Naviguez sur CRAN (réseau principal de packages R)
   <a href="https://cran.r-project.org/web/views/">https://cran.r-project.org/web/views/</a>
- Environmetrics, Spatial, Survival, Tracking

## Stay tuned! | Restez à l'écoute!

Symposium: Great R packages for Ornithologists

Putting it all together: Ornithometrics — a task view for ornithology


Marc-Olivier Beausoleil

Tuesday Aug 10th 11:05am Eastern




#### **Methods in Ecology and Evolution**

http://www.methodsinecologyandevolution.org/



#### **Journal of Open Source Software**

https://joss.theoj.org/



## Methods sections | Sections méthodes



To determine whether the odds of being an atypical singer increased with urbanization, we performed a logistic regression of male singer type (atypical/typical) against the urbanization index using R statistical software (version 3.3.2; R Core Team 2016). We calculated bias-corrected and adjusted (BCa) bootstrap 95% CI for coefficients. We performed 10 000 replicates using the boot package for R (version 1.3-20; Angelo and Ripley 2017). Figures were created using the R package ggplot2 (version 2.2.1; Wickham 2009). Spectrograms were created with Hanning window lengths of 1024 using the R packages ggplot2 and seewave (version 2.0.5; Sueur *et al.* 2008).

## Methods sections | Sections méthodes



To determine whether the odds of being an atypical singer increased with urbanization, we performed a logistic regression of male singer type (atypical/typical) against the urbanization index using R statistical software (version 3.3.2; R Core Team 2016). We calculated bias-corrected and adjusted (BCa) bootstrap 95% CI for coefficients. We performed 10 000 replicates using the boot package for R (version 1.3-20; Angelo and Ripley 2017). Figures were created using the R package ggplot2 (version 2.2.1; Wickham 2009). Spectrograms were created with Hanning window lengths of 1024 using the R packages ggplot2 and seewave (version 2.0.5; Sueur *et al.* 2008).

What does this imply?

Cite R packages you use!!!

Qu'est-ce que cela implique?

Citez les packages R que

vous utilisez!!!

# seewave~

Symposium: Great R packages for Ornithologists


seewave and tuneR: Sound analysis in ornithology

**Sunny Tseng** 

Tuesday Aug 10th 10:17am Eastern

# Ask your colleagues! | Demandez à vos collègues! @steffilazerte

Don't code alone 
Pollow #RStats on Twitter | Suivez #RStats sur Twitter



# Ask your colleagues! | Demandez à vos collègues! @steffilazerte

#### In this symposium alone... | Dans ce seul symposium...

- dplyr: A useful toolbox for manipulating data
- **sf**, **raster**, and **tmap**: The spatial data trinity
- osmdata: Roadless areas and avian diversity,
- **seewave** and **tuneR**: Sound analysis in ornithology
- warbler and Rraven: Bioacoustics in R
- soundecology: Using acoustic indices for landscape assessment and monitoring
- **naturecounts**: Millions of bird occurrence records at your fingertips
- **bbsAssistant**: An R package for downloading and handling data and information from the North American Breeding Bird Survey
- motus: Managing motus data in R
- track2KBA: An R package for identifying important sites for biodiversity from tracking data
- MixSIAR: An R package for avian diet analysis
- INLA: A way for ecologists to overcome their worst impulses
- pavo: Color analysis in birds
- moult and **moultmcmc**: Inference for moult phenology models

18 packages used by your colleagues... Who else has exciting things to share?

18 packages utilisés par vos collègues... Qui d'autre a des choses passionnantes à partager?

## Take home | Conclusion



LOTS of packages for ornithologists!

R is not just for Stats

Don't code alone 😁

BEAUCOUP de paquets pour les ornithologues!

R n'est pas seulement pour les statistiques

Cite the packages you use Citez les packages que vous utilisez

Ne code pas seul

Ask your colleagues! Demandez à vos collègues!

## Take home | Conclusion



LOTS of packages for ornithologists!

R is not just for Stats

Cite the packages you use

Don't code alone 😁

Ask your colleagues!

BEAUCOUP de paquets pour les ornithologues!

R n'est pas seulement pour les statistiques

Citez les packages que vous utilisez

Ne code pas seul

Demandez à vos collègues!

Thanks to the **Software Sustainability Institute** for sponsoring this symposium! d'avoir parrainé ce symposium!

Merci au <u>Software Sustainability Institute</u>





**У** @steffilazerte | **O** steffilazerte | **⊕** steffilazerte.ca

Slides: <a href="https://steffilazerte.ca/presentations.html">https://steffilazerte.ca/presentations.html</a>; Created with the R package <a href="mailto:xaringan">xaringan</a>, using <a href="mailto:remark.js">remark.js</a>, <a href="mailto:knitr">knitr</a>, and <a href="mailto:R Markdown">R Markdown</a> Icons from **Ionicons** and **Academicons**; Compiled on 2021-07-30