

# A first-level heading

---

## A second-level heading

---

### A third-level heading

#### A fourth-level heading

##### A fifth-level heading

###### A sixth-level heading

## Styling text

---

**This is bold text.**

*This text is italicized.*

~~This was mistaken text.~~

**This text is *extremely* important.**

***All this text is important.***

This is a subscript text.

This is a superscript text.

This is an underline text.

## Quoting text

---

Text that is not a quote

Text that is a quote

## Quoting code

---

Use `git status` to list all new or modified files that haven't yet been committed.

Some basic Git commands are:

```
git status
git add
git commit
```

## Syntax highlighting

---

```
require 'redcarpet'
markdown = Redcarpet.new("Hello World!")
puts markdown.to_html
```

## Links

---

This site was built using [GitHub Pages](#).

## Section Links

---

Link to the previous section: [Link text](#)

## Custom anchors

---

Some body text of this section

Some text I want to provide a direct link to, but which doesn't have it's own heading.

(... more content...)

[A link to that custom anchor](#)

## Line breaks

---

This example

Will have a blank line separating both lines

## Images

---



## Lists

---

- George Washington
  - John Adams
  - Thomas Jefferson
1. James Madison
  2. James Monroe
  3. John Quincy Adams

## Nested Lists

---

1. First list item
  - First nested list item
    - Second nested list item

## 2. First list item

1. First nested list item
2. Second nested list item

## 3. First list item

- First nested list item
  - Second nested list item

## Task lists

---

- ☒ #739
- ☐ <https://github.com/octo-org/octo-repo/issues/740>
- ☐ Add delight to the experience when all tasks are complete 🎉
  - ☐ Subtask that is unfinished
  - ☒ Subtask that is finished

## Using emojis

---

@octocat 👍 This PR looks great - it's ready to merge! :shipit:

## Paragraphs

---

You can create a new paragraph by leaving a blank line between lines of text.

## Footnotes

---

Here is a simple footnote<sup>1</sup>.

A footnote can also have multiple lines<sup>2</sup>.

## Alerts

---

### Note

Useful information that users should know, even when skimming content.

### Tip

Helpful advice for doing things better or more easily.

### Important

Key information users need to know to achieve their goal.

### Warning

Urgent info that needs immediate user attention to avoid problems.

### Caution

Advises about risks or negative outcomes of certain actions.

## Hiding content with comments

---

The following is a comment you can't see:

## Ignoring Markdown formatting

---

Let's rename `*our-new-project*` to `*our-old-project*`.

## Tables

---

Left-aligned	Center-aligned	Right-aligned
git status	git status	git status
git diff	git diff	git diff
git pull	git pull	git pull

- 
1. My reference.[↩](#)
  2. To add line breaks within a footnote, prefix new lines with 2 spaces. This is a second line.[↩](#)