## **DOKUMENTACIJA**

# WEB PROGRAMIRANJE PHP 1 PROJEKAT – WEB PRODAVNICA

**STUDENT:** 

Stefan Stanković 97/16

## Sadržaj:

1.	Uvod		2	
2.	Opis funkcio	onalnosti	2	
3.	Dizajn baze		5	
4.	Mapa sajta.		6	
5.	Slike sajta		7	
6.	Admin pane	el kodovi(PHP)	17	
7.	Admin pane	el kodovi(JS)	33	
8.	Kodovi osno	ovnih stranica	41	
	8.1. Index.	php	41	
	8.2. Man.p	hp	41	
	8.3. Woman.php			
	8.4. Productdetails.php			
	8.5. Contact.php			
	8.6. Survey.php43			
	8.7. Author	r.php	43	
	8.8. Cart.pl	hp	43	
	8.9. Login.p	ohp	44	
	8.10.	Activate.php	44	
	7.10	logout.php	45	
9.	Kodovi inclu	udovanih stranica u osnovne stranice	46	
10.	Javascript kodovi (ajax izmedju logike I prikaza)70			
11.	Php kodovi (pozadina(logika) 81			

## Uvod

Korišćeni programski i mark-up jezici: HTML, CSS(bootstrap), JavaScript(jQuerry,Ajax), PHP, MySQL

## **Opis funkcionalnosti**

#### Privilegije po ulogama:

Admin jedini ima pristup admin panelu

Samo ulogovan korisnik može popuniti anketu I obaviti naručivanje nakon dodavanja u korpu

#### **Sve stranice:**

Podaci za navigacioni meni se učitavaju iz baze podataka I dinamički ispisuju.

Podaci o headu(title,keywords,description...) se učitavaju dinamički iz baze podataka.

#### Admin.php:

Samo ulogovani administrator ima pristup ovom delu sajta. Sadrži update, delete I insert za svaki deo sajta za koji je to potrebno (navigacija,korisnici,uloge,proizvodi,brendovi,) kao I tabelu porudzbina.

#### Index.php:

Dinamičko ispisivanje po 3 proizvoda kojih je najviše ostalo u zalihama za muškarce i žene koji se mogu direktno odatle dodati u korpu I ajaksom ispisivanje obaveštenja da je proizvod dodat u korpu ili na dugme "read more" otići na stranicu koja sadrži informacije samo o tom proizvodu koja se dinamički pravi za svaki proizvod.

#### Man.php i Woman.php:

Dinamičko učitavanje proizvoda iz baze podataka na osnovu pola za koji su namenjeni, takodje imaju dugme za dodavanje u korpu radjeno preko ajaxa I "read more" kao na index stranici.

Paginacija po 3 proizvoda po stranici (tako malo proizvoda po stranici iz razloga sto ukupno imam po 8 proizvoda za muškarce I zene)

#### **Productdetails.php:**

Dobija informaciju za koji proizvod je pokrenuta I u odnosu na to dinamički ispisuje sadržaj. Za svaki proizvod je dodata barem po jedna dodatna slika tako da je baza morala da bude malo komplikovanija.

#### Contact.php:

Sadrži formu pomoću koje korisnik šalje pitanje administrator, koje administrator stiže na e-mail,

Administrator dobija email adresu posiljaoca kao I poruku.

#### **Survay:**

Sadrži anketu o tome koji je najbolji proizvodjač, samo ulogovani korisnici kogu galsati, nakon galsanja rezultati se ajax-om odmah ispisuju u procentima, svaki korisnik može glasati samo jednom.

#### Login:

Stranica na kojoj se vrši registrovanje I login-ovanje korisnika, provera unetih podataka se vrši I na klijentskoj I serverskoj strain kao I odbrana od sql-injectiona, ako se uloguje administrator automatski se salje na admin panel dok korisnik na index.php I umesto login u navigaciji se pojavljuje likn za logout I u admin panelu I na ostatku sajta


#### Logout.php:

Sadrži logoku za odjavljivanje korisnika.


#### Cart.php:

Ovo je što se funkcionalnosti tiče najkompleksnija stranica. Putem ajaxa ova stranica dobija informacije za koje je proizvode kliknuto na dugme "add to cart" na bilo kojoj stranici na sajtu na kojoj se to dugme nalazi(index,man,woman,productdetails) na samoj stranici se odmah izračunava ukupna cena trenutne porudzbine, moguće je za svaki proizvod povećati količinu koja se naručuje ali samo do cifre koja se nalazi u bazi u polju za dostupnu količinu, takodje ne može se ići ispod nule, svaki proizvod se može obrisati klikom na "X" sve funkcionalnosti se rade putem ajaxa tako da nema refresovanja. Za svaki proizvod se posebno računa ukupna cena u odnosu na količinu a ukupna cena korpe se računa naravno za sve proizvode I njihove količine plus fiksna taksa. Samo ulogovani korisnici mogu da nastave kupovinu I da naprave porudzbinu.

## Mapa sajta:




## Dizajn baze podataka:




Stefan Stanković 97/16	Page 8
Slike sajta	
Cliko caita	


## **Admin panel:**




## **Index.php**:




## Man.php:



## Woman.php:



## Contact.php:



## Survay.php:




© Web application was made as school project and it will not be used for commercial uses but only as representational material-kill informations about products and prices are not walld.

Home This For worder Contact at Turkey Author

Copyright © 2013 E-SHOPPER Inc. All rights reserved.

## Login.php





## **Author.php**

**Hunfunsska**n



#### Hi my name is Stefan Stanković


I am a student of ICT College, University in Belgrade. At the moment, I'm attending the second year of the studies and so far chances for me graduating it in a time predicted for this program are pretity good. About my personal characteristics I would choose laziness as one of the main, but when it comes to work and when there's a great reason for it, I'm hardworking and someone who doesn't give up easity. A few hundreds of euros per month seems like a good reason to me (I accept dollars too). So if you have some extra cash and need a responsible and dedicated web developer, we could be a perfect match!

THE COST A LOG OUT

Stefan Stankovic 57/16



## Cart.php:



## Admin panel kodovi (PHP):

## Index.php(admin):

```
<?php session start(); ?>
<?php if(isset($_SESSION['username'])&&($_SESSION['username']->uloga_id)==1):
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="refresh" content="0;url=pages/index.html">
<title>SB Admin 2</title>
<script language="javascript">
    window.location.href = "pages/index.php?page=insertMeni"
</script>
</head>
<body>
Go to <a href="pages/index.html">/pages/index.html</a>
</body>
</html>
<?php else: http_response_code(404); ?>
<?php endif;?>
```

## /pages/index.php:

```
<?php include "../../php/konekcija.php"; ?>
<?php include "../views/admin-head.php"; ?>
<?php include "../views/admin-nav.php"; ?>
        <div id="page-wrapper">
            <?php
            $page=$ GET['page'];
            switch($page){
                case 'insertMeni':
                include "../views/admin-insert-meni.php";
                break:
                case 'insertProduct':
                include "../views/admin-insert-product.php";
                case 'insertUser':
                include "../views/admin-insert-user.php";
                break;
                case 'userRole':
                include "../views/admin-insert-userRole.php";
                break:
```

```
case 'insertProducBrands':
                include "../views/admin-insert-productBrands.php";
                break;
                case 'orders':
                include "../views/admin-orders.php";
                break;
                default :
                include "../views/admin-dashboard.php";
                break;
       </div>
        <!-- /#page-wrapper -->
   </div>
   <!-- /#wrapper -->
   <!-- jQuery -->
   <script src="../vendor/jquery/jquery.min.js"></script>
   <!-- Bootstrap Core JavaScript -->
   <script src="../vendor/bootstrap/js/bootstrap.min.js"></script>
   <!-- Metis Menu Plugin JavaScript -->
   <script src=".../vendor/metisMenu/metisMenu.min.js"></script>
   <script src="../vendor/raphael/raphael.min.js"></script>
   <script src="../vendor/morrisjs/morris.min.js"></script>
   <script src="../data/morris-data.js"></script>
   <!-- Custom Theme JavaScript -->
   <script src="../dist/js/sb-admin-2.js"></script>
   <script src="../js/radSaBazom.js"></script>
</body>
</html>
```

## Views/admin-head.php:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>SB Admin 2 - Bootstrap Admin Theme</title>
    <!-- Bootstrap Core CSS -->
    <link href="../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <!-- MetisMenu CSS -->
    <link href="../vendor/metisMenu/metisMenu.min.css" rel="stylesheet">
    <!-- Custom CSS -->
    <link href="../dist/css/sb-admin-2.css" rel="stylesheet">
    <!-- Morris Charts CSS -->
    <link href="../vendor/morrisjs/morris.css" rel="stylesheet">
    <link href="../vendor/font-awesome/css/font-awesome.min.css"</pre>
rel="stylesheet" type="text/css">
queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
        <script
src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
</head>
<body>
   <div id="wrapper">
```

## Views/admin-insert-meni.php:

```
<?php
   $upit="SELECT * FROM navigacija";
   $navigation=$connection->query($upit)->fetchAll();
         <div class="row">
            <div class="col-lg-12">
               <h1 class="page-header">Navigation Change</h1>
            </div>
         </div>
         <div class="row">
            <div class="col-lg-12">
               <div class="panel panel-default">
                  <div class="panel-heading">
                      Navigation
                  </div>
                  <div class="panel-body">
                  <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                            Link Id
                               Title
                               Path
                               Parent
                               Posiotion
                               Level
                               Control
                            </thead>
                         <?php foreach($navigation as $nav): ?>
                            <?= $nav->id_link;?>
                               <?= $nav->naziv;?>
                               <?= $nav->putanja;?>
                               <?= $nav-
>roditelj;?>
                               <?= $nav-
>pozicija;?>
                               <?= $nav-
>nivo;?>
```

```
<input class="btn btn-primary btn-
md meni-update" data-id="<?= $nav->id_link;?>" type="button" value="update"/>
 
                                         <input class="btn btn-danger btn-md</pre>
meni-delete" data-id="<?= $nav->id link;?>" type="button"
value="delete"/>
                                    <?php endforeach; ?>
                                </div>
                            </div>
                            <div class="row">
                                <div class="col-lg-12">
                                    <h1 id="naslovForma">Add new link</h1>
                                    <form id="forma" role="form">
                                        <div class="form-group">
                                             <label>Title</label>
                                             <input type="text" id="naziv"</pre>
class="form-control" placeholder="Enter title">
                                         </div>
                                         <div class="form-group">
                                             <label>Link</label>
                                             <input type="text" id="putanja"</pre>
class="form-control" placeholder="Enter path">
                                         </div>
                                         <div class="form-group">
                                            <label>Parent </label>
                                            <select id="roditelj" class="form-</pre>
control">
                                            <option value="0">First level
link</option>
                                                 <?php foreach($navigation as</pre>
$nav): ?>
                                                     <option value="<?=$nav-</pre>
>id_link;?>"><?=$nav->naziv;?></option>
                                                 <?php endforeach; ?>
                                            </select>
                                         </div>
                                         <div class="form-group">
                                            <label>Position</label>
                                             <input type="text" id="pozicija"</pre>
class="form-control" placeholder="Enter position">
                                         <div class="form-group">
                                            <label>Level</label>
```

#### **Views/admin-insert-product.php:**

```
<?php
    $upit="SELECT * FROM proizvod p INNER JOIN marka m ON
p.marka_id=m.marka_id";
    $upitMarka="SELECT * FROM marka";
    $marka=$connection->query($upitMarka)->fetchAll();
    $product=$connection->query($upit)->fetchAll();
            <div class="row">
                <div class="col-lg-12">
                    <h1 class="page-header">Product Change</h1>
                </div>
            </div>
            <!-- /.row -->
            <div class="row">
                <div class="col-lg-12">
                    <div class="panel panel-default">
                        <div class="panel-heading">
                            Products
```

```
</div>
                  <div class="panel-body">
                  <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                         <thead>
                            Product Id
                               Name
                               Price
                               Picture
                               Brand Id
                               Brand Name
                               Quantity
                               Control
                            </thead>
                         <?php foreach($product as $prod): ?>
                            <?= $prod->proizvod id;?>
                               <?= $prod->ime;?>
                               <?= $prod->cena;?>
                               <img width="50px"</pre>
src="../../images/shop/<?= $prod->slika_naziv;?>" alt="<?= $prod-</pre>
>slika_alt;?>"/>
                               <?= $prod-
>marka_id;?>
                               <?= $prod-
>naziv;?>
                               <?= $prod-
>kolicina;?>
                               <input class="btn btn-primary btn-
md form-update" data-id="<?= $prod->proizvod_id;?>" type="button"
value="update"/>  
                               <input class="btn btn-danger btn-md</pre>
product-delete" data-id="<?= $prod->proizvod_id;?>" type="button"
value="delete"/>
                            <?php endforeach; ?>
                         </div>
                      </div>
                      <div class="row">
                         <div class="col-lg-12">
                           <h1 id="naslovForma">Add new Product</h1>
```

```
<form id="forma" method="POST"</pre>
action="../php/admin-insert-product.php" role="form" enctype="multipart/form-
data">
                                          <div class="form-group">
                                              <label>Name/label>
                                              <input type="text" name="naziv"</pre>
id="naziv" class="form-control" placeholder="Enter product name" required>
                                          </div>
                                          <div class="form-group">
                                              <label>Price</label>
                                              <input type="text" name="cena"</pre>
id="cena" class="form-control" placeholder="Enter price" required>
                                          </div>
                                          <div class="form-group">
                                              <label>Picture</label>
                                              <input type="file" name="slika"</pre>
id="slika" class="form-control" placeholder="Enter picture name" required>
                                          </div>
                                          <div class="form-group">
                                              <label>Picture Alt</label>
                                              <input type="text"</pre>
name="slika alt" id="slika alt" class="form-control" placeholder="Enter
picture alt" required>
                                          </div>
                                          <div class="form-group">
                                              <label>Brand </label>
                                              <select name="brend" id="brend"</pre>
class="form-control">
                                              <option value="0">Choose</option>
                                                  <?php foreach($marka as $mar):</pre>
                                                       <option value="<?=$mar-</pre>
>marka_id;?>"><?=$mar->naziv;?></option>
                                                  <?php endforeach; ?>
                                              </select>
                                          </div>
                                          <div class="form-group">
                                              <label>Quantity</label>
                                              <input type="text" name="kolicina"</pre>
id="kolicina" class="form-control" placeholder="Enter quantity" required>
                                          </div>
                                          <div class="form-group">
                                              <input type="submit" name="insert-</pre>
product" id="insert-product" class="btn btn-primary btn-md" value="INSERT">
                                          </div>
                                          <label id="meni-insert-result">
</label>
```

#### Views/admin-insert-productBrands.php:

```
<?php
   $upit="SELECT * FROM marka";
   $marke=$connection->query($upit)->fetchAll();
           <div class="row">
               <div class="col-lg-12">
                  <h1 class="page-header">Brand Change</h1>
               </div>
           </div>
           <div class="row">
               <div class="col-lg-12">
                  <div class="panel panel-default">
                      <div class="panel-heading">
                          Brands
                      </div>
                      <div class="panel-body">
                      <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                                     Role Id
                                     Name
                                     Controls
                                 </thead>
```

```
<?php foreach($marke as $marka): ?>
                                <?= $marka-
>marka_id;?>
                                   <?= $marka-
>naziv;?>
                                   <input class="btn btn-danger btn-
md brand-delete" data-id="<?= $marka->marka_id;?>" type="button"
value="delete"/>
                                <?php endforeach; ?>
                            </div>
                         </div>
                         <div id="ispisi0vde" class="row">
                         <div class="col-lg-12">
                                <h1 id="naslovForma">Add new brand</h1>
                                <form id="forma" role="form">
                                    <div class="form-group">
                                       <label>Name</label>
                                       <input type="text" id="naziv"</pre>
class="form-control" placeholder="Enter role name">
                                    </div>
                                   <div class="form-group">
                                       <input type="button" id="insert-</pre>
brand" class="btn btn-primary btn-md" value="INSERT">
                                    <label id="meni-insert-result">
</label>
                                </form>
                         </div>
                     </div>
                  </div>
              </div>
          </div>
```

#### /views/admin-insert-user.php:

```
<?php
   $upit="SELECT * FROM korisnik k INNER JOIN uloga u ON
k.uloga_id=u.uloga_id";
   $users=$connection->query($upit)->fetchAll();
   $upitUloga="SELECT * FROM uloga";
   $uloge=$connection->query($upitUloga)->fetchAll();
          <div class="row">
             <div class="col-lg-12">
                 <h1 class="page-header">Users Change</h1>
             </div>
          </div>
          <div class="row">
             <div class="col-lg-12">
                 <div class="panel panel-default">
                    <div class="panel-heading">
                        Users
                    </div>
                    <div class="panel-body">
                    <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                               User Id
                                  Name
                                  Last name
                                  Address
                                  Phone number
                                  Email
                                  Username
                                  Date of registration
                                  Acctive
                                  Uloga
                                  Control
                               </thead>
                           <?php foreach($users as $user): ?>
                               <?php $datum=date("d-m-Y, h-i-s",$user-</pre>
>datum_registracije); ?>
                               <?= $user->korisnik id;?>
                                  <?= $user->ime;?>
```

```
<?= $user->prezime;?>
                            <?= $user-
>adresa;?>
                            <?= $user-
>telefon;?>
                            <?= $user-
>email;?>
                            <?= $user-
>username;?>
                            <?= $datum;?>
                            <?= $user-
<?= $user-
>naziv;?>
                            <input class="btn btn-primary btn-
md user-update" data-id="<?= $user->korisnik id;?>" type="button"
value="update"/>  
                            <input class="btn btn-danger btn-md</pre>
user-delete" data-id="<?= $user->korisnik_id;?>" type="button"
value="delete"/>
                         <?php endforeach; ?>
                      </div>
                   </div>
                   <div id="ispisi0vde" class="row">
                </div>
              </div>
           </div>
        </div>
```

## /views/admin-insert-userRole.php:

```
<?php
   $upit="SELECT * FROM korisnik k INNER JOIN uloga u ON
k.uloga_id=u.uloga_id";
   $users=$connection->query($upit)->fetchAll();
   $upitUloga="SELECT * FROM uloga";
   $uloge=$connection->query($upitUloga)->fetchAll();
          <div class="row">
             <div class="col-lg-12">
                 <h1 class="page-header">Users Change</h1>
             </div>
          </div>
          <div class="row">
             <div class="col-lg-12">
                 <div class="panel panel-default">
                    <div class="panel-heading">
                        Users
                    </div>
                    <div class="panel-body">
                    <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                               User Id
                                  Name
                                  Last name
                                  Address
                                  Phone number
                                  Email
                                  Username
                                  Date of registration
                                  Acctive
                                  Uloga
                                  Control
                               </thead>
                           <?php foreach($users as $user): ?>
                               <?php $datum=date("d-m-Y, h-i-s",$user-</pre>
>datum_registracije); ?>
                               <?= $user->korisnik id;?>
                                  <?= $user->ime;?>
```

```
<?= $user->prezime;?>
                            <?= $user-
>adresa;?>
                            <?= $user-
>telefon;?>
                            <?= $user-
>email;?>
                            <?= $user-
>username;?>
                            <?= $datum;?>
                            <?= $user-
<?= $user-
>naziv;?>
                            <input class="btn btn-primary btn-
md user-update" data-id="<?= $user->korisnik id;?>" type="button"
value="update"/>  
                            <input class="btn btn-danger btn-md</pre>
user-delete" data-id="<?= $user->korisnik_id;?>" type="button"
value="delete"/>
                         <?php endforeach; ?>
                      </div>
                   </div>
                   <div id="ispisi0vde" class="row">
                </div>
              </div>
           </div>
        </div>
```

## /views/admin-orders:

```
<?php
   $upit="SELECT k.korisnik_id as korisnikId, n.ime as imePrimaoca ,
n.prezime as prezimePrimaoca, n.adresa as adresa, n.telefon as telefon, p.ime
as proizvod, n.kolicina as kolicina, n. cena as cena, n. vremePorucivanja as
vremePorudzbine FROM korisnik k INNER JOIN narudzbina n ON
k.korisnik_id=n.korisnik_id
   INNER JOIN proizvod p ON n.proizvod_id=p.proizvod_id";
   $orders=$connection->query($upit)->fetchAll();
           <div class="row">
              <div class="col-lg-12">
                  <h1 class="page-header">All orders</h1>
           </div>
           <!-- /.row -->
           <div class="row">
              <div class="col-lg-12">
                  <div class="panel panel-default">
                     <div class="panel-heading">
                         Orders
                     </div>
                     <div class="panel-body">
                      <table width="100%" class="table table-striped table-
bordered table-hover" id="dataTables-example">
                             <thead>
                                Name
                                    Last Name
                                    Address
                                    Phone number
                                    Products
                                    Quantity
                                    Total
                                    Time of order
                                </thead>
                             <?php foreach($orders as $order): ?>
                                <?php $time=date("d-m-Y h:i:s",$order-</pre>
>vremePorudzbine); ?>
                                <?= $order->imePrimaoca;?>
                                    <?= $order-
>prezimePrimaoca;?>
```

```
<?= $order->adresa;?>
                        <?= $order-
>telefon;?>
                        <?= $order-
>proizvod;?>
                        <?= $order-
>kolicina;?>
                        <?= $order-
>cena;?>$
                        <?= $time;?>
                        <?php endforeach; ?>
                   </div>
                 </div>
                 <div id="ispisiOvde" class="row">
                 </div>
              </div>
            </div>
       </div>
```

## Admin panel kod(js)

```
$(document).ready(function(){
})
function DeleteNav(){
    $(".meni-delete").on("click",function(){
        var id=$(this).data("id");
        $.ajax({
            url:"../php/admin-insert-meni.php",
            method:"post",
            type:"json",
            data:{
                id:id,
                meniDelete:"setovano"
            },
            success:function(data){
                $("#dataTables-example").html(data);
                DeleteNav();
                UpdateNav();
            error:function(xhr, status, errMsg){
                console.log(errMsg);
        })
    })
DeleteNav();
InsertNav();
UpdateNav();
function InsertNav(){
    $("#insert-nav").click(function(){
        var naziv=document.getElementById("naziv").value;
        var putanja=document.getElementById("putanja").value;
        var roditelj=document.getElementById("roditelj").value;
        var pozicija=document.getElementById("pozicija").value;
        var nivo=document.getElementById("nivo").value;
            url:"../php/admin-insert-meni.php",
            method:"post",
            type: "json",
            data:{
                naziv:naziv,
                putanja:putanja,
                roditelj:roditelj,
                pozicija:pozicija,
                nivo:nivo,
                meniInsert:"setovano"
```

```
success:function(data){
                $("#naziv").val(" ");
                $("#putanja").val(" ");
                $("#roditelj").val("0");
                $("#pozicija").val(" ");
                $("#nivo").val(" ");
                $("#meni-insert-result").html("You added a new row into a
database");
                $("#dataTables-example").html(data);
                DeleteNav();
                UpdateNav()
            },
            error:function(xhr, status, errMsg){
                console.log(errMsg);
        })
    })
function UpdateNav(){
    $(".meni-update").on("click",function(){
        var id=$(this).data("id");
        $.ajax({
            url:"../php/admin-insert-meni.php",
            method:"post",
            type:"json",
            data:{
                id:id,
                meniUpdate:"setovano"
            },
            success:function(data){
                $("#forma").html(data);
                $("#naslovForma").html("Update");
                afterUpdateNavFromUpdate();
            },
            error:function(xhr, status, errMsg){
                console.log(errMsg);
        })
    })
function afterUpdateNavFromUpdate(){
    $("#update-nav").on("click", function(){
        var id=$(this).data("id");
        var naziv=document.getElementById("naziv").value;
        var putanja=document.getElementById("putanja").value;
        var roditelj=document.getElementById("roditelj").value;
        var pozicija=document.getElementById("pozicija").value;
        var nivo=document.getElementById("nivo").value;
```

```
$.ajax({
            url:"../php/admin-insert-meni.php",
            method:"post",
            type:"json",
            data:{
                id:id,
                naziv:naziv,
                putanja:putanja,
                roditelj:roditelj,
                pozicija:pozicija,
                nivo:nivo,
                updateNav: "setovano"
            },
            success:function(data){
                console.log(data)
               $("#naslovForma").html("Insert new link");
               $("#forma").html(data.forma);
               $("#dataTables-example").html(data.tabela);
               UpdateNav()
               DeleteNav()
               InsertNav()
            },
            error:function(xhr, status, errMsg){
                console.log(errMsg);
        })
    })
function UpdateProduct(){
    $(".form-update").on("click",function(){
        var id=$(this).data("id");
        $.ajax({
            url:"../php/admin-insert-product.php",
            method:"post",
            type:"json",
            data:{
                id:id,
                formUpdate:"setovano"
            },
            success:function(data){
                $("#forma").html(data);
                $("#naslovForma").html("Update");
            },
            error:function(xhr, status, errMsg){
                console.log(errMsg);
        })
```

```
UpdateProduct();
function DeleteProduct(){
    $(".product-delete").on("click",function(){
        var id=$(this).data("id");
        $.ajax({
            url:"../php/admin-insert-product.php",
            method:"post",
            type:"json",
            data:{
                id:id,
                productDelete:"setovano"
            },
            success:function(data){
                $("#dataTables-example").html(data);
                DeleteProduct();
                UpdateProduct();
            },
            error:function(xhr, status, errMsg){
                console.log(errMsg);
        })
    })
DeleteProduct();
function UpdateUserPrikazForme(){
    $(".user-update").on("click",function(){
        var id=$(this).data("id");
        $.ajax({
            url:"../php/admin-insert-user.php",
            method:"post",
            type:"json",
            data:{
                id:id,
                userUpdate: "setovano"
            },
            success:function(data){
                $("#ispisiOvde").html(data);
                UpdateUser();
            },
            error:function(xhr,status,errMsg){
                console.log(errMsg);
        })
    })
UpdateUserPrikazForme();
```

```
function UpdateUser(){
    $("#updateUser").click(function(){
        var id=$(this).data("id");
        var ime=document.getElementById("ime").value;
        var prezime=document.getElementById("prezime").value;
        var adresa=document.getElementById("adresa").value;
        var telefon=document.getElementById("telefon").value;
        var email=document.getElementById("email").value;
        var username=document.getElementById("username").value;
        var aktivan=document.getElementById("aktivan").value;
        var uloga=document.getElementById("uloga").value;
        $.ajax({
            url:"../php/admin-insert-user.php",
            method:"post",
            type:"json",
            data:{
                id:id,
                ime:ime,
                prezime:prezime,
                adresa:adresa,
                telefon:telefon,
                email:email,
                username:username,
                aktivan:aktivan,
                uloga:uloga,
                updateUser: "setovano"
            },
            success:function(data){
                $("#ispisiOvde").html(" ");
               $("#dataTables-example").html(data);
               DeleteUser();
                UpdateUserPrikazForme();
            },
            error:function(xhr, status, errMsg){
                console.log(errMsg);
        })
   })
function DeleteUser(){
    $(".user-delete").on("click",function(){
```

```
var id=$(this).data("id");
        $.ajax({
            url:"../php/admin-insert-user.php",
            method:"post",
            type:"json",
            data:{
                id:id,
                userDelete: "setovano"
            },
            success:function(data){
                $("#dataTables-example").html(data);
                DeleteUser();
                UpdateUserPrikazForme();
            error:function(xhr, status, errMsg){
                console.log(errMsg);
        })
    })
DeleteUser();
function RoleInsert(){
    $("#insert-role").click(function(){
        var naziv=document.getElementById("naziv").value;
        $.ajax({
            url:"../php/admin-insert-userRole.php",
            method:"post",
            type:"json",
            data:{
                naziv:naziv,
                roleInsert:"setoyano"
            },
            success:function(data){
                $("#naziv").val(" ");
                $("#meni-insert-result").html("You added a new row into a
database");
                $("#dataTables-example").html(data);
                DeleteRole();
            },
            error:function(xhr, status, errMsg){
                console.log(errMsg);
        })
    })
RoleInsert();
```

```
function DeleteRole(){
    $(".role-delete").on("click",function(){
        var id=$(this).data("id");
        $.ajax({
            url:"../php/admin-insert-userRole.php",
            method:"post",
            type:"json",
            data:{
                id:id,
                roleDelete:"setovano"
            success:function(data){
                $("#dataTables-example").html(data);
                DeleteRole();
            },
            error:function(xhr, status, errMsg){
                console.log(errMsg);
            }
        })
    })
DeleteRole();
function BrandInsert(){
    $("#insert-brand").click(function(){
        var naziv=document.getElementById("naziv").value;
        $.ajax({
            url:"../php/admin-insert-brand.php",
            method:"post",
            type:"json",
            data:{
                naziv:naziv,
                brandInsert: "setovano"
            },
            success:function(data){
                $("#naziv").val(" ");
                $("#meni-insert-result").html("You added a new row into a
database");
                $("#dataTables-example").html(data);
                DeleteBrand();
            },
            error:function(xhr, status, errMsg){
                console.log(errMsg);
        })
```

```
BrandInsert();
function DeleteBrand(){
    $(".brand-delete").click(function(){
        var id=$(this).data("id");
        $.ajax({
            url:"../php/admin-insert-brand.php",
            method:"post",
            type:"json",
            data:{
                id:id,
                brandDelete:"setovano"
            success:function(data){
                $("#dataTables-example").html(data);
                DeleteBrand();
            },
            error:function(xhr, status, errMsg){
                console.log(errMsg);
        })
    })
DeleteBrand();
```

#### Kodovi osnovnih stranica

### **Index.php:**

```
<?php include "php/konekcija.php"; ?>
<?php include "views/head.php"; ?>
<?php include "views/header-top.php"; ?>
<?php include "views/navigation.php"; ?>
<?php include "views/slider.php"; ?>
<?php include "views/home-content.php"; ?>
<?php include "views/footer.php"; ?>
<?php include "views/footer.php"; ?>
<script src="js/jquery.js"></script>
<script src="js/jquery.js"></script>
<script src="js/jquery.scrollUp.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/main.js"></script>
<script src="js/korpa.js"></script>
<script src="js/korpa.js"></script>
<script src="js/korpa.js"></script>
</body>
```

#### Man.php:

```
<?php include "php/konekcija.php"; ?>
<?php include "views/head.php"; ?>
<?php include "views/header-top.php"; ?>
<?php include "views/navigation.php"; ?>
<?php include "views/products-men-content.php"; ?>
<?php include "views/paginationLine-men.php"; ?>
<?php include "views/footer.php"; ?>
<script src="js/jquery.js"></script>
<script src="js/price-range.js"></script>
<script src="js/jquery.scrollUp.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/main.js"></script>
<script src="js/korpa.js"></script>
</body>
</html>
```

### Woman.php:

```
<?php include "php/konekcija.php"; ?>
<?php include "views/head.php"; ?>
<?php include "views/header-top.php"; ?>
<?php include "views/navigation.php"; ?>
<?php include "views/products-women-content.php"; ?>
<?php include "views/paginationLine-women.php"; ?>
<?php include "views/paginationLine-women.php"; ?>
<?php include "views/footer.php"; ?>
<?php include "views/footer.php"; ?>
<script src="js/jquery.js"></script>
<script src="js/price-range.js"></script></script>
```

```
<script src="js/jquery.scrollUp.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/main.js"></script>
<script src="js/products.js"></script>
<script src="js/products.js"></script>
<script src="js/korpa.js"></script>
</body>
</html>
```

#### **Productdetails.php:**

```
<?php include "php/product-details.php";?>
<?php include "views/head.php"; ?>
<?php include "views/header-top.php"; ?>
<?php include "views/navigation.php"; ?>
<?php include "views/productDetails-content.php"; ?>
<?php include "views/footer.php"; ?>
<?php include "views/footer.php"; ?>
<script src="js/jquery.js"></script>
<script src="js/price-range.js"></script>
<script src="js/jquery.scrollUp.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/main.js"></script>
<script src="js/korpa.js"></script>
<script src="js/korpa.js"></script>
</body>
</html>
```

#### Contact.php:

```
<?php include "php/konekcija.php"; ?>
<?php include "views/head.php"; ?>
<?php include "views/header-top.php"; ?>
<?php include "views/navigation.php"; ?>
<?php include "views/contact-content.php"; ?>
<?php include "views/footer.php"; ?>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
<script type="text/javascript"</pre>
src="http://maps.google.com/maps/api/js?sensor=true"></script>
<script type="text/javascript" src="js/gmaps.js"></script>
<script src="js/contact.js"></script>
<script src="js/price-range.js"></script>
<script src="js/jquery.scrollUp.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/main.js"></script>
<script src="js/kontakt.js"></script>
</body>
</html>
```

### Survay.php:

```
<?php include "php/konekcija.php"; ?>
<?php include "views/head.php"; ?>
<?php include "views/header-top.php"; ?>
<?php include "views/navigation.php"; ?>
<?php include "views/survey-content.php"; ?>
<?php include "views/footer.php"; ?>
<?php include "views/footer.php"; ?>
<script src="js/jquery.js"></script>
<script src="js/jquery.scrollUp.min.js"></script>
<script src="js/jquery.scrollUp.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/main.js"></script>
<script src="js/survay.js"></script>
</body>
</html>
```

## **Autor.php:**

```
<?php include "php/konekcija.php"; ?>
<?php include "views/head.php"; ?>
<?php include "views/header-top.php"; ?>
<?php include "views/navigation.php"; ?>
<?php include "views/author-content.php"; ?>
<?php include "views/footer.php"; ?>
</phd>

</body>
</html>
```

### Cart.php:

```
<?php include "php/konekcija.php"; ?>
<?php include "views/head.php"; ?>
<?php include "views/header-top.php"; ?>
<?php include "views/navigation.php"; ?>
<?php include "views/cart-items.php"; ?>
<?php include "views/cart-shop-info.php"; ?>
<?php include "views/footer.php"; ?>
<?php include "views/footer.php"; ?>
<script src="js/jquery.js"></script>
<script src="js/jquery.js"></script>
<script src="js/jquery.scrollUp.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/jauery.prettyPhoto.js"></script>
<script src="js/main.js"></script>
<script src="js/cart.js"></script>
</body>
</html>
```

### Login.php:

```
<?php
if(isset($_SESSION['username'])){
require_once "php/konekcija.php";
<?php include "views/head.php"; ?>
<?php include "views/header-top.php"; ?>
<?php include "views/navigation.php"; ?>
<?php include "views/login-form.php"; ?>
<?php include "views/footer.php"; ?>
<script src="js/jquery.js"></script>
<script src="js/price-range.js"></script>
<script src="js/jquery.scrollUp.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.prettyPhoto.js"></script>
<script src="js/main.js"></script>
<script src="js/login.js"></script>
</body>
</html>
```

### Activated.php:

```
<?php
 include "php/konekcija.php";
if(isset($_GET['kod'])){
    $aktivacioniKod=$_GET['kod'];
    $query="SELECT * FROM korisnik WHERE aktivacioni kod = :activate";
    $upit=$connection->prepare($query);
    $upit->bindParam(':activate',$aktivacioniKod);
    $upit->execute();
    $rezultat=$upit->fetch();
    if($rezultat){
        $query="UPDATE korisnik SET aktivan = 1 WHERE aktivacioni kod =
:aktiviraj";
        $upit=$connection->prepare($query);
        $upit->bindParam(':aktiviraj',$aktivacioniKod);
        $upit->execute();
    else{
        header("Location:index.php");
}else{
    header("Location:index.php");
<?php include "views/head.php"; ?>
```

```
<?php include "views/header-top.php"; ?>
<?php include "views/navigation.php"; ?>
    <div class="row">
            <div class="col-sm-12">
                <h3 class="text-center text-success" >You activated your
account succesfuly! You can login now!</h3>
            </div>
    </div>
    <script src="js/jquery.js"></script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/jquery.scrollUp.min.js"></script>
    <script src="js/price-range.js"></script>
    <script src="js/jquery.prettyPhoto.js"></script>
    <script src="js/main.js"></script>
</body>
</html>
```

## logout.php:

```
<?php
session_start();
unset($_SESSION['username']);
header("Location:index.php");
?>
```

#### Kodovi includovanih stranica u osnovne stranice

# /views/author-content.php:

```
<div class="container">
            <div class="row">
                <div class="col-sm-12 padding-right">
                    <div class="col-sm-6">
                        <img height="500px"src="images/autor.jpg" alt="Stefan</pre>
Stankovic"/>
                    </div>
                    <div class="col-sm-6">
                        <h2>Hi my name is Stefan Stanković</h2>
                        <h4>I am a student of ICT College, University in
Belgrade. At the moment, I'm attending the second year of the studies and so
far chances for me graduating it in a time predicted for this program are
pretty good. About my personal characteristics I would choose laziness as one
of the main, but when it comes to work and when there's a great reason for it,
I'm hardworking and someone who doesn't give up easily. A few hundreds of
euros per month seems like a good reason to me (i accept dollars too). So if
you have some extra cash and need a responsible and dedicated web developer,
we could be a perfect match! </h4>
                        <h5>Stefan Stanković 97/16</h5>
                    </div>
                </div>
            </div>
        </div>
```

#### /views/cart-items.php:

```
Quantity
                       Total
                       </thead>
                <?php
                       foreach($_SESSION as $productKey =>
$productValue):
                          $name="product_";
                   if(substr($productKey,0,strlen($name))==$name &&
substr($productKey,strlen($name),3) != "NaN"):
                   $podeljenProduct=explode("_",$productKey);
                   $id=$podeljenProduct[1];
                   $kolicina=$productValue;
                   $upit="SELECT * FROM proizvod p INNER JOIN marka m ON
p.marka_id=m.marka_id WHERE
                   p.proizvod id=:proizvod id";
                   $stmt=$connection->prepare($upit);
                   $stmt->bindParam("proizvod_id",$id);
                   try{
                       $stmt->execute();
                       $proizvod=$stmt->fetch();
                   catch(PDOException $e){
                       die($e->getMessage());
                   $ukupno=$kolicina*$proizvod->cena;
                   proizvod id?>">
                       <a href=""><img width="130px"</pre>
src="images/shop/<?=$proizvod->slika_naziv?>" alt="<?=$proizvod-</pre>
>slika_alt?>"></a>
                       <h4><a href=""><?=$proizvod->ime?></a></h4>
                       <?=$proizvod->cena?> $
                       <div class="cart_quantity_button">
                             <a class="cart_quantity_up" data-cena=<?=</pre>
$proizvod->cena?> data-povecaj="<?= $id?>"href=""> + </a>
```

```
<input id="<?=$proizvod-</pre>
>proizvod_id?>"class="cart_quantity_input" type="number" name="quantity"
value="<?= $kolicina?>" autocomplete="off" size="2" disabled>
                             <a class="cart quantity down" data-</pre>
cena=<?= $proizvod->cena?> data-smanji="<?= $id?>"href=""> - </a>
                          </div>
                       >proizvod_id?>" ><?= $ukupno ?> $
                       <a class="cart_quantity_delete" data-</pre>
id="<?=$proizvod->proizvod_id?>" href=""><i class="fa fa-times"></i></a>
                       <?php endif; ?>
                   <?php endforeach;?>
                </div>
      </div>
   </section>
```

## /views/cart-shop-info.php:

```
<section id="do action">
       <div class="container">
           <div class="row">
               <div class="col-sm-6">
                   <div class="total_area">
                          Cart Sub Total <span id="korpaUkupno"><?php</pre>
                          if(isset($_SESSION['korpaUkupno'])){
                              echo $_SESSION['korpaUkupno']."$";
                          }else{
                              echo "$0";
                          ?></span>
                          Eco Tax <span id="tax">$10</span>
                          Shipping Cost <span id="free">Free</span>
                          Total <span id="Ukupno"><?php
                          if(isset($_SESSION['korpaUkupno'])){
                              $ukupno=$_SESSION['korpaUkupno']+10;
                              echo $ukupno."$";
                          }else{
```

```
echo "$10";
                             ?></span>
                        </div>
                </div>
                <?php if(isset($_SESSION['username'])):?>
                <div class="col-sm-6">
                        <div class="shopper-info">
                             Shopper Information
                             <form>
                                 <input type="text" id="name" placeholder="Firs</pre>
name">
                                 <span id="badName" class="crveno">Name is not
valid!</span>
                                 <input type="text" id="lastName"</pre>
placeholder="Last Name">
                                 <span id="badLastName" class="crveno">Last
name is not valid!</span>
                                 <input type="text" id="address"</pre>
placeholder="Address">
                                 <span id="badAddress" class="crveno">Address
is not valid!</span>
                                 <input type="text" id="phone"</pre>
placeholder="Phone number">
                                 <span id="badPhone" class="crveno">Phone
number is not valid!</span>
                                 <input type="button" class="btn-primary"</pre>
id="naruci" value="Order" />
                             <div class="ispisiRezultat" id="ispisRez">
                                 Your order has been saved!
                             </div>
                        </div>
                    </div>
                        <?php endif; ?>
            </div>
        </div>
    </section>
```

#### /views/contact-content.php:

```
<div class="col-sm-8">
                    <div class="contact-form">
                        <h2 class="title text-center">Get In Touch with
Administrator</h2>
                       <div class="status alert alert-success"</pre>
style="display: none"></div>
                        <form id="main-contact-form" class="contact-form row"</pre>
name="contact-form" method="post">
                            <div class="form-group col-md-12">
                                <input type="email" id="email" class="form-</pre>
control" required="required" placeholder="Email">
                                <span id="losEmail" class="crveno">Email is
not valid</span>
                            </div>
                            <div class="form-group col-md-12">
                                <input type="text" id="subject" class="form-</pre>
control" required="required" placeholder="Subject">
                                <span id="losSubject" class="crveno">For
subject you can only use letters and numbers
                            <div class="form-group col-md-12">
                                <textarea name="message" id="message"
required="required" class="form-control" rows="8" placeholder="Your Message
Here"></textarea>
                                <span id="losMessage" class="crveno">For
message you can only use letters and numbers</span>
                            </div>
                            <div class="form-group col-md-12">
                                <input type="button" id="submit" class="btn</pre>
btn-primary pull-right" value="Submit">
                            </div>
                        </form>
                       <div id="ispis">
                        </div>
                    </div>
                </div>
                <div class="col-sm-4">
                    <div class="contact-info">
                        <h2 class="title text-center">Contact Info</h2>
                        <address>
                            E-Shopper Inc.
                            >935 W. Webster Ave New Streets Chicago, IL
60614, NY
                            Newyork USA
                            Mobile: +2346 17 38 93
                            Fax: 1-714-252-0026
                            Email: info@e-shopper.com
                        </address>
```

```
</div>
</div>
</div>
</div>
</div>
</div>
```

## /views/footer.php:

```
<footer id="footer">
       <div class="footer-widget">
           <div class="container">
               <div class="row text-center">
                   0 Web application was made as school project and it
will not be used for commercial uses but only as representational material!All
informations about products and prices are not valid!
                            </h2>
                   <?php $upitMeniFuter="SELECT * FROM navigacija";</pre>
                   $navigacije=$connection->query($upitMeniFuter);
    <?php foreach($navigacije as $nav): ?>
           <a href="<?=$nav->putanja?>" class="btn-default btn-sm"><?=$nav-</pre>
>naziv?></a>
    <?php endforeach;?>
               </div>
           </div>
       </div>
       <div class="footer-bottom">
           <div class="container">
               <div class="row">
                   Copyright @ 2013 E-SHOPPER Inc. All
rights reserved.
                   Designed by <span><a target="_blank"</pre>
href="http://www.themeum.com">Themeum</a></span>
               </div>
           </div>
       </div>
    </footer>
```

#### /views/head.php:

```
<?php
    $imeStranice=$_SERVER['PHP_SELF'];
    $upit ="SELECT * FROM head WHERE ime=:ime";
    $stmt=$connection->prepare($upit);
    $stmt->bindParam(":ime",$imeStranice);
    try{
```

```
$stmt->execute();
        $rezultat=$stmt->fetch();
    }catch(PDOExcetion $e){
        die($e->getMessage);
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="<?= $rezultat->description?>">
    <meta name="keywords" content="<?= $rezultat->keywords?>">
    <meta name="author" content="Stefan Stankovic 97/16">
    <title><?= $rezultat->title?></title>
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/font-awesome.min.css" rel="stylesheet">
    <link href="css/prettyPhoto.css" rel="stylesheet">
    <link href="css/price-range.css" rel="stylesheet">
    <link href="css/animate.css" rel="stylesheet">
    <link href="css/main.css" rel="stylesheet">
    <link href="css/responsive.css" rel="stylesheet">
    <script src="js/html5shiv.js"></script>
    <script src="js/respond.min.js"></script>
    <link rel="apple-touch-icon-precomposed" sizes="144x144"</pre>
href="images/ico/apple-touch-icon-144-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="114x114"</pre>
href="images/ico/apple-touch-icon-114-precomposed.png">
    <link rel="apple-touch-icon-precomposed" sizes="72x72"</pre>
href="images/ico/apple-touch-icon-72-precomposed.png">
    <link rel="apple-touch-icon-precomposed" href="images/ico/apple-touch-</pre>
icon-57-precomposed.png">
<body>
```

## /views/header-top.php:

```
<a href="index.php" class="text-warning"><img</pre>
src="images/logo.png" width="35px"alt="sneakers" />RunForestRun</a>
                       </div>
                   </div>
                   <div class="col-sm-8">
                       <div class="shop-menu pull-right">
                           class="nav navbar-nav">
                               <a href="cart.php"><i class="fa fa-</a>
shopping-cart"></i> Cart</a>
                               <?php
                                   if(isset($ SESSION['username'])){
                                       echo'<a href="logout.php"><i
class="fa fa-lock"></i> Log out</a>';
                                   else{
                                       echo'<a href="login.php"><i
class="fa fa-lock"></i> Login or Register </a>';
                               ?>
                           </div>
                   </div>
               </div>
           </div>
       </div>
```

## /views/home-content.php:

```
<section>
        <div class="container">
            <div class="row">
                <div class="col-sm-12 padding-right">
                    <div class="features items">
                        <h2 class="title text-center">Best for man</h2>
                        <?php
                            $upitMuskarci="SELECT * FROM proizvod WHERE
pol='M' ORDER BY kolicina ASC LIMIT 0,3";
                            $muski=$connection->query($upitMuskarci)-
>fetchAll();
                            <?php foreach($muski as $product): ?>
                         <div class="col-sm-4">
                            <div class="product-image-wrapper">
                                <div class="single-products">
                                        <div class="productinfo text-center">
```

```
<img src="images/shop/<?=$product-</pre>
>slika naziv?>" alt="<?=$product->slika alt?>" />
                                            <h2><?=$product->cena?></h2>
                                            <?=$product->ime?>
                                            <a class="btn btn-default add-to-
cart <?= $product->proizvod id?>" data-id="<?= $product->proizvod id?>" ><i</pre>
class="fa fa-shopping-cart"></i>Add to cart</a>
                                            <a href="product-
details.php?id=<?= $product->proizvod id?>" class="btn btn-default detalji
add-to-cart">Read more</a>
                                        </div>
                                        <div class="product-overlay">
                                            <div class="overlay-content">
                                                <h2><?=$product->cena?></h2>
                                                 <?=$product->ime?>
                                                <a class="btn btn-default add-
to-cart <?= $product->proizvod_id?>" data-id="<?= $product->proizvod_id?>" ><i
class="fa fa-shopping-cart"></i>Add to cart</a>
                                                <a href="product-
details.php?id=<?= $product->proizvod id?>" class="btn btn-default detalji
add-to-cart">Read more</a>
                                            </div>
                                        </div>
                                </div>
                            </div>
                        </div>
<?php endforeach; ?>
                    </div>
                    <div class="features items">
                        <h2 class="title text-center">Best for woman</h2>
                        <?php
                            $upitMuskarci="SELECT * FROM proizvod WHERE
pol='Z' ORDER BY kolicina ASC LIMIT 0,3";
                            $muski=$connection->query($upitMuskarci)-
>fetchAll();
                            <?php foreach($muski as $product): ?>
                         <div class="col-sm-4">
                            <div class="product-image-wrapper">
                                <div class="single-products">
                                        <div class="productinfo text-center">
                                            <img src="images/shop/<?=$product-</pre>
>slika_naziv?>" alt="<?=$product->slika_alt?>" />
                                            <h2><?=$product->cena?></h2>
                                            <?=$product->ime?>
                                            <a class="btn btn-default add-to-
cart <?= $product->proizvod_id?>" data-id="<?= $product->proizvod_id?>" ><i</pre>
class="fa fa-shopping-cart"></i>Add to cart</a>
```

```
<a href="product-
details.php?id=<?= $product->proizvod id?>" class="btn btn-default detalji
add-to-cart">Read more</a>
                                        </div>
                                        <div class="product-overlay">
                                            <div class="overlay-content">
                                                <h2><?=$product->cena?></h2>
                                                <?=$product->ime?>
                                                <a class="btn btn-default add-
to-cart <?= $product->proizvod_id?>" data-id="<?= $product->proizvod_id?>" ><i</pre>
class="fa fa-shopping-cart"></i>Add to cart</a>
                                                <a href="product-
details.php?id=<?= $product->proizvod_id?>" class="btn btn-default detalji
add-to-cart">Read more</a>
                                            </div>
                                        </div>
                                </div>
                            </div>
                        </div>
<?php endforeach; ?>
                    </div>
                </div>
            </div>
        </div>
    </section>
```

## /views/login-form.php:

```
<section id="form"><!--form-->
        <div class="container">
            <div class="row">
                 <div class="col-sm-4 col-sm-offset-1">
                     <div class="login-form"><!--login form-->
                         <h2>Login to your account</h2>
                         <form action="#">
                             <input type="text" id="logInUsername"</pre>
placeholder="Username" />
                             <input type="password" id="logInPassword"</pre>
placeholder="Password" />
                             <input type="hidden" id="prebaci" value="0" />
                             <span id="loseLogovanje" class="crveno">Username
or password are not correct!</span>
                             <button type="button" id="ulogujSe" class="btn</pre>
btn-default">Login</button>
                        </form>
```

```
</div>
                 <div class="col-sm-1">
                     <h2 class="or">OR</h2>
                </div>
                 <div class="col-sm-4">
                     <div class="signup-form"><!--sign up form-->
                         <h2>New User Signup!</h2>
                         <form method="POST">
                             <div class="form-group">
                                 <input type="text" id="name"</pre>
placeholder="Name"/>
                                 <span id="badName" class="crveno">Name is not
valid!</span>
                             </div>
                             <div class="form-group">
                                      <input type="text" id="lastName"</pre>
placeholder="Last Name"/>
                                      <span id="badLastName" class="crveno">Last
name is not valid!</span>
                             </div>
                             <div class="form-group">
                                      <input type="text" id="address"</pre>
placeholder="Address"/>
                                      <span id="badAddress"</pre>
class="crveno">Address is not valid!</span>
                             </div>
                             <div class="form-group">
                                      <input type="text" id="phone"</pre>
placeholder="Phone number"/>
                                      <span id="badPhone" class="crveno">Phone
number is not valid!</span>
                             </div>
                             <div class="form-group">
                                 <input type="email" id="email"</pre>
placeholder="Email Address"/>
                                 <span id="badEmail" class="crveno">Email
address is not valid!</span>
                             </div>
                             <div class="form-group">
                                      <input type="text" id="username"</pre>
placeholder="Username"/>
                                      <span id="badUsername"</pre>
class="crveno">Username is not valid ot it is already taken
                             </div>
                             <div class="form-group">
```

```
<input type="password" id="password"</pre>
placeholder="Password"/>
                                      <span id="badPassword"</pre>
class="crveno">Password is not valid</span>
                              </div>
                              <div class="form-group">
                                      <input type="password"</pre>
id="confirmePassword" placeholder="Confirme Password"/>
                                      <span id="badConfirmePassword"</pre>
class="crveno">Passwords don't match!</span>
                              </div>
                              <div class="form-group">
                                  <div id="ispisiRezultat"
class="ispisiRezultat">
                                  </div>
                              </div>
                              <button type="button" id="submit"class="btn btn-</pre>
default">Signup</button>
                         </form>
                 </div>
            </div>
        </div>
    </section><!--/form-->
```

### /views/navigation.php:

```
<?php
function glavnaNavigacija($roditelj,$nivo){
    global $connection;
    $upit="SELECT * FROM navigacija where roditelj=$roditelj";
    $rezultat=$connection->query($upit);
    if($rezultat->rowCount()>0){
        echo '';
    }
    foreach($rezultat as $red){
        echo '<a href="'.$red->putanja.'">'.$red->naziv.'</a>';
        glavnaNavigacija($red->id_link,$red->nivo);
        echo '';
    }
    if($rezultat->rowCount()>0){
```

```
<div class="header-bottom">
           <div class="container">
                <div class="row">
                   <div class="col-sm-9">
                       <div class="navbar-header">
                           <button type="button" class="navbar-toggle" data-</pre>
toggle="collapse" data-target=".navbar-collapse">
                               <span class="sr-only">Toggle navigation</span>
                               <span class="icon-bar"></span>
                               <span class="icon-bar"></span>
                               <span class="icon-bar"></span>
                           </button>
                       </div>
                        <div class="mainmenu pull-left">
                           $upitPrvi="SELECT * FROM navigacija WHERE
roditelj=0";
                           $roditelj=$connection->query($upitPrvi);
                           if($roditelj->rowCount()>0){
                               if(isset($_SESSION['username'])&&($_SESSION['u
sername']->uloga_id)==1){
                                   echo '<ul class="nav navbar-nav collapse
navbar-collapse">
                                   <a
href="admin/index.php">Admin</a>';
                                   echo '<ul class="nav navbar-nav collapse
navbar-collapse">';
                           foreach($roditelj as $red){
                               $upit = "SELECT * FROM navigacija WHERE
roditelj= $red->id_link";
                               $rezultat = $connection->query($upit);
                               if($rezultat->rowCount() > 0) {
                                   echo'<a
href="#">'.$red->naziv.'<i class="fa fa-angle-down"></i></a>';
                               } else {
                                   echo '<a href="'.$red-
>putanja.'">'.$red->naziv.'</a>';
```

## /views/paginationLine-man.php:

```
<?php
$nekiUpit=$connection->query("SELECT * FROM proizvod WHERE pol='M'");
$rezultatUpita=$nekiUpit->fetchAll();
$brojProizvoda=count($rezultatUpita);
$brojStrane=ceil($brojProizvoda/$po_strani);
<div class="container">
     <div class="row">
               <div class="col-md-12">
                  <div class="product-pagination text-center">
                        <1i>>
                          <?php for($i=1;$i<=$brojStrane;$i++):?>
                          <a href="man.php?str=<?=""><?=</a>
$i;?>"><?=$i?></a>
                          <?php endfor; ?>
                          <1i>>
                          </nav>
                  </div>
               </div>
               </div>
               </div>
```

## /views/ paginationLine-woman.php:

```
<?php
```

```
$nekiUpit=$connection->query("SELECT * FROM proizvod WHERE pol='Z'");
$rezultatUpita=$nekiUpit->fetchAll();
$brojProizvoda=count($rezultatUpita);
$brojStrane=ceil($brojProizvoda/$po strani);
<div class="container">
     <div class="row">
              <div class="col-md-12">
                  <div class="product-pagination text-center">
                      <nav>
                        <1i>>
                         <?php for($i=1;$i<=$brojStrane;$i++):?>
                         <a href="woman.php?str=<?=</a>
$i;?>"><?=$i?></a>
                         <?php endfor; ?>
                         <
                         </nav>
                  </div>
              </div>
               </div>
              </div>
```

#### /views/productDetails-content.php:

```
<section>
    <div class="container">
      <div class="row">
        <div class="col-sm-12 padding-right">
          <div class="product-details"><!--product-details-->
            <div class="col-sm-5">
              <div class="view-product">
                <img src="images/shop/<?= $product->slika_naziv?>" alt="<?=</pre>
$product->slika_alt?>" />
                <h3>Z00M</h3>
              <div id="similar-product" class="carousel slide" data-</pre>
ride="carousel">
                  <!-- Wrapper for slides -->
                    <div class="carousel-inner">
                    <div class="item active">
                    <?php foreach($proizvodSlike as $slika): ?>
```

```
<a href=""><img src="images/shop/<?= $slika->naziv?>"
width="100px" alt=""></a>
                    <?php endforeach; ?>
                      </div>
                    <div class="item">
                    <?php foreach($proizvodSlike as $slika): ?>
                      <a href=""><img src="images/shop/<?= $slika->naziv?>"
width="100px" alt=""></a>
                    <?php endforeach; ?>
                      </div>
                    <div class="item">
                    <?php foreach($proizvodSlike as $slika): ?>
                      <a href=""><img src="images/shop/<?= $slika->naziv?>"
width="100px" alt=""></a>
                    <?php endforeach; ?>
                     </div>
                  </div>
                  <!-- Controls -->
                  <a class="left item-control" href="#similar-product" data-</pre>
slide="prev">
                  <i class="fa fa-angle-left"></i>
                  </a>
                  <a class="right item-control" href="#similar-product" data-</pre>
slide="next">
                  <i class="fa fa-angle-right"></i></i>
                  </a>
              </div>
            </div>
            <div class="col-sm-7">
              <div class="product-information"><!--/product-information-->
                <img src="images/product-details/new.jpg" class="newarrival"</pre>
alt="" />
                <h2><?= $product->ime?></h2>
                <img src="images/product-details/rating.png" alt="" />
                  <span>US $<?= $product->cena?></span>
                  </span>
                  <a class="btn btn-default add-to-cart <?= $product-</pre>
>proizvod_id?>" data-id="<?= $product->proizvod_id?>" ><i class="fa fa-</pre>
shopping-cart"></i>Add to cart</a> <b>Availability:</b> In Stock
                <b>Condition:</b> New
                <b>Brand:</b> <?= $product->naziv?>
            </div>
```

### /views/products-man-content.php:

```
<?php
require_once "php/konekcija.php";
$po strani = 3;
if(isset($_GET['str'])){
    $strana=$_GET['str'];
    $pocetak=($strana-1)*3;
    $upit=$connection->query("SELECT * FROM proizvod WHERE pol='M' LIMIT
$pocetak,$po_strani");
    $proizvod=$upit->fetchAll();
else{
    $upit=$connection->query("SELECT * FROM proizvod WHERE pol='M' LIMIT
0,$po_strani");
    $proizvod=$upit->fetchAll();
<section>
        <div class="container">
            <div class="row">
                <div class="col-sm-12 padding-right">
                    <div class="features_items"><!--features_items-->
                        <h2 class="title text-center">For Man</h2>
                <?php
                    foreach($proizvod as $product):
                        <div class="col-sm-4">
                            <div class="product-image-wrapper">
                                 <div class="single-products">
                                     <div class="productinfo text-center">
                                         <img src="images/shop/<?= $product-</pre>
>slika_naziv?>" alt="<?= $product->slika_alt?>" />
                                        <h2><?= $product->cena?>$</h2>
```

```
<?= $product->ime?>
                                        <a href="#" class="btn btn-default
add-to-cart <?= $product->proizvod id?>" data-id="<?= $product->proizvod id?>"
><i class="fa fa-shopping-cart"></i>Add to cart</a>
                                        <input type="hidden" value="<?=</pre>
$product->proizvod id?>"/>
                                        <a href="product-details.php?id=<?=</pre>
$product->proizvod_id?>" class="btn btn-default detalji add-to-cart">Read
more</a>
                                    </div>
                                    <div class="product-overlay">
                                        <div class="overlay-content">
                                            <h2><?= $product->cena?>$</h2>
                                            <?= $product->ime?>
                                            <a class="btn btn-default add-to-
cart <?= $product->proizvod_id?>" data-id="<?= $product->proizvod_id?>" ><i</pre>
class="fa fa-shopping-cart"></i>Add to cart</a>
                                            <a href="product-
details.php?id=<?= $product->proizvod id?>" class="btn btn-default detalji
add-to-cart">Read more</a>
                                        </div>
                                    </div>
                                </div>
                            </div>
                        </div>
                <?php endforeach; ?>
        </div>
    </section>
```

#### /views/ productsWoman -content.php:

```
<section>
        <div class="container">
            <div class="row">
                <div class="col-sm-12 padding-right">
                    <div class="features items"><!--features items-->
                        <h2 class="title text-center">For Man</h2>
                <?php
                    foreach($proizvod as $product):
                        <div class="col-sm-4">
                            <div class="product-image-wrapper">
                                <div class="single-products">
                                     <div class="productinfo text-center">
                                         <img src="images/shop/<?= $product-</pre>
>slika_naziv?>" alt="<?= $product->slika_alt?>" />
                                         <h2><?= $product->cena?>$</h2>
                                         <?= $product->ime?>
                                         <a href="#" class="btn btn-default
add-to-cart <?= $product->proizvod_id?>" ><i class="fa fa-shopping-
cart"></i>Add to cart</a>
                                         <input type="hidden" value="<?=</pre>
$product->proizvod_id?>"/>
                                         <a href="product-details.php?id=<?=</pre>
$product->proizvod_id?>" class="btn btn-default detalji add-to-cart">Read
more</a>
                                    </div>
                                    <div class="product-overlay">
                                         <div class="overlay-content">
                                             <h2><?= $product->cena?>$</h2>
                                             <?= $product->ime?>
                                             <a class="btn btn-default add-to-
cart <?= $product->proizvod_id?>" data-id="<?= $product->proizvod_id?>" ><i</pre>
class="fa fa-shopping-cart"></i>Add to cart</a>
                                             <a href="product-
details.php?id=<?= $product->proizvod id?>" class="btn btn-default detalji
add-to-cart">Read more</a>
                                         </div>
                                    </div>
                                </div>
                            </div>
                        </div>
```

```
<?php endforeach; ?>
     </div>
</section>
```

## /views/slider.php:

```
<section id="slider">
      <div class="container">
          <div class="row">
             <div class="col-sm-12">
                <div id="slider-carousel" class="carousel slide" data-</pre>
ride="carousel">
                    to="0" class="active">
                       to="1">
                       to="2">
                    <div class="carousel-inner">
                       <div class="item active">
                           <div class="col-sm-6">
                              <h1><span>For</span>Man</h1>
                              <h2>All men product we have</h2>
                              Look for what you need! 
                              <a href="man.php"><button type="button"</pre>
class="btn btn-default get">Man page</button></a>
                           </div>
                           <div class="col-sm-6">
                             <img src="images/home/sliderMan.png"</pre>
class="girl img-responsive" alt="" />
                           </div>
                       </div>
                       <div class="item">
                           <div class="col-sm-6">
                              <h1><span>For</span>Woman</h1>
                              <h2>Place where your better half will not
cost you much</h2>
                              Supprise your wife or girlfriend with
some nice sneakers from our collection. 
                              <a href="woman.php"><button type="button"</pre>
class="btn btn-default get">Woman page</button></a>
                           </div>
                          <div class="col-sm-6">
```

```
<img src="images/home/girl2.jpg"</pre>
class="girl img-responsive" alt="" />
                                 </div>
                             </div>
                             <div class="item">
                                 <div class="col-sm-6">
                                      <h1><span>E</span>-SHOPPER</h1>
                                      <h2>Contact Us</h2>
                                      Ask our dedicated administrators
everything you want and espect answer as soon as posible! 
                                     <a href="contact.php"><button</pre>
type="button" class="btn btn-default get">Contact</button></a>
                                 </div>
                                 <div class="col-sm-6">
                                     <img src="images/home/letter.png"</pre>
class="girl img-responsive" alt="" />
                             </div>
                         </div>
                         <a href="#slider-carousel" class="left control-</pre>
carousel hidden-xs" data-slide="prev">
                             <i class="fa fa-angle-left"></i></i>
                         </a>
                         <a href="#slider-carousel" class="right control-</pre>
carousel hidden-xs" data-slide="next">
                             <i class="fa fa-angle-right"></i></i>
                         </a>
                     </div>
                </div>
            </div>
        </div>
    </section>
```

#### /views/survey-content.php:

```
<h2>Options: </h2>
                   <input type="radio" name="radioBtn" id="nike"</pre>
value="nike"/>
                   <h2>Nike</h2>
                   <input type="radio" name="radioBtn"</pre>
id="adidas" value="adidas"/>
                   <h2>Adidas</h2>
                   <input type="radio" name="radioBtn"</pre>
id="reebok" value="reebok"/>
                      <h2>Reebok</h2>
                   <input type="button" id="submit"</pre>
value="SUBMIT" />
                      </form>
              <div id="ispis">
              </div>
```

```
</div>
                </div>
                <div class="col-sm-6" id="rezultati">
                    <div class="progress">
style="width: 50%;" aria-valuenow="25" aria-valuemin="0" aria-
valuemax="100">50%</div>
                    </div>
                    <div class="progress">
                         <div class="progress-bar" role="progressbar"</pre>
valuemax="100">15%</div>
                    </div>
style="width: 35%;" aria-valuenow="25" aria-valuemin="0" aria-
                     </div> -->
                </div>
            </div>
        </div>
    </section><!--/form-->
```

## Javascript kodovi (ajax izmedju logike I prikaza)

### cart.js:

```
$(document).ready(function(){
    $("#badName").html("");
    $("#badLastName").html("");
    $("#badAddress").html("");
    $("#badPhone").html("");
    $("#badCity").html("");
    $("#ispisRez").hide();
    $(".cart_quantity_up").click(function(e){
        e.preventDefault();
        var dataId=$(this).data("povecaj");
        var dataCena=$(this).data("cena");
        $.ajax({
            url:"php/cart.php",
            method:"POST",
            type:"json",
            data:{
                quantityUpId:dataId
            },
            success:function(data){
                console.log(data);
                var kolicina=data.kolicina;
                var id=data.id;
                $("#"+dataId+"").val(kolicina);
                var ukupno=kolicina*dataCena;
                $("."+id+"").html(ukupno+" $");
                $("#korpaUkupno").html("$"+data.ukupno);
                $.ukupno=data.ukupno+10;
                $("#Ukupno").html("$"+$.ukupno);
            error:function(xhr, status, errMsg){
        })
    })
    $(".cart_quantity_down").click(function(e){
        e.preventDefault();
        var dataId=$(this).data("smanji");
        var dataCena=$(this).data("cena");
        $.ajax({
            url: "php/cart.php",
            method:"POST",
```

```
type:"json",
        data:{
            quantityDownId:dataId
        },
        success:function(data){
            console.log(data);
            var kolicina=data.kolicina;
            var id=data.id;
            $("#"+dataId+"").val(kolicina);
            var ukupno=kolicina*dataCena;
            $("."+id+"").html(ukupno+" $");
            $("#korpaUkupno").html("$"+data.ukupno);
            $.ukupno=data.ukupno+10;
            $("#Ukupno").html("$"+$.ukupno);
        },
        error:function(xhr, status, errMsg){
   })
})
$(".cart_quantity_delete").click(function(e){
    e.preventDefault();
    var dataId=$(this).data("id");
    $.ajax({
        url:"php/cart.php",
        method:"POST",
        type:"json",
        data:{
            dataId:dataId
        },
        success:function(data){
            $("#idTr"+dataId+"").html(data.ispis);
            $("#korpaUkupno").html("$"+data.ukupno);
            $.ukupno=data.ukupno+10;
            $("#Ukupno").html("$"+$.ukupno);
        },
        error:function(xhr, status, errMsg){
          //console.log(errMsg);
    })
})
$("#naruci").click(function(){
   var greske=[];
```

```
var dugme=document.getElementById("naruci");
        var name=document.getElementById("name").value;
        var reName=/^[A-Z][a-z]{2,12}(\s[A-Z][a-z]{2,12})?$/;
        if(reName.test(name)){
            document.getElementById("badName").innerHTML="";
        else{
            document.getElementById("badName").innerHTML="First name is not
valid!";
            greske.push("Name is not valid");
        var lastName=document.getElementById("lastName").value;
        var reLastName=/^[A-Z][a-z]{2,12}(\s[A-Z][a-z]{2,12})?$/;
        if(reLastName.test(lastName)){
            document.getElementById("badLastName").innerHTML="";
        else{
            document.getElementById("badLastName").innerHTML="Last name is not
valid!";
            greske.push("Last name is not valid");
        }
        var address=document.getElementById("address").value;
        var reAddress=/^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})*\s[0-x]
9]{1,4}(\/[0-9]{1,4})?$/;
        if(reAddress.test(address)){
            document.getElementById("badAddress").innerHTML="";
        else{
            document.getElementById("badAddress").innerHTML="Address is not
valid!";
            greske.push("Address is not valid");
        var phone=document.getElementById("phone").value;
        var rePhone=/^06[0-9]{1}[0-9]{6}([0-9]{1})?$/;
        if(rePhone.test(phone)){
            document.getElementById("badPhone").innerHTML="";
        else{
            document.getElementById("badPhone").innerHTML="Phone number is not
valid!";
            greske.push("Phone nubmer is not valid");
        if(greske.length==0){
            $.ajax({
                url:"php/order.php",
                method:"POST",
```

```
type:"json",
            data:{
                name:name,
                lastName:lastName,
                address:address,
                phone:phone,
                dugme:true
            },
            success:function(data){
                $("#name").val("");
                $("#lastName").val("");
                $("#address").val("");
                $("#phone").val("");
                $("#tabela").html(data);
                $("#korpaUkupno").html("0$");
                $("#tax").html("10$");
                $("#free").html("Free");
                $("#Ukupno").html("10$");
                $("#ispisRez").show();
            },
            error:function(){
            }
        })
})
```

#### kontakt.js:

```
$(document).ready(function(){
    $("#losEmail").hide();
    $("#losSubject").hide();
    $("#losMessage").hide();
})

$("#submit").click(function(){
    var greske=[];
    var email=$("#email").val();
    var subject=$("#subject").val();
    var message=$("#message").val();
    var reEmail=/^[a-z0-9\.]{1,25}@[a-z0-9]{1,25}(\.[a-z0-9]{1,25})+$/;
    if(!reEmail.test(email)){
        greske.push("Email nije u redu");
        $("#losEmail").show();
    }else{
        $("#losEmail").hide();
```

```
var reSubject=/^[A-Za-z\s0-9]{3,50}$/;
if(!reSubject.test(subject)){
    greske.push("Subject nije u redu");
    $("#losSubject").show();
else{
    $("#losSubject").hide();
var reMessage=/^[A-Za-z\s0-9]{3,250}$/;
if(!reMessage.test(message)){
    greske.push("Message nije u redu");
    $("#losMessage").show();
}else{
    $("#losMessage").hide();
if(greske.length==0){
    $.ajax({
        url:"php/kontakt.php",
        method:"POST",
        type:"json",
        data:{
            email:email,
            subject:subject,
            message:message,
            submit:"setovano"
        },
        success:function(data){
            $("#email").val(" ");
            $("#subject").val(" ");
            $("#message").val(" ");
            $("#ispis").html(data);
        },
        error:function(xhr, status, errMsg){
            console.log(errMsg);
    })
```

#### korpa.js:

```
$(document).ready(function(){
    $(".add-to-cart").click(function(){
```

```
var stingId=$(this).data("id");
    var intId=stingId;
    $.ajax({
        url:"php/cart.php",
        method:"POST",
        type:"json",
        data:{
            intId:intId
        },
        success:function(data){
            $("."+data+"").html("Added to cart");
            $("."+data+"").attr("disabled",true);
        },
        error:function(xhr, status, errMsg){
            console.log(status);
    })
})
```

# korpaSingle.js:

```
$(document).ready(function(){
    $(".add-to-cart").click(function(){
        var stingId=$(this).data("id");
        var intId=parseInt(stingId);
        $.ajax({
            url:"php/cart.php",
            method:"POST",
            type:"json",
            data:{
                intId:intId
            },
            success:function(data){
                console.log(data);
                $("."+data+"").html("Added to cart");
                $("."+data+"").attr("disabled",true);
            },
            error:function(xhr,status,errMsg){
                console.log(errMsg);
```

```
})
})
```

### login.js:

```
$(document).ready(function(){
    $("#badName").html("");
    $("#badLastName").html("");
    $("#badAddress").html("");
    $("#badPhone").html("");
    $("#badUsername").html("");
    $("#badEmail").html("");
    $("#badPassword").html("");
    $("#badConfirmePassword").html("");
    $("#loseLogovanje").html("");
})
document.getElementById("submit").addEventListener("click", function(){
    var greske=[];
    var name=document.getElementById("name").value;
    var reName=/^[A-Z][a-z]{2,12}(\s[A-Z][a-z]{2,12})?$/;
    if(reName.test(name)){
        document.getElementById("badName").innerHTML="";
    else{
        document.getElementById("badName").innerHTML="Name is not valid!";
        greske.push("Name is not valid");
    var lastName=document.getElementById("lastName").value;
    var reLastName=/^[A-Z][a-z]{2,12}(\s[A-Z][a-z]{2,12})?$/;
    if(reLastName.test(lastName)){
        document.getElementById("badLastName").innerHTML="";
    }
    else{
        document.getElementById("badLastName").innerHTML="Last name is not
valid!";
        greske.push("Last name is not valid");
    var address=document.getElementById("address").value;
    var reAddress=/^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})*\s[0-9]{1,4}(\/[0-x][a-x]{2,15})*
9]{1,4})?$/;
    if(reAddress.test(address)){
        document.getElementById("badAddress").innerHTML="";
    else{
        document.getElementById("badAddress").innerHTML="Address is not
```

```
greske.push("Address is not valid");
    var phone=document.getElementById("phone").value;
    var rePhone=/^06[0-9]{1}[0-9]{6}([0-9]{1})?$/;
    if(rePhone.test(phone)){
        document.getElementById("badPhone").innerHTML="";
    else{
        document.getElementById("badPhone").innerHTML="Phone number is not
valid!";
        greske.push("Phone nubmer is not valid");
    var username=document.getElementById("username").value;
    var reUsername=/^[A-Za-z]{1}[A-Za-z0-9]{2,14}$/
    if(reUsername.test(username)){
        document.getElementById("badUsername").innerHTML="";
   else{
        document.getElementById("badUsername").innerHTML="Username is not
valid or it's already taken!";
        greske.push("Username is not valid or it's already taken!");
    var email=document.getElementById("email").value;
    var reEmail=/^[a-z0-9\.]{1,25}@[a-z0-9]{1,25}(\.[a-z0-9]{1,25})+$/;
    if(reEmail.test(email)){
        document.getElementById("badEmail").innerHTML="";
    else{
        document.getElementById("badEmail").innerHTML="Email is not valid!";
        greske.push("Email is not valid!");
    var password=document.getElementById("password").value;
    var rePassword=/^[\S]{6,25}$/;
    if(rePassword.test(password)){
        document.getElementById("badPassword").innerHTML="";
   else{
        document.getElementById("badPassword").innerHTML="Password is not
valid!";
        greske.push("Password is not valid!");
    var confirmePassword=document.getElementById("confirmePassword").value;
    if(password==confirmePassword){
        document.getElementById("badConfirmePassword").innerHTML="";
    else{
        document.getElementById("badConfirmePassword").innerHTML="Passwords
don't match!";
```

```
greske.push("Passwords don't match!");
    var dugme=document.getElementById("")
    if(greske.length==0){
        $.ajax({
            url:"php/registrationChecker.php",
            method:"POST",
            type:"json",
            data:{
                name:name,
                lastName:lastName,
                address:address,
                phone:phone,
                username:username,
                email:email,
                password:password,
                confirmePassword:confirmePassword
            },
            success:function(data){
                $("#name").val("");
                $("#lastName").val("");
                $("#address").val("");
                $("#phone").val("");
                $("#email").val("");
                $("#username").val("");
                $("#password").val("");
                $("#confirmePassword").val("");
                $(".ispisiRezultat").html(data);
            },
            error:function(xhr, status, errorMsg){
                var odgovor=JSON.parse(xhr.responseText);
                console.log(odgovor);
                $("#ispisiRezultat").removeClass("ispisiRezultat");
                $("#ispisiRezultat").addClass("crveno");
                $("#ispisiRezultat").html(odgovor.message);
        })
});
document.getElementById("ulogujSe").addEventListener("click", function(){
    var greske=[];
    var username=document.getElementById("logInUsername").value;
    var reUsername=/^[A-Za-z]{1}[A-Za-z0-9]{2,14}$/
    if(reUsername.test(username)){
        document.getElementById("loseLogovanje").innerHTML="";
```

```
else{
        document.getElementById("loseLogovanje").innerHTML="Username or
password are not correct!";
        greske.push("Username or password are not correct!");
    var password=document.getElementById("logInPassword").value;
    var rePassword=/^[\S]{6,25}$/;
    if(rePassword.test(password)){
        document.getElementById("loseLogovanje").innerHTML="";
    else{
        document.getElementById("loseLogovanje").innerHTML="Username or
password are not correct!";
        greske.push("Username or password are not correct!");
    if(greske.length==0){
        $.ajax({
            url: "php/login.php",
            method:"POST",
            type:"json",
            data:{
                username:username,
                password:password
            success:function(data){
                window.location.href = data;
            },
            error:function(xhr, status, errorMsg){
                console.log(xhr);
        })
```

#### survay.js:

```
$(document).ready(function(){
    $.ajax({
        url:"php/survay.php",
        type:"json",
        method:"POST",
        data:{
            pokrenutaStrana:"setovano"
        },
        success:function(data){
```

```
$("#rezultati").html(data);
        },
        error:function(xhr, status, errMsg){
            console.log("ne radi")
    })
})
$("#submit").click(function(){
    rbtns=document.getElementsByName("radioBtn");
    var izbor="";
    for(var i=0;i<rbtns.length;i++){</pre>
        if(rbtns[i].checked){
            izbor=rbtns[i].value;
    if(izbor==""){
        $("#ispis").html("<h2>You have to choose one brand</h2>");
    }else{
        $.ajax({
            url:"php/survay.php",
            type:"json",
            method:"POST",
            data:{
                izbor:izbor,
                submit:"setovano"
            success:function(data){
                $("#rezultati").html(data);
            },
            error:function(xhr, status, errMsg){
                console.log("ne radi")
        })
```

# Php kodovi (pozadina(logika))

### Cart.php:

```
<?php
header("Content-Type:Application/json");
include "konekcija.php";
if(isset($_POST['intId'])){
    $productId=$ POST['intId'];
    if(isset($_SESSION["product_".$_POST["intId"]])){
        $_SESSION["product_".$_POST["intId"]]+=1;
    else{
        $_SESSION["product_".$_POST["intId"]]=1;
    saberi();
    echo($productId);
if(isset($ POST['quantityUpId'])){
    $upit="SELECT kolicina FROM proizvod where proizvod_id=:id";
    $idZaBazu=$_POST['quantityUpId'];
    $stmt=$connection->prepare($upit);
    $stmt->bindParam("id",$idZaBazu);
    try{
        $stmt->execute();
        $kolicinaBaza=$stmt->fetch()->kolicina;
        if($_SESSION["product_".$_POST["quantityUpId"]]<$kolicinaBaza){</pre>
            $quantityUp=$_POST['quantityUpId'];
            $_SESSION["product_".$_POST["quantityUpId"]]+=1;
            $niz=[];
            $kolicina=$_SESSION["product_".$_POST["quantityUpId"]];
            $korpaUkupno=saberi();
json_encode(["kolicina"=>$kolicina,"id"=>$quantityUp,"ukupno"=>$korpaUkupno]);
    }catch(PDOException $e){
        die($e->getMessage());
if(isset($_POST['quantityDownId'])){
    $quantityDown=$_POST['quantityDownId'];
    if($_SESSION["product_".$_POST["quantityDownId"]]>1){
        $_SESSION["product_".$_POST["quantityDownId"]]-=1;
        $niz=[];
        $kolicina=$_SESSION["product_".$_POST["quantityDownId"]];
        $korpaUkupno=saberi();
```

```
echo
json encode(["kolicina"=>$kolicina,"id"=>$quantityDown,"ukupno"=>$korpaUkupno]
);
if(isset($ POST['dataId'])){
    $id=$_POST['dataId'];
    unset($_SESSION["product_".$id]);
    $ispis=" ";
    $korpaUkupno=saberi();
    echo json_encode(["ispis"=>$ispis,"ukupno"=>$korpaUkupno]);
function saberi(){
    global $connection;
    $korpaUkupno=0;
    foreach($_SESSION as $productKey => $productValue){
        $name="product_";
        if(substr($productKey,0,strlen($name))==$name){
            $podeljenProduct=explode("_",$productKey);
            $id=$podeljenProduct[1];
            $kolicina=$productValue;
            $upit = "SELECT cena FROM proizvod WHERE
proizvod_id=:proizvod_id";
            $stmt=$connection->prepare($upit);
            $stmt->bindParam(":proizvod_id",$id);
            try{
                $stmt->execute();
                $productPrice=$stmt->fetch()->cena;
                $pricePerProduct=$kolicina*$productPrice;
                $korpaUkupno+=$pricePerProduct;
            }catch(PDOException $e){
                die($e->getMessage());
    $_SESSION['korpaUkupno']=$korpaUkupno;
    return $korpaUkupno;
```

### kontakt.php:

```
<?php
use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;
require 'PHPMailer-master/src/Exception.php';
require 'PHPMailer-master/src/PHPMailer.php';
require 'PHPMailer-master/src/SMTP.php';
if(isset($ POST['submit'])){
   $email=$ POST['email'];
   $subject=$ POST['subject'];
   $message=$_POST['message'];
    $greske=[];
   $reEmail="/^[a-z0-9\.]{1,25}@[a-z0-9]{1,25}(\.[a-z0-9]{1,25})+$/";
   if(!preg_match($reEmail,$email)){
       array_push($greske,"Email is bad");
   $reSubject="/^[A-Za-z\s0-9]{3,50}$/";
   if(!preg_match($reSubject,$subject)){
   array_push($greske,"Subject is bad");
   $reMessage="/^[A-Za-z\s0-9]{3,250}$/";
   if(!preg_match($reMessage,$message)){
   array_push($greske,"Message is bad");
   if(count($greske)==0){
    $mail = new PHPMailer(true);
 true` enables exceptions
            try {
                $mail->isSMTP();
mailer to use SMTP
                $mail->Host = 'smtp.gmail.com'; // Specify main and backup
SMTP servers
                $mail->SMTPAuth = true;
Enable SMTP authentication
                $mail->Username = 'eshopper12341234@gmail.com';
// SMTP username
                $mail->Password = 'PartizaN';
SMTP password
```

```
$mail->SMTPSecure = 'tls';
                $mail->Port = 587;
                                                                      // TCP
port to connect to
                //Recipients
                $mail->setFrom($email, 'Mailer');
                $mail->addAddress('eshopper12341234@gmail.com'); // Add a
Name is optional
                //$mail->addReplyTo('info@example.com', 'Information');
                //$mail->addBCC('bcc@example.com');
                                                                       // Add
                //$mail->addAttachment('/tmp/image.jpg', 'new.jpg');
Optional name
                //Content
                $mail->isHTML(true);
email format to HTML
                $mail->Subject = $email." ".$subject;
                $mail->Body
                             = $message;
                $mail->AltBody = 'Stigo mejl?';
                $mail->send();
                echo "Email has been sent to administrator exepct answer as
soon as posible!";
   catch(PDOException $e){
       die($e->getMessage());
```

#### login.php:

```
<?php
require "konekcija.php";
$greske=[];
$statusniKod=200;
$username=$_POST['username'];
$password=$_POST['password'];</pre>
```

```
$reUsername="/^[A-Za-z]{1}[A-Za-z0-9]{2,14}$/";
$rePassword="/^[\S]{6,25}$/";
if(!preg match($reUsername,$username)){
    array_push($greske,"Username is not correct!");
    $statusniKod=422;
if(!preg match($rePassword,$password)){
    array_push($greske,"Password is not correct!");
    $statusniKod=422;
if(count($greske)==0){
    $pass=md5($password);
    $upit= $connection->prepare("SELECT * FROM korisnik WHERE username = :user
AND password= :pass AND aktivan = 1");
    $upit->bindParam(':user',$username);
    $upit->bindParam(':pass',$pass);
    try{
        $upit->execute();
        $rez=$upit->fetch();
        if($rez){
            $ SESSION['username']=$rez;
            echo "index.php";
    }catch(PDOException $e){
        die($e->getMessage());
}else{
    echo "ne valja";
```

### order.php:

```
<?php
include "konekcija.php";
if(isset($_POST['dugme'])){
    $code=201;

    $greske=[];
    $name=$_POST['name'];
    $lastName=$_POST['lastName'];
    $address=$_POST['address'];
    $phone=$_POST['phone'];</pre>
```

```
$reName="/^[A-Z][a-z]{2,12}(\s[A-Z][a-z]{2,12})?$/";
        $reLastName="/^[A-Z][a-z]{2,12}(\s[A-Z][a-z]{2,12})?$/";
        $reAddress="/^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})*\s[0-9]{1,4}(\/[0-
9]{1,4})?$/";
        $rePhone="/^06[0-9]{1}[0-9]{6}([0-9]{1})?$/";
        if(!preg match($reName,$name)){
            array_push($nizDobro,"Name: $name");
            $code=404;
        }
        if(!preg match($reLastName,$lastName)){
            array_push($greske,"Last name is not correct!");
            $code=422;
        if(!preg match($reAddress,$address)){
            array push($greske,"Address is not correct!");
            $code=422;
        if(!preg match($rePhone,$phone)){
            array_push($greske, "Phone number is not correct!");
            $code=422;
        if(count($greske)==0){
            $korisnikId=$ SESSION['username']->korisnik id;
            foreach($_SESSION as $productKey => $productValue){
                $ime="product ";
                if(substr($productKey,0,strlen($ime))==$ime){
                    $podeljenProduct=explode("_",$productKey);
                    $productId=$podeljenProduct[1];
                    $kolicina=$productValue;
                    $upit = "SELECT cena FROM proizvod WHERE
proizvod_id=:proizvod_id";
                    $stmt=$connection->prepare($upit);
                    $stmt->bindParam(":proizvod_id",$productId);
                    try{
                        $stmt->execute();
                        $productPrice=$stmt->fetch()->cena;
                        $pricePerProduct=$kolicina*$productPrice;
                        $vremeNarudzbine=mktime();
                        $queryUpis="INSERT INTO narudzbina
(korisnik_id,proizvod_id,kolicina,ime,prezime,adresa,telefon,vremePorucivanja,
cena) VALUES (:korId, :proId, :kolicina, :ime, :prezime, :adresa, :telefon,
:vremePorucivanja, :cena)";
                        $upis=$connection->prepare($queryUpis);
                        $upis->bindParam(':korId',$korisnikId);
                        $upis->bindParam(':proId',$productId);
```

```
$upis->bindParam(':ime',$name);
                        $upis->bindParam(':prezime',$lastName);
                        $upis->bindParam(':kolicina',$kolicina);
                        $upis->bindParam(':adresa',$address);
                        $upis->bindParam(':telefon',$phone);
                        $upis->bindParam(':cena',$pricePerProduct);
                        $upis-
>bindParam(':vremePorucivanja',$vremeNarudzbine);
                        try{
                            $rezultat=$upis->execute();
                            $message="Your order is on its way!";
                            $code=201;
                        }catch(PDOException $e){
                            $message= $e->getMessage();
                            $code=500;
                        }
                    }catch(PDOException $e){
                        die($e->getMessage());
            foreach($_SESSION as $productKey => $productValue){
                $name="product_";
                if(substr($productKey,0,strlen($name))==$name){
                    unset($_SESSION[$productKey]);
            unset($_SESSION['korpaUkupno']);
        else{
            $message="Data you entered is not valid!";
        http_response_code($code);
        echo " ";
```

## product-details.php:

```
<?php
    include_once("konekcija.php");
    if(isset($_GET['id'])){
        $id=$_GET['id'];
        $query="SELECT * FROM proizvod p INNER JOIN marka m ON
p.marka_id=m.marka_id WHERE proizvod_id=:id";
        $stmt=$connection->prepare($query);
        $stmt->bindParam(":id",$id);
        try{
            $rezultat=$stmt->execute();
            if($stmt->rowCount()==0){
                header("Location: index.php");
            }else{
                $product=$stmt->fetch();
                $query2="SELECT * FROM slike WHERE proizvod_id=:id";
    $stmt2=$connection->prepare($query2);
     $id=$_GET['id'];
        $stmt2->bindParam(":id",$id);
        try{
            $stmt2->execute();
            //var_dump($rezultat);
            $proizvodSlike=$stmt2->fetchAll();
        }catch(PDOException $e){
                die($e->getMessage());
        }catch(PDOException $e){
                die($e->getMessage());
        }
    if(isset($_GET['id'])){
```

#### products.php:

```
<?php
require_once "konekcija.php";

$id=$_POST['id'];
$upit=$connection->prepare("SELECT * FROM proizvod WHERE proizvod_id=:id");
$upit->bindParam(':id',$id);
$upit->execute();
$rezultatUpita=$upit->fetchAll();
    echo $rezultatUpita;
```

### registrationChecker.php:

```
<?php
use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;
require 'PHPMailer-master/src/Exception.php';
require 'PHPMailer-master/src/PHPMailer.php';
require 'PHPMailer-master/src/SMTP.php';
require once("konekcija.php");
    $greske=[];
    $statusniKod=201;
    $message=null;
    $name=$ POST['name'];
    $lastName=$_POST['lastName'];
    $address=$_POST['address'];
    $phone=$_POST['phone'];
    $username=$_POST['username'];
    $email=$_POST['email'];
    $password=$_POST['password'];
    $confirmePassword=$_POST['confirmePassword'];
    $reName="/^[A-Z][a-z]{2,12}(\s[A-Z][a-z]{2,12})?$/";
    $reLastName="/^[A-Z][a-z]{2,12}(\s[A-Z][a-z]{2,12})?$/";
    $reAddress="/^[A-Z][a-z]{2,15}(\s[A-Z][a-z]{2,15})*\s[0-9]{1,4}(\/[0-
9]{1,4})?$/";
    $rePhone="/^06[0-9]{1}[0-9]{6}([0-9]{1})?$/";
    $reUsername="/^[A-Za-z]{1}[A-Za-z0-9]{2,14}$/";
    $rePassword="/^[\S]{6,25}$/";
    if(!preg_match($reName,$name)){
        array_push($greske,"Name is not correct!");
        $statusniKod=422;
    if(!preg match($reLastName,$lastName)){
        array_push($greske,"Last name is not correct!");
        $statusniKod=422;
    if(!preg match($reAddress,$address)){
        array_push($greske, "Address is not correct!");
        $statusniKod=422;
    if(!preg_match($rePhone,$phone)){
        array_push($greske,"Phone number is not correct!");
        $statusniKod=422;
```

```
if(!preg match($reUsername,$username)){
        array push($greske, "Username is not correct!");
        $statusniKod=422;
    if(!filter var($email,FILTER VALIDATE EMAIL)){
        array_push($greske,"Email is not correct!");
        $statusniKod=422;
    if(!preg match($rePassword,$password)){
        array_push($greske,"Password is not correct!");
        $statusniKod=422;
    if($confirmePassword!=$password){
        array push($greske,"Passwords don't match!");
        $statusniKod=422;
    if(count($greske)==0){
        $pass=md5($password);
        $upis=$connection->prepare("INSERT INTO korisnik")
(ime, prezime, username, adresa, email, password, telefon, aktivacioni_kod, datum_regi
stracije) VALUES
(:ime,:prezime,:username,:adresa,:email,:password,:telefon,:aktivacioni_kod,:d
atum registracije)");
        $vremeRegistrovanja=mkTime();
        $aktivacioniKod=md5($vremeRegistrovanja.$email);
        $upis->bindParam(':ime',$name);
        $upis->bindParam(':prezime',$lastName);
        $upis->bindParam(':username',$username);
        $upis->bindParam(':adresa',$address);
        $upis->bindParam(':email',$email);
        $upis->bindParam(':password',$pass);
        $upis->bindParam(':telefon',$phone);
        $upis->bindParam(':aktivacioni_kod',$aktivacioniKod);
        $upis->bindParam(':datum_registracije',$vremeRegistrovanja);
        try{
            $upis->execute();
            $message="Your data is proceed to database! Confirme regitration
by clicking the link in your email!";
            // Import PHPMailer classes into the global namespace
            // These must be at the top of your script, not inside a function
```

```
$mail = new PHPMailer(true);
 true` enables exceptions
           try {
                //$mail->SMTPDebug = 2;
                $mail->isSMTP();
mailer to use SMTP
                $mail->Host = 'smtp.gmail.com'; // Specify main and backup
SMTP servers
                $mail->SMTPAuth = true;
Enable SMTP authentication
                $mail->Username = 'eshopper12341234@gmail.com';
                $mail->Password = 'PartizaN';
SMTP password
                $mail->SMTPSecure = 'tls';
                $mail->Port = 587;
                                                                      // TCP
port to connect to
                $mail->setFrom('eshopper12341234@gmail.com', 'Mailer');
                $mail->addAddress($email); // Add a recipient
                //$mail->addAddress('ellen@example.com');
Name is optional
                //$mail->addReplyTo('info@example.com', 'Information');
                //$mail->addBCC('bcc@example.com');
                //Attachments
                                                                      // Add
attachments
                //$mail->addAttachment('/tmp/image.jpg', 'new.jpg');
Optional name
                //Content
                $mail->isHTML(true);
                $mail->Subject = 'Ecommerce account activation';
                $mail->Body = "Hi $name $lastName, thank you for your
registration!
                                   To acctivate your account just click on
following link: <a
href='localhost/eshopper/activated.php?kod=$aktivacioniKod'>Activate</a>";
                $mail->AltBody = 'Stigo mejl?';
                $mail->send();
            } catch (Exception $e) {
```

### survay.php:

```
<?php
include "konekcija.php";
if(isset($_POST['submit'])){
    if(isset($_SESSION['username'])){
    $prosledjenaVrednost=$_POST['izbor'];
    $odgovorIdUpit="SELECT odgovor_id FROM odgovor WHERE
naziv=:prosledjenaVrednost";
    $stmt=$connection->prepare($odgovorIdUpit);
    $stmt->bindParam(':prosledjenaVrednost',$prosledjenaVrednost);
    try{
        $stmt->execute();
        $odgovorId=$stmt->fetch();
        $odgId=$odgovorId->odgovor_id;
        $idKor=$_SESSION['username']->korisnik_id;
        $upitKorisnik="SELECT * FROM korisnikodgovor WHERE
korisnik_id=$idKor";
        try{
            $rezKor=$connection->query($upitKorisnik);
            $brojGlasova=$rezKor->rowCount();
            if($brojGlasova==0){
                $upisUBazu="INSERT INTO korisnikodgovor
VALUES('',$idKor,$odgId)";
                try{
                    $connection->query($upisUBazu);
                    $Nizodgovori=['nike', 'adidas', 'reebok'];
                        $brojOdgovora=dohvatiBrojOdgovora($connection);
                        $ispis="<h2>Results:</h2>";
                        foreach($Nizodgovori as $odg){
```

```
$upit="SELECT * FROM korisnikodgovor WHERE
odgovor_id = (SELECT odgovor_id FROM odgovor WHERE naziv='$odg')";
                            $rezultat=$connection->query($upit);
                            $totalRowsOdg=$rezultat->rowCount();
$procenatZaPrikaz=round(($totalRowsOdg/$brojOdgovora)*100);
                            $ispis.='
                            <label>'.$odg.':</label>
                            <div class="progress">
                                <div class="progress-bar" role="progressbar"</pre>
style="width: '.$procenatZaPrikaz.'%;" aria-valuenow="25" aria-valuemin="0"
aria-valuemax="100">'.$procenatZaPrikaz.'%</div>
                            </div>
                        echo $ispis;
                catch(PDOException $e){
                    die($e->getMessage());
            }else{
                echo "You can vote only once!";
        catch(PDOException $e){
            die($e->getMessage());
    catch(PDOException $e){
    die($e->getMessage());
}else{
    echo "You have to be logged in to vote! Login: <a
href='login.php'>Login</a>";
```

```
if(isset($_POST['pokrenutaStrana'])){
    $Nizodgovori=['nike','adidas','reebok'];
                    $brojOdgovora=dohvatiBrojOdgovora($connection);
                    $ispis="<h2>Results:</h2>";
                    foreach($Nizodgovori as $odg){
                        $upit="SELECT * FROM korisnikodgovor WHERE odgovor_id
= (SELECT odgovor_id FROM odgovor WHERE naziv='$odg')";
                        $rezultat=$connection->query($upit);
                        $totalRowsOdg=$rezultat->rowCount();
$procenatZaPrikaz=round(($totalRowsOdg/$brojOdgovora)*100);
                        $ispis.='
                        <label>'.$odg.':</label>
                        <div class="progress">
                             <div class="progress-bar" role="progressbar"</pre>
style="width: '.$procenatZaPrikaz.'%;" aria-valuenow="25" aria-valuemin="0"
aria-valuemax="100">'.$procenatZaPrikaz.'%</div>
                        </div>
                    echo $ispis;
function dohvatiBrojOdgovora($connection){
    $upit="SELECT * FROM korisnikodgovor";
    $odgovoriUpit=$connection->query($upit);
    return $odgovoriUpit->rowCount();
```