



#tceh

2016

Врубиться в Ruby

Лекция 8

Лекция 8



- что такое Action View?
- erb, haml, slim
- templates, partials и layouts
- формы и simple_form gem

erb, haml, slim, builder

erb

```
<body>  
  <div id="content">  
    <% if current_user %>  
      current user is <%= current_user.email%>  
    <% end %>  
  </div>  
</body>
```

haml - <http://haml.info>

```
%body
```

```
  %div{:id => "content"}
```

```
    - if current_user
```

```
      current user is #{current_user.email}
```

slim - <http://slim-lang.com>

body

div id="content"

- **if current_user**

| current user is **#{current_user.email}**

утилиты для конвертации

<http://htmltohaml.com>

<http://erb2slim.com>

builder - для xml, rss и аналогичных форматов

```
xml.rss("version" => "2.0", "xmlns:dc" => "http://purl.org/dc/elements/1.1/") do
  xml.channel do
    xml.title(@feed_title)
    xml.link(@url)
    xml.description "Basecamp: Recent items"
    xml.language "en-us"
    xml.ttl "40"

    for item in @recent_items
      xml.item do
        xml.title(item_title(item))
        xml.description(item_description(item)) if item_description(item)
        xml.pubDate(item_pubDate(item))
        xml.guid(@person.firm.account.url + @recent_items.url(item))
        xml.link(@person.firm.account.url + @recent_items.url(item))
        xml.tag!("dc:creator", item.author_name) if item_has_creator?(item)
      end
    end
  end
end
```


partials

```
<%= render "shared/ad_banner" %>
```

```
<h1>Products</h1>
```

```
<p>Here are a few of our fine products:</p>
```

```
<% @products.each do |product| %>
```

```
  <%= render partial: "product", locals: {product: product} %>
```

```
<% end %>
```

```
<%= render "shared/footer" %>
```

collections

```
<% @products.each do |product| %>  
  <%= render partial: "product", locals: { product: product } %>  
<% end %>
```

```
<%= render partial: "product", collection: @products %>
```

```
<%= render @products %>
```

layouts

```
class ProductsController < ApplicationController
  layout :products_layout
```

```
  def show
    @product = Product.find(params[:id])
  end
```

```
  private
```

```
    def products_layout
      @current_user.special? ? "special" : "products"
    end
```

```
end
```

helpers

content_for

```
<html>
  <head>
    <title>Welcome!</title>
    <%= yield :special_script %>
  </head>
  <body>
    <p>Welcome! The date and time is <%= Time.now %></p>
  </body>
</html>
<p>This is a special page.</p>

<% content_for :special_script do %>
  <script>alert('Hello!')</script>
<% end %>
```

image_tag

image_tag("icon.png")

cache

```
<% cache do %>  
  <%= render "shared/footer" %>  
<% end %>
```

cache

```
<% cache do %>  
  <%= render "shared/footer" %>  
<% end %>
```

capture

```
<% @greeting = capture do %>
  <p>Welcome! The date and time is <%= Time.now %></p>
<% end %>
```

```
<html>
  <head>
    <title>Welcome!</title>
  </head>
  <body>
    <%= @greeting %>
  </body>
</html>
```

form_for

```
<%= form_for @article do lfl %>  
  <%= f.label :title, 'Title' %>:  
  <%= f.text_field :title %><br>  
  <%= f.label :body, 'Body' %>:  
  <%= f.text_area :body %><br>  
<% end %>
```

sanitize

```
sanitize @article.body,  
    tags: %w(table tr td), attributes: %w(id class style)
```

Давайте поищем еще helper-ы?

simple_form

https://github.com/plataformatec/simple_form

Gemfile

```
gem 'simple_form'
```

console

bundle install

Примеры использования

```
<%= simple_form_for @user do |f| %>  
  <%= f.input :username %>  
  <%= f.input :password %>  
  <%= f.button :submit %>  
<% end %>
```

Примеры использования

```
<%= simple_form_for @user do |f| %>
  <%= f.input :username, label_html: { class: 'my_class' } %>
  <%= f.input :password, hint: false, error_html: { id:
'password_error'} %>
  <%= f.input :password_confirmation, label: false %>
  <%= f.button :submit %>
<% end %>
```

Примеры использования

```
<%= simple_form_for @user,  
  defaults: { input_html: { class: 'default_class' } }  
  do |f| %>
```

```
<%= f.input :username, input_html: { class: 'special' } %>  
<%= f.input :password, input_html: { maxlength: 20 } %>  
<%= f.input :remember_me, input_html: { value: '1' } %>  
<%= f.button :submit %>  
<% end %>
```

Примеры использования

```
<%= simple_form_for @user do |f| %>  
  <%= f.input :user %>  
  <%= f.input :age, collection: 18..60 %>  
  <%= f.button :submit %>  
<% end %>
```

Ассоциации

```
class User < ActiveRecord::Base  
  belongs_to :company  
  has_and_belongs_to_many :roles  
end
```

```
class Company < ActiveRecord::Base  
  has_many :users  
end
```

```
class Role < ActiveRecord::Base  
  has_and_belongs_to_many :users  
end
```

Ассоциации

```
<%= simple_form_for @user do |f| %>  
  <%= f.input :name %>  
  <%= f.association :company %>  
  <%= f.association :roles %>  
  <%= f.button :submit %>  
<% end %>
```


Домашнее задание

- 1 - Создать сложный scaffold и перевести его на simple_form
- 2 - Поэкспериментировать с <https://github.com/rwz/nestive>

Вопросы?

+7 (926) 889-16-32

alec@alec-c4.com

<http://alec-c4.com/>