


Working with Line Plots

Reading, building, and summarizing whole-number line plots

Directions: Problems 1–4, 9 and 10 use **Line Plot A** below. Problems 5–8 use **Data Set B** below. Each mark (×) on a line plot stands for one thing measured.

Line Plot A — Length of each crayon in the box (centimetres)



Data Set B — Books each of ten students read last month

3	2	4	1	2	5	3	2	6	4
---	---	---	---	---	---	---	---	---	---

1. Use Line Plot A. How many crayons are 8 centimetres long?

Answer: _____

2. Use Line Plot A. How many crayons were measured altogether?

Answer: _____

3. Use Line Plot A. Which crayon length appears most often?


Answer: _____ cm

4. Use Line Plot A. How much longer is the longest crayon than the shortest one?

Answer: _____ cm

5. Use Data Set B. Build a line plot for the ten students.

- (a) Draw one $\times$ above the right number for each student. Stack the marks in a neat column so the tallest column is easy to see.



- (b) How many marks are on your finished plot? _____

6. Use your plot of Data Set B. How many more students read 2 books than read 1 book?

Answer: _____

7. Use Data Set B. What is the difference between the greatest number of books read and the least number of books read?

Answer: _____ books

8. Use Data Set B. How many books did the ten students read altogether?

Answer: _____ books

9. Use Line Plot A. How many more crayons are 8 centimetres long than are 10 centimetres long?

Answer: _____

10. Two more crayons are measured, and each one is 7 centimetres long. They are added to Line Plot A.

(a) Which crayon length is the most common now?

Answer: _____ cm

(b) Explain what changed on the plot, and how you can see the new most common length without counting every mark again.