

Adding Within 10 — Finding and Fixing a Counting-On Mistake

When we **count on**, we hold the first number in our head and take one hop for each thing we add.

- Say the first number *quietly*. Do **not** count it as a hop.
- Start counting with the **next** number. Take one hop for each dot you are adding.
- Each friend below made the same kind of mistake. Find it, then write the answer that is really right.

1. Sam has 6 stickers. He gets 3 more.



Sam counts on like this: “six ... seven ... eight.” He writes 8.

- (a) Circle the number Sam should *not* have counted as a hop.
(b) Count on the right way. How many stickers does Sam have?

Answer: _____

- 2.** Mia has 4 blocks. She gets 2 more.



Mia counts on like this: “four . . . five.” She writes 5.

- (a) How many hops should Mia take?
(b) Count on the right way. How many blocks does Mia have?

Answer: _____

- 3.** Ravi has 3 toy cars. He gets 5 more.



Ravi starts at his little number and tries to take five hops. He loses one hop along the way and writes 7.

- (a) Which number should Ravi start from so he has fewer hops to take?
(b) Count on that way. How many cars does Ravi have?

Answer: _____

4. Jo has 5 shells. She wants 9 shells.



Jo counts out loud: “five ... six ... seven ... eight ... nine.” She counted five number names, so she writes 5.

- (a) Jo should count her **hops**, not the words she says. How many hops did she really take?
 (b) How many more shells does Jo need?

Answer: _____

5. Ana has 2 marbles. She gets 7 more.




Ana starts at her little number and writes 8.

- (a) Show a start number that needs only two hops.
 (b) Count on that way. How many marbles does Ana have?

Answer: _____

6. Ben did two problems. He made the same mistake in both.



Ben has 6 pencils and gets 4 more. He writes 9.

Ben has 2 crayons and gets 6 more. He writes 7.

(a) Tell what Ben did wrong both times.

(b) Write the right answer for the pencils and the right answer for the crayons.

Answer: _____