

Long-distance interaction between caller and callee

Stephan Boyer and Esther Wang

$t ::=$		term
	v	value
	x	variable
	$t \ t$	application
$v ::=$		value
	c	constant
	$\lambda x : \tau . t$	abstraction
$\tau ::=$		type
	κ	type of constants
	$\sigma \rightarrow \sigma$	arrow type
$\sigma ::=$		type with effects
	$E \ ! \ \tau$	effect annotation
$E ::=$		effect set
	\emptyset_ϵ	empty effect
	E, ϵ	effect extension
$\Gamma ::=$		context
	\emptyset_Γ	empty context
	$\Gamma, x : \tau$	variable binding

Figure 1: Syntax

$$\boxed{\Gamma \vdash t : \sigma}$$

$$\frac{}{\Gamma \vdash c : \emptyset_\epsilon ! \kappa} \text{ (T-CONSTANT)}$$

$$\frac{x : \sigma \in \Gamma}{\Gamma \vdash x : \sigma} \text{ (T-VARIABLE)}$$

$$\frac{\Gamma, x : \tau \vdash t : \sigma}{\Gamma \vdash \lambda x : \tau . t : \tau \rightarrow \sigma} \text{ (T-ABSTRACTION)}$$

$$\frac{\Gamma \vdash t_1 : E_1 ! \tau_1 \quad \Gamma \vdash t_2 : E_2 ! (\tau_1 \rightarrow E_3 ! \tau_2)}{\Gamma \vdash t_2 t_1 : E_1, E_2, E_3 ! \tau_2} \text{ (T-APPLICATION)}$$

Figure 2: Typing rules