To launch sublime text from the terminal:

```
ln -s "/Applications/Sublime Text.app/Contents/
SharedSupport/bin/subl" /usr/local/bin/subl
```

(sudo if needed)

Then you can just navigate to the folder you want to open and type:

```
subl .
```

Reference: https://ashleynolan.co.uk/blog/launching-sublime-from-the-terminal

To open current folder from terminal

```
open .
```

To launch Terminal from Finder starting at current folder

Adjust Mac settings. Right click on folder you want to open in terminal

add these to your .aliases file (or w/e you use) or .bash_profile:

weather and the moon

```
alias weather='curl -4 http://wttr.in/Houston'
alias moon='curl -4 http://wttr.in/Moon'
```

cheat sheet

```
function cheat() {
    curl cht.sh/$1
}
```

My current .bash_profile:

```bash
# see git branch in terminal
export PS1="\\w:\$(git branch 2>/dev/null | grep '^*' |
colrm 1 2)\$ "

# cheat
function cheat() {
    curl cht.sh/$1
}

alias code="cd /Users/stephaniemathew/git/inspectors/"

# LS aliases from Greg
alias ll='ls -alF'
alias la='ls -la'
alias l='ls -CF'

# More aliases from Greg
alias cls='clear'
alias publish="alias aws='aws --profile L_Central' && cp
publish.sh publish.linux.sh$

# git gui?
alias gui='/usr/local/git/libexec/git-core/git-gui'

# weather
# moon
alias weather='curl -4 http://wttr.in/Houston'
alias moon='curl -4 http://wttr.in/Moon'

# git stuff
alias gitst="git status"
alias gitcheckout="git checkout"
alias gitco="git checkout"
alias gita="git add"
alias gitadd="git add"
alias gitcommit="git commit -m"
alias gitcmt="git commit -m"
```