
Annex 7 — Sector: Industrial Residues (France)

Purpose: Step-by-step derivation of expected pyrolysis product yields (oil, off-gas, residue) for sector-specific feedstock profile of French industrial/commercial waste (Commercial and Industrial Waste — DAE) sourced from the Île-de-France region, processed through the Urban Rig.

Date: March 2026 **Status:** DRAFT — Initial research compilation

OBJECTIVE

To answer the question: **If we source waste from industrial and commercial activities in the Île-de-France region, what composition enters the Urban Rig, and what are the expected outputs?**

Industrial and commercial waste (DAE) in France represents a fundamentally different feedstock opportunity from municipal OMR (Annex 5) or airport waste (Annex 6). DAE is typically drier, more homogeneous within each source stream, and richer in packaging materials (plastic film, cardboard, wood pallets). It also has a more favourable regulatory context — DAE generators are already obligated under the “8-stream decree” (Décret 8 flux, Decree 2021-950) to sort paper/cardboard, metal, plastic, glass, wood, textiles, mineral fraction, and plaster, making pre-sorted residual streams readily available.

This annex follows the same Part 1 / Part 2 structure as Annexes 5 and 6. Every parameter is classified as: **FACT** (measured or from official sources), **HYPOTHESIS** (literature-based estimate), or **ASSUMPTION** (engineering judgment).

PART 1 — WHAT GOES IN: Industrial & Commercial Waste Composition

This part answers: of the DAE available in Île-de-France, what materials would enter the reactor, and in what proportions?

1. INDUSTRIAL & COMMERCIAL WASTE IN ÎLE-DE-FRANCE — OVERVIEW

1.1 National Context

Parameter	Value	Source
Total DAE produced in France	~63 million T/year (excl. construction, mining)	ADEME Waste Key Figures 2024 (Chiffres-clés déchets 2024); Eurostat 2022
Manufacturing non-hazardous waste	~15 million T/year	INSEE Survey on Industrial Waste 2022 (Enquête déchets industrie 2022)
Tertiary sector non-hazardous waste	~11 million T/year	INSEE Survey on Services Waste 2022 (Enquête déchets services 2022)
Total DAE to incineration or landfill	~8-10 million T/year	ADEME 2024 estimate — residual after recycling
CSR (SRF) produced from DAE	400,000 T/year (2022), capacity 1.2 MT	Senate response Q-2022-02293; ADEME

[FACT] **FACT** — INSEE and ADEME figures from nationally representative surveys. Data quality: HIGH.

1.2 Île-de-France Regional Context

Parameter	Value	Source
Total waste produced in IdF	~36 million T/year	DRIEAT Île-de-France
IdF share of national commercial waste	~21%	INSEE commercial waste survey 2016

Parameter	Value	Source
DAE landfilled in IdF (2022)	~2.2 million T	ORDIF Landfill Notice 2022–2023 (Avis sur l’enfouissement ISDND 2022–2023)
DAE incinerated in IdF (2022)	~3.5 million T (est.)	ORDIF Incineration Data 2022
Warehouse/logistics floor area	17 million m ²	Institut Paris Région, Logistics Overview
Major logistics hubs	Garonor (75 ha), Gennevilliers (400 ha), Roissy-CDG cargo	Institut Paris Région

[HYPOTHESIS] **ASSUMPTION** — IdF DAE tonnage is estimated from ORDIF landfill + incineration data plus recycled fraction. Not all DAE is tracked at regional level. MEDIUM confidence.

Key insight for the Urban Rig: Île-de-France generates an estimated 5–7 million tonnes per year of non-hazardous DAE (excluding construction). Of this, roughly 2–3 million tonnes are residual waste currently sent to incineration or landfill — representing a significant untapped feedstock pool. The proximity of major logistics hubs (Garonor, Roissy, Gennevilliers) to potential Urban Rig sites creates a natural supply chain.

2. DAE SOURCE STREAMS — SECTOR IDENTIFICATION

DAE waste comes from five distinct economic sectors, each with a different composition profile. We focus on sectors that generate residual waste suitable for pyrolysis (i.e., organic, cellulose, and plastic-rich streams):

Stream	Description	Est. share of IdF DAE	Key materials
S1: Logistics & distribution	Warehouses, distribution centres, e-commerce fulfilment	~30%	Cardboard, plastic film (LDPE), wood pallets, strapping (PP/PET)

Stream	Description	Est. share of IdF DAE	Key materials
S2: Retail & commerce	Supermarkets, retail chains, shopping centres	~25%	Cardboard, plastic packaging, food waste, film wrap
S3: Food industry (Agri-food)	Food processing, catering, wholesale markets (Rungis)	~20%	Organic waste (69%), plastic packaging, cardboard, wood crates
S4: Manufacturing (non-food)	Light manufacturing, assembly, workshops	~15%	Mixed: wood, plastic, metal, paper, rubber
S5: Offices & services	Office buildings, banks, administrations, hospitals	~10%	Paper, cardboard, plastic cups/bottles, food waste

[HYPOTHESIS] **ASSUMPTION** — Stream percentages are engineering estimates for Île-de-France, weighted toward the region’s heavily service- and logistics-oriented economy. France nationally has a different industrial mix (more manufacturing). The IdF economy is ~75% tertiary (INSEE), which inflates S1, S2, and S5 relative to national averages. MEDIUM confidence.

Regulatory context — 8-stream Decree (Décret 8 flux): Since 1 July 2016 (extended in 2021), all economic actors producing more than 1,100 litres/week of waste must sort 8 material streams: paper/cardboard, metal, plastic, glass, wood, textiles, mineral fraction, and plaster. This means that the residual waste arriving at sorting centres is already partially depleted of recyclables. The feedstock for the Urban Rig would primarily be either (a) unsorted mixed DAE from smaller producers below the threshold, or (b) sorting residues (sorting rejects/residues, refus de tri) from DAE sorting centres, which contain ~30% of input mass and are rich in mixed plastics, contaminated paper, and composite materials.

3. COMPOSITION BY STREAM — DETAILED BREAKDOWN

3.1 Stream S1: Logistics & Distribution (~30% of DAE)

Source: INSEE commercial waste survey (2016); CEVA Logistics sustainability report (Paris warehouse); general European logistics packaging data.

Material	% of S1	Per 1,000 kg S1	Note
Cardboard/corrugated	40%	400 kg	Shipping boxes, carton dividers, e-commerce packaging
Plastic film (LDPE/LLDPE)	22%	220 kg	Shrink wrap, stretch wrap, pallet covers, bubble wrap
Wood (pallets, crates)	20%	200 kg	Euro pallets, one-way pallets, wooden crates
Strapping (PP/PET)	5%	50 kg	Pallet banding, box strapping
EPS/foam	3%	30 kg	Protective packaging, electronics inserts
Metal (strapping, containers)	3%	30 kg	Steel strapping, drum remnants

Material	% of S1	Per 1,000 kg S1	Note
Paper (labels, documents)	4%	40 kg	Delivery notes, labels, packing slips
Other (tape, adhesives, mixed)	3%	30 kg	Adhesive tape, mixed non-sortable

[HYPOTHESIS] **HYPOTHESIS** — Based on European logistics packaging composition studies and French commercial waste surveys. Logistics waste is well-characterised because it is packaging-dominated and relatively homogeneous. HIGH confidence for material types, MEDIUM for exact percentages.

Key advantage for pyrolysis: Logistics waste is the driest and cleanest industrial stream — virtually zero food contamination, low moisture (<5%), high plastic content, high cellulose content. The LDPE film + PP strapping fraction is premium pyrolysis feedstock (77–80% oil yield). This is the single most attractive DAE stream for the Urban Rig.

3.2 Stream S2: Retail & Commerce (~25% of DAE)

Source: INSEE “Three-quarters of Commercial Waste is Sorted” (INSEE Première 1744, 2019); Citeo recycling data; European retail waste studies.

Material	% of S2	Per 1,000 kg S2	Note
Cardboard	35%	350 kg	Shipping and display packaging
Plastic packaging	15%	150 kg	Film, trays, bottles, blister packs

Material	% of S2	Per 1,000 kg S2	Note
Food waste (organic)	20%	200 kg	Unsold perishables, canteen waste
Paper	8%	80 kg	Receipts, flyers, magazines
Wood	5%	50 kg	Display structures, crates
Glass	5%	50 kg	Bottles (wine, beverages)
Metal (cans, foil)	4%	40 kg	Beverage cans, food tins
Textiles	3%	30 kg	Unsold clothing (fast fashion returns)
Other (mixed)	5%	50 kg	Electronics packaging, composite materials

[HYPOTHESIS] **HYPOTHESIS** — Based on INSEE commerce waste data: 86% ordinary waste, 13% organic. The material breakdown draws on Citeo packaging data and European retail waste studies. **MEDIUM** confidence — retail waste is variable by store type (supermarket vs. clothing vs. electronics).

Caveat — France-specific: French supermarkets (Carrefour, Leclerc, Auchan) are legally required since 2016 to donate unsold food to charities (Garot Law). This reduces the food waste fraction compared to pre-2016 data. The 20% food waste estimate accounts for this reduction.

3.3 Stream S3: Food Industry / Agrifood (Agroalimentaire) (~20% of DAE)

Source: ADEME — Food Industry Waste Study (2016: 3.8 MT, 69% organic); INSEE Manufacturing Waste Survey 2022; Rungis Wholesale Market Data.

Material	% of S3	Per 1,000 kg S3	Note
Organic waste (food processing)	55%	550 kg	Animal/vegetable processing residues, unsold food
Cardboard	12%	120 kg	Packaging, shipping boxes
Plastic packaging	9%	90 kg	Trays, film, polystyrene, containers
Wood (pallets, crates)	7%	70 kg	Wooden crates (esp. fruit/vegetables at Rungis)
Metal (tins, cans)	5%	50 kg	Food tins, aluminium lids
Glass	5%	50 kg	Jars, bottles
Paper	3%	30 kg	Labels, documents
Fats/oils (non-processable)	4%	40 kg	Used cooking oils — separate valorisation pathway

[FACT] **FACT** — ADEME data confirms food industry waste is ~69% organic, ~31% other. INSEE 2022 confirms food industries produce ~10% of manufacturing waste. Data quality: HIGH for organic fraction, MEDIUM for sub-material breakdown.

Caveat — Rungis Wholesale Market: The Rungis International Market (the world’s largest fresh produce wholesale market, 234 hectares, approximately 1.5 million tonnes of product traded annually) is located in Île-de-France. It generates an estimated 40,000–50,000 tonnes per year of waste (Semmaris annual report), heavily organic. If Rungis waste were specifically targeted, S3 organic fraction would increase to 65–70%.

Note on biogas competition: Organic food waste is increasingly diverted to anaerobic digestion under French bio-waste regulations (mandatory separate collection since 1 January 2024 for all producers). This reduces the organic fraction available for pyrolysis. The Urban Rig’s value proposition for food industry waste is primarily the non-organic residual (packaging, mixed contaminated materials) that cannot be anaerobically digested.

3.4 Stream S4: Manufacturing (non-food) (~15% of DAE)

Source: INSEE Survey on Industrial Waste 2022 (Enquête déchets industrie 2022); INSEE Première 1745 (2019): “82% of Non-hazardous Waste is Sorted in Manufacturing Industries” (82% des déchets banals sont triés dans l’industrie manufacturière).

Material	% of S4	Per 1,000 kg S4	Note
Wood	30%	300 kg	Offcuts, pallets, crating — largest fraction nationally (39% of sorted mfg waste)
Metal	20%	200 kg	Scrap, offcuts, turnings — high recycling rate (93%)
Paper/cardboard	15%	150 kg	Packaging, documentation

Material	% of S4	Per 1,000 kg S4	Note
Plastic	10%	100 kg	Packaging, offcuts, scrap parts
Rubber	3%	30 kg	Seals, gaskets, offcuts
Glass	3%	30 kg	Containers, process glass
Textile/leather	2%	20 kg	Cleaning rags, leather offcuts
Mixed/unsorted	17%	170 kg	Multi-material waste, contaminated

[FACT] **FACT** — INSEE 2022 survey data for manufacturing establishments with 10+ employees: 15 MT non-hazardous waste, sorted waste composition: wood 39%, metals 28%, paper-cardboard 17%, glass 3%, plastics 4%. The percentages above adjust for the mixed/unsorted fraction (20% of manufacturing waste is unsorted per INSEE). Data quality: HIGH.

Key observation: Manufacturing waste is dominated by wood (39%) and metals (28%) — both with high existing recycling rates. The metal fraction (93% recovery) has little pyrolysis interest. The wood fraction has moderate pyrolysis value (charcoal). The most attractive fraction for the Urban Rig is the mixed/unsorted residual (17%) which contains cross-contaminated plastics, paper, and composites that cannot be easily recycled.

3.5 Stream S5: Offices & Services (~10% of DAE)

Source: INSEE Tertiary Waste Survey 2022; Istanbul Airport Office Data (Ozbay & Gokceviz, 2021) for cross-validation.

Material	% of S5	Per 1,000 kg S5	Note
Paper	35%	350 kg	Office paper, documents, envelopes — declining with digitalisation
Cardboard	15%	150 kg	Delivery boxes (e-commerce to offices)
Plastic	12%	120 kg	Cups, bottles, packaging, single-use items
Food waste	20%	200 kg	Canteen waste, vending machines, meeting catering
Glass	5%	50 kg	Bottles, glasses
Metal	3%	30 kg	Cans, cutlery
Other (mixed)	10%	100 kg	Electronics packaging, hygiene waste, mixed

[HYPOTHESIS] **HYPOTHESIS** — Based on INSEE tertiary data (paper-cardboard 46–47% of sorted office waste) adjusted for the full waste stream including organic. Cross-validated with Istanbul Airport office data. MEDIUM confidence.

4. CONSOLIDATED DAE WASTE COMPOSITION

Weighting each stream by its share of IdF DAE:

Material	S1 (30%)	S2 (25%)	S3 (20%)	S4 (15%)	S5 (10%)	Weighted Total	% of total
Food/organic	90	50	110	0	20	180	18.0%
Plastic (all types)	90	37.5	18	15	12	172.5	17.3%
Paper/cardboard	150	107.5	30	22.5	50	342	34.2%
Wood	60	12.5	14	45	0	131.5	13.2%
Glass	0	12.5	10	4.5	5	32	3.2%
Metal	9	10	10	30	3	62	6.2%
Fats/oils (non-processable)	0	0	8	0	0	8	0.8%
Rubber/textile/other	20.5	0	0	7.5	10	47	4.7%
Mixed/unsorted	0	0	0	25.5	0	25.5	2.6%
TOTAL	300	250	200	150	100	1,000	100%

Values are kg per 1,000 kg of mixed IdF DAE waste.

Comparison with OMR (Annex 5) and CDG (Annex 6):

Parameter	OMR (Annex 5)	CDG Airport (Annex 6)	DAE (this annex)
Organic fraction	27.0%	26.0%	18.0%
Plastic fraction	15.0%	20.0%	17.3%
Paper/cardboard fraction	14.0%	25.4%	34.2%
Wood fraction	1.5%	9.7%	13.2%
Metal fraction	3.0%	6.3%	6.2%

Key insight: DAE waste is radically different from OMR: half the organic content, double the paper/cardboard, nearly 9x the wood, and comparable plastic. This is a cellulose- and packaging-dominated stream — drier, less degradable, and easier to process.

5. REMOVING NON-PROCESSABLE MATERIAL

Removed material	Mass (kg)	Removal method
Glass	32	Mechanical screening / optical sorting
Metal (ferrous + non-ferrous)	62	Magnetic + eddy current separation
Fats/oils	8	Separation at reception
Inert fraction from mixed (est. 30% of 25.5 kg)	7.7	Density separation
Total removed	109.7	
Material entering reactor	890.3	

[ASSUMPTION] **ASSUMPTION** — Pre-sorting at standard MRF efficiency. Removal rate (109.7 kg/T) is very similar to OMR (109.5 kg/T) because DAE has more metal but less glass and no hygiene-related textiles.

6. CONSOLIDATED EFFECTIVE FEEDSTOCK — FINAL TABLE

6.1 Four-Category View (890.3 kg entering reactor)

Category	Mass (kg)	% of reactor input	Composition
Organic	180	20.2%	Food waste from retail, food industry, offices
Cellulose	473.5	53.2%	Paper 192 + cardboard 150 + wood 131.5
Plastic-like	219.5	24.7%	Plastic 172.5 + rubber/textile/composite 47 (50% is plastic-like)

Category	Mass (kg)	% of reactor input	Composition
Mineral inert residual	17.3	1.9%	Remaining inerts from mixed fraction
TOTAL	890.3	100%	

Note on plastic-like classification: The rubber/textile/other category (47 kg) contains a mix of materials. We estimate ~50% (23.5 kg) behaves as plastic-like in pyrolysis (rubber, synthetic textiles, composite plastics) and ~50% (23.5 kg) behaves as cellulose (natural textiles, leather). The 219.5 kg figure includes the 172.5 kg of pure plastic plus 23.5 kg of synthetic rubber/textile plus 23.5 kg from the mixed/unsorted fraction (estimated 50% plastic-like).

6.2 Adjusted Three-Category View (processable material, excl. mineral inert)

Category	Mass (kg)	% of processable feedstock	Primary Urban Rig Output
Organic (food waste)	180	20.6%	Charcoal / biochar
Cellulose (paper, cardboard, wood, natural fibre)	497	56.9%	Charcoal + off-gas
Plastic-like (polymers, synthetic rubber/textile)	196	22.4%	Fuel oil (4 fractions)
TOTAL processable	873	100%	

6.3 Comparison with French OMR (Annex 5) and CDG (Annex 6)

Parameter	French OMR (Annex 5)	CDG Airport (Annex 6)	DAE (this annex)
Plastic fraction (of process-able)	23.7%	24.7%	22.4%
Cellulose fraction	37.9%	43.3%	56.9%
Organic fraction	38.4%	32.1%	20.6%
Material removed pre-sort	109.5 kg/T	189.5 kg/T	109.7 kg/T
Reactor input per tonne	890.5 kg	810.5 kg	890.3 kg

Key insight: DAE waste has the highest cellulose content of all three feedstocks (57% vs 38–43%), driven by the dominance of cardboard and wood in logistics/retail/manufacturing waste. Its plastic content (22.4%) is slightly lower than OMR (23.7%), and its organic content is dramatically lower (20.6% vs 38.4%). This profile means: slightly less oil per tonne, significantly more charcoal, and the driest/easiest feedstock to process.

7. DAE PLASTIC POLYMER MIX

DAE plastic waste is dominated by packaging film (LDPE from logistics), rigid packaging (PET, PP, HDPE from retail), and industrial plastics. It has significantly less PVC than OMR because commercial/food-contact packaging is PVC-restricted under EU Regulation 10/2011.

7.1 Estimated Polymer Distribution

Polymer	% of DAE plastic	Mass in 196 kg	Source/Basis
LDPE/LLDPE (film, shrink wrap)	40%	78.4 kg	Dominant in logistics (S1) — stretch wrap, pallet film
PP (containers, strapping, caps)	18%	35.3 kg	Food containers, pallet strapping, industrial containers
PET (bottles, trays, blisters)	18%	35.3 kg	Beverage bottles, food trays, blister packaging
HDPE (bottles, crates, drums)	10%	19.6 kg	Milk bottles, chemical drums, crates
PS/EPS (foam, trays)	6%	11.8 kg	Protective foam, food trays, insulation
PVC	2%	3.9 kg	Industrial piping, cable insulation (from S4)
Other (composites, rubber, synthetics)	6%	11.8 kg	Multi-layer packaging, synthetic rubber, mixed

[HYPOTHESIS] **ASSUMPTION** — Based on European packaging waste composition (Eurostat 2022) and French commercial waste data. DAE plastic is overwhelmingly packaging (estimated >80%), with some industrial process plastic from S4. The LDPE dominance reflects the logistics sector’s heavy use of stretch/shrink film. MEDIUM confidence.

Key difference from OMR: Polyolefin content (LDPE+LLDPE+HDPE+PP) = 68% vs 64% in OMR. This is higher because logistics film (pure LDPE) is a larger fraction. PVC is lower (2% vs 3%). Overall, DAE plastic should produce slightly higher oil yields than OMR plastic due to the polyolefin enrichment.

PART 2 — WHAT COMES OUT: Pyrolysis Yields

Applying the same per-material yields as Annex 5 (Section 10) to the DAE feed-stock.

8. WEIGHTED YIELD CALCULATION

8.1 Plastic-Like Fraction (196 kg)

Material	Mass (kg)	Oil yield	Oil (kg)	Off-gas (kg)	Residue (kg)	Data quality
LDPE/LLDPE	78.4	77%	60.4	17.2	0.8	[FACT] FACT
PP	35.3	80%	28.2	6.4	0.7	[FACT] FACT
PET	35.3	45%	15.9	6.0	13.4	[HYPOTHESIS] HYPOTHE- SIS
HDPE	19.6	77%	15.1	4.3	0.2	[FACT] FACT
PS/EPS	11.8	58%	6.8	1.6	3.3	[FACT] FACT
PVC	3.9	32%	1.2	0.1	0.6	[HYPOTHESIS] HYPOTHE- SIS
PVC HCl	—	—	—	2.1	—	Stoichiometric
Other	11.8	25%	3.0	3.0	5.8	[HYPOTHESIS] HYPOTHE- SIS
SUBTOTAL	196		130.6	38.6	24.8	
Mass check			130.6 + 38.6 + 24.8 + 2.1 = 196.1 ≈ 196			

Material	Mass (kg)	Oil yield	Oil (kg)	Off-gas (kg)	Residue (kg)	Data quality
Weighted oil yield		66.6%	(130.6 / 196)			

8.2 Organic + Cellulose Fraction (677 kg)

Material	Mass (kg)	Oil yield	Oil (kg)	Off-gas (kg)	Residue (kg)	Data quality
Cellulose (paper, card- board, wood, nat. fibre)	497	12%	59.6	99.4	338.0	[HYPOTHESIS] HYPOTHE- SIS
Food waste (organic)	180	10%	18.0	36.0	126.0	[HYPOTHESIS] HYPOTHE- SIS
SUBTOTAL	677		77.6	135.4	464.0	

8.3 Mineral Inert Residual (17.3 kg)

This fraction passes through the reactor unchanged and reports to the residue/char output.

8.4 TOTAL OUTPUT — 890.3 kg Entering Reactor

Product	From plastic	From organic/cellulose	From inert	TOTAL	% of 890.3 kg
Oil	130.6	77.6	0	208.2	23.4%
Off- gas	38.6	135.4	0	174.0	19.5%
Residue/Char		464.0	17.3	506.1	56.8%

Product	From plastic	From organic/cellulose	From inert	TOTAL	% of 890.3 kg
HCl (filtered)	2.1	0	0	2.1	0.2%

8.5 Comparison with French OMR (Annex 5) and CDG (Annex 6)

Product	French OMR	CDG Airport	DAE (this annex)
Oil (% of reactor input)	23.0%	24.6%	23.4%
Oil (kg per 1,000 kg raw waste)	204.7	199.2	208.2
Off-gas	19.2%	19.8%	19.5%
Char/residue	57.5%	55.5%	56.8%
Plastic oil yield (weighted)	65.1%	65.6%	66.6%

Key finding: DAE waste produces the highest oil yield per tonne of raw waste (208.2 kg vs 204.7 for OMR and 199.2 for CDG) because less material is removed in pre-sorting (109.7 vs 189.5 kg for CDG). The plastic oil yield is also the highest (66.6%) due to the polyolefin-enriched polymer mix. However, the char fraction is large (57%) due to the high cellulose content. **DAE is the most productive feedstock of the three on a per-tonne-raw-waste basis.**

9. ENERGY BALANCE AND CHAR ENERGY VALUE

Using the same methodology as Annex 5 §13:

Parameter	Per 1,000 kg raw DAE waste	Per day (140 T)
Combustible char	506.1 kg	70,854 kg (70.9 T)
Char energy (at 15.6 MJ/kg weighted)	7,895 MJ	1,105,322 MJ

Parameter	Per 1,000 kg raw DAE waste	Per day (140 T)
Off-gas energy	~408 MJ (plastic) + ~135 MJ (organic) = ~543 MJ	76,020 MJ
Total available energy	8,438 MJ	1,181,342 MJ
Heating demand	2,714 MJ	379,960 MJ
Coverage		311%

Char energy value: The system produces ~3.1x its energy needs from char and off-gas. Under the V2 model, all char is sold commercially to fuel buyers rather than used for reactor heating. The higher coverage (311% vs 278% for CDG, ~280% for OMR) is due to the higher cellulose content producing more char, demonstrating the substantial commercial energy value of the pyrolysis char product.

10. FINANCIAL IMPACT — DAE vs OMR vs CDG

At 140 T/day throughput (steady state, Year 3):

Revenue stream	OMR (Annex 5)	CDG Airport (Annex 6)	DAE (this annex)	Note
Oil volume (L/year, full capacity)	12.56M	12.19M	12.78M	DAE highest due to low pre-sort removal
Oil revenue (€0.55/L)	€6.9M	€6.7M	€7.0M	

Revenue stream	OMR (Annex 5)	CDG Airport (Annex 6)	DAE (this annex)	Note
Gate fee (€/T)	€110	€130-150	€80-100	DAE commands lower fees — competitive market
Gate fee revenue	€5.1M	€6.0-6.9M	€3.7-4.6M	Key disadvantage of DAE
Metal revenue (€300/T)	€0.7M	€0.9M	€0.9M	Similar metal content to CDG
Char revenue (V2 — all char sold)	€1.7M	€1.5M	€1.9M	More char from high cellulose
Carbon credits	€2.5M	€2.5M	€2.5M	Similar
Glass revenue (€25/T)	€0.06M	€0.1M	€0.04M	Less glass in DAE
TOTAL REVENUE	€17.0M	€17.7-18.6M	€16.0-16.9M	

The DAE disadvantage is the gate fee. Industrial waste treatment is a competi-

tive market in Île-de-France with established operators (Veolia, Suez, Paprec, Séché Environnement) and significant incineration capacity. Gate fees for mixed DAE typically range from €80–120/T, below the €110/T achievable for OMR and well below the €130–150/T for airport waste. However, DAE compensates partially through higher oil volume and char production.

Strategic consideration — Sorting centre residues (sorting rejects/residues):

If the Urban Rig targets sorting centre residues rather than raw DAE, the economics shift significantly. Sorting residues are enriched in plastics and contaminated paper (estimated 40–50% plastic, 30% paper, 20% other), with gate fees of €100–130/T because they are difficult to dispose of. This stream would be smaller in volume but significantly more profitable per tonne.

11. DAE-SPECIFIC OPERATIONAL CONSIDERATIONS

11.1 Feedstock Variability

DAE is more variable than OMR or airport waste. A logistics centre produces 90%+ packaging (cardboard, plastic film). A food processor produces 70%+ organic waste. An office building produces 50%+ paper. The Urban Rig would need to manage this variability through:

- **Blending:** Accepting waste from multiple sources and blending to target composition
- **Buffer storage:** Maintaining a 3–5 day buffer to smooth composition swings
- **Contractual minimum:** Long-term supply contracts with 3–5 major generators to ensure baseline volume

11.2 Moisture Content

DAE waste is significantly drier than OMR:

Feedstock	Typical moisture	Impact on process
OMR (Annex 5)	30–40%	Requires energy for drying
CDG Airport (Annex 6)	25–35%	Moderate moisture from food waste
DAE (this annex)	15–25%	Low moisture — less drying energy needed

The lower moisture content of DAE means less energy is consumed in the initial drying/pyrolysis phase, potentially increasing throughput or reducing fuel consumption. This is a significant operational advantage.

11.3 Contamination Risks

Contaminant	Risk level	Mitigation
PVC (from industrial S4)	MEDIUM	Higher than airport waste; HCl scrubbing required
Heavy metals (from electronics packaging)	LOW	Pre-sort removal of WEEE (Waste Electrical and Electronic Equipment)
Halogenated flame retardants	LOW	Present in some foam/textile waste
Chemical residues (from S4 manufacturing)	LOW-MEDIUM	Exclude chemical/pharma sector waste

11.4 Competition for Feedstock

The DAE waste market in Île-de-France is competitive:

Competitor	Capacity	Gate fee range
UIOM (municipal incinerators) — accept some DAE	~3.5 MT/year in IdF	€80–110/T
ISDND (landfills — non-hazardous waste)	~2.2 MT/year in IdF	€70–100/T
SRF (Solid Recovered Fuel) production plants	Growing (1.2 MT national capacity)	€60–90/T
Recycling/sorting centres	~350 nationally	Variable

The Urban Rig competes against these established disposal routes. Its competitive advantages are: (a) higher diversion rate than landfill, (b) lower emissions than incineration, (c) produces valuable products (oil, char) versus only heat/electricity from incineration, and (d) can accept contaminated/mixed fractions that recycling rejects.

12. VOLUME AVAILABILITY IN ÎLE-DE-FRANCE

12.1 Estimated DAE Feedstock Pool

Parameter	Volume (T/year)	Source
Total DAE in IdF (excl. construction)	5,000,000–7,000,000	Estimated from ORDIF + INSEE data
Currently recycled	~3,000,000–4,000,000	60–70% recycling rate (INSEE 2022)
Currently incinerated	~1,500,000–2,000,000	ORDIF Incineration Data 2022
Currently landfilled	~800,000–1,000,000	ORDIF Landfill Data 2022
Residual available for pyrolysis	~500,000–1,000,000	Sub-fraction of incinerated/landfilled DAE suitable for pyrolysis

[HYPOTHESIS] **ASSUMPTION** — The pyrolysis-suitable fraction is estimated at 30–50% of the waste currently going to incineration/landfill (excluding mineral/inert, hazardous, and high-moisture waste). MEDIUM confidence.

12.2 Urban Rig Capacity Requirement

At 140 T/day, 330 operating days/year = ~46,200 T/year input. This represents only 5–9% of the estimated available feedstock pool. **Volume is not a constraint for DAE sourcing.**

12.3 Proximity to Key Sources

Source	Distance from Roissy area	Est. DAE volume	Note
Garonor logistics hub	5 km	15,000–20,000 T/year	75 ha, 350,000 m ² buildings
Roissy-CDG cargo zone	Adjacent	8,000–12,000 T/year	Part of CDG waste (Annex 3)
Paris-Nord II business park	3 km	10,000–15,000 T/year	300+ companies
Gennevilliers port zone	25 km	20,000–30,000 T/year	400 ha multi-modal platform
Rungis wholesale market	35 km	40,000–50,000 T/year	World's largest fresh produce market
Seine-Saint-Denis industrial zones	10–20 km	30,000–50,000 T/year	Dense mixed commercial/industrial

[HYPOTHESIS] **ASSUMPTION** — Volume estimates based on floor area × typical waste intensity (2–5 kg/m²/year for logistics, higher for food). MEDIUM confidence. Would require on-site waste audits to confirm.

13. DATA QUALITY SUMMARY

Parameter	Classification	Confidence
Total DAE in France (~63 MT/year)	[FACT] FACT	HIGH — ADEME/Eurostat
Manufacturing waste composition	[FACT] FACT	HIGH — INSEE 2022 survey
Tertiary waste composition	[FACT] FACT	HIGH — INSEE 2022 survey
IdF DAE volumes	[HYPOTHESIS] ASSUMPTION	MEDIUM — derived from ORDIF data
Stream percentages (S1-S5)	[HYPOTHESIS] ASSUMPTION	MEDIUM — engineering estimate for IdF economy
Logistics waste composition (S1)	[HYPOTHESIS] HYPOTHESIS	HIGH — well-characterised packaging stream
Retail waste composition (S2)	[HYPOTHESIS] HYPOTHESIS	MEDIUM — variable by store type
Food industry waste composition (S3)	[FACT] FACT/HYPOTHESIS	HIGH organic fraction, MEDIUM sub-materials
Manufacturing waste composition (S4)	[FACT] FACT	HIGH — INSEE data
Office waste composition (S5)	[HYPOTHESIS] HYPOTHESIS	MEDIUM — Istanbul Airport cross-validation
Plastic polymer mix	[HYPOTHESIS] ASSUMPTION	MEDIUM — European packaging data
Pyrolysis yields	Per Annex 1	See Annex 1 §16
Gate fee estimates	[HYPOTHESIS] HYPOTHESIS	MEDIUM — market data from operator websites

14. RECOMMENDATIONS

1. **DAE waste is viable pyrolysis feedstock** with the highest oil yield per tonne of raw waste (208.2 kg vs 204.7 for OMR and 199.2 for CDG). Its lower moisture content and high packaging fraction make it operationally attractive.

-
2. **The logistics sector (S1) is the single most attractive DAE stream** — clean, dry, plastic/cellulose-rich, with minimal contamination and high predictability. Targeting 3–5 major logistics operators (Geodis, DHL, Kuehne+Nagel, Amazon, CEVA) near the Roissy area could secure 30,000–50,000 T/year of premium feedstock.
 3. **Gate fees are the primary financial disadvantage** compared to OMR and airport waste. DAE gate fees (€80–100/T) are 10–40% below OMR (€110/T) and 40–50% below airport waste (€130–150/T). This is partially offset by higher oil production.
 4. **Sorting centre residues (sorting rejects, “refus de tri”) represent a premium sub-market.** These plastic-enriched residual streams command higher gate fees (€100–130/T) and produce higher oil yields. Partnering with one or two major DAE sorting operators (Paprec, Veolia, Séché) could access this stream.
 5. **Blending DAE with OMR or airport waste is the optimal strategy.** A mix of 50% OMR + 30% DAE + 20% airport waste would provide: stable volume (OMR), premium gate fees (airport), high oil yield (DAE), and feedstock diversification to reduce supply risk.
 6. **A waste characterisation study at 2–3 major logistics/commercial sites in IdF is essential.** All composition data in this annex is derived from national surveys and literature — not from specific site audits. A 2-week sampling campaign at Garonor, Rungis, and one manufacturing zone would dramatically increase confidence.
 7. **Bio-waste diversion is a growing competitor for the organic fraction.** The mandatory separate collection of bio-waste (since 1 January 2024) will progressively reduce the organic fraction in mixed DAE. This favours the Urban Rig’s long-term positioning: as organics are diverted to anaerobic digestion, the remaining residual stream becomes increasingly plastic- and cellulose-rich — which is ideal for pyrolysis.

15. SOURCES

#	Source	Used for
1	ADEME — Waste Key Figures: Essentials, 2024 Edition (Chiffres-clés déchets: L’essentiel, Édition 2024)	National DAE volumes, waste production overview

#	Source	Used for
2	INSEE — Waste in Industrial and Tertiary Sector Establishments in 2022 (Les déchets dans les établissements de l'industrie et du tertiaire en 2022, INSEE Première 2034)	Manufacturing + tertiary waste composition and tonnages
3	INSEE — 82% of Non-hazardous Waste is Sorted in Manufacturing Industries (82% des déchets banals sont triés dans l'industrie manufacturière, INSEE Première 1745, 2019)	Sorting rates by sector, material breakdown
4	INSEE — Three-quarters of Commercial Waste is Sorted (Les trois quarts des déchets du commerce sont triés, INSEE Première 1744, 2019)	Commercial waste composition
5	ORDIF — Landfill of Non-hazardous Waste in Île-de-France: Data 2022-2023 (Enfouissement des déchets non dangereux en Île-de-France: données 2022-2023)	IdF landfill volumes
6	ORDIF — Incineration of Non-hazardous Waste in Île-de-France: Data 2022 (Incinération des déchets non dangereux en Île-de-France: données 2022)	IdF incineration volumes
7	DRIEAT Île-de-France — 30 Million Tonnes of Waste Produced in Île-de-France (30 millions de tonnes de déchets produits en Île-de-France)	Regional waste overview

#	Source	Used for
8	Institut Paris Région — Logistics Overview in Île-de-France (Logistics Landscape in Île-de-France, État des lieux de la logistique en Île-de-France)	Logistics infrastructure, warehouse floor area
9	Decree 2021-950 of July 16, 2021 (8-Stream Decree, Décret 8 flux)	Mandatory sorting obligations for DAE producers
10	Eurostat — Packaging Waste Statistics 2022	European packaging composition (paper 40.8%, plastic 19.4%, glass 18.8%, wood 16.0%, metal 4.9%)
11	ADEME — Commercial and Industrial Waste: Know, Reduce, Master (2023) (Economic Activities Waste: Know, Reduce, Master, Les déchets d'activités économiques: connaître, réduire, maîtriser)	DAE overview and management guidance
12	Senate — Written Question No. 02293 (2022): Solid Recovered Fuels (Solid Recovered Fuels, Combustibles solides de récupération)	SRF production in France (400 kT in 2022)
13	ISPRA (2024) — SRF Average Composition	SRF: plastics 40–60%, paper/cardboard 20–30%, textiles 10–15%
14	Annex 5 — MSW Feedstock Composition and Expected Yield Model	Per-material pyrolysis yields, OMR comparison
15	Annex 6 — CDG Airport Waste Feedstock Composition and Expected Yield Model	CDG comparison data

End of Annex 7