

Project Proposal

Group Name: The Dempster Cartel

The University of British Columbia
CPSC 304
September 27, 2016

Knill, Stephanie
54882113
k0g0b

Lai, Essence
29579133
h7x9a

Lin, Terry
14558143
h3b0b

Contents

| | | |
|----------|--------------------------------------|----------|
| 1 | Proposal | 1 |
| 1.1 | Project Description | 1 |
| 1.2 | E/R Diagram | 2 |
| 1.3 | Application Specifications | 2 |
| 1.4 | Platform(s) | 9 |

1 Proposal

1.1 Project Description


The aspects of the drug trade that we will be modelling will be the information relevant to the various transactions and interactions between drug lords, dealers, suppliers and addicts. This includes things like transaction records between suppliers and drug lords, transaction records between dealers and addicts, and the total amount of drugs and money that drug lords have in different territories.

There will be 2 classes of users for our database: drug lords and dealers. A druglord distributes cocaine to his dealers in different territories. Druglords also deal with suppliers directly for cocaine supply. A drug lord can have no suppliers, dealers, and does not oversee any deals (not a very efficient drug lord but it is allowed). Druglords can add themselves to the database and can also remove themselves/other druglords. Dealers sell cocaine to the addicts and reports to their corresponding drug lord regarding the status (i.e. money and drugs) of the territory. Dealers (and druglords) can add/remove addicts from the database as needed. Every dealer must report to a single dealer and can only belong to one single territory. Dealers cannot add or remove themselves to the database, this can only be done by the drug lord they work under.

Drug lords know everything about the supply transactions and distribution transactions, whereas the dealers only know about distribution transactions. Both types of transaction must involve a drug lord. More specifically, supply transaction is a record of the supply deal between a drug lord and a supplier. Distribution transaction is a record of the day-to-day deals between a dealer and an addict that is overseen by a drug lord.

This project will be done using the CS department's oracle database and using PHP. We do not anticipate using any special software or hardware.

1.2 E/R Diagram



1.3 Application Specifications

1. Make Distribution Transaction

- **User:** Dealer
- **Input:** Dealer id (DID), Addict id (AID), Money Exchanged (\$\$\$\$), Drug Amount (Cocaine), and Date
- **Output:** “Transaction Completed”, “Failure to add Addict to database. Transaction has been aborted.”, “Account Does Not Exist”, “Insufficient Funds” or “Insufficient Drugs”
- **Basic Case:** The system will calculate the total monetary value based on the amount of drugs purchased. If all goes well, the dealer’s drug and money supply will be adjusted and the transaction will be added to the Distribution Transaction database and returns “Transaction Completed”.
- **Exceptions:**

- (a) If the Dealer is not in the database, transaction is aborted and “Account Does Not Exist” is returned
- (b) If the Addict name is not in the database, the system will ask to add the Addict info first, and then will continue. If Addict addition is not successful, transaction is aborted and “Failure to add Addict to database. Transaction has been aborted.” is returned.
- (c) If there are not enough drugs in Dealer supply, transaction is aborted and “Insufficient Drugs” is returned.
- (d) If not enough cash is tendered, transaction is aborted and “Insufficient Funds” is returned¹.

2. Make Supply Transaction

- **User:** Drug Lord
- **Input:** Drug Lord id (DLID), Supplier id (SID), Money Exchanged (\$\$\$\$), Drug Amount (Cocaine), and Date
- **Output:** “Transaction Completed”, “Cancelled”, or “Account Does Not Exist”.
- **Basic Case:** The system will calculate the total monetary value based on the amount of drugs purchased. If all goes well, the drug lords’s drug and money supply will be adjusted and the transaction will be added to the Distribution Transaction database and returns “Transaction Completed”.
- **Exceptions:**
 - (a) If the Drug Lord is not in the database, transaction is aborted and “Account Does Not Exist” is returned
 - (b) If the Supplier name is not in the database, the system will ask to add the Supplier info first, and then will continue. If Supplier addition is not successful, transaction is aborted and “Cancelled” is returned.
 - (c) If there is not enough money in Drug Lord supply, transaction is aborted and “Cancelled” is returned.

3. View Distribution Transactions

- **User:** Drug Lord and Dealer.
- **Input:** Dealer id (DID), Addict id (AID), and/or Distribution Transaction id (DTID).

¹And addict is subsequently removed from the database

- **Output:** List of transactions involving all given fields, “No such transactions exist”, or “Account Does Not Exist”, “Access Denied”.
- **Basic Case:** If only a user id is given (either a Drug Lord or Dealer id), then all transactions made by the user is displayed. If additional fields are given as input, then only the transactions pertaining to them will be displayed (if user id is granted visibility).
- **Exceptions:**
 - (a) If either the Dealer or Addict id does not exist in the database, transaction is aborted and “Account Does Not Exist” is returned.
 - (b) If the Distribution Transaction id does not exist in the database, transaction is aborted and “No such transactions exist” is returned.
 - (c) If a Dealer tries to access transaction that do not involve said Dealer (i.e. Dealer i tries to view transactions made by Dealer j , where $i \neq j$), then “Access Denied” is returned.
 - (d) If a Drug Lord tries to access transaction that do not involve said Drug Lord (i.e. a Drug Lord from Territory i tries to access transactions from a Territory j , where $i \neq j$), then “Access Denied” is returned.

4. View Supply Transactions

- **User:** Drug Lord
- **Input:** Drug Lord id (DLID), Supplier id (SID), and/or Supply Transaction id (STID)
- **Output:** List of transactions involving all given fields, “No such transactions exist”, or “Account Does Not Exist”, “Access Denied”.
- **Basic Case:** If only a Drug Lord id is given, then all supply transactions made by them is displayed. However, adding the additional field Supplier id will limit it to only transactions made with a specific supplier, while a Supply Transaction id displays only that transaction.
- **Exceptions:**
 - (a) If either the Drug Lord or Supplier id does not exist in the database, transaction is aborted and “Account Does Not Exist” is returned.
 - (b) If the Supply Transaction id does not exist in the database, transaction is aborted and “No such transactions exist” is returned.

- (c) If a Drug Lord tries to access transaction that do not involve said Drug Lord (i.e. a Drug Lord from Territory i tries to access transactions from a Territory j , where $i \neq j$), then “Access Denied” is returned.

5. View Supply

- **User:** Drug Lord or Dealer.
- **Input:** Drug Lord (DLID) or Dealer id (DID)
- **Output:** Amount of money (in USD) and cocaine (in kilograms or grams) a Drug Lord or Dealer should have, “Account Does Not Exist” or “Access Denied”.
- **Basic Case:** If a Drug Lord id is given, then the amount of cash and cocaine the Drug Lord should have is returned. If a Dealer id is given then the amount of cash and cocaine the Dealer should have is returned.
- **Exceptions:**
 - (a) If the Drug Lord or Dealer id is not in the database, transaction is aborted and “Account Does Not Exist” is returned.
 - (b) If a Drug Lord tries to access information about another Drug Lord or Dealer not in his/her territory (i.e. a Drug Lord from Territory i tries to access information of a Dealer/Drug Lord from a Territory j , where $i \neq j$), then “Access Denied” is returned.
 - (c) If a Dealer tries to access information about a Drug Lord or any Dealers other than him/herself, then “Access Denied” is returned.

6. Transfer Drugs

- **User:** Drug Lord and Dealer.
- **Input:** Drug Lord id (DLID), Dealer id (DID), and Drug Amount (Cocaine).
- **Output:** “Transaction Completed”, “Account Does Not Exist”, or “Insufficient Drugs”
- **Basic Case:** If all goes well, both the Dealer and Drug Lord’s drug supplies will be adjusted and “Transaction Completed” is returned.
- **Exceptions:**
 - (a) If the Dealer or Drug Lord is not in the database, transaction is aborted and “Account Does Not Exist” is returned
 - (b) If there is not enough drugs in the Dealer or Drug Lord’s supply, transaction is aborted and “Insufficient Drugs” is returned.

7. Transfer Money

- **User:** Drug Lord and Dealer.
- **Input:** Drug Lord id (DLID), Dealer id (DID), and Money Exchanged (\$\$\$\$).
- **Output:** “Transaction Completed”, “Account Does Not Exist”, or “Insufficient Funds”
- **Basic Case:** If all goes well, both the Dealer and Drug Lord’s money supplies will be adjusted and “Transaction Completed” is returned.
- **Exceptions:**
 - (a) If the Dealer or Drug Lord is not in the database, transaction is aborted and “Account Does Not Exist” is returned
 - (b) If there is not enough money in the Dealer or Drug Lord’s supply, transaction is aborted and “Insufficient Funds” is returned.

8. Add Drug Lord

- **User:** Drug Lord
- **Input:** Drug Lord id (DLID), Drug Amount (Cocaine), and Money Exchanged (\$\$\$\$).
- **Output:** “Drug Lord Added”, or “Account Already Exists”.
- **Basic Case:** Drug Lord with a new randomly generate id, name Name, money supply \$0 USD, and cocaine supply 0 kg is added to the database and “Drug Lord Added” is returned.
- **Exceptions:**
 - (a) If the Drug Lord is already in the database, addition is aborted and “Account Already Exists” is returned.

9. Remove Drug Lord

- **User:** Drug Lord
- **Input:** Drug Lord id (DLID)
- **Output:** “Drug Lord Removed”, or “Account Does Not Exist”.
- **Basic Case:** Drug Lord with given id is removed from the database and “Drug Lord Removed” is returned.
- **Exceptions:**

- (a) If the Drug Lord is not in the database, addition is aborted and “Account Does Not Exist” is returned.

10. Add Dealer

- **User:** Drug Lord
- **Input:** Dealer id (DID), Drug Amount (Cocaine), and Money Exchanged (\$\$\$\$).
- **Output:** “Dealer Added”, or “Account Already Exists”.
- **Basic Case:** Dealer with given id, money supply \$0 USD, and cocaine supply 0 kg is added to the database and “Dealer Added” is returned.
- **Exceptions:**
 - (a) If the Dealer is already in the database, addition is aborted and “Account Already Exists” is returned.

11. Remove Dealer

- **User:** Drug Lord
- **Input:** Dealer id (DID)
- **Output:** “Dealer Removed”, or “Account Does Not Exist”.
- **Basic Case:** Dealer with given id is removed from the database and “Dealer Removed” is returned.
- **Exceptions:**
 - (a) If the Dealer is not in the database, addition is aborted and “Account Does Not Exist” is returned.

12. Add Supplier

- **User:** Drug Lord
- **Input:** Supplier id (SID)
- **Output:** “Supplier Added”, or “Account Already Exists”.
- **Basic Case:** Supplier with given id is added to the database and “Supplier Added” is returned.
- **Exceptions:**
 - (a) If the Supplier is already in the database, addition is aborted and “Account Already Exists” is returned.

13. Remove Supplier

- **User:** Drug Lord
- **Input:** Supplier id (SID)
- **Output:** “Supplier Removed”, or “Account Does Not Exist”.
- **Basic Case:** Supplier with given id is removed from the database and “Supplier Removed” is returned.
- **Exceptions:**
 - (a) If the Supplier is not in the database, addition is aborted and “Account Does Not Exist” is returned.

14. Add Addict

- **User:** Dealer, Drug Lord
- **Input:** Addict id (AID)
- **Output:** “Addict Added”, or “Account Already Exists”.
- **Basic Case:** Addict with given id is added to the database and “Addict Added” is returned.
- **Exceptions:**
 - (a) If the Addict is already in the database, addition is aborted and “Account Already Exists” is returned.

15. Remove Addict

- **User:** Dealer, Drug Lord
- **Input:** Addict id (AID)
- **Output:** “Addict Removed”, or “Account Does Not Exist”.
- **Basic Case:** Addict with given id is removed from the database and “Addict Removed” is returned.
- **Exceptions:**
 - (a) If the Addict is not in the database, addition is aborted and “Account Does Not Exist” is returned.

1.4 Platform(s)

This project will be done using the CS department's oracle database and using PHP. We do not anticipate using any special software or hardware.