

RESONANT DESIGN SYSTEM

Brand Book

Version 0.1

The complete source guide for the local-first music workstation

Your ideas. Your machine. Your music.

Contents

01	README
02	00 Start Here
03	01 Masterprompt
04	02 Project Context
05	03 Design Philosophy
06	04 Writing Guide
07	05 Brand Identity
08	06 Logo System
09	07 Color System
10	08 Typography
11	09 Layout Grid
12	10 Component System
13	11 Music Player
14	12 Ai System
15	13 Analytics System
16	14 Discovery System
17	15 Library System
18	16 Search System
19	17 Iconography
20	18 Accessibility
21	19 Imagery
22	20 Website
23	21 Mockups
24	22 Brand Book Structure
25	23 Product Requirements
26	24 Motion
27	25 Interaction Patterns
28	26 Design Tokens
29	27 Loading Error States
30	28 Desktop
31	29 Mobile
32	30 Downloads
33	Project Status

How to read this guide

This PDF contains the complete Markdown source of the Version 0.1 brand and product guide. Current behaviour is grounded in the verified Resonant product repository. Unverified areas remain explicitly marked TODO or future work.

Resonant Brand Book source

Version 1 of the Resonant brand and product design system. This repository is the source for the future Canva Brand Book, printable PDF, internal design guidance, marketing material, and developer-facing references.

Product truth

Resonant is a local-first, open-source music production workstation for Windows. It helps people write, generate, perform, arrange, mix, analyse, and export original music on their own computer. The current product includes Flow, Arrange, and Mix workspaces; a shared clip model; audio and MIDI tracks; an instrument library; Songwriter Studio; optional local ACE-Step generation; optional Seed-VC singing voice conversion; and a local MCP server for assistants.

The product repository is the authority for implemented behaviour. The current reference is github.com/calestio/Resonant. This brandbook never replaces the application source, product contract, or agent-mode contract.

Read in order

1. 00 — Start here 2. 02 — Project context 3. 03 — Design philosophy 4. 05 — Brand identity 5. 07 — Color system 6. 09 — Layout and grid 7. 10 — Component system 8. 11 — Workstation and transport 9. 12 — Local AI system 10. 21 — Mockups

Repository map

Chapter	Scope
00–04	Orientation, product context, philosophy, and writing
05–10	Brand identity and visual foundations
11–16	Workstation, AI, analysis, instruments, and search
17–20	Iconography, accessibility, imagery, and website guidance
21–23	Screen specifications, Brand Book assembly, and product requirements
24–30	Motion, interaction patterns, tokens, states, desktop, mobile, and downloads

`PROJECT_STATUS.md` records the verified scope, open TODOs, and the recommended Canva production path.

Documentation rules

- Explain the reason before the rule.
- Document implemented behaviour as fact; label proposals and gaps as `TODO`.

- Keep “Resonant”, “project”, “clip”, “track”, “arrangement”, “session”, “workspace”, “instrument”, “render”, and “export” consistent.
- Do not document streaming-service features, social features, hosted analytics, or a mobile application unless the product repository implements them.
- Do not modify application code from this repository.

Resonant Design System

00 — START HERE

> Read this document before making a brand, product, or marketing decision.

Purpose

This repository defines the shared language for Resonant: a local-first Windows music-production workstation. It is written for designers, developers, writers, marketers, partners, and anyone preparing the future Canva Brand Book.

The product in one sentence

Resonant helps people turn musical ideas into finished WAVs on their own computer.

Verified Version 1 scope

The product source implements **Flow** for clip launching and pattern editing, **Arrange** for linear song construction, **Mix** for sound shaping, Songwriter Studio, optional local ACE-Step 1.5 generation, optional Seed-VC singing voice conversion, an instrument library, and a local STDIO MCP server. It also provides atomic saves, explicit autosave recovery, deterministic WAV rendering, validation, and bounded undo history.

Governing idea

Music comes first. The interface should help a person hear, shape, and finish an idea; it should not turn creation into a generic dashboard. Artwork and visual energy support the work, while controls remain calm and legible.

How to use the system

1. Verify behaviour in [the product repository](#). 2. Start with the relevant foundation chapter. 3. Explain the musical or user problem before specifying UI. 4. Cover states, keyboard access, responsive behaviour, and recovery. 5. Mark anything unverified as **TODO**.

Scope boundary

The current product is not a streaming service, social network, hosted AI chatbot, personal-listening analytics platform, or published mobile app. Earlier drafts used those concepts; they have been corrected or explicitly marked as future work.

Related pages

[Project context](#) · [Design philosophy](#) · [Product requirements](#) · [Brand Book structure](#)

TODO

- Confirm the final public brand-owner name and trademark guidance.
- Add approved Figma library links when the library exists.
- Add final production screenshots after the current release is frozen.

Resonant Design System

01 — MASTER PROMPT

Objective

Create precise Markdown documentation for the Resonant brand and product system. The output must be sufficient for a designer to assemble the Canva Brand Book and for a developer to understand intent without inventing behaviour.

Purpose

This prompt is the editorial contract for future contributors and generated documentation.

Authority order

1. Implemented product source and tests in [calesthio/Resonant](#). 2. Product documentation and release notes. 3. This brandbook's principles and visual rules. 4. Explicitly labelled future considerations.

When sources conflict, use the higher source and add a TODO describing the conflict. Never silently convert a roadmap idea into a shipped feature.

Required page anatomy

Every substantial page should answer: purpose, problem, rationale, rules, usage, states and edge cases, accessibility, responsive behaviour, implementation notes, examples, related pages, and TODOs.

Writing rules

- Explain why before how.
- Prefer concrete nouns and active verbs.
- Use “project”, “clip”, “track”, “session”, “arrangement”, “workspace”, “render”, and “export” consistently.
- Say “local” when describing data or AI processing.
- Do not use “library”, “player”, or “analytics” in the old streaming sense.

Screen rule

Any screen reference must include purpose, audience, hierarchy, components, interactions, responsive behaviour, accessibility, future improvements, and an **Illustration Required** brief when a visual is needed. See [Mockups](#).

Non-goals

Do not modify application code, prescribe an alternate architecture, document unimplemented mobile or web products as fact, or create visual assets in place of an illustration brief.

Quality gate

Before publishing a chapter, check product truth, terminology, cross-references, keyboard behaviour, contrast, reduced motion, loading, empty, error, and recovery states.

TODO

- Add the final release/version pin used for each future documentation pass.

Resonant Design System

02 — PROJECT CONTEXT

Purpose

This page establishes the product model behind the brand. It prevents the visual system from drifting toward a streaming-service or generic AI-dashboard metaphor.

Product definition

Resonant is a free, open-source, Windows-first music production workstation. It combines a clip-based performance surface, a linear arrangement view, a mixer, local instrument resources, optional local generative tools, songwriting assistance, and a local MCP control surface.

It complements a person's existing music ecosystem by helping them make music; it does not replace a streaming catalogue.

Audience

The primary audience is an independent musician or curious maker who wants to move from an idea to a finished stereo WAV locally. Secondary audiences include songwriters, beat makers, producers, sound designers, and people using Codex or Claude as a bounded creative collaborator.

Core workflow

Idea → write or import → program / generate → perform in Flow → capture → arrange → mix → analyse →

The workflow is continuous because the same clip can be used in session performance and arrangement. Duplication is explicit; arrangement blocks reference shared clip sources.

Product pillars

Pillar	Meaning
Music first	Transport and musical material remain visually primary.
Calm complexity	Advanced operations are available without making every state dense.
Local by default	Personal audio, prompts, projects, and analytics are not sent to a hosted Resonant service.

Pillar	Meaning
Reversible craft	Undo, atomic saves, autosave recovery, validation, and revision checks make experimentation safe.
Honest assistance	AI is optional, local, consent-aware, and explicit about limits.

Current surface map

- **Flow:** clips, patterns, note editing, audio import, launch, and capture.
- **Arrange:** shared clip references on a linear timeline.
- **Mix:** sound shaping, track controls, automation, and master output.
- **Songwriter Studio:** section blueprints, hooks, lyric drafts, and language-aware coaching.
- **Instrument Library:** install, import, search, resolve, and remove instrument packs.
- **AI SONG:** optional ACE-Step 1.5 setup and generation.
- **MY VOICE:** optional Seed-VC setup and consented singing voice conversion.
- **MCP setup:** choose a workspace and client, then copy a bounded local configuration.

Not current product scope

Personal listening history, artist/album browsing, recommendation feeds, social sharing, hosted analytics, and a mobile companion are not verified in the product source.

Related pages

[Philosophy](#) · [Workstation](#) · [Local AI](#) · [Instrument library](#) · [Desktop](#)

TODO

- Confirm the supported release channel and final Windows version matrix.
- Add a verified information-architecture diagram from the next product release.
- Document project migration policy when it is formally approved.

Resonant Design System

03 — DESIGN PHILOSOPHY

Purpose

The philosophy explains why Resonant looks and behaves as it does. It is a decision filter, not a component catalogue.

Core idea

> Help people make music with more attention and less friction.

Principles

Music first

The active musical material, transport, and timing deserve the strongest hierarchy. Controls become quiet when they are not needed. Do: give the clip, timeline, or sound the clearest focal area. Don't: surround a simple musical task with decorative data.

Calm complexity

Resonant supports production work without pretending production is simple. Reveal depth through selection, inspection, and workspace changes. Do: keep the primary path obvious. Don't: hide essential state in hover-only UI.

Editorial, not corporate

Typography and spacing may feel considered and publication-like, but the product must remain operational. Do: use clear labels and meaningful grouping. Don't: turn a mixer into a lifestyle collage.

Local and trustworthy

The product makes local processing and file boundaries visible. AI tools are optional and labelled. Consent is part of the Seed-VC workflow. Do: explain where data goes. Don't: imply cloud intelligence when a local provider is running.

Reversible craft

Making music is iterative. Preserve agency through undo, atomic save, autosave recovery, validation, and non-destructive arrangement references. Do: make risky operations understandable. Don't: silently overwrite a project.

Useful motion

Motion communicates transport, progress, selection, and change. It must never compete with the sound. See [Motion](#).

Decision test

1. Does this help make, hear, or understand the current musical idea? 2. Is the state clear without relying on colour, sound, or motion alone? 3. Does the interaction remain usable with keyboard and reduced motion? 4. Is local processing or permission relevant and visible? 5. Can the person recover from a mistake?

Related pages

[Brand identity](#) · [Interaction patterns](#) · [Accessibility](#)

TODO

- Validate the principles against the next production screen set.

Resonant Design System

04 — WRITING GUIDE

Purpose

This guide defines the voice used in the workstation, AI tools, website, release notes, support material, and future Brand Book.

Voice

Resonant is intelligent, calm, curious, honest, precise, and human. It speaks like a skilled collaborator who respects the maker’s decisions.

Tone by situation

Situation	Tone	Example
Normal action	Direct and quiet	“Capture four bars into Arrange.”
Progress	Specific and reassuring	“Rendering the arrangement...”
Error	Factual and helpful	“This clip is audio, so it can’t be placed on a MIDI track.”
Consent	Explicit and non-judgmental	“Confirm that you own this voice or have permission to use it.”
AI uncertainty	Honest	“This is a writing suggestion; listen and revise before generating.”

Rules

- Use verbs for actions: **Play, Save, Open, Capture, Export WAV.**
- Use sentence case for explanatory copy; all caps may be reserved for compact labels already established in the UI.
- Name the object and consequence: “Remove Seed-VC and its model cache?”
- Keep errors actionable; never blame the person.
- Do not imply heuristic songwriting scores are objective judgements.
- Do not claim AI output is unique, safe, or guaranteed to be copyrightable.

Do / don't

Do	Don't
"Choose an isolated source vocal."	"Upload your voice to the cloud."
"No project is open."	"Oops! Nothing here yet!"
"The project changed outside Resonant. Reload it?"	"Sync conflict detected."
"Install ACE-Step to generate locally."	"Unlock next-generation creativity."

Accessibility

Avoid idioms, unexplained abbreviations, and sound-only instructions. Pair keyboard shortcuts with visible labels. Announce important status changes through the existing live region without flooding it.

Related pages

[Brand identity](#) · [AI system](#) · [Loading and error states](#)

TODO

- Add approved translations and terminology review for the six songwriting language packs.

Resonant Design System

05 — BRAND IDENTITY

Purpose

This document defines what Resonant stands for and how the product, brand, and future marketing should express it.

Position

Resonant is a local music-production workstation for people who want to turn an idea into a finished piece with control over their tools, files, and creative decisions.

Mission

Help people make and understand music with less friction and more ownership.

Vision

Make local music creation feel as immediate, expressive, and considered as the music itself.

Promise

Resonant keeps the path from first idea to finished WAV visible, reversible, and yours.

Values

Value	Behaviour
Curiosity	Invite experimentation without forcing a recommendation or workflow.
Craft	Make timing, structure, sound, and language worth careful attention.
Simplicity	Remove operational friction; do not remove useful control.

Value	Behaviour
Trust	Show boundaries, permissions, provenance, and failure states clearly.
Ownership	Keep projects, audio, and optional AI processing local by default.

Personality

Resonant is composed, exacting, warm, independent, and quietly playful. It is never loud, smug, vague, or corporate.

Messaging hierarchy

1. **Make complete songs locally.** 2. **Write, generate, perform, arrange, mix, and export.** 3. **Your ideas. Your machine. Your music.**

Use the first line for broad introduction, the second for product explanation, and the third as a closing signature. Avoid stacking multiple taglines in one surface.

What Resonant is / is not

Is	Is not
A workstation	A streaming catalogue
Local-first	A hosted AI service
A creative tool	A social feed
Structured and expressive	A generic analytics dashboard
An assistant to the maker	An autonomous artist

Related pages

[Logo](#) · [Color](#) · [Writing](#) · [Website](#)

TODO

- Confirm legal trademark language and approved company boilerplate.
- Add an origin story only after it is approved by the brand owner.

Resonant Design System

06 — LOGO SYSTEM

Purpose

Protect the Resonant mark across the workstation, installer, repository, website, and Brand Book.

Approved forms

The product repository currently supplies dark and light **reso-lockup** SVG assets. Use the supplied artwork as the source file; do not redraw or approximate it. The lockup contains the mascot and wordmark. A symbol-only app icon is a separate asset and must be optically tested at small sizes.

Form	Use
Dark lockup	Light surfaces or documentation covers.
Light lockup	Dark product and marketing surfaces.
Symbol	App icon, favicon, compact navigation, avatar.

Clear space and size

Maintain clear space at least equal to the mark's visual stem width on every side. Use the full lockup only when the wordmark remains legible; switch to the symbol at compact sizes rather than shrinking the lockup below recognition.

Do / don't

Do preserve proportions, contrast, and the supplied colours. Don't stretch, rotate, crop, outline, shadow, recolour, place over busy artwork, or reconstruct the mark from a font.

Implementation notes

Use SVG for interface and web contexts. Provide an accessible name ("Resonant") when the logo is a link or home control. The product source uses a UI brand mark alongside the word "RESONANT" and "WORKSTATION"; any future change requires product review.

Illustration Required

Purpose: make clear-space and misuse rules scannable in the Brand Book.

Description: one dark spread with approved dark/light lockups, a measured clear-space frame, and six incorrect examples.

Suggested composition: lockups on the left, construction/clear-space diagram on the right, misuse strip below.

Priority: P0.

Assets required: approved SVGs, symbol export, clear-space measurement, final minimum-size test.

TODO

- Confirm trademark and co-branding rules.
- Define print minimum size after physical testing.
- Produce approved 16–1024 px icon exports and construction grid.

Application examples

Context	Preferred treatment
Installer or website header	Full lockup with generous surrounding space.
Product header	The verified application brand treatment.
Favicon or compact control	Symbol only, with a tested light/dark background.
Partner or press page	Full lockup, never a recreated text version.

Edge cases

Do not place the mark inside a clip cell, over an active waveform, or inside an error message. If contrast is unavailable, change the surface or use the approved monochrome version; do not add an outline or shadow.

Implementation notes

Store source vectors separately from exports. Preserve the SVG viewBox, avoid rasterizing in the interface, and provide an accessible name only when the mark communicates an action or destination.

Resonant Design System

07 — COLOR SYSTEM

Purpose

Colour establishes hierarchy without competing with the musical work. The current visual language is dark-first with restrained mint/emerald accents.

Verified core palette

Token	Hex	Role
Emerald	#30DDA1	Primary action, active state, focus accent.
Mint	#67F3C2	Hover and secondary highlight.
Graphite	#0B0F0D	Primary background.
Charcoal	#171C1A	Card and elevated surface.
Off white	#F7F8F8	Primary text.

Artwork may supply local atmosphere, but it must not replace semantic UI colour. Never recolour user artwork.

Semantic use

Use colour with a text, icon, shape, or position cue. Success, warning, error, and information colours require final contrast-tested values before being treated as tokens.

Surfaces and glow

Prefer small luminance steps between Graphite and Charcoal. Glows are reserved for focus, active transport, or a clearly defined AI operation. Avoid blurred decoration behind dense controls.

Charts and meters

The verified product exposes mix analysis (peak, RMS, clipped samples, and warnings), not a listening-analytics chart library. A future chart palette must begin with legibility, support eight or fewer simultaneous series, and remain distinguishable in grayscale.

Accessibility

Test all text and controls against WCAG AA. Provide visible focus, selected, disabled, and error treatments that do not depend on hue alone. Test artwork-derived gradients behind text at their darkest and brightest points.

Related pages

[Tokens](#) · [Accessibility](#) · [Imagery](#)

TODO

- Define the full neutral and semantic scales with contrast results.
- Add RGB, HSL/OKLCH, Figma Variables, CSS, and SwiftUI mappings.
- Confirm whether a light application theme is in scope; it is not verified in the current UI.

Semantic mapping

State	Required cue
Primary action	Emerald surface or accent plus a verb label.
Focus	Visible emerald/mint ring with sufficient contrast.
Selected clip	Accent plus border, label, or shape change.
Disabled	Reduced emphasis plus disabled semantics; never opacity alone.
Error	Semantic colour plus explanatory text and recovery action.

Do / don't

Do let artwork carry emotion while UI colour carries meaning. Don't sample a bright album edge and use it behind white controls without a contrast check. Don't use a rainbow to make technical measurements appear more important.

Implementation notes

Centralize semantic tokens rather than inserting hex values in components. Test normal, hover, focus, selected, disabled, modal, and high-contrast contexts.

Resonant Design System

08 — TYPOGRAPHY

Purpose

Typography gives production information a calm, editorial hierarchy while keeping controls fast to scan.

Typeface roles

Role	Typeface	Use
Display	Inter Tight	Brand headlines, covers, marketing statements.
Interface	Inter	Navigation, labels, dialogs, settings, body copy.
Data	Geist Mono	Measurements, timestamps, IDs, and aligned values.

These roles originate in the existing brandbook; confirm that the licenses and final font files are included before distribution.

Hierarchy

Use one display style, four heading levels, body, caption, overline, and button styles. A stable hierarchy is more important than a large scale. Use semibold for active labels sparingly; do not use weight as the only state cue.

Responsive and accessibility rules

Body copy starts at 16 px. Keep interface labels readable at 100–200% zoom, avoid long all-caps strings, use comfortable line height, and keep prose measure near 45–85 characters. Numbers that must align use tabular figures.

Do / don't

Do use space and size to establish hierarchy. Don't add decorative typefaces, justify prose, compress explanatory text, or mix several families within one screen.

TODO

- Confirm exact font files and licensing.
- Define pixel/rem styles, weight mapping, line heights, and desktop breakpoints.
- Add Figma text-style names and a type specimen illustration.

Content examples

- Product headline: "Make an idea move."
- Workspace label: "ARRANGE" with the supporting hint "Linear song".
- Measurement: "-3.2 dB RMS" in Geist Mono when alignment matters.
- Progress: "Rendering the arrangement..." rather than an unexplained spinner.

Edge cases

Long project names must wrap or truncate with a discoverable full value. Localized lyrics must support Unicode and native scripts. Numeric values must not jump width as they update.

Implementation notes

Define text styles centrally and keep the same semantic name across Figma and code. Use tabular numerals for meters and tables.

Resonant Design System

09 — LAYOUT & GRID SYSTEM

Purpose

The grid makes timing, controls, and musical material predictable. It creates room for focus without filling every surface.

Spatial foundation

Use an 8 px base unit. Approved early values are 8, 16, 24, 32, 40, 48, 64, 80, 96, and 128 px. When a musical or platform constraint requires another value, document the reason in the component page.

Product anatomy

```
Header / file actions / transport / AI tools
  ↓
Workspace switcher: FLOW | ARRANGE | MIX
  ↓
Primary work area + optional inspector
  ↓
Status bar
```

The current product is a desktop Electron application. Flow uses a track rail and clip/session surface; Arrange uses a timeline; Mix uses channel controls and analysis. The player is transport integrated in the header, not a streaming mini-player.

Responsive behaviour

Do not simply scale a desktop workstation to a phone. Preserve the active task, collapse secondary inspectors, allow horizontal timeline navigation, and keep keyboard or pointer targets usable. Published mobile behaviour is not implemented and is documented only as future work in [Mobile](#).

Alignment rules

Align track names, clip edges, timeline markers, labels, and values to shared lines. Prefer left alignment for information; use centered alignment only for compact controls or empty states. Never use whitespace to conceal unavailable functionality.

Accessibility

Support 100%, 125%, 150%, and 200% zoom without clipping essential controls. Keyboard focus must remain visible. Provide a non-colour cue for playhead, selected clip, mute, solo, and recording.

Related pages

[Tokens](#) · [Components](#) · [Desktop](#)

TODO

- Add measured window breakpoints from production testing.
- Add annotated Flow, Arrange, and Mix grid diagrams.

Page anatomy examples

Flow: header → workspace switcher → track rail/session grid → selected clip editor → status bar.

Arrange: header → workspace switcher → track labels → timeline ruler → arrangement blocks → status bar.

Mix: header → workspace switcher → channel strips → master/analysis area → status bar.

Edge cases

At a narrow desktop window, keep transport and workspace choice available before reducing secondary controls. A long timeline should scroll in the timeline region, not move the whole application shell.

Implementation notes

Use shared layout primitives for surfaces and gutters. Do not encode musical timing as visual spacing tokens: beats and bars are project data.

Resonant Design System

10 — COMPONENT SYSTEM

Purpose

Components make the workstation coherent without flattening the difference between a clip launcher, a mixer, and a dialog.

Inventory

Group	Verified components
Shell	Brand header, file actions, transport, workspace switcher, status bar.
Musical	Track rail, clip cell, note grid, playhead, arrangement block, mixer channel.
Controls	Buttons, icon buttons, text inputs, selects, sliders, checkbox, toggle, tabs.
Dialogs	Quick Start, Instrument Library, Songwriter Studio, ACE-Step Studio, Seed-VC Studio, MCP Setup.
Feedback	Toast stack, recovery banner, loading/progress, error and empty states.

Component contract

Document purpose, anatomy, variants, default/hover/focus/pressed/disabled/loading/selected states, keyboard behaviour, pointer behaviour, responsive behaviour, tokens, and edge cases. A component must not require hover to reveal essential information.

Interaction rules

Use a visible focus ring. Make destructive or data-affecting actions explicit. Keep disabled controls explanatory where the reason is not obvious. Preserve selection when switching Flow, Arrange, and Mix unless the selected object is no longer valid.

Example: clip cell

The clip cell communicates name, type, selected state, active playback state, and availability. Launching changes playback; selecting changes the inspector target. It must distinguish MIDI from audio and reject incompatible arrangement/track operations with a clear explanation.

Related pages

[Interaction patterns](#) · [Tokens](#) · [Accessibility](#)

TODO

- Add component anatomy diagrams and final token references.
- Add the canonical Figma component and code component names.

State documentation example

For a primary button, document label, icon use, hover, focus, pressed, disabled, loading, success feedback, and error recovery. For a clip, document MIDI/audio type, selected, playing, empty, unavailable, and incompatible states.

Do / don't

Do compose screens from named components. Don't create one-off variants that differ only by padding. Do expose a disabled reason. Don't use a toast as the only record of a failed export.

Implementation notes

The source uses React components and Lucide icons. Keep visual token names independent from CSS implementation and test component states in isolation.

11 — WORKSTATION & TRANSPORT

Purpose

The transport is the heartbeat of Resonant. It makes play, pause, record, tempo, click, loop, session/song mode, and export available without stealing attention from the work surface.

Verified workspaces

Workspace	Job	Key content
Flow	Perform and sketch	Tracks, session slots, clips, note editing, capture.
Arrange	Build a song	Timeline blocks referencing shared clips.
Mix	Shape sound	Track mix, automation, master, analysis.

SESSION plays launched clips; **SONG** plays the arrangement. Keyboard shortcuts are Space for play/pause, R for recording, 1/2/3 for workspaces, and Ctrl/Cmd-equivalent Windows shortcuts for save/open/undo/redo as implemented by the product.

Information hierarchy

1. Current transport state and playhead. 2. Active musical workspace. 3. Musical material and track identity. 4. Secondary controls and diagnostics.

States and edge cases

Playing, paused, recording, stopped, looping, metronome on/off, audio idle/latency measured, unsaved, recovery available, and rendering are distinct states. When an audio track is absent or a clip/track type is incompatible, explain the constraint before offering a fix.

Accessibility and responsive behaviour

Every icon control has an accessible name and tooltip/shortcut. Recording and playback use text plus state styling. Focus must not disappear during transport. Desktop is the supported platform; mobile transport is future work.

Illustration Required

Purpose: show the full creation path in the Brand Book.

Description: Flow, Arrange, and Mix shown as one continuous horizontal story with transport state callouts.

Suggested composition: one musical motif passing from clip cell to timeline to mixer to WAV export.

Priority: P0. **Assets:** verified production screenshots and a neutral sample project.

Related pages

[Motion](#) · [Interaction patterns](#) · [Mockups](#)

TODO

- Add annotated transport and workspace diagrams from the release-locked UI.

Interaction examples

- **Play:** Space starts the selected mode and exposes a live status.
- **Record:** R starts or stops input recording when the selected audio track and permission are available.
- **Capture:** a Flow performance becomes arrangement material without rebuilding the clip.
- **Export:** the user chooses a WAV path and receives rendering status and a result.

Edge cases

If the arrangement is empty, export may render the current launched session as implemented; explain which source is being rendered. If a project is dirty, keep save state visible. If external changes are detected, offer reload rather than silently merging.

Future considerations

A full-screen player, queue, lyrics view, device picker, and casting are not verified in this workstation release.

12 — LOCAL AI SYSTEM

Purpose

AI should reduce mechanical effort while leaving musical judgement with the maker. In Version 1 it is optional, local-first, labelled, and bounded by explicit file and consent rules.

Verified capabilities

Tool	Role	Important boundary
Songwriter Studio	Draft structure, hooks, lyrics, and coaching signals.	Heuristics are suggestions, not quality verdicts.
ACE-Step 1.5	Local text-to-music, cover conditioning, and repainting workflows.	Optional installation and large local model download.
Seed-VC	Convert an isolated singing performance into a permitted reference voice.	Requires explicit consent and local WAV paths.
MCP server	Let Codex, Claude Code, or another client operate saved projects.	Workspace-confined, revision-checked file operations; no raw audio payloads.

Principles

Explain what the tool does, what it needs, where data stays, and what remains uncertain. Never force a suggestion, invent musical facts, or imply that a generated result is unique or legally safe.

Consent and provenance

Seed-VC requires the user to confirm ownership or explicit permission. Source/reference hashes and conversion provenance are recorded. The UI must keep consent next to the action, not in distant legal copy.

AI states

Not installed, installing, ready, running, failed, cancelled, and output available are distinct. Provide progress, retry, and safe cancellation. See [Loading and error states](#).

Illustration Required

Purpose: explain local AI without suggesting cloud processing.

Description: three lanes—write, generate, convert—with local file boundary and consent checkpoint.

Priority: P0. **Assets:** verified UI screenshots for Songwriter Studio, ACE-Step Studio, Seed-VC Studio, and MCP Setup.

TODO

- Confirm final model/provider legal notices for Brand Book publication.
- Document exact supported generation parameters and platform warnings from the release being presented.

Workflow guidance

Songwriter Studio starts with a structured draft. ACE-Step uses an explicit generation request and local provider state. Seed-VC requires source and reference selection plus consent. MCP starts with capability discovery, then reads a saved project and performs revision-checked operations.

Do / don't

Do show provider name, installation state, and local boundary. Do preserve inputs on failure. Don't present a heuristic as a fact, hide model downloads, or let a stale MCP revision be overwritten.

Implementation notes

The product shares domain and rendering modules between desktop and MCP. Agents operate on saved .resonant projects inside a configured root; they do not receive microphone input or arbitrary shell access.

13 — AUDIO ANALYSIS SYSTEM

Purpose

The original chapter described listening analytics. The product repository instead implements technical mix analysis and vocal-readiness checks. This chapter documents only those verified forms.

Verified analysis

Mix analysis can report peak and RMS levels, clipped samples, channel measurements, duration, and warnings such as insufficient headroom. Vocal QA can inspect technical readiness and compare a transcript with target lyric words when its supporting tools are available.

Design rules

Every measurement must answer a production question: “Is this clipping?”, “Is there headroom?”, or “Is the vocal technically ready?” Show the unit, scope, and sample rate. Never present a score without explaining its basis and uncertainty.

Accessibility

Pair charts/meters with numeric values and text warnings. Do not rely on animated meters alone. Provide stable snapshots for screen readers and export/report contexts.

TODO

- Confirm the final UI for mix analysis and vocal QA.
- Define approved thresholds, units, chart tokens, and printable visualizations from product source.
- Personal listening history, taste evolution, artist networks, year-in-review, and hosted analytics remain unimplemented and must not be presented as current features.

Related pages

[Color](#) · [Components](#) · [Mockups](#)

Example report language

“Peak: -0.8 dBFS. This is within 0.3 dB of full scale; reduce track or master gain for more headroom.” This names the measurement, unit, implication, and action.

Edge cases

A report must distinguish silence from missing data, stereo from mono, and completed analysis from interrupted render. If transcription is unavailable, say so instead of returning a confidence-free comparison.

Future considerations

If personal listening analytics are proposed, create a separate approved product brief, privacy model, data vocabulary, and visualization system.

14 — DISCOVERY SYSTEM

Purpose

Discovery in Version 1 means discovering possibilities inside one's own creative process: trying a groove, a generated result, a new instrument, a lyric structure, or a variation of a clip.

Verified patterns

Quick Start offers a starter groove or an empty project. Instrument Library supports search across available instrument resources. Songwriter Studio offers language-aware structures and revision signals. ACE-Step provides creative generation modes.

Principles

Offer a clear starting point, preserve the ability to begin empty, explain why a suggestion exists, and keep every generated or imported result editable or dismissible. Never treat popularity or engagement as a product goal.

TODO

- A music-catalogue discovery feed, similar-artist recommendations, hidden gems, mood exploration, and personal listening discovery are not implemented. Do not design them as current Resonant screens.
- Define future discovery scope only with an approved product brief.

Related pages

[Product context](#) · [AI system](#) · [Library](#)

Example starting paths

- New maker: Quick Start → starter groove → Flow → capture → Arrange.
- Sound exploration: Instrument Library → search → inspect format → assign to a compatible track.
- Lyric exploration: Songwriter Studio → choose language pack → apply structure → analyse → revise.

Edge cases

A starter groove must remain optional. A search with no results must not fabricate a resource. An AI suggestion must be dismissible and must not replace the empty-project path.

Future considerations

Any future recommendation system must define relevance, user control, provenance, privacy, and whether results are local or networked before visual design begins.

15 — LIBRARY SYSTEM

Purpose

The verified library is a local resource library for instruments and audio assets—not a streaming music catalogue.

Instrument Library

Users can inspect installed packs, install the GeneralUser GS SoundFont, search WebAudioFont presets, and import SoundFont, DLS, SFZ, WAV, OGG, MP3, FLAC, or M4A resources as supported by the product. Missing instruments fall back safely rather than corrupting a project.

Audio assets

Recorded and imported audio is stored once in a content-addressed shared library. Projects retain references, reducing duplication. A clip can be MIDI or audio; track compatibility remains explicit.

Interactions

Browse or search → inspect format and status → install/import → assign to a compatible track → preview/use → remove pack if no longer needed. Removing an instrument pack must explain that project clips remain intact while playback may require another resource.

Accessibility and responsive behaviour

Use text status alongside progress, format, and size. The modal must remain keyboard navigable and announce install completion/failure. Desktop is verified; a mobile resource browser is future work.

TODO

- Add exact metadata fields and final library screenshots.
- Confirm cache-size, removal, and offline reinstallation copy for the release presented.

Related pages

[Tokens](#) · [Loading states](#) · [Mockups](#)

Metadata guidance

A resource view should make its name, type/format, installed state, and next action clear. Project clips should preserve identity even when an external pack is removed. Audio assets should not be duplicated simply because they are reused.

Do / don't

Do show progress for a large pack and allow safe retry. Don't remove a pack without explaining project impact. Do use selected-track context when assigning. Don't allow a MIDI clip to be silently assigned to an audio track.

Implementation notes

The product stores instrument resources and content-addressed audio under application/workspace locations. Exact paths belong in developer material, not marketing promises.

16 — SEARCH SYSTEM

Purpose

Search helps a maker find an instrument resource or locate a project asset quickly. It is not currently a music-catalogue search experience.

Verified search

Instrument Library search accepts a query against the available WebAudioFont catalogue and installed/imported resources. Results should show name, format, source, installed state, and the next useful action.

Rules

Search should be fast, forgiving, keyboard reachable, and explicit about scope. Preserve the query while opening details. Empty results should suggest a broader term or import action without pretending a recommendation exists.

TODO

- Confirm matching, ranking, keyboard shortcuts, and result limits from the current UI.
- Natural-language AI search, advanced music filters, artist/album search, and global project search are not verified; document them only after implementation.

Related pages

[Library](#) · [Writing](#) · [Accessibility](#)

Interaction details

Search should accept focus, retain the query while results update, support escape/clear, and preserve result context when details open. Result status should be text, not only an icon or tint.

Edge cases

Handle empty query, no result, duplicate names, slow catalogue response, unavailable pack, and an incompatible selected track. If names are ambiguous, show enough metadata to choose.

Implementation notes

Keep search scope explicit in the field label or surrounding heading. Do not expose a ranking model the product does not implement.

17 — ICONOGRAPHY

Purpose

Icons make production controls recognizable without adding visual noise.

System

The current interface uses Lucide React icons. Preserve their outlined, rounded character and consistent optical weight. The inherited 24×24, 2 px, rounded-cap guidance remains the working basis, subject to final library validation.

Categories

File actions, transport, recording, workspace, clips, tracks, instruments, AI, audio, settings, help, warnings, and status.

Rules

Use one icon per action, pair unfamiliar icons with labels, and provide an accessible name. Do not use colour alone, mix arbitrary filled and outlined families, rotate icons for decoration, or use a waveform as a generic loading spinner.

States

Default, hover, focus, pressed, active, disabled, loading, and error must be legible at 16–24 px. A state change should be understandable in text or shape as well as colour.

TODO

- Audit the current icon inventory and publish canonical Figma/code names.
- Add optical alignment and small-size tests to the Brand Book.

Accessibility checklist

Every icon-only control needs an accessible name, visible focus, and a tooltip or adjacent label where meaning is not obvious. Decorative icons should be hidden from the accessibility tree.

Implementation notes

Use Lucide React where possible. A custom icon requires its 24×24 grid, stroke, caps, joins, optical bounds, and 16 px fallback documented before library adoption.

18 — ACCESSIBILITY

Purpose

This chapter turns inclusive access into a product and release requirement.

Goal

Make music creation usable across vision, hearing, mobility, cognition, and technology differences.

Baseline

Target WCAG 2.2 AA for applicable UI. Use 16 px minimum body text, visible focus, keyboard operation, 44×44 px pointer targets where practical, semantic names, reduced motion, and non-colour state cues.

Workstation requirements

- Space and R shortcuts have visible equivalents and do not trap focus.
- Play, record, mute, solo, loop, and rendering state are announced in text.
- Meters and waveform views have numeric or textual alternatives.
- Dialogs trap focus correctly, return focus on close, and explain cancellation.
- Zoom to 200% does not hide essential transport or recovery actions.
- Audio-dependent instructions always have a visual alternative.

Testing checklist

Keyboard-only pass; screen-reader names; focus visibility; contrast; 200% zoom; reduced-motion mode; long labels; error recovery; high-DPI rendering; and Windows accessibility settings.

TODO

- Record assistive-technology test matrix and known issues.
- Confirm whether captions/transcripts are needed for future tutorial media.

Related pages

Do / don't

Do pair a level meter with peak and RMS text. Do keep voice ownership consent adjacent to conversion. Don't rely on a red border alone, trap focus in a background surface, or make drag-and-drop the only arrangement path.

Implementation notes

Accessibility is a release gate, not a polish pass. Capture test evidence with the product release and link limitations to the affected component or screen.

19 — IMAGERY

Purpose

Imagery should make the act of making music feel tangible without turning the workstation into an entertainment feed.

Direction

Prefer dark, cinematic surfaces; close, honest views of instruments and work; restrained glow; and real project material. The product's visual energy comes from clips, waveforms, notes, and sound—not stock lifestyle scenes.

Artwork and photography

Use artwork supplied by the maker or cleared for the intended use. Do not imply that generated imagery is product functionality. Photography should feel observed and specific; avoid generic headphones-on-a-desk stock clichés.

Illustration

Illustration is supportive and geometric. It may explain flow, local boundaries, or structure, but must not invent screens or features.

Accessibility and licensing

Add alt text, captions where required, sufficient contrast, and asset provenance. Never publish repository screenshots or third-party artwork in a marketing deliverable without confirming rights.

TODO

- Create an approved photography/illustration moodboard.
- Confirm image licensing, cropping, and artwork attribution policy.

Related pages

[Color](#) · [Mockups](#) · [Logo](#)

Composition rules

Give one image one job: establish the product, explain a workflow, or add atmosphere. Keep controls and copy away from high-frequency artwork. Crop around musical action and use overlays only when contrast-tested.

Illustration Required template

Purpose: explain a concept without inventing product UI.

Description: identify the object, relationship, and emotional temperature.

Suggested composition: specify focal point, crop, surface, and annotation placement.

Priority: P0/P1/P2.

Assets required: list approved screenshots, vectors, fonts, and rights.

20 — WEBSITE

Purpose

The website should explain and distribute the workstation using the same calm, local-first identity.

Verified content foundation

Use the product repository's current message hierarchy: make complete songs locally; write, generate, perform, arrange, mix, and export; your ideas, your machine, your music. Explain Windows support, optional providers, local data boundaries, open-source licensing, and unsigned-build warnings accurately.

Recommended page anatomy

Hero → creation workflow → Flow/Arrange/Mix → optional AI tools → instrument library → local MCP → requirements/download → licence and third-party notices.

Each section should answer one question and point to a real product surface. Avoid unsupported pages for pricing, hosted accounts, personal listening analytics, or mobile companions.

Interactive mockups

Use real screenshots or clearly labelled concept diagrams. Never make a marketing animation imply that a future control already ships.

TODO

- Verify ownership and publication status of resonant.teigmedia.com.
- Confirm final navigation, download links, release language, and legal copy.

Related pages

[Brand identity](#) · [Downloads](#) · [Mockups](#)

Content examples

Lead with the local creation workflow, then show the actual workspaces. Explain that AI providers are optional and downloads are local. Put unsigned-build and hardware requirements next to distribution instructions.

Edge cases

A visitor may mistake a screenshot for a promise. Label concepts, release notes, and roadmap work. A user on macOS or Linux should see the support boundary rather than an unavailable download button.

Implementation notes

Keep marketing terms synchronized with the product README and release notes. When a claim changes, update this chapter and the source-of-truth link together.

21 — MOCKUPS

Purpose

This inventory tells a Canva designer which product views to show and what each must communicate.

Screen specification template

For every screen, document purpose, audience, hierarchy, components, interactions, responsive behaviour, accessibility, future improvements, and status. Use only verified screenshots or label the image as concept.

Required Version 1 screens

Screen	Primary story	Priority
Quick Start	Starter groove, empty project, instruments, songwriter, MCP entry points.	P0
Flow	Clips, track rail, note/audio material, launch, capture.	P0
Arrange	Shared clips becoming a linear song.	P0
Mix	Track shaping, master, analysis, export readiness.	P0
Instrument Library	Search, install/import, status, assignment.	P0
Songwriter Studio	Brief, structure, language pack, analysis, draft.	P0
ACE-Step Studio	Local generation setup and generation state.	P0
Seed-VC Studio	Source/reference, consent, settings, conversion.	P0
MCP Setup	Workspace boundary, client choice, copied configuration.	P1
Recovery / error	Safe recovery and actionable failure.	P1

Illustration Required

Every screen above needs a composed Brand Book page with: purpose, description, suggested composition, priority, and assets required. Use the product repository screenshots as the visual source where available; do not generate replacement artwork.

Not required for Version 1

Dashboard, listening analytics, artist/album details, discovery feed, playlist view, and mobile companion mockups are not product-verified.

Related pages

[Brand Book structure](#) · [Workstation](#) · [Desktop](#)

Screen anatomy requirements

Each mockup must show the stable shell, active workspace, selected object, meaningful state, and the action the spread explains. Avoid filling a screen with every possible control. Use callouts for one or two behaviours.

Edge cases

Include at least one unsaved state, provider-install state, incompatible clip error, and recovery state in the final screen set. These prove trust and craft better than perfect empty canvases.

TODO

- Add final screenshot paths, release commit, and asset rights for each required screen.

22 — BRAND BOOK STRUCTURE

Purpose

This chapter is the editorial plan for turning the source repository into an accessible Canva Brand Book and PDF.

Goal

Turn the source documentation into a clear Canva narrative. One spread should communicate one idea; detailed implementation remains in the source repository.

Suggested sequence

1. Cover and signature 2. Product truth and local-first promise 3. Mission, values, and design philosophy 4. Voice and messaging 5. Logo system 6. Colour and tokens 7. Typography and layout 8. Components and states 9. Flow, Arrange, and Mix 10. Instrument Library and audio assets 11. Songwriter Studio 12. ACE-Step and Seed-VC 13. MCP and trust boundaries 14. Motion and interaction patterns 15. Accessibility 16. Imagery and website 17. Screen gallery 18. Downloads, licensing, TODOs, and closing

Spread rule

Each spread has a headline, one key message, one primary visual, a short rationale, and a small reference label. Use diagrams for workflow and boundaries; use tables only when comparison improves comprehension.

Production checklist

- Use approved logo exports and font files.
- Match the dark-first palette and test contrast.
- Use verified screenshots with asset provenance.
- Label roadmap material as future work.
- Export accessible PDF text, alt text, and reading order.
- Review every claim against the product repository before release.

Related pages

[Start here](#) · [Mockups](#) · [Downloads](#)

Editorial rhythm

Alternate principle spreads with evidence spreads: a philosophy statement should be followed by a verified screen or token example. Keep detailed tables in the appendix or source link. Use the closing spread to restate the product boundary and next approved work.

Handoff package

Include source Markdown, approved SVGs, font files/licences, screenshot provenance, colour/token table, accessibility review, and a version/commit reference.

TODO

- Confirm final page size, Canva template, owner, and review milestones.

23 — PRODUCT REQUIREMENTS

Purpose

This page keeps product documentation aligned with the implemented workstation without pretending the brandbook is a software specification.

Product goals

- Turn ideas into finished music locally.
- Make writing, performance, arrangement, mixing, and export one continuous path.
- Keep musical material editable and reusable.
- Make local AI optional, transparent, and consent-aware.
- Make failures recoverable and file boundaries understandable.

Current capabilities

Flow, Arrange, Mix, MIDI and audio clips, shared clip references, instrument resources, Songwriter Studio with six language packs, ACE-Step 1.5, Seed-VC, local MCP control, atomic saves, autosave recovery, validation, deterministic stereo WAV rendering, and bounded undo are verified in the product repository.

Requirements for documentation

Every feature page must explain purpose, user problem, rationale, ideal workflow, states, edge cases, accessibility, responsive behaviour, implementation notes, and TODOs. Use a screenshot or **Illustration Required** brief for every major screen.

Explicit non-requirements for Version 1

Streaming catalogue, personal listening history, social network, hosted account system, popularity recommendation feed, mobile app, and generic AI chatbot are not current requirements.

Roadmap discipline

The brandbook may describe future possibilities only when clearly labelled. It must not assign dates, promise platforms, or imply implementation without an approved product decision.

Related pages

[Project context](#) · [AI](#) · [Mockups](#)

TODO

- Add a versioned feature matrix with release identifiers.
- Add approved user journeys, technical constraints, and success metrics.

Acceptance questions

Before documenting a capability, answer: where is it implemented, what object does it change, what can fail, how is it undone, what data crosses a boundary, and which screen proves it? If any answer is missing, mark the capability TODO.

Examples of disciplined wording

“Seed-VC is an optional local provider that converts a permitted singing voice” is current and bounded. “Resonant creates a personalized music identity from your listening history” is not verified and must not appear as product copy.

24 — MOTION

Purpose

Motion makes transport, progress, selection, and change understandable. It should feel like musical timing, not visual noise.

Rules

Use immediate feedback for play/record state, short easing for selection and panel changes, and determinate progress for installs, generation, conversion, and rendering. Never animate essential information only once or hide a state behind a transition.

Timing guidance

Use the shortest duration that preserves orientation. Transport feedback should feel immediate; modal and panel transitions may be slightly slower. Exact durations require product testing and are TODO, not tokens.

Reduced motion

When reduced motion is requested, remove decorative glows, parallax, and non-essential movement. Keep a static playhead, visible progress values, and state changes.

Do / don't

Do let the playhead communicate time. Don't make the whole interface pulse with the beat or use animation to imply audio quality.

Related pages

[Interaction patterns](#) · [Accessibility](#) · [Tokens](#)

TODO

- Define production motion tokens and record reduced-motion behaviour from the app.

Motion inventory

Transport motion: playhead and active state. Process motion: installation, generation, conversion, and rendering progress. Spatial motion: dialog and panel entry. Feedback motion: success/error acknowledgement. Each has a purpose, stopping condition, and reduced-motion fallback.

Edge cases

Do not let progress run after cancellation, restart completed animation on every render, or move focus while a dialog changes. Keep audio timing independent from decorative UI timing.

25 — INTERACTION PATTERNS

Purpose

Shared patterns reduce cognitive load across the workstation.

Core patterns

Pattern	Guidance
Select then inspect	Selection changes the inspector target; preserve it across workspace changes when valid.
Launch then capture	Flow is for live combinations; capture makes the moment an arrangement input.
Save then export	Keep project save and WAV export distinct; report both outcomes.
Install then assign	Resource availability is visible before a track depends on it.
Preview then commit	Destructive removal and conversion require clear confirmation or consent.
Conflict then reload	External project changes are surfaced; stale revisions are never forced.

Keyboard and pointer

Every pointer operation needs a keyboard path where the platform permits it. Dragging arrangement blocks must have a precise alternative or documented limitation. Keep targets large enough and focus order predictable.

Edge cases

Unsaved work, missing instrument, incompatible clip type, empty arrangement, interrupted install, failed generation, unavailable GPU, stale revision, and autosave recovery are first-class states.

Related pages

[Components](#) · [Loading/error states](#) · [Workstation](#)

Pattern checklist

Before shipping an interaction, verify entry point, primary action, cancel path, undo/recovery path, keyboard path, focus return, status announcement, disabled reason, and narrow-desktop behaviour. The checklist applies to a clip edit and a provider install.

TODO

- Add interaction diagrams for Flow capture, external-change reload, and provider retry.

26 — DESIGN TOKENS

Purpose

Tokens keep brand decisions portable across Figma, CSS, and future native surfaces.

Verified seed tokens

Token	Value
<code>color.brand.emerald</code>	<code>#30DDA1</code>
<code>color.brand.mint</code>	<code>#67F3C2</code>
<code>color.surface.graphite</code>	<code>#0B0F0D</code>
<code>color.surface.charcoal</code>	<code>#171C1A</code>
<code>color.content.primary</code>	<code>#F7F8F8</code>
<code>space.base</code>	<code>8px</code>
<code>font.display</code>	Inter Tight
<code>font.interface</code>	Inter
<code>font.data</code>	Geist Mono

Naming

Prefer semantic names (`color.action.primary`) over literal names. A token should describe purpose, not the current colour. Record source, contrast, state, and platform mapping.

TODO

- Define neutral, semantic, spacing, radius, elevation, blur, opacity, typography, and motion scales.
- Publish CSS, Figma, and native mappings after the values are approved.

Token lifecycle

1. Propose a semantic name and rationale. 2. Test contrast and state combinations. 3. Map to Figma and code. 4. Use in one component before broad adoption. 5. Deprecate by reference, never by silently changing meaning.

Do not create tokens for one-off screenshot decoration or unverified platforms.

27 — LOADING, EMPTY, AND ERROR STATES

Purpose

Creative work must remain understandable when a provider installs, a render runs, or a file fails.

State model

```
idle → working → success
      ■ cancelled
      ■ recoverable error → retry
```

Rules

Name the operation, show determinate progress when available, preserve inputs, explain the next action, and never imply that a cancelled job completed. Errors must identify the object and constraint.

Verified examples

Recovery banner offers restore or dismiss. ACE-Step and Seed-VC expose installation/working states. MCP rejects traversal, schema, and stale-revision operations. Import and export use explicit file dialogs.

Empty states

Quick Start offers a starter groove or empty project. Empty states should teach the next useful action without inventing content.

Accessibility

Use an [aria-live](#) status without repeated progress spam, keep focus near the failed action, and provide a static text alternative to spinners.

Related pages

[Writing](#) · [Interaction](#) · [Accessibility](#)

Copy examples

- Install: "Downloading ACE-Step..."
- Success: "ACE-Step is ready."
- Retry: "Installation stopped. Retry installation."
- Conflict: "This project changed outside Resonant. Reload it before continuing."
- Empty: "Begin empty" or "Open starter groove".

Implementation notes

Preserve operation inputs across retry where safe. Put errors near the affected surface and keep durable status for long-running work so a toast is not the only evidence.

TODO

- Map every verified provider and file-dialog state to a final component and copy string.

28 — DESKTOP

Purpose

Desktop is the verified Version 1 platform and gives Resonant room for simultaneous musical surfaces.

Product anatomy

Header and transport remain stable; Flow, Arrange, and Mix occupy the primary workspace; dialogs handle optional tools and setup; the status bar reports transport and project state.

Behaviour

Support pointer precision, keyboard shortcuts, large timelines, track density, and file dialogs. Keep the selected object visible when moving between workspaces. Do not hide the current save state or recording state at narrow desktop widths.

Accessibility

Test Windows scaling, high-DPI displays, keyboard-only use, screen readers, and 200% zoom. Verify that dialogs do not open off-screen.

TODO

- Add supported window dimensions and a breakpoint matrix from production testing.
- Add Windows 10/11 and installer/portable differences to the release-specific appendix.

Recommended verification widths

Use the widest and narrowest supported production windows as test fixtures. Record actual values in the release appendix; do not invent breakpoint numbers in the Brand Book.

Do / don't

Do keep the header, workspace switcher, and status visible. Don't let a modal obscure the only indication that recording is active or a project is unsaved.

29 — MOBILE

Purpose

This page prevents the unverified mobile idea from being mistaken for current product scope while preserving a place for future requirements.

Status

No published mobile application or mobile companion is verified in the product repository. This page records constraints for future planning only.

Future principles

Do not shrink the workstation into a phone. Choose a focused task, preserve transport clarity, respect touch targets, support interruption, and make local file/provider status explicit.

TODO

- Obtain an approved mobile product brief before creating screens, tokens, or claims.
- Define whether mobile is a controller, review surface, or full workstation.

Decision gate

No mobile mockup should enter the Brand Book until the product owner decides whether the experience controls, reviews, or replaces the workstation. That decision changes hierarchy, storage, authentication, and accessibility requirements.

30 — DOWNLOADS & DISTRIBUTION

Purpose

Explain how users obtain Resonant and optional resources without weakening trust.

Verified distribution language

The product repository publishes Windows installer and portable builds, currently unsigned. Releases include SHA-256 checksums. Source setup uses Node.js, npm, and the repository's build/check commands. Optional ACE-Step and Seed-VC resources download only when the user chooses installation; model data remains local afterward.

Documentation rules

State platform support, hardware recommendations, disk requirements, unsigned-build warnings, licence, third-party notices, and network behaviour exactly as the target release states them. Never describe a download as "safe" without explaining verification steps.

TODO

- Link the final release page and checksum location.
- Add approved installer screenshots and signing status when available.
- Include final AGPL and third-party notices in the Canva/PDF export package.

Verification checklist

Before publishing a download page, verify filename, platform, version, checksum, signing state, licence, third-party notices, hardware requirements, network requirements, and rollback/retry guidance. Keep copy release-specific.

Resonant Brand Book — Project Status

Summary of work completed

Version 1 of the documentation repository has been expanded from a set of foundation notes into a coherent brand and product design-system source. The work:

- Read the complete existing Markdown set before editing.
- Read the identified public product repository, [calesthio/Resonant](#), as the implementation authority.
- Corrected the product definition from a streaming/analytics concept to the verified Windows-first local AI music-production workstation.
- Expanded the brand, voice, logo, colour, typography, layout, component, accessibility, imagery, website, mockup, and Brand Book chapters.
- Documented the verified Flow, Arrange, Mix, transport, instrument library, audio assets, Songwriter Studio, ACE-Step, Seed-VC, MCP, saving/recovery, rendering, and analysis concepts.
- Added motion, interaction patterns, tokens, loading/error states, desktop, mobile future scope, and downloads/distribution chapters.
- Added explicit TODOs wherever the source repository does not verify a claim.
- Added cross-references and a consistent terminology boundary between current product behaviour and future work.

New files created

- [Resonant-Style/24-MOTION.md](#)
- [Resonant-Style/25-INTERACTION_PATTERNS.md](#)
- [Resonant-Style/26-DESIGN_TOKENS.md](#)
- [Resonant-Style/27-LOADING_ERROR_STATES.md](#)
- [Resonant-Style/28-DESKTOP.md](#)
- [Resonant-Style/29-MOBILE.md](#)
- [Resonant-Style/30-DOWNLOADS.md](#)
- [PROJECT_STATUS.md](#)

Existing files expanded or corrected

[README.md](#) and every file in [Resonant-Style/00-START-HERE.md](#) through [Resonant-Style/23-PRODUCT_REQUIREMENTS.md](#) were expanded or rewritten in place while preserving the chapter structure and intent. The main substantive correction is that “player”, “library”, “analytics”, and “discovery” now describe only verified workstation behaviour; unsupported streaming concepts are labelled as future work.

Outstanding TODOs

- Final legal owner, trademark, co-branding, and company boilerplate.
- Approved font files, licences, exact type scale, and Figma text styles.
- Full neutral/semantic colour scales, contrast results, and platform token exports.
- Final logo icon exports, clear-space diagram, construction grid, and print minimum size.
- Production motion timings and reduced-motion verification.
- Final component inventory, anatomy diagrams, Figma links, and code references.
- Release-specific screenshots and verified screen dimensions.
- Exact product feature matrix, supported release channels, migration policy, and Windows matrix.
- Final AI/provider legal notices and release-specific model/provider parameters.
- Mobile product brief; mobile is not a current shipped surface.
- Website ownership, navigation, download links, signing status, and legal copy.
- Approved photography/illustration moodboard and asset licensing policy.

Recommendations for Version 2

1. Create a measured Figma foundation library from the verified UI and token seeds. 2. Run a structured accessibility review on Windows with keyboard-only, screen-reader, zoom, high-DPI, and reduced-motion passes. 3. Capture a release-locked screen set and annotate each screen against the mockup template. 4. Add an engineering appendix that maps semantic tokens and component names to code. 5. Define the future product roadmap before adding catalogue analytics, music discovery, web, or mobile chapters. 6. Establish an asset provenance and approval workflow for screenshots, artwork, fonts, and generated media.

Estimated completeness

Approximately 78% for a Version 1 Brand Book source repository.

The written foundation and verified product narrative are substantially complete. The remaining percentage is primarily production evidence and approval work: final assets, measurements, Figma/code mappings, release-specific testing, legal review, and Canva page design.

Suggested Canva conversion steps

1. Freeze the target product release and record its commit/version in the cover or appendix. 2. Resolve P0 TODOs: logo exports, fonts, colours, screenshots, and legal language. 3. Build the Canva master pages from [22 — Brand Book structure](#). 4. Use the mockup table to create one visual spread for each verified screen. 5. Convert workflow and trust-boundary code blocks into diagrams. 6. Keep detailed rules in the source repository; place only the key rule and rationale on each spread. 7. Run contrast, reading-order, alt-text, and PDF accessibility checks. 8. Review every claim against the pinned product repository before publishing the PDF or marketing version.