



---

RESONANT DESIGN SYSTEM

# Brand Book

---

Version 0.5

A visual system for listening with context

Your music, with context.

# Contents

---

|    |                         |
|----|-------------------------|
| 01 | README                  |
| 02 | 00 Start Here           |
| 03 | 01 Masterprompt         |
| 04 | 02 Project Context      |
| 05 | 03 Design Philosophy    |
| 06 | 04 Writing Guide        |
| 07 | 05 Brand Identity       |
| 08 | 06 Logo System          |
| 09 | 07 Color System         |
| 10 | 08 Typography           |
| 11 | 09 Layout Grid          |
| 12 | 10 Component System     |
| 13 | 11 Music Player         |
| 14 | 12 Ai System            |
| 15 | 13 Analytics System     |
| 16 | 14 Discovery System     |
| 17 | 15 Library System       |
| 18 | 16 Search System        |
| 19 | 17 Iconography          |
| 20 | 18 Accessibility        |
| 21 | 19 Imagery              |
| 22 | 20 Website              |
| 23 | 21 Mockups              |
| 24 | 22 Brand Book Structure |
| 25 | 23 Product Requirements |
| 26 | 24 Motion               |
| 27 | 25 Interaction Patterns |
| 28 | 26 Design Tokens        |
| 29 | 27 Loading Error States |
| 30 | 28 Desktop              |
| 31 | 29 Mobile               |
| 32 | 30 Downloads            |
| 33 | 31 Account Connections  |
| 34 | 32 Playlist Workflows   |
| 35 | 33 Taste Profile        |
| 36 | 34 Sound Identity       |
| 37 | Project Status          |

# How to read this guide

---


This PDF contains the complete Markdown source of the v0.5 brand and product guide. Current behaviour is grounded in the verified [stephanteig/resonant](#) product repository. The approved logo vectors and PNG variants are included as visual assets; concept imagery is not a product screenshot.

OPENING SIGNAL

# LISTEN WITH CONTEXT.

Resonant / Brand Book v0.5

**Music  
comes first.**




# LISTEN WITH CONTEXT.

---

DISPLAY / INTERFACE / DATA

Inter Tight    Inter    Geist Mono

# Calm complexity



Spacing is a rhythm: 8 · 16 · 24 · 32 · 48 · 64

# Resonant Brand Book source

Version 1 of the Resonant brand and product design system. This repository is the source for the future Canva Brand Book, printable PDF, internal design guidance, marketing material, and developer-facing references.

## Product truth

Resonant is a personal control center for music. It brings listening, taste, playlists, discovery, and music-aware assistance into one web application. Spotify is the first music source; the product's identity is the context it adds around listening, not the provider itself. The current foundation includes Home, Search, Library, Playlists, Discover, Taste, Account, a global Player surface, responsive navigation, Spotify OAuth with PKCE, Supabase contracts, a deterministic Taste Engine, and an explainable Playlist Review Engine.

The product repository is the authority for implemented behaviour. The current reference is [github.com/stephanteig/resonant](https://github.com/stephanteig/resonant). This brandbook never replaces the application source, product contract, or implementation specs.

## Read in order

1. 00 — Start here 2. 02 — Project context 3. 03 — Design philosophy 4. 05 — Brand identity 5. 07 — Color system 6. 09 — Layout and grid 7. 10 — Component system 8. 11 — Music player 9. 12 — Local AI system 10. 21 — Mockups

## Repository map

| Chapter | Scope                                                                        |
|---------|------------------------------------------------------------------------------|
| 00–04   | Orientation, product context, philosophy, and writing                        |
| 05–10   | Brand identity and visual foundations                                        |
| 11–16   | Player, AI, taste, discovery, library, and search                            |
| 17–20   | Iconography, accessibility, imagery, and website guidance                    |
| 21–23   | Screen specifications, Brand Book assembly, and product requirements         |
| 24–30   | Motion, interaction patterns, tokens, states, desktop, mobile, and downloads |

[PROJECT\\_STATUS.md](#) records the verified scope, open TODOs, and the recommended Canva production path.

For implementation handoff, start with [CODEX\\_HANDOFF.md](#). The current publication output is [Resonant-Brandbook-v0.5.pdf](#).

## Documentation rules

- Explain the reason before the rule.

- Document implemented behaviour as fact; label proposals and gaps as **TODO**.
- Keep “Resonant”, “track”, “artist”, “album”, “playlist”, “taste”, “discovery”, “connection”, and “player” consistent.
- Do not document streaming-service features, social features, hosted analytics, or a mobile application unless the product repository implements them.
- Do not modify application code from this repository.

# 01.

## Music comes first.

The principles that keep Resonant useful, quiet, and human.

---

# 00 — START HERE

**Read this document before making a brand, product, or marketing decision.**

## Purpose

This repository defines the shared language for Resonant: a context-first personal music control center. It is written for designers, developers, writers, marketers, partners, and anyone preparing the future Canva Brand Book.

## The product in one sentence

Resonant helps people listen with context: to find music, understand taste, shape playlists, and discover what belongs next.

## Verified Version 1 scope

The product source implements a public web foundation for **Home**, **Search**, **Library**, **Playlists**, **Discover**, **Taste**, **Account**, and a global **Player** surface. It also establishes Spotify OAuth with PKCE, server-side token handling, Supabase contracts, a deterministic Taste Engine, an explainable Playlist Review Engine, responsive navigation, and explicit loading/empty/error states. Assistant, deep playback, data sync, richer discovery, and automation remain phased product work.

## Governing idea

Music comes first. The interface should help a person listen, understand, organize, and discover; it should not turn listening into a generic dashboard. Artwork and visual energy support the music, while controls remain calm and legible.

## How to use the system

1. Verify behaviour in [the product repository](#). 2. Start with the relevant foundation chapter. 3. Explain the musical or user problem before specifying UI. 4. Cover states, keyboard access, responsive behaviour, and recovery. 5. Mark anything unverified as **TODO**.

## Scope boundary

The current product is not a social network, popularity scoreboard, black-box recommendation feed, or giant chatbot. Spotify is the first provider, but Resonant's identity is context, taste, and user agency.

## Related pages

---

[Project context](#) · [Design philosophy](#) · [Product requirements](#) · [Brand Book structure](#)

## TODO

---

- Confirm the final public brand-owner name and trademark guidance.
- Add approved Figma library links when the library exists.
- Add final production screenshots after the current release is frozen.

# 01 — MASTER PROMPT

---

## Objective

---

Create precise Markdown documentation for the Resonant brand and product system. The output must be sufficient for a designer to assemble the Canva Brand Book and for a developer to understand intent without inventing behaviour.

## Purpose

---

This prompt is the editorial contract for future contributors and generated documentation.

## Authority order

---

1. Implemented product source and tests in [stephanteig/resonant](#). 2. Product documentation and release notes. 3. This brandbook's principles and visual rules. 4. Explicitly labelled future considerations.

When sources conflict, use the higher source and add a TODO describing the conflict. Never silently convert a roadmap idea into a shipped feature.

## Required page anatomy

---

Every substantial page should answer: purpose, problem, rationale, rules, usage, states and edge cases, accessibility, responsive behaviour, implementation notes, examples, related pages, and TODOs.

## Writing rules

---

- Explain why before how.
- Prefer concrete nouns and active verbs.
- Keep “Resonant”, “track”, “artist”, “album”, “playlist”, “taste”, “discovery”, “connection”, and “player” consistent.
- Say “Spotify connection” when referring to provider access; do not imply that Resonant owns or replaces Spotify's catalogue.
- Distinguish verified product behaviour from future direction with explicit labels such as **Current**, **Planned**, and **TODO**.

## Screen rule

---

Any screen reference must include purpose, audience, hierarchy, components, interactions, responsive behaviour, accessibility, future improvements, and an **Illustration Required** brief when a visual is needed. See [Mockups](#).

## Non-goals

---

Do not modify application code, prescribe an alternate architecture, document unimplemented mobile or native products as fact, or present a concept mockup as a verified screenshot.

## Quality gate

---

Before publishing a chapter, check product truth, terminology, cross-references, keyboard behaviour, contrast, reduced motion, loading, empty, error, and recovery states.

## TODO

---

- Add the final release/version pin used for each future documentation pass.

## 02 — PROJECT CONTEXT

### Purpose

This is the product context for every brand, UX, marketing, and visual decision in Resonant.

### Product definition

Resonant is a personal control center for music. It brings listening, taste, playlists, discovery, and music-aware assistance into one web application while keeping product areas explicit and understandable.

Spotify is the first music source. It is an integration, not Resonant's identity. Google creates the Resonant account; Spotify is connected separately and provides the music context.

### Product promise

Resonant helps a person listen with context: to find music, understand patterns, shape playlists, and discover something new without losing the thread that made the music matter.

### Product areas

| Area      | Role                                                                         | Current route/surface                     |
|-----------|------------------------------------------------------------------------------|-------------------------------------------|
| Home      | Orient the person and explain the product.                                   | /                                         |
| Search    | Find songs, artists, albums, and playlists in one place.                     | /search                                   |
| Library   | Organise Liked Songs, saved albums, artists, playlists, and recently played. | /library                                  |
| Playlists | Edit, review, and eventually build listening collections.                    | /playlists                                |
| Player    | Persistent listening surface and playback context.                           | Global player bar; expanded view planned. |
| Discover  | Personal discovery with explanations and risk levels.                        | /discover; deeper surfaces planned.       |
| Taste     | Listening patterns, history, trends, and taste profile.                      | /taste; deeper surfaces planned.          |
| Assistant | Context-aware AI support where it helps.                                     | Planned product area.                     |

# Core journey

---

Open Resonant → connect account → connect Spotify → listen or search  
↓  
save / organize → see taste patterns → review a playlist → discover with context

The current implementation deliberately uses honest disconnected states and does not fabricate tracks, artists, counts, recommendations, or identity.

# Audience

---

People who care about music as a personal archive: curious listeners, playlist makers, collectors, and anyone who wants more context than a standard streaming interface provides.

# Product boundaries

---

Resonant is not a social feed, a generic data dashboard, or a single giant chatbot. AI supports specific jobs such as playlist improvement, taste explanation, discovery, and building; the core product must remain useful without AI.

# Architecture as a brand constraint

---

The repository is a single Next.js web surface with explicit route ownership and shared packages. Local, Preview, and Production are separate contexts. The interface must make environment markers and connection state visible outside Production.

# Related pages

---

[Design philosophy](#) · [Player](#) · [Taste](#) · [Discovery](#) · [Desktop and mobile](#)

# TODO

---

- Confirm the final product-area release matrix and which planned routes are active in the next release.
- Document the first authenticated data-sync flow once implemented.

## 03 — DESIGN PHILOSOPHY

---

### Purpose

---

The philosophy defines why Resonant should feel calm, personal, and editorial rather than like a generic streaming dashboard.

### Core idea

---

**Listen with context.**

### Principles

---

#### Music first

Music is the reason the interface exists. Give artwork, title, artist, and the act of listening the strongest visual priority. Data should explain the relationship to music, never displace it.

#### Keep the thread

Moving from a song to an artist, playlist, taste signal, or recommendation should preserve context. The person should understand where they came from and why the next surface is relevant.

#### Show the reasoning

Taste profiles, review findings, and recommendations are observations and estimates. Explain source, freshness, confidence, and the basis of a suggestion. Never present a heuristic as an absolute truth.

#### Leave room for surprise

Discovery should have levels of familiarity: Safe picks, Explore, and Wildcard. Surprise is valuable only when it is framed, dismissible, and still connected to the listener's taste.

#### Calm complexity

Resonant can expose rich relationships without showing every control at once. Reveal depth through progressive disclosure, clear headings, and short explanations.

#### Personal, not performative

The product is about a person's relationship with music, not public status. Avoid gamification, engagement pressure, popularity-first hierarchy, and social comparison.

## Honest intelligence

AI and statistical systems should assist rather than impersonate certainty. The user can correct, reject, keep, remove, or mark a recommendation unsure.

## Decision test

---

1. Does this help the person listen, find, organize, understand, or discover? 2. Does it preserve the thread from the previous surface? 3. Is the reasoning and data freshness understandable? 4. Does the visual hierarchy keep music ahead of metadata? 5. Can the person correct or undo the result?

## Visual direction

---

Dark, warm, spacious, and editorial. Use strong typographic scale, restrained colour, tactile surfaces, thin rules, and generous negative space. Avoid cold neon, dashboard density, novelty gradients, and decorative charts without a user question.

## Related pages

---

[Brand identity](#) · [Color](#) · [Interaction patterns](#) · [Mockups](#)

## TODO

---

- Validate the principles against live authenticated screens when the first data-connected Preview is available.

# 04 — WRITING GUIDE

## Purpose

This guide defines the voice used in the web app, AI features, website, release notes, support material, and future Brand Book.

## Voice

Resonant is intelligent, calm, curious, honest, precise, and human. It speaks like a skilled collaborator who respects the maker’s decisions.

## Tone by situation

| Situation      | Tone                        | Example                                                              |
|----------------|-----------------------------|----------------------------------------------------------------------|
| Normal action  | Direct and quiet            | “Open playlist.”                                                     |
| Progress       | Specific and reassuring     | “Updating your taste profile...”                                     |
| Error          | Factual and helpful         | “Spotify could not be reached. Try again.”                           |
| Consent        | Explicit and non-judgmental | “Spotify connects separately from your Resonant account.”            |
| AI uncertainty | Honest                      | “This is a writing suggestion; listen and revise before generating.” |

## Rules

- Use verbs for actions: **Play, Save, Open, Connect Spotify, Analyze, Create playlist.**
- Use sentence case for explanatory copy; all caps may be reserved for compact labels already established in the UI.
- Name the object and consequence: “Disconnect Spotify? Discover and Taste will lose access to listening data.”
- Keep errors actionable; never blame the person.
- Do not imply that taste signals or recommendation levels are objective judgments.
- Do not claim AI output is unique, safe, or guaranteed to be copyrightable.

## Do / don’t

| Do                                                 | Don't                                |
|----------------------------------------------------|--------------------------------------|
| "Connect Spotify to make Discover personal."       | "Upload your music to the cloud."    |
| "No project is open."                              | "Oops! Nothing here yet!"            |
| "The project changed outside Resonant. Reload it?" | "Sync conflict detected."            |
| "Connect Spotify to make Discover personal."       | "Unlock next-generation creativity." |

## Accessibility

---

Avoid idioms, unexplained abbreviations, and sound-only instructions. Pair keyboard shortcuts with visible labels. Announce important status changes through the existing live region without flooding it.

## Related pages

---

[Brand identity](#) · [AI system](#) · [Loading and error states](#)

## TODO

---

- Add approved translations and terminology review for the first supported locales.

# 02

## Calm complexity.

A personal system for making listening easier to understand.

---

## BRAND IN PRODUCT

A personal control center for music



Home

Search

YOUR MUSIC  
Account

Library

Playlists

Listen with context.

NOW PLAYING   Nothing playing

## Resonant Design System

# 05 — BRAND IDENTITY

## Purpose

This chapter defines the identity of Resonant as a product and the language that should carry into the website, app, presentations, and documentation.

## Position

Resonant is a calmer way to live with music: a personal control center that brings listening, taste, playlists, and discovery together without flattening music into numbers.

## Mission

Help people understand the music they return to and make better discoveries from it.

## Vision

Become the most thoughtful place to listen with context.

## Brand promise

Resonant keeps the thread between what you listen to, what you save, what you notice, and what you discover next.

# Values

| Value     | Behaviour                                                                |
|-----------|--------------------------------------------------------------------------|
| Curiosity | Encourage exploration without turning it into endless scrolling.         |
| Context   | Connect songs, patterns, playlists, and recommendations meaningfully.    |
| Honesty   | Show estimates, sources, freshness, and uncertainty.                     |
| Craft     | Make every surface considered, useful, and quiet enough for music.       |
| Agency    | Let the person decide what to keep, remove, correct, or ignore.          |
| Respect   | Keep account, provider, and personal listening data boundaries explicit. |

# Personality

Resonant is observant, warm, intelligent, editorial, and quietly confident. It is never loud, gamified, smug, or algorithmically overbearing.

# Messaging hierarchy

1. Listen with context. 2. Your music is more than a history. 3. Your music, with context.

Use one primary message per surface. Do not combine every tagline into one hero.

# What Resonant is / is not

| Is                              | Is not                          |
|---------------------------------|---------------------------------|
| A personal music control center | A social network                |
| Context-first                   | A popularity dashboard          |
| Explainable                     | A black-box recommendation feed |
| Music-led                       | A generic AI chatbot            |
| Calm and editorial              | A gamified listening app        |

# Related pages

# TODO

---

- Confirm legal company boilerplate, trademark usage, and approved press language.
- Approve final tagline hierarchy with the product owner.

# A signal for listening.

The mark, its space, and its applications.

---

# 06 — LOGO SYSTEM

## Purpose

Protect the approved Resonant Version 1 identity across the web product, Brand Book, presentations, marketing material, and physical applications.

## Official working identity

The supplied Resonant logo sheet is the authoritative Version 1 visual reference. It defines the geometric symbol, the cut-out relationship between forms, the rounded optical language, and the approved colour treatments. Use the supplied artwork exactly as delivered; do not redraw, simplify, reinterpret, or substitute the mark.

The editable source is stored in [Assets/Logo/Source/](#), with the approved vector variants in [Assets/Logo/Color-Variations/](#). The PDF builder consumes the supplied PNG variants from [Assets/Logo/Color-Variations/png/](#). Keep these paths replaceable so future optical refinements can be introduced without changing document structure.

## Approved forms

| Form                  | Background                         | Use                                                                             |
|-----------------------|------------------------------------|---------------------------------------------------------------------------------|
| Primary gradient      | Graphite / near-black              | Hero moments, cover pages, app icon, high-attention brand surfaces.             |
| Single-colour Emerald | Dark or neutral surface            | Product header, favicon, compact identity, UI-adjacent applications.            |
| White                 | Black or deep graphite             | Dark-mode product surfaces, monochrome print, photography with tested contrast. |
| Black                 | White or light neutral             | Light-mode surfaces, documents, invoices, one-colour print.                     |
| Icon-only symbol      | Any approved contrast-safe surface | App icon, desktop shortcut, favicon, avatar, sticker, merchandise.              |

The approved asset package also supports dark, neutral, light, and green-tinted backgrounds; icon sizes at 180, 64, 32, and 16 px; close-up detail; construction grid; clear space; and embroidery.


## Construction

The symbol is treated as one geometric unit. Preserve the relative scale of the vertical stem, angled forms, interior cut-out, and rounded terminal ends. The diagonal cut-out is part of the identity, not a decorative gap.

For construction diagrams, use the supplied vector source package as the visual authority. Do not infer a new mathematical grid from a raster preview. Any vector construction must be checked optically against the approved artwork before entering production.

# Clear space

Use clear space on every side of the symbol. The minimum unit is **x**, defined as the visible width of the narrow interior cut-out at the mark's current size. Keep at least **1x** clear space between the mark and any typography, edge, control, artwork, or competing identity. Increase to **2x** for hero and editorial use.



Clear space is measured from the visual edge of the symbol, not from an invisible file canvas. Do not reclaim space by cropping into the mark.

# Minimum sizes

| Context                   | Recommended          | Minimum working test                  |
|---------------------------|----------------------|---------------------------------------|
| Hero / cover              | 180 px or larger     | 120 px                                |
| Product header            | 64 px                | 48 px                                 |
| Favicon / compact control | 32 px                | 16 px only after raster testing       |
| Embroidery                | 25 mm wide or larger | Confirm stitch test before production |
| One-colour print          | 18 mm wide or larger | Confirm legibility on final stock     |

At 16 px, use the icon-only symbol and preserve the strongest silhouette. Never squeeze a full lockup into a size where its interior cut-out or terminal shapes collapse.

# Background and contrast

Place gradient and Emerald treatments on quiet dark surfaces. Place white on black or deep graphite. Place black on white or a light neutral. Avoid textured or high-frequency backgrounds unless a solid contrast field protects the mark.

The logo is not a substitute for text contrast. Test adjacent copy independently, and do not use glow, shadow, outline, or blur to rescue an invalid placement.

# Do / don't

| Do                                                                           | Don't                                                                |
|------------------------------------------------------------------------------|----------------------------------------------------------------------|
| Preserve proportions, cut-out geometry, colour stops, and rounded terminals. | Stretch, compress, rotate, skew, or mirror the mark.                 |
| Use the approved monochrome version when reproduction is limited.            | Recolour the mark with arbitrary hues or gradients.                  |
| Give the icon room to breathe.                                               | Crop into the silhouette or place type inside clear space.           |
| Use a tested export at each target size.                                     | Rely on a tiny preview to approve a 16 px or embroidery application. |
| Keep the source asset replaceable and versioned.                             | Reconstruct the mark from a font, screenshot, or unapproved redraw.  |

## Application examples

| Context                 | Preferred treatment                                                                                                 |
|-------------------------|---------------------------------------------------------------------------------------------------------------------|
| Website hero            | Primary gradient symbol with <b>2x</b> clear space and restrained glow in the environment, not baked into the mark. |
| Product header          | Single-colour Emerald or white symbol, 48–64 px, linked to Home and labelled “Resonant”.                            |
| App icon / desktop icon | Icon-only symbol centred in a rounded square with tested optical padding.                                           |
| Favicon                 | 16–32 px icon-only symbol on a contrast-safe solid field.                                                           |
| Social avatar           | Icon-only symbol, generous padding, no additional text.                                                             |
| Sticker                 | Black or white one-colour symbol on matte stock; preserve the cut-out.                                              |
| Apparel / embroidery    | White or Emerald one-colour symbol; use a physical stitch sample before ordering.                                   |
| Presentation / PDF      | Primary gradient for opening pages, monochrome for dense reference pages.                                           |

## Accessibility

When the logo is a link or Home control, provide the accessible name “Resonant”. When it is decorative beside an adjacent text heading, hide the duplicate from assistive technology. Do not communicate connection, selection, or system status through logo colour alone.

## Implementation notes

Keep the editable source in the asset repository and keep all placements linked to a replaceable asset slot. Use the approved SVG variants for product and print delivery, and the matching high-resolution PNG derivatives for raster contexts. Preserve the same geometry and approved treatments. Name future size exports by form and size, for example `resonant-symbol-emerald-64.png` and `resonant-symbol-white.svg`.

# Illustration Required

---

**Purpose:** make the identity operational at a glance.

**Description:** a visual reference sheet containing the approved vector artwork, colour treatments, icon sizes, construction grid, clear-space frame, misuse strip, and real-world applications.

**Suggested composition:** open with the exact logo sheet full-bleed; follow with a page of large variants; then a measured clear-space/construction spread; finish with favicon, app icon, sticker, apparel, embroidery, print, and website applications.

**Priority:** P0.

**Assets required:** [Assets/Logo/Source/](#), [Assets/Logo/Color-Variations/](#), [Assets/Logo/Color-Variations/png/](#), tested size exports, print proof, embroidery sample, and application mockup board.

## Related pages

---

[Brand identity](#) · [Colour system](#) · [Imagery](#) · [Mockups](#) · [Design tokens](#)

## TODO

---

- Confirm trademark, legal owner, and co-branding rules.
- Create measured vector exports that match the supplied reference exactly.
- Run physical minimum-size, embroidery, sticker, and one-colour print tests.
- Add the final export manifest without changing the approved geometry.



## A signal for listening.

The symbol is a single geometric unit. Preserve its rhythm, cut-out, and optical balance.

# The cut-out is the signature.

Every gap is intentional. It keeps the forms distinct while making them read as one mark.



## CUT-OUT

Do not close, widen, or treat the negative space as decoration.

## OPTICAL BALANCE

Use the supplied artwork as the visual authority at every size and in every medium.

# Let the mark breathe.



**Minimum clear space: 1x on every side**

Use 2x for hero, editorial, and presentation applications.

# Scale without losing the signal.

Use the icon-only symbol at compact sizes. Test the cut-out before release.



**180 px**

APP ICON



**64 px**

HEADER



**32 px**

FAVICON








**16 px**

MINIMUM TEST

**At 16 px, approve the silhouette—not the detail.**







Minimum sizes remain a production test, not a universal guarantee.

# One mark. Seven controlled treatments.




## INCORRECT USAGE

Every example below is rejected, even when the mark remains recognizable



WARM NOCTURNAL PALETTE

Canvas, ink, muted, line, accent



CANVAS

#11100F

INK

#F4F0E8

MUTED

#BDB7AD

LINE

#38342F

ACCENT

#D8B36A

Resonant Design System

# 07 — COLOR SYSTEM

## Purpose

Colour gives Resonant its warm, nocturnal, editorial character while keeping hierarchy and accessibility clear.

## Verified product palette

| Token            | Hex     | Role                                                 |
|------------------|---------|------------------------------------------------------|
| Canvas           | #11100F | Primary dark background.                             |
| Ink              | #F4F0E8 | Primary text and key content.                        |
| Muted            | #BDB7AD | Secondary text and descriptions.                     |
| Line             | #38342F | Dividers, borders, and quiet structure.              |
| Accent           | #D8B36A | Warm gold for emphasis, status, and primary actions. |
| Accent ink       | #201A10 | Text on accent surfaces.                             |
| Surface          | #191816 | Cards, player bar, and elevated areas.               |
| Selected surface | #24211C | Active navigation and selected surfaces.             |

These values are verified in [apps/web/app/globals.css](#) and should replace the earlier emerald palette in future Brand Book exports.

# Colour philosophy

---

Warm gold provides the signal; the near-black canvas provides room for artwork and typography. Colour is sparse by design. A page should not feel colourful until the music or artwork earns that attention.

## Semantic use

---

| State          | Treatment                                                    |
|----------------|--------------------------------------------------------------|
| Active/current | Accent plus background or underline change.                  |
| Focus          | Accent outline with visible offset.                          |
| Disconnected   | Quiet text and a clear explanatory status, not an alarm.     |
| Error          | Accent/error text plus a specific recovery action.           |
| Planned        | Muted label plus “Soon”; never a misleading disabled button. |

## Gradient, glow, and artwork

---

The current product is flat and restrained. Do not invent a glow system or artwork-derived gradients as current UI. Future visual exploration may use warm atmospheric fields, but content contrast must survive their brightest and darkest areas.

## Accessibility

---

Test every text/background and control combination against WCAG AA. Never use colour alone for current page, connection state, confidence, or recommendation risk. Include text labels and `aria-current`/semantic states.

## Illustration Required

---

**Purpose:** make the palette feel like a brand system, not a hex table.

**Description:** full-width canvas, ink and muted type samples, warm accent blocks, selected navigation, player bar, and a contrast-tested recommendation card.

**Suggested composition:** large colour fields on the left; real UI fragments and contrast notes on the right.

**Priority:** P0.

**Assets required:** approved swatches, contrast results, and one authenticated screenshot when available.

## Related pages

---

[Tokens](#) · [Typography](#) · [Imagery](#)

# TODO

---

- Add semantic success/warning/error colours and contrast ratios.
- Define light theme policy; current product is dark-first.

# Colour should arrive as a signal.

Space is the default. Accent is earned by the content it helps explain.

CANVAS

#11100F

SURFACE

#191816

ACCENT

#D8B36A

MINT SIGNAL

#67F3C2

**Quiet surfaces. Clear hierarchy. One useful signal.**

Never use colour alone to communicate state, confidence, or connection.

# 08 — TYPOGRAPHY

## Purpose

Typography gives production information a calm, editorial hierarchy while keeping controls fast to scan.

## Typeface roles

| Role      | Typeface    | Use                                                |
|-----------|-------------|----------------------------------------------------|
| Display   | Inter Tight | Brand headlines, covers, marketing statements.     |
| Interface | Inter       | Navigation, labels, dialogs, settings, body copy.  |
| Data      | Geist Mono  | Measurements, timestamps, IDs, and aligned values. |

These roles originate in the existing brandbook; confirm that the licenses and final font files are included before distribution.

## Hierarchy

Use one display style, four heading levels, body, caption, overline, and button styles. A stable hierarchy is more important than a large scale. Use semibold for active labels sparingly; do not use weight as the only state cue.

## Responsive and accessibility rules

Body copy starts at 16 px. Keep interface labels readable at 100–200% zoom, avoid long all-caps strings, use comfortable line height, and keep prose measure near 45–85 characters. Numbers that must align use tabular figures.

## Do / don't

Do use space and size to establish hierarchy. Don't add decorative typefaces, justify prose, compress explanatory text, or mix several families within one screen.

## TODO

- Confirm exact font files and licensing.
- Define pixel/rem styles, weight mapping, line heights, and desktop breakpoints.
- Add Figma text-style names and a type specimen illustration.

## Content examples

---

- Product headline: “Listen with context.”
- Page label: “TASTE” with the supporting hint “Your listening, explained”.
- Measurement: “72%” in Geist Mono when alignment matters.
- Progress: “Updating your taste profile...” rather than an unexplained spinner.

## Edge cases

---

Long project names must wrap or truncate with a discoverable full value. Localized lyrics must support Unicode and native scripts. Numeric values must not jump width as they update.

## Implementation notes

---

Define text styles centrally and keep the same semantic name across Figma and code. Use tabular numerals for meters and tables.

# Type gives context a shape.

Display leads. Interface clarifies. Data aligns.

## Listen with context.

---

|           |             |                         |
|-----------|-------------|-------------------------|
| DISPLAY   | Inter Tight | Statements and openings |
| INTERFACE | Inter       | Navigation and body     |
| DATA      | Geist Mono  | Measurements and IDs    |

### ONE SYSTEM, TWO CONTEXTS

Desktop sidebar becomes mobile navigation

#### DESKTOP

sidebar

workspace

#### MOBILE

header

player

bottom nav

### Resonant Design System

## 09 — LAYOUT & GRID SYSTEM

### Purpose

The layout system creates a stable home for music, context, and decisions across desktop and narrow mobile screens.

### Spatial tokens

The verified application uses a rem-based scale: **0.5rem**, **1rem**, **1.5rem**, **2rem**, and **3rem**, with clamp-based responsive padding. Use an 8 px mental grid for composition, but preserve the product's rem tokens in implementation.

### Desktop anatomy

Persistent sidebar  
RESONANT + environment  
Home / Search  
Your music  
Discover  
Taste  
Account

Main content  
Page header  
Primary surface  
Contextual detail  
Global player

The desktop sidebar is 15 rem wide. The main content is deliberately constrained rather than stretched across an ultra-wide display. The current player bar anchors the bottom of the shell.

# Mobile anatomy

---

Mobile header: wordmark + environment  
Page header and primary content  
Global player bar  
Sticky four-item primary navigation

At 720 px and below, the sidebar becomes a mobile header and bottom navigation. The player hides device text while retaining the track and controls. Cards stack and content padding increases below the sticky navigation.

## Page templates

---

- **Landing:** header, hero, signal statement, principles, product areas, footer.
- **Workspace:** eyebrow, title, description, empty or populated surface, supporting cards.
- **Account:** status, authentication, provider connection, sign-out/disconnect actions.
- **Taste:** metrics, profile narrative, methodology, sources.
- **Player:** mini-player everywhere; full Now Playing view planned.

## Alignment rules

---

Use left alignment for text and lists. Let the accent rule or index create rhythm. Center only compact authentication states or short empty-state actions. Do not center dense data.

## Accessibility

---

Support 320 px mobile width without horizontal overflow, 200% zoom, keyboard focus, logical heading order, sticky navigation that does not obscure content, and touch targets that remain comfortable.

## Illustration Required

---

**Purpose:** show the system across breakpoints.

**Description:** paired desktop and iPhone-width frames with sidebar-to-bottom-nav transformation.

**Suggested composition:** one large desktop shell, one narrow crop, annotated arrows for the responsive changes.

**Priority:** P0. **Assets:** verified shell screenshot and mobile smoke capture.

## Related pages

---

[Desktop](#) · [Mobile](#) · [Components](#)


# Quiet structure.

Components should support the listening thread, not compete with it.

---

## QUIET STRUCTURE

Shared shell, surfaces, states, and focus



## Resonant Design System

# 10 — COMPONENT SYSTEM

## Purpose

Components make the web product coherent without flattening the difference between a player, a taste summary, a playlist review, and a dialog.

## Inventory

| Group    | Verified components                                                           |
|----------|-------------------------------------------------------------------------------|
| Shell    | Brand header, primary navigation, account actions, persistent player.         |
| Music    | Player bar, artwork tile, track row, playlist row, artist/album card.         |
| Controls | Buttons, icon buttons, text inputs, selects, sliders, checkbox, toggle, tabs. |
| Dialogs  | Account connection, confirmation, review, and Assistant surfaces.             |
| Feedback | Toast stack, recovery banner, loading/progress, error and empty states.       |

## Component contract

Document purpose, anatomy, variants, default/hover/focus/pressed/disabled/loading/selected states, keyboard behaviour, pointer behaviour, responsive behaviour, tokens, and edge cases. A component must not require hover to reveal essential information.

## Interaction rules

---

Use a visible focus ring. Make destructive or data-affecting actions explicit. Keep disabled controls explanatory where the reason is not obvious. Preserve listening context when moving between Home, Search, Library, Playlists, Discover, Taste, and Account.

## Example: track row

---

The track row communicates title, artist, album, duration, selected state, play state, and availability. Playing changes the persistent Player; selecting exposes the appropriate destination or action. It must distinguish provider-unavailable data from a genuinely empty result.

## Related pages

---

[Interaction patterns](#) · [Tokens](#) · [Accessibility](#)

## TODO

---

- Add component anatomy diagrams and final token references.
- Add the canonical Figma component and code component names.

## State documentation example

---

For a primary button, document label, icon use, hover, focus, pressed, disabled, loading, success feedback, and error recovery. For a track row, document selected, playing, unavailable, empty, and provider-error states.

## Do / don't


---

Do compose screens from named components. Don't create one-off variants that differ only by padding. Do expose a disabled reason. Don't use a toast as the only record of a failed export.

## Implementation notes

---

The source uses React components and Lucide icons. Keep visual token names independent from CSS implementation and test component states in isolation.



## 11 — MUSIC PLAYER

### Purpose

---

The Player is Resonant’s persistent listening surface. It keeps music available while the person moves between Home, Search, Library, Playlists, Discover, and Taste.

### Product role

---

The Player is not a separate media dashboard. It is a quiet layer that preserves listening context and gives the person a way back to the current track.

### Current foundation

---

The verified implementation includes a global bottom player bar with album-art placeholder, “Now playing” label, track status, Previous, Play, Next, and device status. Before Spotify is connected, controls are disabled and the surface says “Connect Spotify to start listening.”

### Planned expanded view

---

The Masterplan calls for a larger Now Playing view, Spotify playback, seek, volume, device selection, queue, shuffle, repeat, artwork, and track/artist/album navigation. These are product direction, not all current implementation.

# Information hierarchy

---

1. Artwork and current track. 2. Playback status and primary control. 3. Secondary transport and device context. 4. Path to deeper Now Playing context.

## States

---

Disconnected, empty, connected/idle, playing, paused, loading, unavailable device, provider error, and mobile compact mode. Never fabricate a track, device, duration, or playback progress.

## Interaction and accessibility

---

Controls have accessible names and remain keyboard reachable. Focus is visible. Disabled controls explain the missing Spotify connection. The compact mobile player keeps the current listening context while the bottom navigation remains usable.

## Illustration Required

---

**Purpose:** make “persistent listening context” tangible.

**Description:** a desktop shell with bottom player, an expanded Now Playing concept, and a mobile mini-player.

**Suggested composition:** show one track moving from mini-player to full context; label current foundation vs planned view.

**Priority:** P0. **Assets:** verified current player component and approved future-state annotation.

## Related pages

---

[Layout](#) · [Motion](#) · [Accessibility](#) · [Mockups](#)

## TODO


---

- Capture authenticated Spotify player states after playback is implemented.
- Confirm exact mobile player gestures, queue, seek, volume, and device controls.

# Explain the assist.

AI helps at the point of need and keeps the person in control.

---



# 12 — AI SYSTEM

## Purpose

Assistant features should help where context matters, while Resonant remains useful without a chatbot.

## Product position

AI appears at the point of need: improve a playlist, explain taste, find a different listen, or build a collection. It should not dominate the shell or become a single blank conversation screen.

## Verified direction

The Masterplan defines an Assistant area and context-aware AI features. Current repository work keeps Assistant as a future product area while the core shell and data contracts are established.

## Contextual entry points

| Surface  | Useful action                                            |
|----------|----------------------------------------------------------|
| Playlist | Improve this playlist; explain balance; propose changes. |
| Artist   | Find similar artists.                                    |
| Taste    | Explain my music taste.                                  |
| Discover | Find something different.                                |

| Surface | Useful action                                     |
|---------|---------------------------------------------------|
| Builder | Create a playlist from a brief and taste context. |

## Principles

---

AI must show its context, explain its reasoning, preserve user agency, and distinguish observation from invention. Suggestions are reviewable. Playlist changes require Keep, Remove, Unsure, or an equivalent explicit decision before mutation.

## Safety and privacy

---

User-owned music data is authorized before use. Secrets remain server-side. AI must not expose Spotify tokens, private account information, or unreviewed third-party content. The assistant must not claim to know a person's taste perfectly.

## States

---

Unavailable, awaiting Spotify context, thinking, suggestion ready, user reviewing, applied, rejected, failed, and stale context. Errors should preserve the request and explain retry.

## Illustration Required

---

**Purpose:** show AI as a quiet layer inside the product.

**Description:** playlist review card, taste explanation card, and discovery explanation—not a chatbot hero.

**Suggested composition:** place each action beside the source context and an explicit review action.

**Priority:** P0. **Assets:** approved product copy and future Assistant component direction.

## Related pages


---

[Taste](#) · [Playlists](#) · [Discovery](#) · [Writing](#)

## TODO

---

- Define the Assistant UI and model/provider boundary.
- Specify data retention, AI disclosure, feedback, and review-before-write interaction.



# 13 — TASTE & ANALYTICS SYSTEM

## Purpose

Taste turns authorised listening records and explicit corrections into understandable patterns, not a score that claims to define a person.

## Product areas

| Surface       | Question answered                                      |
|---------------|--------------------------------------------------------|
| Overview      | What is the shape of my listening right now?           |
| Artists       | Which artists recur, and how are they changing?        |
| Genres        | Which genre combinations show up in my history?        |
| Eras          | Which decades or release periods do I return to?       |
| Moods         | What emotional patterns appear in context?             |
| Listening     | How does taste change over time?                       |
| Taste Profile | What structured signals power Resonant's explanations? |

## Taste Profile fields

Core artists, strong and secondary genres, preferred eras, energy preferences, familiarity preference, discovery tolerance, artist/album repetition tolerance, mood patterns, context patterns, known dislikes, playlist patterns, confidence, last updated, data sources, and calculation notes.

# Methodology rules

---

Every result includes provenance, freshness, confidence, and a human-readable calculation note. The Taste Engine is deterministic and side-effect-free. Findings are estimates, never identity claims. The empty profile must contain no invented artists, genres, eras, or counts.

## User correction

---

The future Edit My Taste flow lets a person mark a finding Correct, Sort of, or Wrong, and maintain “I love”, “I like”, “I don’t like”, and “Never recommend” lists. Observed data and explicit correction are separate sources.

## Visual language

---

Use editorial summaries, restrained charts, and clear comparison. A chart must answer a question. Provide numeric and textual alternatives. Avoid a generic dashboard wall.

## Illustration Required

---

**Purpose:** show data as a personal story.

**Description:** Taste overview with confidence, freshness, sources, calculation notes, and one restrained trend visual.

**Suggested composition:** large narrative headline, three quiet metrics, one chart, one methodology panel.

**Priority:** P0. **Assets:** verified empty Taste screen and future populated fixture with clearly labelled sample data.

## Related pages


---

[Color](#) · [AI](#) · [Accessibility](#) · [Mockups](#)

## TODO

---

- Define authenticated Spotify ingestion and data freshness windows.
- Specify chart types, colour mapping, responsive behaviour, and user correction UI.



## 14 — DISCOVERY SYSTEM

### Purpose

Discover helps a person find music that feels relevant without collapsing every recommendation into popularity or endless scrolling.

### Discovery levels

| Level      | Meaning                                            |
|------------|----------------------------------------------------|
| Safe picks | Very likely to fit established listening patterns. |
| Explore    | A little outside the normal pattern.               |
| Wildcard   | More unexpected, with a clear reason to try it.    |

### Recommendation contract

Each recommendation should have a short explanation such as: “Recommended because you frequently listen to X and Y, but have not explored much Z.” It should reveal source context, allow dismissal, and avoid claiming certainty.

### Surfaces

For You is the initial Discover entry surface. New Music and Explore are planned navigation destinations. Artist, genre, mood, era, and playlist context may become discovery inputs as their underlying data exists.

# Principles

---

Personal relevance over popularity. Quality over quantity. Context before novelty. A clear next action. No recommendation without evidence.

# Empty and disconnected states

---

Before Spotify data and taste signals exist, Discover explains what connection will enable and shows no fabricated recommendations.

# Illustration Required

---

**Purpose:** show a recommendation with a reason.

**Description:** three recommendation cards or lanes for Safe picks, Explore, and Wildcard, each with rationale and a quiet save/play action.

**Suggested composition:** use increasing visual distance from the listener's known taste while keeping the same card grammar.

**Priority:** P0. **Assets:** approved sample content or labelled fixture data only.

# Related pages

---

[Taste](#) · [Player](#) · [AI](#) · [Search](#)

# TODO

---

- Define recommendation inputs, ranking, feedback, and provider limits.
- Confirm whether Discover is server-generated, cached, or user-triggered.

### MUSIC AS A PERSONAL ARCHIVE

Artwork, collection, and context

## 03 SING & SHOUT

4h 12m · 67 tracks [PLAY](#) [ANALYZE](#)

| TRACK | ARTIST | ALBUM | DURATION |
|-------|--------|-------|----------|
|-------|--------|-------|----------|

|         |                |  |  |
|---------|----------------|--|--|
| Track 1 | Artist / Album |  |  |
|---------|----------------|--|--|

|         |                |  |  |
|---------|----------------|--|--|
| Track 2 | Artist / Album |  |  |
|---------|----------------|--|--|

|         |                |  |  |
|---------|----------------|--|--|
| Track 3 | Artist / Album |  |  |
|---------|----------------|--|--|

|         |                |  |  |
|---------|----------------|--|--|
| Track 4 | Artist / Album |  |  |
|---------|----------------|--|--|

# 15 — LIBRARY SYSTEM

## Purpose

Library is the considered home for the music a person has saved and played through Spotify.

## Areas

Liked Songs, saved albums, artists, playlists, and recently played. The current route is an honest empty surface until Spotify is connected; no fake content is shown.

## Information hierarchy

1. What collection is being viewed. 2. Artwork, title, artist, and save/listen context. 3. Search, sort, filter, and play actions. 4. Secondary metadata and relationship signals.

## Principles

Fast, searchable, visual, and personal. Sorting and filtering should be meaningful improvements over a plain list. Artwork leads, but text remains primary for access and scanning.

## Edge cases

Handle an empty library, revoked Spotify permission, deleted item, duplicate saved item, unavailable artwork, long artist names, and recently played history with no records. Never substitute popularity data for missing user data.

## Illustration Required

---

**Purpose:** show Library as an archive rather than a grid of generic cards.

**Description:** saved albums, artists, and playlists with sort/filter controls and one selected item.

**Suggested composition:** one editorial hero row followed by a dense but calm list; show artwork, titles, and context together.

**Priority:** P0. **Assets:** cleared Spotify artwork fixture and responsive screen capture.

## Related pages


---

[Search](#) · [Player](#) · [Typography](#)

## TODO

---

- Define sorting/filtering options and list/grid behaviour.
- Confirm Spotify scopes, pagination, artwork fallback, and caching.



## 16 — SEARCH SYSTEM

### Purpose

---

One global search helps a person move directly to songs, artists, albums, and playlists without losing context.

### Scope

---

The current product surface is Search with a clear disconnected state. The implementation direction supports Spotify search through a typed server-side client, with a maximum search page size of 10 and explicit input validation.

### Result architecture

---

```
Query → organized result page
  ■■■ Songs
  ■■■ Artists
  ■■■ Albums
  ■■■ Playlists
```

One organized result page is preferable to separate opaque searches. Result groups should preserve artwork, title, artist/owner, type, and the action that follows.

### Principles

---

Fast, predictable, forgiving, and context-preserving. Trim whitespace, keep the query visible, make scope obvious, and provide a calm no-result state. A search such as **Daft Punk** should not require the user to understand provider

terminology.

# Accessibility and responsive behaviour

---

Use a labelled search input, keyboard focus, visible result headings, semantic links, and no colour-only type cues. At 320 px, results stack and controls remain reachable without horizontal scrolling.

## Edge cases

---

Empty query, no result, ambiguous duplicate names, slow provider response, expired token, unavailable Spotify, explicit disconnect, and unsupported endpoint. Explain the next action without exposing provider errors or secrets.

## Illustration Required

---

**Purpose:** show search as a bridge through the catalogue.

**Description:** one query field, grouped results, selected artist/album context, and mobile stacked result groups.

**Suggested composition:** an oversized search field with thin result bands underneath.

**Priority:** P0. **Assets:** approved fixture data and mobile screen.

## Related pages

---

[Library](#) · [Writing](#) · [Accessibility](#)

## TODO

---

- Define result ranking, debounce, pagination, keyboard navigation, and provider error copy.

# 17 — ICONOGRAPHY

## Purpose

---

Icons make listening, navigation, and account controls recognizable without adding visual noise.

## System

---

The current interface uses Lucide React icons. Preserve their outlined, rounded character and consistent optical weight. The inherited 24×24, 2 px, rounded-cap guidance remains the working basis, subject to final library validation.

## Categories

---

Navigation, transport, search, library, playlists, discovery, taste, account, AI, audio, settings, help, warnings, and status.

## Rules

---

Use one icon per action, pair unfamiliar icons with labels, and provide an accessible name. Do not use colour alone, mix arbitrary filled and outlined families, rotate icons for decoration, or use a waveform as a generic loading spinner.

## States

---

Default, hover, focus, pressed, active, disabled, loading, and error must be legible at 16–24 px. A state change should be understandable in text or shape as well as colour.

## TODO

---

- Audit the current icon inventory and publish canonical Figma/code names.
- Add optical alignment and small-size tests to the Brand Book.

## Accessibility checklist

---

Every icon-only control needs an accessible name, visible focus, and a tooltip or adjacent label where meaning is not obvious. Decorative icons should be hidden from the accessibility tree.

# Implementation notes

---

Use Lucide React where possible. A custom icon requires its 24×24 grid, stroke, caps, joins, optical bounds, and 16 px fallback documented before library adoption.

# 18 — ACCESSIBILITY

## Purpose

---

This chapter turns inclusive access into a product and release requirement.

## Goal

---

Make listening, discovery, playlist work, and taste interpretation usable across vision, hearing, mobility, cognition, and technology differences.

## Baseline

---

Target WCAG 2.2 AA for applicable UI. Use 16 px minimum body text, visible focus, keyboard operation, 44×44 px pointer targets where practical, semantic names, reduced motion, and non-colour state cues.

## Web product requirements

---

- Player controls have visible labels and do not trap focus.
- Current page, connection, loading, empty, and error state are announced in text.
- Taste metrics and charts have numeric or textual alternatives.
- Dialogs and OAuth states return focus correctly and explain cancellation.
- Zoom to 200% does not hide essential transport or recovery actions.
- Audio-dependent instructions always have a visual alternative.

## Testing checklist

---

Keyboard-only pass; screen-reader names; focus visibility; contrast; 200% zoom; reduced-motion mode; long labels; error recovery; high-DPI rendering; and Windows accessibility settings.

## TODO

---

- Record assistive-technology test matrix and known issues.
- Confirm whether captions/transcripts are needed for future tutorial media.

## Related pages

---

## Do / don't

---

Do pair charts and taste signals with plain-language summaries. Do keep Spotify connection consent adjacent to the action. Don't rely on a red border alone, trap focus in a background surface, or make artwork the only way to identify a track.

## Implementation notes

---

Accessibility is a release gate, not a polish pass. Capture test evidence with the product release and link limitations to the affected component or screen.

# Access is part of the system.

Every state needs a visible, operable, understandable path through it.

## SEE

Contrast, focus, hierarchy

## HEAR

Visual alternatives

## OPERATE

Keyboard and touch

## RECOVER

Clear errors and next steps

**Accessibility is a release gate, not a polish pass.**

# 19 — IMAGERY

## Purpose

---

Imagery should make the act of listening and discovering music feel tangible without turning Resonant into an entertainment feed.

## Direction

---

Prefer dark, cinematic surfaces; close, honest views of listening; restrained glow; and real or cleared music artwork. The product's visual energy comes from artwork, metadata, taste signals, and sound—not stock lifestyle scenes.

## Artwork and photography

---

Use artwork supplied by the maker or cleared for the intended use. Do not imply that generated imagery is product functionality. Photography should feel observed and specific; avoid generic headphones-on-a-desk stock clichés.

## Illustration

---

Illustration is supportive and geometric. It may explain context, relationships, discovery risk, or data boundaries, but must not invent shipped features.

## Accessibility and licensing

---

Add alt text, captions where required, sufficient contrast, and asset provenance. Never publish repository screenshots or third-party artwork in a marketing deliverable without confirming rights.

## TODO

---

- Create an approved photography/illustration moodboard.
- Confirm image licensing, cropping, and artwork attribution policy.

## Related pages

---

[Color](#) · [Mockups](#) · [Logo](#)

## Composition rules

---

Give one image one job: establish the product, explain a workflow, or add atmosphere. Keep controls and copy away from high-frequency artwork. Crop around musical action and use overlays only when contrast-tested.

# Illustration Required template

---

**Purpose:** explain a concept without inventing product UI.

**Description:** identify the object, relationship, and emotional temperature.

**Suggested composition:** specify focal point, crop, surface, and annotation placement.

**Priority:** P0/P1/P2.

**Assets required:** list approved screenshots, vectors, fonts, and rights.

## 20 — WEBSITE

### Purpose

---

The public website introduces Resonant as a personal music control center and should feel like the product's first editorial surface.

### Current landing-page direction

---

The verified landing page uses the message “Listen with context.” It introduces Why Resonant, the product areas, Account, and the principle “Music first. Intelligence second.” It is public, static, independent of Spotify and Supabase data, and must work without credentials.

### Recommended page system

---

Hero → Why Resonant → Product areas → Taste / playlists / discovery story  
→ Player context → Account / connect Spotify → closing message

The website should explain the relationship between listening, taste, playlists, Discover, Player, and Assistant without presenting planned capabilities as shipped. It should make the Spotify connection boundary clear before asking for access.

### Content hierarchy

---

1. What Resonant is. 2. Why context matters. 3. What Home, Search, Library, Playlists, Discover, Taste, Player, and Account do. 4. What requires Spotify connection. 5. How account and privacy boundaries work.

### Visual direction

---

Use large editorial type, quiet dark surfaces, warm gold signal colour, thin rules, generous margins, music artwork, and restrained UI crops. The web page should feel more like an invitation into a world than a technical feature matrix.

### Accessibility and responsive behaviour

---

Provide semantic landmarks, skip navigation, visible focus, reduced-motion support, clear anchor targets, and no horizontal overflow at 320 px. Do not hide the entire product story behind animation.

### Illustration Required

---

**Purpose:** show how the brand moves from public story to product surface.

**Description:** hero composition plus a sequence of real UI crops for Home, Player, Taste, Playlists, Discover, and Account.

**Suggested composition:** full-bleed dark hero with a warm signal line; alternating text and product fragments below.

**Priority:** P0. **Assets:** final landing screenshot, approved artwork, and cleared fixture data.


## TODO

---

- Confirm final domain, SEO copy, social preview assets, and analytics policy.
- Add product screenshots after the first authenticated Preview is stable.

# A doorway, not a catalogue.


The public story earns attention before the product asks for access.



**Editorial before explanation. Explanation before permission.**

## LOGO APPLICATION BOARD

Concept applications using the approved symbol; UI imagery is illustrative



## 21 — MOCKUPS

### Purpose

This inventory defines the visuals required to turn the design system into a real Brand Book rather than a text specification.

### Screen specification

Every screen must document purpose, audience, information hierarchy, components, interactions, responsive behaviour, accessibility, future improvements, status, and asset provenance.

# Required Version 0.3 screen and application set

| Screen            | Story                                     | Visual treatment                                                         |
|-------------------|-------------------------------------------|--------------------------------------------------------------------------|
| Landing page      | Listen with context.                      | Full-bleed editorial hero and product crops.                             |
| Home              | What do I want to listen to or do now?    | Continue listening, made-for-you, recently played, playlists, discovery. |
| Search            | Find a song, artist, album, or playlist.  | Oversized input with grouped result bands.                               |
| Library           | Return to saved music.                    | Artwork-led archive with meaningful sort/filter.                         |
| Playlists         | Shape a collection with intention.        | Playlist header, track table, review/build actions.                      |
| Playlist Review   | Understand what feels out of place.       | Findings with affected tracks and Keep/Remove/Unsure.                    |
| Discover          | Find something relevant or surprising.    | Safe picks, Explore, Wildcard with reasons.                              |
| Taste Overview    | Understand listening patterns.            | Confidence, freshness, sources, notes, trends.                           |
| Taste Profile     | See the signals behind the summary.       | Profile fields, corrections, known dislikes, confidence.                 |
| Player            | Keep the listening thread.                | Bottom player and expanded Now Playing concept.                          |
| Account           | Keep identity and provider separate.      | Google account, Spotify connection, disconnect, statuses.                |
| Loading/error/404 | Trust the product when state changes.     | Preparing, recoverable error, missing view, retry.                       |
| Mobile shell      | Preserve the experience on iPhone widths. | Header, stacked content, mini-player, bottom navigation.                 |

# Required identity applications

The approved Version 1 logo must appear consistently across the visual set. Use the exact vector variants in [Assets/Logo/Color-Variations/](#) and the supplied raster variants in [Assets/Logo/Color-Variations/png/](#) for logo variation, clear-space, construction, size, monochrome, gradient, app icon, favicon, desktop icon, social avatar, sticker, apparel, embroidery, print, splash, and loading examples.

| Application          | Purpose                                 | Required evidence                                         |
|----------------------|-----------------------------------------|-----------------------------------------------------------|
| Logo reference sheet | Establish the approved visual identity. | Approved vector artwork and unaltered production exports. |

| Application                | Purpose                                        | Required evidence                                         |
|----------------------------|------------------------------------------------|-----------------------------------------------------------|
| Clear space / construction | Make placement and geometry repeatable.        | Measured frame plus source-sheet grid reference.          |
| Size strip                 | Show practical digital limits.                 | 180, 64, 32, and 16 px examples.                          |
| App / desktop / favicon    | Test software-first identity.                  | Icon-only symbol on light and dark fields.                |
| Marketing / website        | Show the identity in context.                  | Hero, navigation, social preview, and presentation cover. |
| Physical applications      | Prove the mark survives material reproduction. | Sticker, apparel, embroidery, and one-colour print.       |

The application board included in this revision is a concept presentation plate. It communicates composition and direction; it does not claim that the depicted screens are shipped product screenshots.

## Visual ratio target

For the Canva Brand Book, target roughly 60–70% visual material and 30–40% explanatory text. Source documentation remains detailed; the PDF presentation should be selective, spacious, and image-led.

## Editorial mockup direction

The product surfaces should be shown at a scale where hierarchy and atmosphere are immediately legible. Use full-browser compositions for Home and Player, focused analytical cards for Taste, review states for Playlist Review, and three-level recommendation compositions for Discover. Pair one large product proof with one short rationale; move implementation detail to the reference pages.

Principle → product proof → annotated decision → reference rules

Do not present every surface as the same dark rectangle. Vary the crop, scale, device frame, artwork density, and amount of surrounding negative space while preserving the same shell, type, colour, and logo system.

## Illustration Required

Each screen above requires a final page brief containing purpose, description, suggested composition, priority, and assets required. Use fixture data only until real user-authorized data is available. Each logo application requires the same provenance note and must preserve the approved geometry.

## Related pages

[Brand Book structure](#) · [Website](#) · [Desktop](#) · [Mobile](#)

## TODO

- Capture the verified web app at desktop and iPhone widths when the product owner approves the fixture data.
- Create cleared artwork fixtures and a screenshot provenance register.
- Add production logo exports, print proofs, and embroidery test photography while preserving the supplied reference.

# Show the question, not just the screen

Every mockup should make the product decision visible before it explains the component.

|                                                |                                                     |
|------------------------------------------------|-----------------------------------------------------|
| <p>HOME</p> <p><b>Orient me</b></p>            | <p>SEARCH</p> <p><b>Find it</b></p>                 |
| <p>TASTE</p> <p><b>Understand me</b></p>       | <p>PLAYLIST REVIEW</p> <p><b>Help me decide</b></p> |
| <p>DISCOVER</p> <p><b>Give me a reason</b></p> | <p>ACCOUNT</p> <p><b>Keep trust clear</b></p>       |

Principle → product proof → annotated decision → rule.

# 22 — BRAND BOOK STRUCTURE

## Purpose

This chapter turns the design-system source into an editorial, visual Brand Book suitable for Canva, PDF, internal design review, and marketing handoff.

## Recommended 100–120 page structure

| Part                   | Pages | Visual emphasis                                                     |
|------------------------|-------|---------------------------------------------------------------------|
| Opening                | 4–6   | Cover, manifesto, product signal, full-bleed mood.                  |
| Brand                  | 10–14 | Mission, values, personality, voice, messaging.                     |
| Identity               | 12–16 | Logo grid, clear space, marks, colour, type, imagery.               |
| Product language       | 12–16 | Philosophy, hierarchy, layout, components, states.                  |
| Product surfaces       | 30–40 | Home, Player, Search, Library, Playlists, Taste, Discover, Account. |
| Intelligence and trust | 8–12  | Assistant, methodology, freshness, privacy, connection states.      |
| Responsive system      | 6–8   | Desktop, tablet, iPhone-width compositions, navigation changes.     |
| Handoff                | 8–10  | Tokens, accessibility, motion, website, downloads, TODOs.           |

## Spread rhythm

Every chapter begins with a full-page hero. Alternate visual spreads, principle spreads, annotated UI spreads, and concise reference spreads. Use asymmetry, generous margins, large type, and editorial pacing. Do not reproduce the density of the source Markdown inside Canva.

## Version 0.4 editorial page language

The Brand Book should create pauses between specification chapters. Use these page types deliberately:

| Page type  | Job                                      | Typical content                                   |
|------------|------------------------------------------|---------------------------------------------------|
| Hero image | Establish atmosphere before explanation. | Nocturnal listening photograph with one sentence. |

| Page type       | Job                                                                   | Typical content                                        |
|-----------------|-----------------------------------------------------------------------|--------------------------------------------------------|
| Statement page  | Give a principle room to resonate.                                    | "Music comes first." or "Listen with context."         |
| Type specimen   | Make hierarchy visible rather than describing it.                     | Display, interface, data, and numeric examples.        |
| Material spread | Show colour, spacing, radius, blur, and elevation as a visual system. | Swatches, spacing rhythm, surface stack.               |
| Product proof   | Show how philosophy becomes a product surface.                        | Home, Player, Taste, Playlist Review, Discover.        |
| Trust diagram   | Explain data and reasoning without a paragraph wall.                  | Spotify → history → Taste Engine → review → discovery. |
| Reference page  | Preserve operational detail.                                          | Tables, rules, accessibility, implementation, TODO.    |

The target rhythm is visual interruption every two to four reference pages. A reference page can be dense when it is useful; it should not be the only page type in a chapter.

## Visual ratio

Aim for 65–75% visual material in the presentation PDF: product screens, logo sheets, colour fields, grids, type specimens, component states, diagrams, artwork, photography, and responsive comparisons. Text explains the decision; it should not be the primary image. The Markdown source may remain more detailed than the presentation.

## Production checklist

- Pin the product commit/version represented.
- Use only verified screens and clearly labelled concepts.
- Include logo assets, colour swatches, type specimens, UI crops, and mockup compositions.
- Test contrast, reading order, alt text, and PDF export.
- Keep unverified roadmap surfaces visibly marked.
- Use editorial pages to create pacing; never fill a hero spread with a table merely because the source contains one.

## Illustration Required

**Purpose:** define the visual pacing of the finished book.

**Description:** contact sheet showing hero, principle, UI, system, and appendix spread types.

**Suggested composition:** five miniature page pairs with visual/text ratios.

**Priority:** P0. **Assets:** final Canva master template and approved image set.

# Related pages

---

[Mockups](#) · [Imagery](#) · [Tokens](#)

# TODO

---

- Confirm final page count, page size, Canva owner, and review milestones.

# 23 — PRODUCT REQUIREMENTS

## Purpose

---

This page keeps the brand narrative aligned with the approved product direction and prevents visual documentation from inventing functionality.

## Product goals

---

- Listen with more context.
- Find and organize music without losing personal meaning.
- Understand taste as patterns, not a verdict.
- Discover relevant music with a reason behind it.
- Keep user corrections and decisions in control.
- Make Spotify integration, account state, privacy, and freshness visible.

## Current product foundation

---

The repository implements a Next.js web surface with shared shell and route boundaries for Home, Search, Library, Playlists, Discover, Taste, and Account. It includes responsive navigation, a global empty Player bar, static empty/connected states, Google authentication direction, Spotify OAuth with PKCE, server-side token handling, Supabase storage contracts, a deterministic Taste Engine, and an explainable Playlist Review Engine.

## Product direction

---

The product direction includes Spotify playback, richer Player controls, Library organization, playlist editing and review, a future Builder flow, Discover levels (Safe picks, Explore, Wildcard), Taste methodology and correction, and contextual Assistant support. Label each item by release status in the Brand Book; do not present direction as shipped behaviour.

## Data and trust requirements

---

Google authenticates the Resonant account. Spotify is a separate connection. Provider tokens stay server-side and are encrypted at rest. Local, Preview, and Production environments remain separate. User-owned tables require RLS and ownership predicates. No secret, token, or copied private listening data belongs in screenshots or docs.

## Feature documentation contract

---

Every feature page explains purpose, user problem, rationale, ideal workflow, data boundary, states, edge cases, accessibility, responsive behaviour, implementation notes, illustration brief, and TODOs.

## Non-requirements

---

Resonant is not a social network, a popularity scoreboard, a black-box recommender, or a giant chat interface. Automations, additional music providers, deeper Assistant work, and ChatGPT integration are later-stage direction.

## Related pages

---

[Project context](#) · [AI](#) · [Taste](#) · [Mockups](#)

## TODO

---

- Add a release-labelled feature matrix from the current [specs/](#) directory.
- Confirm the first full Spotify data-sync milestone and retention policy.

# 06

## Keep the thread.

Motion explains change without adding noise.

---

# 24 — MOTION

## Purpose

---

Motion makes transport, progress, selection, and change understandable. It should feel like musical timing, not visual noise.

## Rules

---

Use immediate feedback for play/record state, short easing for selection and panel changes, and determinate progress for installs, generation, conversion, and rendering. Never animate essential information only once or hide a state behind a transition.

## Timing guidance

---

Use the shortest duration that preserves orientation. Transport feedback should feel immediate; modal and panel transitions may be slightly slower. Exact durations require product testing and are TODO, not tokens.

## Reduced motion

---

When reduced motion is requested, remove decorative glows, parallax, and non-essential movement. Keep a static playhead, visible progress values, and state changes.

## Do / don't

---

Do let the playhead communicate time. Don't make the whole interface pulse with the beat or use animation to imply audio quality.

## Related pages

---

[Interaction patterns](#) · [Accessibility](#) · [Tokens](#)

## TODO

---

- Define production motion tokens and record reduced-motion behaviour from the app.

## Motion inventory

---

Transport motion: playhead and active state. Process motion: installation, generation, conversion, and rendering progress. Spatial motion: dialog and panel entry. Feedback motion: success/error acknowledgement. Each has a purpose, stopping condition, and reduced-motion fallback.


## Edge cases

---

Do not let progress run after cancellation, restart completed animation on every render, or move focus while a dialog changes. Keep audio timing independent from decorative UI timing.

# Motion explains change.

The listener should feel the system respond, never watch it perform.



**A quieter transition is still a transition.**

# 25 — INTERACTION PATTERNS

## Purpose

Shared patterns reduce cognitive load across the web product.

## Core patterns

| Pattern              | Guidance                                                                     |
|----------------------|------------------------------------------------------------------------------|
| Select then inspect  | Selection keeps the song, artist, album, or playlist context visible.        |
| Search then deepen   | A result opens a related artist, album, playlist, or Player context.         |
| Observe then explain | Taste and recommendation surfaces show source, freshness, and confidence.    |
| Propose then review  | Playlist findings and Builder suggestions remain reviewable before mutation. |
| Connect then use     | Provider-dependent content remains unavailable until Spotify is connected.   |
| Error then recover   | OAuth, provider, loading, and route errors explain a safe next action.       |

## Keyboard and pointer

Every pointer operation needs a keyboard path where the platform permits it. Reordering playlist tracks must have a precise alternative or documented limitation. Keep targets large enough and focus order predictable.

## Edge cases

Signed out, missing Spotify, expired provider token, empty library, no recommendations, unavailable route, failed OAuth, and stale or incomplete data are first-class states.

## Related pages

[Components](#) · [Loading/error states](#) · [Player](#)

## Pattern checklist

Before shipping an interaction, verify entry point, primary action, cancel path, undo/recovery path, keyboard path, focus return, status announcement, disabled reason, and narrow-desktop behaviour. The checklist applies to a playlist change and a Spotify connection.

## TODO

---

- Add interaction diagrams for Spotify connection, playlist review, and provider retry.

# 26 — DESIGN TOKENS

## Purpose

Tokens keep brand decisions portable across Figma, CSS, and future native surfaces.

## Verified seed tokens

| Token                               | Value                |
|-------------------------------------|----------------------|
| <code>color.brand.emerald</code>    | <code>#30DDA1</code> |
| <code>color.brand.mint</code>       | <code>#67F3C2</code> |
| <code>color.surface.graphite</code> | <code>#0B0F0D</code> |
| <code>color.surface.charcoal</code> | <code>#171C1A</code> |
| <code>color.content.primary</code>  | <code>#F7F8F8</code> |
| <code>space.base</code>             | <code>8px</code>     |
| <code>font.display</code>           | Inter Tight          |
| <code>font.interface</code>         | Inter                |
| <code>font.data</code>              | Geist Mono           |

## Naming

Prefer semantic names (`color.action.primary`) over literal names. A token should describe purpose, not the current colour. Record source, contrast, state, and platform mapping.

## TODO

- Define neutral, semantic, spacing, radius, elevation, blur, opacity, typography, and motion scales.
- Publish CSS, Figma, and native mappings after the values are approved.

## Token lifecycle

1. Propose a semantic name and rationale. 2. Test contrast and state combinations. 3. Map to Figma and code. 4. Use in one component before broad adoption. 5. Deprecate by reference, never by silently changing meaning.

Do not create tokens for one-off screenshot decoration or unverified platforms.

# 27 — LOADING, EMPTY, AND ERROR STATES

## Purpose

---

Listening and interpretation must remain understandable when a provider connects, a taste calculation runs, or a route fails.

## State model

---

```
idle → working → success
      ■ cancelled
      ■ recoverable error → retry
```

## Rules

---

Name the operation, show determinate progress when available, preserve inputs, explain the next action, and never imply that a cancelled job completed. Errors must identify the object and constraint.

## Verified examples

---

The public landing page is static and should not depend on provider data. Account exposes signed-out, connected, unavailable, error, and disconnected states. Search, Library, Discover, Taste, and Player use honest empty/disconnected surfaces. Runtime errors offer retry; unknown routes use an accessible 404.

## Empty states

---

Empty states should teach the next useful action without inventing tracks, artists, counts, recommendations, or analysis.

## Accessibility

---

Use an [aria-live](#) status without repeated progress spam, keep focus near the failed action, and provide a static text alternative to spinners.

## Related pages

---

[Writing](#) · [Interaction](#) · [Accessibility](#)

# Copy examples

---

- Connect: "Connect Spotify to start searching."
- Success: "Spotify is connected."
- Retry: "Google sign-in could not be completed. Please try again."
- Error: "That view could not load. Try again, or return to the Resonant home."
- Empty: "Your taste will take shape here."

# Implementation notes

---

Preserve operation inputs across retry where safe. Put errors near the affected surface and keep durable status for long-running work so a toast is not the only evidence.

# TODO

---

- Map every verified provider and file-dialog state to a final component and copy string.

# 07

## One system, two contexts.

The same principles adapt across desktop and smaller surfaces.

---

# 28 — DESKTOP

## Purpose

---

Desktop is the verified Version 1 web context and gives Resonant room for simultaneous listening, discovery, playlist, and taste surfaces.

## Product anatomy

---

Header and primary navigation remain stable; route content occupies the main reading surface; the persistent Player preserves listening context; dialogs handle account and provider setup.

## Behaviour

---

Support pointer precision, keyboard navigation, dense result lists, artwork grids, playlist tables, and explanatory charts. Keep the current route and listening context visible when moving between surfaces. Do not hide connection state, loading status, or recovery actions at narrow desktop widths.

## Accessibility

---

Test Windows scaling, high-DPI displays, keyboard-only use, screen readers, and 200% zoom. Verify that dialogs do not open off-screen.

## TODO

---

- Add supported window dimensions and a breakpoint matrix from production testing.
- Add Windows 10/11 and installer/portable differences to the release-specific appendix.

## Recommended verification widths

---

Use the widest and narrowest supported production windows as test fixtures. Record actual values in the release appendix; do not invent breakpoint numbers in the Brand Book.

## Do / don't

---

Do keep primary navigation, connection state, and the Player available. Don't let a modal obscure the only indication that a provider is disconnected or an analysis is still running.

## 29 — MOBILE

### Purpose

---

This page prevents the unverified mobile idea from being mistaken for current product scope while preserving a place for future requirements.

### Status

---

No published mobile application or mobile companion is verified in the product repository. This page records constraints for future planning only.

### Future principles

---

Do not shrink every desktop surface into a phone. Choose a focused task, preserve listening context, respect touch targets, support interruption, and make Spotify/account status explicit.

### TODO

---

- Obtain an approved mobile product brief before creating screens, tokens, or claims.
- Define whether mobile is a controller, review surface, or full workstation.

### Decision gate

---

No mobile mockup should enter the Brand Book until the product owner decides whether the experience controls, reviews, or replaces the workstation. That decision changes hierarchy, storage, authentication, and accessibility requirements.

# 30 — DOWNLOADS & DISTRIBUTION

## Purpose

---

Explain how people enter Resonant, create an account, and connect Spotify without weakening trust.

## Verified distribution language

---

The current repository is a web application deployed through Vercel, with local, Preview, and Production environments. The public landing page must work without credentials. Account creation uses Google; Spotify connection uses a separate server-side OAuth flow with PKCE. No installer, downloadable desktop build, or signed binary is verified.

## Documentation rules

---

State the public URL, environment, account requirements, Spotify permissions, privacy boundary, and any Preview access method exactly as the target release states them. Never imply that a web Preview is Production or that connecting Spotify grants Resonant account access.

## TODO


---

- Confirm final domain, Vercel project, and public release URL.
- Document Spotify consent scopes and provider revocation guidance.
- Add final privacy, retention, export, and account deletion copy.

## Verification checklist

---

Before publishing a download page, verify filename, platform, version, checksum, signing state, licence, third-party notices, hardware requirements, network requirements, and rollback/retry guidance. Keep copy release-specific.



## 31 — ACCOUNT & CONNECTIONS

### Purpose

---

Account is where identity and music-provider access meet without being confused with each other.

### Model

---

Google identity → Resonant account → separate Spotify connection

Google authenticates the Resonant account. Spotify is a connected service that supplies music data. Disconnecting Spotify must not delete the Resonant account.

### States

---

Signed out, sign-in unavailable, signed in without Spotify, Spotify connected, connection unavailable, OAuth cancelled/error, and disconnected confirmation. The UI must not reveal tokens, provider secrets, or private implementation errors.

### Interaction rules

---

Use explicit “Continue with Google”, “Connect Spotify”, “Disconnect Spotify”, “Sign out”, and “Back to home” actions. Disconnect is authenticated POST behaviour, never a destructive GET. Explain what the connection enables before asking for permission.

# Responsive and accessibility

---

The account surface must remain legible at 320 px, use semantic status text, preserve focus after an action, and expose alerts with a role appropriate to their urgency.

## Illustration Required

---

**Purpose:** show trust through separation.

**Description:** identity card and Spotify connection card with signed-out, connected, and error states.

**Suggested composition:** two cards connected by a quiet relationship line; tokens and secrets never appear.

**Priority:** P0. **Assets:** approved account fixture screenshots and privacy copy.

## Related pages

---

[Privacy and security](#) · [Writing](#) · [Loading/error states](#)

## TODO

---

- Confirm account deletion, data export, token revocation, and retention flows.

REVIEW BEFORE CHANGE

Keep · Remove · Unsure

## 03 SING & SHOUT

4h 12m · 67 tracks   [PLAY](#)   [ANALYZE](#)

| TRACK | ARTIST | ALBUM | DURATION |
|-------|--------|-------|----------|
|-------|--------|-------|----------|

|         |                |  |  |
|---------|----------------|--|--|
| Track 1 | Artist / Album |  |  |
|---------|----------------|--|--|

|         |                |  |  |
|---------|----------------|--|--|
| Track 2 | Artist / Album |  |  |
|---------|----------------|--|--|

|         |                |  |  |
|---------|----------------|--|--|
| Track 3 | Artist / Album |  |  |
|---------|----------------|--|--|

|         |                |  |  |
|---------|----------------|--|--|
| Track 4 | Artist / Album |  |  |
|---------|----------------|--|--|

# 32 — PLAYLIST WORKFLOWS

## Purpose

Playlists are where Resonant's ordinary listening utility and explainable intelligence meet.

## Playlist workspace

The target surface includes playlist title, duration, track count, Play, Analyze, overflow actions, and a table with Track, Artist, Album, and Duration. People can search within a playlist, sort, reorder, add/remove, multi-select, move/copy, inspect, and open related artists or albums.

## Review flow

Analyze playlist → findings → inspect affected tracks → Keep / Remove / Unsure

The review engine identifies duplicates, artist/album concentration, total length, genre and era patterns, and tracks that stand out. Findings are deterministic, explainable, side-effect-free, and do not mutate Spotify.

## Builder flow

Prompt + Taste Profile + library + existing playlists + listening patterns  
→ proposal → review → keep/remove/replace/reorder → Create in Spotify

Creation happens only after review. The interface must distinguish a proposal from a changed playlist.

# Accessibility and edge cases

---

Use table headers, row actions, keyboard selection, clear multi-select state, and non-colour finding labels. Handle empty playlists, duplicates, long titles, provider errors, stale data, and a cancelled proposal.

## Illustration Required

---

**Purpose:** show the difference between analysis and mutation.

**Description:** playlist table, review finding card, and Builder proposal with explicit review controls.

**Suggested composition:** three sequential spreads with a visible “nothing changes until you decide” rule.

**Priority:** P0. **Assets:** cleared playlist fixture and final review component.

## Related pages


---

[Library](#) · [AI](#) · [Writing](#)

## TODO

---

- Define playlist table density, drag/reorder accessibility, mutation confirmation, and rollback.



## 33 — TASTE PROFILE

### Purpose

Taste Profile is the transparent layer that helps Resonant understand a listener without reducing them to one score.

### Profile anatomy

Core artists, strong genres, secondary genres, preferred eras, energy preferences, familiarity preference, discovery tolerance, artist repetition tolerance, album repetition tolerance, mood patterns, context patterns, known dislikes, playlist patterns, confidence, last updated, sources, and calculation notes.

### Narrative pattern

Start with an understandable sentence, support it with a small number of observations, and show how fresh and reliable the data is. Keep methodology available but secondary to the human-readable summary.

### Correction model

Observed data and explicit user corrections are separate. A person can mark an observation Correct, Sort of, or Wrong and maintain positive, negative, and never-recommend preferences.

### Empty state

Before Spotify history exists, show confidence 0%, "Not yet" for update, no sources, and a clear explanation that no artists, genres, or eras are assumed.

## Illustration Required

---

**Purpose:** make methodology feel humane.

**Description:** profile header, three metadata metrics, one narrative insight, one chart, and correction controls.

**Suggested composition:** large editorial statement on the left, evidence and methodology on the right.

**Priority:** P0. **Assets:** labelled fixture data, not private user history.

## Related pages

---

[Taste and analytics](#) · [AI](#) · [Accessibility](#)

## TODO

---

- Define profile visualizations, confidence language, update triggers, and correction persistence.

# 34 — SOUND IDENTITY

## Purpose

---

Sound identity defines how Resonant uses audio, silence, and motion without interrupting listening.

## Principles

---

Music is never covered by interface sound. Any UI sound must be short, quiet, optional, and meaningful. Playback audio belongs to the user; interface feedback belongs to the product and must be distinguishable.

## Current status

---

No canonical Resonant sound logo, notification set, or interaction sound library is verified in the product repository. Do not present proposed sounds as part of the current product.

## Future system

---

Potential categories are confirmation, error, connection, and completion. Avoid notification sounds for ordinary navigation. Respect system mute and reduced sensory settings.

## Illustration Required

---

**Purpose:** explain sound identity without embedding audio in the PDF.

**Description:** visual timeline of a quiet confirmation, provider connection, and export completion.

**Suggested composition:** waveform fragments with duration, loudness, and use labels; no decorative musical notation.

**Priority:** P1. **Assets:** approved audio prototypes, loudness measurements, and usage matrix.

## TODO

---

- Commission and approve a sound identity before documenting any final cues.

RELEASE

08

# Make it repeatable.

The open work that turns a system into a maintained practice.

---

# Resonant Brand Book — Project Status

## Current revision

---

**v0.5 — premium editorial presentation refinement built on the corrected product source and approved logo identity.** Product authority: [github.com/stephanteig/resonant](https://github.com/stephanteig/resonant).

## Summary of work completed

---

Version 1 of the documentation repository has been expanded from a set of foundation notes into a coherent brand and product design-system source. Following review, v0.5 keeps the corrected Spotify-based product narrative and approved logo identity, while refining the PDF into a more spacious, paced, editorial design publication. The work:

- Read the complete existing Markdown set before editing.
- Read the complete product repository, [stephanteig/resonant](https://github.com/stephanteig/resonant), as the implementation authority.
- Corrected the product definition to the verified Spotify-based personal music control center.
- Expanded the brand, voice, logo, colour, typography, layout, component, accessibility, imagery, website, mockup, and Brand Book chapters.
- Documented the verified Player, Taste, Playlist Review, Discover, Search, Library, Account, Spotify connection, and responsive web concepts.
- Added motion, interaction patterns, tokens, loading/error states, desktop, mobile future scope, and downloads/distribution chapters.
- Added explicit TODOs wherever the source repository does not verify a claim.
- Added cross-references and a consistent terminology boundary between current product behaviour and future work.
- Added a visual v0.3 PDF pass with exact logo reference, logo-variant and misuse plates, application mockups, and concept plates for the shell, player, taste, playlists, discovery, colour, AI, and responsive surfaces.
- Added the supplied editable logo source and approved vector variant package under [Assets/Logo/Source/](#) and [Assets/Logo/Color-Variations/](#).
- Added a labelled application board at [Assets/Mockups/Resonant - logo-applications-v0.3.png](#) covering web, desktop, mobile concept, app icon, apparel, and sticker contexts.
- Added logo rules for approved gradient, single-colour, white, black, clear space, construction, sizes, favicon, app icon, print, embroidery, and misuse handling.
- Generated the v0.3 PDF and synchronized copies in [outputs/](#), [pdf/](#), and [Output/PDF/](#).
- Added editorial hero, statement, typography, colour/spacing, product-proof, and trust-flow page types to the PDF builder.
- Added a nocturnal listening hero photograph and abstract album-art fixture for visual storytelling and UI mockups.
- Added chapter opener spreads for Foundation, Brand, Identity, Product, Intelligence, Behaviour, Platform, and Release.
- Added dedicated editorial logo pages for the hero mark, cut-out detail, clear space, digital sizes, and the complete approved colour set.
- Increased page breathing room and varied visual pacing with full-page statements, image-led openers, light/dark alternation, large colour fields, and less repetitive reference plates.

- Switched the PDF builder to the supplied PNG variant package in `Assets/Logo/Color-Variations/png/` while preserving the editable SVG/Affinity sources.
- Generated the refined v0.4 PDF as a 100-page A4 handbook and synchronized copies in `outputs/`, `pdf/`, and `Output/PDF/`.
- Integrated the supplied vector logo package under `Assets/Logo/Source/` and `Assets/Logo/Color-Variations/`, with high-resolution raster derivatives under `Assets/Logo/Exports/`.
- Switched the PDF builder to the supplied PNG variant package in `Assets/Logo/Color-Variations/png/`; the earlier generated PNGs remain preserved in `Assets/Logo/Exports/`.
- Added a v0.5 editorial refinement pass without changing brand content, terminology, logo geometry, approved palette, or typography roles.
- Added large visual pauses, pull quotes, chapter pacing, light/dark alternation, colour fields, typography specimen, motion timeline, accessibility pillars, website story flow, and mockup story cards.
- Varied the information design so technical pages, visual proof, diagrams, and editorial spreads alternate throughout the book.
- Reviewed all 105 rendered pages for visual rhythm, overflow, missing assets, and inconsistent layout treatment.
- Generated `Resonant-Brandbook-v0.5.pdf` and synchronized copies in `outputs/`, `pdf/`, and `Output/PDF/`.
- Added `CODEX_HANDOFF.md` with authority order, asset map, rebrand rules, PDF build instructions, and implementation checklist.

## New files created

---

- `Resonant-Style/24-MOTION.md`
- `Resonant-Style/25-INTERACTION_PATTERNS.md`
- `Resonant-Style/26-DESIGN_TOKENS.md`
- `Resonant-Style/27-LOADING_ERROR_STATES.md`
- `Resonant-Style/28-DESKTOP.md`
- `Resonant-Style/29-MOBILE.md`
- `Resonant-Style/30-DOWNLOADS.md`
- `Resonant-Style/31-ACCOUNT_CONNECTIONS.md`
- `Resonant-Style/32-PLAYLIST_WORKFLOWS.md`
- `Resonant-Style/33-TASTE_PROFILE.md`
- `Resonant-Style/34-SOUND_IDENTITY.md`
- `Assets/Logo/README.md`
- `Assets/Logo/Source/Resonant-Logo.af`
- `Assets/Logo/Source/01-Primary-Full-Color.svg`
- `Assets/Logo/Color-Variations/01-Primary-Full-Color.svg`
- `Assets/Logo/Color-Variations/02-Monochrome-Black.svg`
- `Assets/Logo/Color-Variations/03-Monochrome-White.svg`
- `Assets/Logo/Color-Variations/04-Monochrome-Forest.svg`
- `Assets/Logo/Color-Variations/05-Monochrome-Emerald.svg`
- `Assets/Logo/Color-Variations/06-Monochrome-Lime.svg`

- Assets/Logo/Color-Variations/07-Grayscale.svg
- Assets/Logo/Color-Variations/png/01-Primary-Full-Color.png
- Assets/Logo/Color-Variations/png/02-Monochrome-Black.png
- Assets/Logo/Color-Variations/png/03-Monochrome-White.png
- Assets/Logo/Color-Variations/png/04-Monochrome-Forest.png
- Assets/Logo/Color-Variations/png/05-Monochrome-Emerald.png
- Assets/Logo/Color-Variations/png/06-Monochrome-Lime.png
- Assets/Logo/Color-Variations/png/07-Grayscale.png
- Assets/Logo/Exports/resonant-symbol-primary-gradient.png
- Assets/Logo/Exports/resonant-symbol-emerald.png
- Assets/Logo/Exports/resonant-symbol-white.png
- Assets/Logo/Exports/resonant-symbol-black.png
- Assets/Logo/Exports/resonant-symbol-forest.png
- Assets/Logo/Exports/resonant-symbol-lime.png
- Assets/Logo/Exports/resonant-symbol-grayscale.png
- Assets/Mockups/Resonant-logo-applications-v0.3.png
- Assets/Editorial/resonant-hero-night-water-v0.4.png
- Assets/Editorial/resonant-album-artwork-v0.4.png
- Assets/Editorial/README.md
- Resonant-Brandbook-v0.3.pdf
- outputs/Resonant-Brandbook-v0.3.pdf
- pdf/Resonant-Brandbook-v0.3.pdf
- Output/PDF/Resonant-Brandbook-v0.3.pdf
- Resonant-Brandbook-v0.4.pdf
- outputs/Resonant-Brandbook-v0.4.pdf
- pdf/Resonant-Brandbook-v0.4.pdf
- Output/PDF/Resonant-Brandbook-v0.4.pdf
- Resonant-Brandbook-v0.5.pdf
- outputs/Resonant-Brandbook-v0.5.pdf
- pdf/Resonant-Brandbook-v0.5.pdf
- Output/PDF/Resonant-Brandbook-v0.5.pdf
- CODEX\_HANDOFF.md
- .gitignore
- Resonant-Brandbook-v0.2.pdf
- outputs/Resonant-Brandbook-v0.2.pdf
- pdf/Resonant-Brandbook-v0.2.pdf
- PROJECT\_STATUS.md

# Existing files expanded or corrected

---

`README.md` and every file in `Resonant-Style/00-START-HERE.md` through `Resonant-Style/23-PRODUCT_REQUIREMENTS.md` were expanded or corrected in place while preserving the chapter structure and intent. The main substantive correction is that the product chapters now describe the verified Spotify-based web application; unsupported automation, deeper playback, additional providers, and future Assistant work are labelled as future work.

## Outstanding TODOs

---

- Final legal owner, trademark, co-branding, and company boilerplate.
- Approved font files, licences, exact type scale, and Figma text styles.
- Full neutral/semantic colour scales, contrast results, and platform token exports.
- Measured clear-space/construction files and physical print minimum-size evidence. The approved vector and PNG logo package is present in the repository.
- Production motion timings and reduced-motion verification.
- Final component inventory, anatomy diagrams, Figma links, and code references.
- Release-specific screenshots and verified screen dimensions.
- Exact product feature matrix, supported release channels, migration policy, and Windows matrix.
- Final AI/provider legal notices and release-specific model/provider parameters.
- Mobile product brief; mobile is not a current shipped surface.
- Website ownership, navigation, download links, signing status, and legal copy.
- Approved photography/illustration moodboard and asset licensing policy.

## Recommendations for Version 2

---

1. Create a measured Figma foundation library from the verified UI and token seeds. 2. Run a structured accessibility review on Windows with keyboard-only, screen-reader, zoom, high-DPI, and reduced-motion passes. 3. Capture a release-locked screen set and annotate each screen against the mockup template. 4. Add an engineering appendix that maps semantic tokens and component names to code. 5. Define the future product roadmap before adding catalogue analytics, music discovery, web, or mobile chapters. 6. Establish an asset provenance and approval workflow for screenshots, artwork, fonts, and generated media.

## Estimated completeness

---

**Approximately 92% for a Version 1 Brand Book source repository; approximately 87% for a final production Brand Book.**

The written foundation, verified product narrative, approved logo package, and editorial presentation system are substantially complete. The remaining percentage is primarily production evidence and approval work: measured construction, Figma/code mappings, release-specific testing, legal review, physical print proofing, and final Canva ownership.

# Suggested Canva conversion steps

---

1. Freeze the target product release and record its commit/version in the cover or appendix. 2. Resolve P0 TODOs: logo exports, fonts, colours, screenshots, and legal language. 3. Build the Canva master pages from [22 — Brand Book structure](#). 4. Use the mockup table to create one visual spread for each verified screen. 5. Convert workflow and trust-boundary code blocks into diagrams. 6. Keep detailed rules in the source repository; place only the key rule and rationale on each spread. 7. Run contrast, reading-order, alt-text, and PDF accessibility checks. 8. Review every claim against the pinned product repository before publishing the PDF or marketing version.