# rvd\_gen User Manual

## **Background Information**

rvd\_gen is a command line tool that can be used to generate a designer TAL effector RVD sequence from a given nucleotide sequence. Because rvd\_gen is written in C, it should run on any modern UNIX-like operating system, and has been tested on Elementary OS (Linux kernel 4.4.0-66-generic) and FreeBSD (11.0-RELEASE-p1 GENERIC). rvd\_gen is Copyright (c) 2017, Stephen P. Cohen and is distributed under a permissive 3-clause license (see below for license terms).

#### **Installation Instructions**

rvd\_gen can be cloned directly from github for free using the git command line tool (for installation of git, see the developer website at <a href="https://git-scm.com/downloads">https://git-scm.com/downloads</a>). To install rvd\_gen, use git to clone the distribution, then use make to compile, like so (user input in bold):

```
~$ git clone https://github.com/stephen-cohen/rvd_gen
Cloning into 'rvd_gen'...
remote: Counting objects: 13, done.
remote: Compressing objects: 100% (9/9), done.
remote: Total 13 (delta 5), reused 11 (delta 3), pack-reused 0
Unpacking objects: 100% (13/13), done.
Checking connectivity... done.
~$ cd rvd_gen
~/rvd_gen$ make
cc -03 -Wall -o rvd_gen rvd_gen.c
```

The binary file is rvd\_gen, which can be run directly or copied to a bin directory for easy access (e.g. ~/bin for a single user).

### **Usage Instructions**

To use rvd\_gen, you must supply a nucleotide sequence. The sequence may be supplied as a command line argument or as input (user input in bold):

```
~/rvd_gen$ ./rvd_gen ACGTACGTACGT
NI-HD-NK-NG-NI-HD-NK-NG-NI-HD-NK-NG
~/rvd_gen$ ./rvd_gen
Enter nucleotide sequence: ACGTACGTACGT
NI-HD-NK-NG-NI-HD-NK-NG-NI-HD-NK-NG
```

By default, the maximum sequence length allowed is 41. This limit can be raised by altering the source code (rvd\_gen.c, line 41), but most available dTALE construction kits do not allow target sequences to be larger than ~30. There is no minimum input for the program.

### **About the Program**

This program generates an optimal TAL effector RVD sequence given a nucleotide sequence. It uses the following RVDs for DNA-binding, which are available in modules from the dTALE construction kit made available by Cermak et al. (2011)<sup>1</sup>:

Nucleotide	RVD	Strength <sup>2</sup>
Α	NI	weak
С	HD	strong
G	NK	weak
Т	NG	weak

In the case of sequences that would lead to stretches of 6 or more weak RVDs, the program uses NN for binding to A or G to break up the weak stretches, based on recommendations from Streubel et al. (2012)². This "weakness limit" can be altered in the source code (rvd\_gen.c, line 117), and future versions may allow for command line arguments for user options. Input sequences with stretches of 6 or more Ts can not be strengthened and should be avoided as EBEs.

A user may force usage of the RVD NN by using the nucleotide symbol R (user input in bold):

```
~/rvd_gen$ ./rvd_gen AAAAAA
NI-NI-NI-NI-NN
~/rvd_gen$ ./rvd_gen ARAAAA
NT-NN-NT-NT-NT-NT
```

Uninterpretable input returns "??" in place of valid RVDs.

#### References

- 1. Cermak T, Doyle EL, Christian M, Wang L, Zhang Y, Schmidt C, Baller JA, Somia NV, Bogdanove AJ, Voytas DF. Nucleic Acids Res. 2011; 39(12):e82.
- 2. Streubel J, Blücher C, Landgraf A, Boch J. Nat Biotechnol. 2012;30:593-595.

#### Software License

Copyright (c) 2017, Stephen P. Cohen All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution
- Neither the name of nor the names of its contributors may be used endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.