





Step 1: On-Prem Server Azure AD Connect

Step 1: Pre-requisites for On-Premises Windows Server Azure AD Connect Setup


For our first step from the Windows server installed with Microsoft Entra connect sync p[en the connect sync Application with your administrator logged in



Go ahead and select “Configure”



Select “Configure Device Options” Then “Next”



The “Overview” will provide detail of what will be installed we want the “**Hybrid join**” and “**Device Write-back**” click “**Next**”

Welcome

Tasks

Overview

Connect to Microsoft Entra

Device options

Overview

With device management in Microsoft Entra ID, you can ensure that users are accessing your resources from devices that meet your standards for security and compliance. [Learn more](#)

Hybrid Microsoft Entra ID join enables devices in your Active Directory forest to register with Microsoft Entra ID for access management. Computers in your organization will automatically discover Microsoft Entra using a service connection point (SCP) object that is created in your Active Directory forest. [Learn more](#)

Device writeback is a prerequisite for enabling on-premises conditional access using AD FS and Windows Hello for Business. Device writeback synchronizes all devices registered in Microsoft Entra ID back to on-premises. The devices are synchronized to a device container that is created in your Active Directory forest. [Learn more](#)

Device writeback requires the Active Directory schema version to be Windows Server 2012 R2 (level 69) or higher.

Previous Next

Connect with your M365 Cloud “**Global Admin**” account click “**Next**”

Welcome

Tasks

Overview

Connect to Microsoft Entra

Device options

Connect to Microsoft Entra ID

Enter your Microsoft Entra ID Hybrid Identity Administrator (preferred) or Global Administrator credentials for contoso004.onmicrosoft.com - AAD. [?](#)

USERNAME*

Previous Next


Login with your Global Admin account and sync the credentials

Sign in to your account

×



Pick an account



[Terms of use](#) [Privacy & cookies](#) ...

Select “**Configure Hybrid Microsoft Entra ID join**” click “**Next**”

Microsoft Entra Connect Sync

Welcome

Tasks

Overview

Connect to Microsoft Entra

Device options

Hybrid Microsoft Entra ID join

Device systems

SCP

Configure

Device options

Select the device option to configure.

- ☒ Configure Hybrid Microsoft Entra ID join
- ☐ Configure device writeback
- ☐ Disable device writeback

Previous

Next

Choose “**Windows 10 or later domain-joined devices**” then “**Next**”

Microsoft Entra Connect Sync

Device operating systems

Select the operating systems used by devices in your Active Directory environment.

☒ Windows 10 or later domain-joined devices. ?

☐ Supported Windows downlevel domain-joined devices. ?

For device registration to succeed without Seamless SSO, your Windows 10 devices must be included in your [Domain and OU filtering](#) for synchronization. Windows downlevel devices are not supported without SSO. You can enable single sign-on by running the [Change user sign-in task](#). [Learn more](#)

Previous Next

To configure the Service Connection Point (SCP), a user account that is a member of the Enterprise Admins group is required. These permissions can be removed after the configuration is complete.

Microsoft Entra Connect Sync

SCP configuration


The service connection point (SCP) is used by your devices to discover your Microsoft Entra ID tenant information. If your devices are in different forests, each forest needs an SCP. Microsoft Entra Connect can configure the SCP for you and also provide a script for you to configure the SCP.

Select the forests where you want Microsoft Entra Connect Sync to configure the SCP. ?


Forest ?	Authentication Service ?	Enterprise Admin ?
☒	Microsoft Entra ID	[Redacted]

Download ConfigureSCP.ps1


Previous Next




Now select **“Configure”**




When finished Click **“Exit”**




Now re-open the “**Microsoft AD Connect Sync**” to sync device from your “**Organizational Units**” that hold all your computers within the “**ADUC**”



Click “**Customize Synchronization options**” then “**Next**”



Connect your “**Admin Account**” then “**Next**”



Connect your **"Active Directory"** from on-premises then click **"Next"**

Welcome

Tasks

Connect to Microsoft Entra

Sync

Connect Directories

Domain/OU Filtering

Optional Features

Configure

Connect your directories

Enter connection information for your on-premises directories or forests. ?

DIRECTORY TYPE

Active Directory

FOREST ?

Add Directory

CONFIGURED DIRECTORIES

(Active Directory) ✓

Previous Next

Select the Active Directory organizational units that contain devices registered with Microsoft Entra Hybrid Join and the **"Service Account"** used to bring them to your **"Entra connect"** syncing.

Welcome

Tasks

Connect to Microsoft Entra

Sync

Connect Directories

Domain/OU Filtering

Optional Features

Configure

Domain and OU filtering

If you change the OU-filtering configuration for a given directory, the next sync cycle will automatically perform full import on the directory.

Directory

Refresh Domains ?

☐ Sync all domains and OUs

☒ Sync selected domains and OUs

- ☐ Builtin
- ☒ Computers
- ☒ Corporate Machines
 - ☒ Intune Joined PC's
- ☐ Domain Controllers
- ☐ ForeignSecurityPrincipals
- ☐ Infrastructure
- ☐ LostAndFound
- ☒ Managed Service Accounts
- ☐ Microsoft Exchange Security Groups
- ☐ Microsoft Exchange System Objects
- ☐ Program Data
- ☐ System
- ☒ Users

Previous Next

Select “Optional Features” as follows click “Next”

Welcome

Tasks

Connect to Microsoft Entra

Sync

Connect Directories

Domain/OU Filtering

Optional Features

Configure

Optional features

Select enhanced functionality if required by your organization.

- ☒ Exchange hybrid deployment ?
- ☐ Exchange Mail Public Folders ?
- ☐ Microsoft Entra ID app and attribute filtering ?
- ☒ Password hash synchronization ?
- ☒ Password writeback ?
- ☐ Group writeback ?
- ☐ Device writeback ?
- ☐ Directory extension attribute sync ?

[Learn more](#) about optional features.

Previous Next

Checkmark “Start the synchronization process” then “Configure”

Microsoft Entra Connect Sync

Welcome

Tasks

Connect to Microsoft Entra

Sync

Connect Directories

Domain/OU Filtering

Optional Features

Configure

Ready to configure

Once you click Configure, we will do the following:

- Update gawrgura.dev Connector
- Configure synchronization services on this computer
- ☒ Start the synchronization process when configuration completes.

Previous Configure


Configuring

Configuring Microsoft Entra Connect Health Agent

Progress bar

Previous Retry

The Configuration is now complete click “Exit”



Next we will show the pre-requisites for Intune AutoPilot Enrollment in Microsoft 365 (Full Windows AutoPilot Enrollment for OEM/Partner Deployment).

Step 2: Intune Enrollment with AutoPilot Device

Step 2: Pre-requisites for Intune Automatic Enrollment in Microsoft 365 (Full Windows AutoPilot Enrollment for OEM/Partner Deployment)

Description

- Before you are able to begin setting up **Devices Enrollment** or **Automated Intune Device Enrollment**. We first must have the correct **Administrator Permission** to begin enrolling device for your Organizations PC/Phone/Apple Inventory.
- You must be assigned one of the following roles to read or modify device settings:
- **Cloud Device Administrator** (read and modify)
- **Intune Administrator** (read only)
- **Windows 365 Administrator** (read only)

Home > Roles and administrators | All roles > Users

stephen morton User

Search Edit properties Delete Refresh

Overview Audit logs Sign-in logs Diagnose and solve problems Custom security attributes Assigned roles Administrative units

Overview Monitoring Properties

Basic info

SM stephen morton Member

Home > Roles and administrators | All roles > Users > stephen morton

stephen morton User

Search + Add assignments Remove assignments Refresh Got feedback?

Overview Audit logs Sign-in logs Diagnose and solve problems Custom security attributes Assigned roles Administrative units Groups Applications Licenses

Administrative roles


Administrative roles can be used to grant access to Microsoft Entra ID and other Microsoft services. [Learn more](#)

Search by name or description Add filters


Role	Description	Resource Name	Resource Type	Assignment Path	Type
☐ Cloud Device Administrator	Limited access to manage devices in Microsoft Entra ID.	Directory	Organization	Direct	Built-in
☐ Domain Name Administrator	Can manage domain names in cloud and on-premises.	Directory	Organization	Direct	Built-in
☐ Global Administrator	Can manage all aspects of Microsoft Entra ID and Microsoft services that use Microsoft Entra identities.	Directory	Organization	Direct	Built-in
☐ Hybrid Identity Administrator	Can manage AD to Microsoft Entra cloud provisioning, Microsoft Entra	Directory	Organization	Direct	Built-in

- To correctly Deploy Windows automatic Enrollment We need to Allow Intune to automatically Enroll Devices. With This Document:
<https://learn.microsoft.com/en-us/autopilot/tutorial/user-driven/hybrid-azure-ad-join-automatic-enrollment>
- **Setup Windows AutoPilot Intune Enrollment**

First, we go to the **Azure Portal**, then go to the "**Microsoft Entra ID**" Tab - Find "**Mobility (MDM and WIP)**" "**Microsoft**



Next, under “**Mobility (MDM and WIP)**” click on “**Microsoft Intune**”



- Under **MDM user scope** **Select ALL** , when **All** is selected, all users can automatically enroll their devices in Intune. If you would not like users adding there Devices Tick the **"Disable MDM Enrollment"** select **Save**

Home > contoso | Mobility (MDM and WIP)

Microsoft Intune ...

MDM user scope ⓘ

☐ None ☐ Some ☒ All

MDM terms of use URL ⓘ

MDM discovery URL ⓘ

Disable MDM enrollment when adding work or school account on Windows ⓘ

☒ No

MDM compliance URL ⓘ

[Restore default MDM URLs](#)

Windows Information Protection (WIP) user scope ⓘ

☐ None ☐ Some ☒ All

WIP terms of use URL ⓘ

WIP discovery URL ⓘ



Save

Discard

Delete

- **Install the Intune Connector for Active Directory**

1. On the server where the Intune Connector for Active Directory is being installed, sign into the [Microsoft Intune admin center](#).
2. In the **Home** screen, select **Devices** in the left hand pane.
3. In the **Devices | Overview** screen, under **By platform**, select **Windows**.
4. In the **Windows | Windows devices** screen, under **Device onboarding**, select **Enrollment**.
5. In the **Windows | Windows enrollment** screen, Once you Scroll down the Page you will find **Windows Autopilot** , select **Intune Connector for Active Directory**.
6. In the **Intune Connector for Active Directory** screen, select **Add**.
7. In the **Add connector** window that opens, under **Configuring the Intune Connector for Active Directory**, select **Download the on-premises Intune Connector for Active Directory**. The link downloads a file called **ODJConnectorBootstrapper.exe**.



Intune Connector for Active Directory ...

Windows enrollment

+ Add ↻ Refresh

🔍 Search



🔼 Add filters

Connector name ↑

Status

Windows Autopilot

Use Windows Autopilot to customize the Windows onboarding out of box experience and workflow. [Learn more about Windows Autopilot](#)



Devices

Manage Windows Autopilot devices



Deployment profiles

Customize the Windows Autopilot provisioning experience



Enrollment Status Page

Show app and profile installation statuses to users during device setup



Intune Connector for Active Directory

Configure hybrid Azure AD joined devices

Add connector



Intune connector for Active Directory (Preview)



Configuring the Intune connector for Active Directory

1. Configure your account and server to connect to the on-premises Intune connector for Active Directory
[Learn more](#)
2. Download and install the on-premises Intune Connector for Active Directory
[Download the on-premises Intune Connector for Active Directory](#)

Within the file explorer, open the “**ODJConnectorBootStrapper.msi**” application and begin setup.




"Agree" to the Terms and conditions and Install the "**Intune Connector for Active Directory**"

Once installed click **"Configure Now"**




*When asked to **Install WebView2** Click "**OK**"


This Pop-up the webpage in your **Computer/Server Browser** Select a version we chose "**EverGreen Standalone Installer**" then install "**Webviewer2 Runtime**"




Once "**Webviewer 2**" has been installed, now launch the "**Intune Connector for Active Directory**" installed on your server.




Sign-In with the admin who is assigned the "**Intune administrator role**"






Sign-in will take a moment then you will be greeted with a successful install window. Click "**OK**" and you're done. A pop-up with your new Managed Service Account with a "**MSA_name**" will appear as shown




A Managed Service Account with name "[redacted]" was successfully set up



You will now see the Active Directory Machine that has the Installed connector through Intune Admin Center.


- For the updated Intune Connector for Active Directory, make sure the version is greater than or equal to **6.2501.2000.5**. - Here It is **6.2603.2000.1**



On the Server your Intune connector is installed go to **C:\Program Files\Microsoft Intune\ODJConnector**

« Program Files > Microsoft Intune > ODJConnector > ODJConnectorEnrollmentWizard >

Then open the existing **ODJConnectorEnrollmentWizard.exe.config** in **Notepad**



Within the XML, change the **<add key=>** Then save the XML file

```
<add key="OrganizationalUnitsUsedForOfflineDomainJoin" value="OU=██████████,DC=DC01,DC=██████████,DC=██████████" />
```




Finally add to the configuration XML the Service account "<msol>"

Update **ODJConnectorEnrollmentWizard.exe.config**. Its default location is **C:\Program Files\Microsoft Intune\ODJConnector\ODJConnectorEnrollmentWizard.**


1. In the **appSettings** section of the file, add the following line:

```
<add key="TenantConfiguredManagedServiceAccount"  
value="{accountname}" />
```




Make sure your OU (Organizational Unit) has the Proper Security Permission to limit how many System are able to join - **WITHIN (ADUC) Change the Service Principal Security**


Go to (ADUC) and Look for your Organizational Unit (OU), Then Open Properties




Go to The **"Security"** Tab Then Click on The **"Advanced"**



- Within the **"Advanced"** Setting for your OU In this case the Owner is **"Domain Admins"** Click **"Add"** in the Lower Left pane




In the "**Permissions Entries**" Page "**Select Principal**" - Change the **Object Types...** **CHECKMARK** the "**Service account**" Then in "**Enter the Object name**" type the Name search for your "**MSOL Service Account**" After that click "**OK**"




Once added Under the "**Permission Entry for OU**" Look for the Checkbox that says "**Create Computer Objects**" Click "**OK**"

After That In the Advanced Security Setting Find your "Service Principal Name" In the Entry page Click "**Apply**" Then "**OK**"



The Microsoft Intune Connector requires write access to all organizational units in the Windows Server Active Directory that contain devices registered with Microsoft Entra Hybrid Join. The following steps configure this write access.

Right-click the organizational unit and select **Delegate Control**.



Click **“Next”**



Add your “MSOL-Service Account”

Delegation of Control Wizard



Users or Groups

Select one or more users or groups to whom you want to delegate control.



Selected users and groups:

Add...

Remove

Select Users, Computers, or Groups



Select this object type:

Users, Groups, or Built-in security principals

Object Types...

From this location:

gawrgura.dev

Locations...

Enter the object names to select (examples):

MSOL [redacted]

Check Names

Advanced...

OK

Cancel

Delegation of Control Wizard



Users or Groups

Select one or more users or groups to whom you want to delegate control.



Selected users and groups:

MSOL [redacted] MSOL [redacted]

Add...

Remove

< Back

Next >

Cancel

Help

Use “Create a custom task to delegate” click “Next”

Tasks to Delegate
You can select common tasks or customize your own.




☐ Delegate the following common tasks:

- ☐ Create, delete, and manage user accounts
- ☐ Reset user passwords and force password change at next logon
- ☐ Read all user information
- ☐ Create, delete and manage groups
- ☐ Modify the membership of a group
- ☐ Create, delete, and manage inetOrgPerson accounts
- ☐ Reset inetOrgPerson passwords and force password change at next logon

☒ Create a custom task to delegate

< Back **Next >** Cancel Help



Only delegate controls to “**Computer Objects**” then select “**Create/Delete selected objects in this folder**” Click “Next”

Active Directory Object Type
Indicate the scope of the task you want to delegate.



Delegate control of:

☐ This folder, existing objects in this folder, and creation of new objects in this folder


☒ Only the following objects in the folder:

- ☒ Computer objects
- ☐ Connection objects
- ☐ Contact objects
- ☐ dnsZoneScope objects
- ☐ dnsZoneScopeContainer objects
- ☐ document objects

☒ Create selected objects in this folder

☒ Delete selected objects in this folder

< Back **Next >** Cancel Help



Give **“Full Control”** then Click **“Next”**

Permissions
Select the permissions you want to delegate.

Show these permissions:

- ☒ General
- ☒ Property-specific
- ☒ Creation/deletion of specific child objects

Permissions:

- ☒ Full Control
- ☒ Read
- ☒ Write
- ☒ Create All Child Objects
- ☒ Delete All Child Objects
- ☒ Read All Properties

< Back **Next >** Cancel Help

Click **“Finish”**

Delegation of Control Wizard

Completing the Delegation of Control Wizard

You have successfully completed the Delegation of Control wizard.

You chose to delegate control of objects in the following Active Directory folder:

[Redacted] /Computers

The groups, users, or computers to which you have given control are:

MSOL [Redacted] MSOL [Redacted]

They have the following permissions:

To close this wizard, click Finish.

< Back **Finish** Cancel Help

Next we will go through and validate our CNAME records to register our devices in Microsoft 365 Intune automatically.

Step 3: Adding CNAME Validation

Step 3: Adding CNAME Validation to target Enrollment for Device through our domain CNAME records

CNAME validation ensures that automatic device provisioning with Microsoft Intune works reliably. It verifies whether the public domain is correctly configured: the CNAME record **enterpriseenrollment** must point to **enterpriseenrollment-s.manage.microsoft.com**, and **enterpriseregistration** must point to **enterpriseregistration.windows.net**. If these DNS records are missing, automatic device enrollment in Microsoft Intune will fail.

Go into your Domain Registrar - here we will use [Porkbun.com](https://porkbun.com)
Add the required 2 CNAME Records that point to the Intune Enrollment Services
1 enterpriseenrollment."YOURDOMAIN" -Answer to enterpriseenrollment-s.manage.microsoft.com
2 enterpriseregistration."YOURDOMAIN" -Answer to enterpriseregistration.windows.net

 porkbun

PRODUCTS ▾ TRANSFER SALE! ABOUT ▾ RESOURCES ▾

ACCOUNT   \$0

ACCOUNT SECURITY NOTICE
Porkbun recommends setting up 2FA to secure your account against phishing, brute force, and other attacks.
[How To Enable Two Factor Authentication](#)
[Security Settings](#) [I understand the risks, don't show me this again.](#)

DOMAIN MANAGEMENT

Logged in as: 

REGISTER A NEW DOMAIN


bulk search ▾ 

[AI Search](#) | [Auction Search](#) | [Marketplace Search](#)

CNAME	enterpriseregistration 	enterpriseregistration.windows.net	3600	 
CNAME	enterpriseenrollment 	enterpriseenrollment-s.manage.microsoft.com	3600	 

Perform a CNAME Validation from the Intune Enrollment Page

Microsoft Intune admin center (<https://intune.microsoft.com>) > Devices > Device onboarding > Enrollment > CNAME Validation




Next we will create a “Deployment Profile” for our devices to use during install.

Step4: Create an Intune Deployment Profile


Step4: Create an Intune Deployment Profile

A Windows Autopilot deployment profile in Microsoft Intune is a policy set that configures the Out-of-Box Experience (OOBE) for new devices, allowing them to be automatically joined to Azure AD/Entra ID, enrolled in Intune, and prepared for user-specific settings, apps, and security policies without IT interaction.

Go to Microsoft Intune Admin Center (<https://intune.microsoft.com>) “Devices - Device onboarding - Enrollment - Deployment profiles”



Select “Create profile” - “Windows PC”



In the “**Create Profile**” provide a “**Name**” and a “**Description**” of what it is for so others know before deleting or changing it. For this test select “**No**” for “**all targeted Devices**” click “**Next**”.

Microsoft Intune admin center

Home > Devices | Enrollment > Windows Autopilot deployment profiles

Create profile

Windows PC

1 Basics 2 Out-of-box experience (OOBE) 3 Assignments 4 Review + create

Name *

Description

Convert all targeted devices to Autopilot ☒ No ☐ Yes

i By default, this profile can only be applied to Autopilot devices synced from the Autopilot service. [Learn more](#)

Make sure the setting “**Join to Microsoft Entra ID**” is set to “**Microsoft Entra hybrid joined**”. Deployment mode should be “**User-Driven**” everything else leave as **Default**. Click “**Next**”

Create profile

Windows PC

Configure the out-of-box experience for your Autopilot devices

Deployment mode *

Join to Microsoft Entra ID as *

Skip AD connectivity check ☒ No ☐ Yes

Microsoft Software License Terms ☐ Show ☒ Hide

i Important information about hiding license terms

Privacy settings ☐ Show ☒ Hide

i The default value for diagnostic data collection has changed for devices running Windows 10, version 1903 and later, or Windows 11.

Hide change account options ☐ Show ☒ Hide

User account type ☐ Administrator ☒ Standard

Allow pre-provisioned deployment ☒ No ☐ Yes

Language (Region)

Automatically configure keyboard ☐ No ☒ Yes

Assign a device group that contains all devices intended to be registered via Microsoft Entra Hybrid Join. Click “**Next**”

Create profile ...

Windows PC

✓ Basics ✓ Out-of-box experience (OOBE) **3** Assignments ④ Review + create

Included groups

+ Add groups + Add all devices

Groups	Status	Remove
Intune install	Active	Remove

Excluded groups

i When excluding groups, you cannot mix user and device groups across include and exclude. [Click here to learn more about excluding groups.](#)

+ Add groups

Groups	Status	Remove
No groups selected		

Previous

Next

Review all the settings are set correctly then Click “Create”

Create profile ...

Windows PC

✓ Basics ✓ Out-of-box experience (OOBE) ✓ Assignments **4 Review + create**

Summary

Basics

Name	Entra Hybrid Join Devices
Description	This profile will have the device hybrid Join our org and provide the necessary software for out of the box use for Onboarded users automatically
Convert all targeted devices to Autopilot	No
Device type	Windows PC

Out-of-box experience (OOBE)

Deployment mode	User-Driven
Join to Microsoft Entra ID as	Microsoft Entra hybrid joined
Skip AD connectivity check	No
Language (Region)	Operating system default
Automatically configure keyboard	Yes
Microsoft Software License Terms	Hide
Privacy settings	Hide
Hide change account options	Hide

Previous

Create

Our new profile has now been made

Windows Autopilot deployment profiles ...

+ Create profile ▾ ↻ Refresh ⬇ Export ≡ Columns ▾

Windows Autopilot deployment profiles lets you customize the out-of-box experience for your devices. [Learn more.](#)


Name	Description	Join type	Assigned
Entra Hybrid Join Devices	This profile will have the device hybrid Joi...	Microsoft Entra hybrid joined	Yes

Next, we will create an Intune Device Configuration policy.

Step 5: Create a Device Configuration Policy

Step 6: Create an Intune Device Configuration Policy

Now go to the "Intune Admin Center" and create a "Domain Join Profile" for on-boarding devices. To create a "Domain Join" profile in Intune, navigate to the Microsoft Intune admin center and select Devices > Manage devices > Configuration > Create > New policy.



Intune uses device configuration profiles to manage, secure, and customize settings across diverse devices (Windows, iOS, Android, macOS), ensuring they meet organizational standards. These profiles automate the setup of security policies (e.g., BitLocker, passwords), networking (Wi-Fi, VPN), and system restrictions, which increases user productivity and protects company data.

In the Right-browser Pane drop-down "Select Platform" then choose "Windows 10 and later"
Since we want this device to be the most-up-to-date OS Windows 11

Create a profile

Platform

Select platform

- Android device administrator
- Android (AOSP)
- Android Enterprise
- iOS/iPadOS
- Linux
- macOS
- Windows 10 and later
- Windows 8.1 and later

Create

For the "Profile types" Select "Templates"

Profile type

Select profile type

- Settings catalog
- Properties catalog
- Templates

Create

Intune uses profile types to organize, apply, and manage specific settings efficiently across diverse devices, platforms (iOS, Windows, Android), and user scenarios. Profiles allow administrators to categorize configurations—such as Wi-Fi, VPN, or security restrictions—making it easier to deploy consistent settings, enforce compliance, and reduce management complexity.

Under "Template name" click on "Domain join"

Templates contain groups of settings, organized by functionality. Use a template when you don't want to build policies manually or want to configure devices to access corporate networks, such as configuring WiFi or VPN. [Learn more](#)

Template name

BIOS configurations and other settings

Custom ⓘ

Delivery Optimization ⓘ

Device firmware configuration interface ⓘ

Device restrictions ⓘ

Device restrictions (Windows 10 Team) ⓘ

Domain join ⓘ 

Edition upgrade and mode switch ⓘ

Email ⓘ

Create

Intune will also explain exactly what the "Template Name" is used for:



Many environments use on-premises Active Directory (AD). When AD domain-joined devices are also joined to Microsoft Entra ID, they're called Microsoft Entra hybrid joined devices. Using Windows Autopilot, you can enroll Microsoft Entra hybrid joined devices in Intune. To enroll, you also need a Domain Join configuration profile. A Domain Join configuration profile includes on-premises Active Directory domain information. When devices are provisioning (and typically offline), this profile deploys the AD domain details so devices know which on-premises domain to join. If you don't create a domain join profile, these devices might fail to deploy.

Domain join ⓘ

Once Selected click "Create"

Create a profile

Profile type

Templates

Templates contain groups of settings, organized by function. If you don't want to build policies manually or want to configure networks, such as configuring WiFi or VPN. [Learn more](#)

Search by profile name

Template name

- BIOS configurations and other settings
- Custom ⓘ
- Delivery Optimization ⓘ
- Device firmware configuration interface ⓘ
- Device restrictions ⓘ
- Device restrictions (Windows 10 Team) ⓘ
- Domain join ⓘ
- Edition upgrade and mode switch ⓘ
- Email ⓘ

Create

Give your **"Configuration Policy"** a name and a description for its purpose so that it does not get accidentally deleted by you or another administrator. The platform has already been specified previously

Click **"Next"**

Home > Devices | Configuration

Domain Join

Windows 10 and later

1 Basics 2 Configuration settings 3 Assignments 4 Applicability Rules 5 Review + create

Name * Domain-Hybrid Device Joining ✓

Description This Policy is to provide newly added computers to our company domain the proper configuration for Company Regulation/Compliance and efficient deployment of machines for Users

Platform Windows 10 and later

Profile type Domain Join

Previous Next

Effective "computer name prefixes" combine functionality with organization

Use some Identifiers for this purpose

Location based: "COL-" "DC-" "EU-"

Department based: "HR-" "IT-" "ACC-" "FIN-" "SEC-"

Device based : "LT-" "DT-" "MD-" "WS-"

Prefix for the computer names, specify domain name, and specify organizational unit.

***IMPORTANT** - Remember to add the earlier created OU with you "Intune Device Policy" configured so there is "Group Policy" segregation for different Policies and Devices.

Home > Devices | Configuration

Domain Join ...

Windows 10 and later

✓ Basics 2 Configuration settings 3 Assignments 4 Applicability Rules 5 Review + create

Computer name prefix * ⓘ CORP-WS ✓

Domain name * ⓘ [REDACTED] ✓

Organizational unit ⓘ OU=Computer,OU=Intune Joined PC's,DC=[REDACTED],DC=[REDACTED] ✓

Previous

Next

Active Directory Users and Computers

File Action View Help

	Name	Type	Description
Active Directory Users and Comp			
> Saved Queries			
▼ [REDACTED]			
> Builtin			
> Computers			
▼ Corporate Machines			
Intune Joined PC's	Intune Joine...	Organizational ...	

For "**Assignments**" you should be still using "**Group Policy**" to help you move Older device and new ones into your Active directory On-premises. But to actively "**Domainjoin**" to new device with M365 Intune profile make sure your are adding "**All Devices**" to help promote moving to fully functioning "**Cloud only**"

For this demonstration we will add "**All users**" and "**All Device**". For the future - Use a Specified group for on-boarding like my "**Intune install**" Group
"Click Next"

Domain Join ...
Windows 10 and later

✓ Basics ✓ Configuration settings **3 Assignments** 4 Applicability Rules 5 Review + create

Included groups

 Add groups  Add all users  Add all devices

Groups	Status	Group Members ⓘ	Filter	Filter mode	Edit filter	Remove
Intune install	Active	0 devices, 4 users	None	None	Edit filter	Remove

Excluded groups

 When excluding groups, you cannot mix user and device groups across include and exclude. [Click here to learn more about excluding groups.](#)

 Add groups

Groups	Status	Group Members ⓘ	Remove
No groups selected			

[Previous](#) **[Next](#)**

Intune uses Microsoft Entra groups (formerly Azure AD) for configuration policies to target, apply, and manage settings efficiently across diverse users and devices. Groups allow for granular control, enabling policies to be tailored by role, department, device type, or ownership

"Applicability Rules" help narrow this Profile down to assign to specific groups. This means if you provide a Rule the Devices Under must meet the requirement or it will not be "**Domain-Joined**" Click "**Next**"

Domain Join ...

Windows 10 and later

✓ Basics ✓ Configuration settings ✓ Assignments **4 Applicability Rules** 5 Review + create

Specify how to apply this profile within an assigned group. Intune will only apply the profile to devices that meet the combined criteria of these rules.

Rule	Property	Value	Rule Details
			i

Previous

Next

Now you will see a summary of your **"Configuration Profile"**. Double-check you have added everything you need before deploying to not cause issues within your production environment. When ready click **"Create"**

Domain Join ...

Windows 10 and later

✓ Basics ✓ Configuration settings ✓ Assignments ✓ Applicability Rules **5 Review + create**

Summary

Basics

Name	Domain-Hybris Device Joining
Description	This policy is to provide newly added computers to ur company domain the proper configuration for Company Registration/Compliance and efficient deployment of machines for Users
Platform	Windows 10 and later
Profile type	Domain Join

Configuration settings

Domain Join



Computer name prefix	CORP-WS
Domain name	[REDACTED]
Organizational unit	OU=Computer,OU=[REDACTED];PC's,DC=[REDACTED];DC=[REDACTED]

Assignments

Previous

Create

Now before going to Deploy machines configure the "Windows Enrollment Status Page" (ESP)
In the Microsoft Intune admin center under Devices > Enrollment > Enrollment Status
Page
Click "Create"



From here give it a "Name" and "Description" for its purpose

As the description says - this is the purpose of "Enrollment Status Page" (ESP)

Click "Next"

For the next step select "Yes" for "Show app and profile configuration progress"

Change the custom Message for errors with your "Intune administrator" - Or "Help Desk administrator" to provide instruction when users come across issues or error to guide them in the right direction

Create profile ...

1 Basics 2 Settings 3 Assignments 4 Scope tags 5 Review + create

Name * ESP Enrollment ✓

Description  This will be used to track app/profile installation, block device usage until secured, and show progress during Out-of-the-Box Experience (OOBE). Key settings include setting timeouts, enabling log collection, and targeting device groups for deployment.

 Previous Next

Create profile ...

configuration progress of assigned apps and profiles targeted to their device. [Learn more](#)

Show app and profile configuration progress  No Yes

Show an error when installation takes longer than specified number of minutes 60 

Show custom message when time limit or error occurs No Yes 

Setup could not be completed. Please try again or contact your Intune Administrator stephen Or please make a Jira ticket in the Jira "Submit Ticket" button at www.jira.com

Turn on log collection and diagnostics page for end users No Yes

Only show page to devices provisioned by out-of-box experience (OOBE) No Yes

Install Windows updates (might restart the device) No Yes

Block device use until all apps and profiles are installed ① No Yes


Allow users to reset device if installation error occurs No Yes

Allow users to use device if installation error occurs No Yes


Previous Next 

Every other option after LEAVE AS DEFAULT

Next add the proper assigned devices and group this will impact.
For us it will be "All Devices"
Click "Next"



If you would like to add a Scope tag you may "Click Next"



Now review your setting and be sure you have everything you need before deploying the profile.
Click "Create"

Create profile ...

✓ Basics ✓ Settings ✓ Assignments ✓ Scope tags **Review + create**

Summary

Basics

Name ESP Enrollment
Description This will be used to track app/profile installation, block device usage until secured, and show progress during Out-of-the-Box Experience (OOBE). Key settings include setting timeouts, enabling log collection, and targeting device groups for deployment.

Settings

Show app and profile configuration progress Yes
Show an error when installation takes longer than specified number of minutes 60
Show custom message when time limit or error occurs Yes
Error message Setup could not be completed. Please try again or contact your Intune Administrator stephen@ or please make a Jira ticket in the Jira "Submit Ticket" button at www.jira.com
Turn on log collection and diagnostics page for end users Yes
Only show page to devices provisioned by out-of-box experience (OOBE) Yes
Install Windows updates (might restart the device) Yes
Block device use until all apps and Yes

Previous

Create

Your new "Enrollment Status" Page is Ready and is "Assigned"

Home > Devices | Enrollment

Enrollment Status Page ...

Windows enrollment

+ Create Refresh Export Columns

The enrollment status page appears during initial device setup and during first user sign in. If enabled, users can see the configuration device. [Learn more.](#)

	Priority	Name	Assigned
:	1	ESP Enrollment	Yes

Step6: Register your Corporate Device
to intune

Step6: Preparing a Corporate Device for Autopilot in Intune

Now we will see AutoPilot in action with one of our Corporate Devices.

This is our HPProDesk 400.

We will deploy this Device through Intune Autopilot and provide our user's their new company compliant desktop.


Connect your Device to your Company network and plug-in a Mouse and Keyboard for testing.







Sign-in to the Device with your locally created credentials.


Once Signed in to the New Device – Go to **System – About – Under Related Links** click **“Domain or Workgroups”**






Under “**System Properties**” click “**Change**” Input the Devices new name for example “**Corp-WS-0001**” and provide your Domain to the Device to be Hybrid-joined into Entra.







Login with a **privileged administrator account** with permissions to join the device to your Domain.



Sign in with your Domain Administrator Account




The Pc will require a restart to fully join your Company Domain.



Your HP ProDesk is now domain-joined to your m365 hybrid tenant.

Now that your device is domain joined go into "**Settings**" "**Accounts**" then "**Access work or school**" And click "Connect" and provide the login credentials of your organizations user who will be using the device.



Accounts > Access work or school

Get access to resources like email, apps, and the network. Your work or school might control some things on this device when connected.

Add a work or school account

Connect



Connected to [redacted] domain



MICROSOFT account




Set up a work or school account

You'll get access to resources like email, apps, and the network. Connecting means your work or school might control some things on this device, such as which settings you can change. For specific info about this, ask them.

stephen@[redacted]




Next



Now the device is being registered into Entra to attach the users object to the desktop device.

Now your Device has been registered in **Microsoft Entra ID**.



Next, we will go through grabbing the device's Hash number to add it to **"AutoPilot"** Devices

Step 7: Grab the Device Hash for Intune Autopilot

Step 7: **Grab the Device Hash to add the Device to Intune Autopilot**

First, grab the “**Device Hash**” from the new Organization's desktop.


Open Powershell as an Administrator



Start with typing the command “**Install-Script -Name WindowsAutoPilotInfo**”

```
PS C:\WINDOWS\system32> Install-Script -Name Get-WindowsAutoPilotInfo
```

For the untrusted repository type “**Y**”



Next type "**Set-ExecutionPolicy**" just for your current task.

"Set-ExecutionPolicy RemoteSigned -Scope CurrentUser"

```
PS C:\WINDOWS\system32> Set-ExecutionPolicy RemoteSigned -Scope CurrentUser
```

When prompted type “**Y**” for the ExecutionPolicy installation

```
Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might
https://go.microsoft.com/fwlink/?LinkID=135170. Do you want to change the execution policy?
[Y] Yes [A] Yes to All [N] No [L] No to All [S] Suspend [?] Help (default is "N"): Y_
```

Lastly, grab the Device Hash with this Script command "**Get-WindowsAutoPilotInfo.ps1**".

Use "**Set-Location**" to specify a folder location for your .csv file.

Then use "**Get-WindowsAutoPilotInfo -OutputFile "provide name".csv**" to export the .csv file with your devices autopilot information.


```
PS C:\WINDOWS\system32> Get-WindowsAutoPilotInfo.ps1
```

```
Hardware Hash
-----
T0G1BAEAHAAAAAoAsx/0ZQAACgC1H1hmq2N4
```

```
S C:\WINDOWS\system32> Set-Location C:\Users\
S C:\Users\
```


```
PS C:\Users\ Get-WindowsAutoPilotInfo -OutputFile AutoPilotHWID.csv_
```

Grab the output of the "**AutopilotHWID.csv**"




Upload the .csv file to Intune's In Devices - Platform Windows - Enrollment - Window's AutoPilot - Devices


In Windows AutoPilot Devices at the top of the page click **"Import"**.



On the right side of the browser, a pane will pop-up “**Add AutoPilot Devices**”. Click the folder icon and add the **.CSV** file you collected.




You will see the Row formatted correctly to allow the “**Import**” to go through properly.



Now **Click** the “**Import**” button and wait for your device to be enrolled into Windows Autopilot

Import



The device has now been successfully imported into Autopilot Devices.

Next, we need to give Windows Autopilot the Device's Name and the Group Tag it should be assigned to.

Step 8: Add Name Group tag in
Windows AutoPilot

Step 8: **Giving your Corporate Device a Name and Group Tag in “Windows AutoPilot Devices”** And **assign a user** to the Device.

Inside your **“Windows Autopilot Devices”** find your newly imported Device in the List of Devices. **Click** on the Device listed.

Windows Autopilot devices 

Windows enrollment ×

 Refresh  Export  Columns  Sync  Import  Assign user  Delete  Unblock device 4 items loaded

  Add filters

Windows Autopilot lets you customize the out-of-box experience (OOBE) for your users.

	8CC8350MJB	HP	HP ProDesk 40...	IntuneDevices
---	-------------------	----	------------------	---------------

8CC8350MJB - Pro... ×

Windows Autopilot devices

User ⓘ
unassigned

Serial number ⓘ
8CC8350MJB

Manufacturer ⓘ
HP

Model ⓘ
HP ProDesk 400 G4 DM 

Device name ⓘ
  

Group tag ⓘ
  

Next, assign a user to the device so it will have an account to go to when it is reset. I have assigned the user **“Stephen”** to use this device. Now go ahead and click **“Save”**



8CC8350MJB

HP

HP ProDesk 40...

Home > Devices | Enrollment

Windows Autopilot devices

Windows enrollment

Refresh Export Columns Sync Import Assign user Delete Unblock device



Select user

Try changing or adding filters if you don't see what you're looking for.

Search



10 results found

Users

Selected (1)

Reset



stephen morton
stephen@



8CC8350MJB - Pro...

Windows Autopilot devices

User

stephen@

User friendly name

stephen



Serial number

8CC8350MJB

Manufacturer

HP

Model

HP ProDesk 400 G4 DM

Device name




CORP-WS-0001

Group tag


Deployed Devices



Now have the user “**Stephen**” login to their new HP desktop device.



Lastly go to "Devices" - "All Devices" select this machine you want to configure "Corp-WS-0001"



Look for "CORP-WS-0001" in the device name list and click on the device.

Refresh Export Columns Bulk device actions

Search Add filters

Device name	Managed by	Ownership	Compliance	OS	OS version	Primary user ...
CORP-PC03	Intune	Personal	✓ Compliant	Windows	10.0.26100.1742	
CORP-WS-0001	Intune	Corporate	✓ Compliant	Windows	10.0.26200.8246	

 CORP-WS-0001

Search

 Retire  Wipe  Delete  Remote lock  Sync  Reset passcode  Restart  Collect diagnostics

 Overview

Manage

 Properties

Monitor

 Device inventory

 Device query

 Hardware

 Discovered apps

 Device compliance

 Device configuration

 App configuration

 Recovery keys

 User experience

 Quick scan: Completed

^ Essentials

Device name
CORP-WS-0001

Management name
stephen_Windows_4/20/2026_3:46 AM

Ownership
Corporate

Serial number
8CC8350MJB

Phone number

Device manufacturer
HP

Primary user
[stephen](#)

Enrolled by
[stephen](#)

Compliance
Compliant

Operating system
Windows

Device model
HP ProDesk 400 G4 DM


Last check-in time
4/22/2026, 11:56:20 PM

Remote assistance
Not configured


Final Step Perform sync and install apps


Final Step: Perform a Sync of the Device and install Intune Approved Applications from Microsoft "Company Portal"

In the properties of "**CORP-WS-0001**" press "**Sync**" then let the device perform an update



Next, perform a "**Restart**" on the device. Click "**Yes**" and wait for the restart to "**Initiate**"





You're about to be signed out

Your device administrator has scheduled a reboot



The device has successfully restarted with the **“Restart”** command.

Device action status ×

Action

Restart

Status

Complete

Date/Time


4/20/2026, 12:58:26 AM




To further provide management and maintain compliance with company devices.

Microsoft provides an application store for your Intune applications called "**Company Portal**"


You can install the Company Portal from the "**Microsoft Store App**"



We can also see whenever new applications are installed to the device if the user decided to install Intune approved applications from the "**Company Portal**"



Here we can see the application was successfully installed when the user requested “**Google Chrome**”



Google Chrome - Installation details

 Refresh  Collect diagnostics  Download diagnostics

 User requested application
4/20/2026 1:16:55 AM
|

In review we have done the following for our Intune Device Deployment:

-We have successfully enrolled our HP ProDesk into our organization's M365 Intune Devices.

-We successfully assigned a user to the device and had them sign in.

-We performed a synchronization of the device, forced a restart for remote management capabilities, and monitored application's installation performed by the user within the "Microsoft Company Portal" under an approved Win32 application created and updated in "Microsoft Intune admin Center"

-We "On-boarded/Off-Boarded" the user's device by using the "Fresh Start" and 'Wipe" administrative controls, to effectively and efficiently reacquire company computer assets and inventory company devices for lifecycle management.

