UAT and Behat


Stephen Cross – Boston Drupal Group

Stephen Cross


@stephencross - www.StephenCross.com



Development Cycle



Development Cycle



Script

Verify Insite ATF Document is NOT accessible (reproducing issue)

- () Open an incognito window
- () Goto inside-atf/docs/undefined/insideatf-december2017pdf
- () Verify page is NOT visibile
- () Goto inside-atf/docs/undefined/insideatf-december2017pdf/download
- () Verify document does NOT download

Login with access to Inside ATF

- () Open an incognito window
- () Goto resource-center/inside-atf
- () Login with password -
- () Goto inside-atf/docs/undefined/insideatf-december2017pdf

Script

Verify Insite ATF Document is NOT accessible (reproducing issue)

- Open an incognito window
- Goto inside-atf/docs/undefined/insideatf-december2017pdf
- Verify page is NOT visibile
- Goto inside-atf/docs/undefined/insideatf-december2017pdf/download
- Verify document does NOT download

Login with access to Inside ATF

- Open an incognito window
- Goto resource-center/inside-atf
- Login with password -
- Goto inside-atf/docs/undefined/insideatf-december2017pdf

Script

Verify Insite ATF Document is NOT accessible (reproducing issue)

Open an incognito window

🕜 Goto inside-atf/d df **Jira** Verify page is NO () Step 1 🕜 Goto inside-atf/d df/download () Step 2 Verify document () Step 3 Login with access to (/) Step 1 🕜 Open an incognite (/) Step 2 Goto resource-ce (/) Step 3 🕜 Login with passw

Goto inside-atf/docs/undefined/insideatf-december2017pdf

Automation



Behat feature (insideatf.feature)

```
Feature: Inside ATF
Verify an annonymous users does not have access to...
Scenario: Verify private file is not available
   Given I am on "/inside-atf/docs/insideatf-july2017pdf"
   Then I should see "Access denied"
   Given I am on "/inside-atf/docs/insideatf-july2017pdf/download"
   Then I should see "Access denied"
Scenario: Inside ATF Login is working
   Given I am on "/resource-center/inside-atf"
   Then I should see "Protected Page -- Enter password"
   Given for "edit-password" I enter "XXXXXXXXX"
  When I press the "edit-submit" button
   Then I should see "Inside ATF | Bureau of Alcohol, Tobacco, Firearms and Explosives"
```

Execute behat test

> bin/behat features/insideatf.feature

RESULTS:

- 3 scenarios (3 passed)
- 9 steps (9 passed)