


MOUNTING YOUR HANDMADE WOODEN AMERICAN FLAG

STEP-BY-STEP WALL MOUNTING GUIDE

1

WHAT'S INCLUDED WITH YOUR FLAG?



A: French cleat

B: Mounting Template


C: Wall Anchors (2)

D: 1.25" Wall Anchor Screws (2)

E: 2.5" Wood Screw

2

WHAT YOU NEED TO MOUNT IT



A: Tape

B: Level

C: Pencil

D: Screwdriver

E: Hammer

F: Measuring Tape

G: Screw Gun

H: Stud Finder

I: Any Pointy Poking Tool

MOUNTING YOUR HANDMADE WOODEN AMERICAN FLAG

STEP-BY-STEP WALL MOUNTING GUIDE



3

CHOOSE YOUR MOUNTING OPTION

OPTION 1



USE ONE STUD + ONE ANCHOR

OR

OPTION 2



USE TWO WALL ANCHORS

- _____
- _____
- _____

4

FIND AND MARK THE WALL STUD

OPTION 1 ONLY



A: French cleat

- _____
- _____
- _____
- _____
- _____





MOUNTING YOUR HANDMADE WOODEN AMERICAN FLAG

STEP-BY-STEP WALL MOUNTING GUIDE

5

TAPE THE TEMPLATE TO THE WALL AND LEVEL IT

BOTH
OPTIONS

- Hold the level up parallel to the dotted line on the template. Adjust the angle of both the paper and the level until the bubble inside the level indicates that the piece of paper is perfectly level. Then tape the template to the wall
- The template should now sit level on your wall. Doing this step correctly will ensure the french cleat will be screwed to the wall perfectly horizontally, and that your flag will always be level


MOUNTING YOUR HANDMADE WOODEN AMERICAN FLAG

STEP-BY-STEP WALL MOUNTING GUIDE




6


CHECK THE FLAG WIDTH AND PLACEMENT

BOTH
OPTIONS


- Measure 16- $\frac{3}{8}$ " off the left edge of the sheet of paper. Mark that spot with tape to indicate how far the left side of the flag will extend to




- Measure 9- $\frac{5}{8}$ " off the right edge of the sheet of paper. Mark that spot with tape to indicate how far the right side of the flag will extend to



- As a test, measure from the left piece of tape to the right. It should measure 37"



- Mark the top of the template with tape to indicate where the top of the flag will be



- There are now 3 pieces of tape to help visualize the location of your flag



MOUNTING YOUR HANDMADE WOODEN AMERICAN FLAG


STEP-BY-STEP WALL MOUNTING GUIDE




7

PIERCE THROUGH THE TEMPLATE TO MARK THE WALL

BOTH
OPTIONS



- _____
- _____
- _____



- _____
- _____
- _____



- _____
- _____
- _____



MOUNTING YOUR HANDMADE WOODEN AMERICAN FLAG

STEP-BY-STEP WALL MOUNTING GUIDE



8

INSTALL THE WALL ANCHOR(S)

VARIES
BY OPTION



- _____
- _____
- _____
- _____



- _____
- _____
- _____
- _____



- _____
- _____
- _____
- _____



MOUNTING YOUR HANDMADE WOODEN AMERICAN FLAG

STEP-BY-STEP WALL MOUNTING GUIDE



9

START THE SCREWS THROUGH THE FRENCH CLEAT

BOTH
OPTIONS



- _____
- _____
- _____
- _____
- _____
- _____

10

ALIGN THE CLEAT WITH THE MARKED HOLES

BOTH
OPTIONS



- _____
- _____
- _____
- _____
- _____
- _____



MOUNTING YOUR HANDMADE WOODEN AMERICAN FLAG


STEP-BY-STEP WALL MOUNTING GUIDE



11

TIGHTEN THE CLEAT AND RECHECK LEVEL

**BOTH
OPTIONS**



- _____
- _____
- _____
- _____



- _____
- _____
- _____
- _____



- _____
- _____
- _____
- _____



MOUNTING YOUR HANDMADE WOODEN AMERICAN FLAG

STEP-BY-STEP WALL MOUNTING GUIDE



12

MOUNT THE FLAG ONTO THE CLEAT

BOTH
OPTIONS



Insert Photo

- _____
- _____
- _____
- _____



Insert Photo

- _____
- _____
- _____
- _____



- _____
- _____
- _____
- _____




MOUNTING YOUR HANDMADE WOODEN AMERICAN FLAG

STEP-BY-STEP WALL MOUNTING GUIDE



13

FINISHED FLAG ON THE WALL



- Note: the flag should be flat against the wall and not tilted at an angle
- Note: the edges of the flag line up with the alignment tape from step 6

14

FINAL CHECK

- ☒ Flag is fully seated on the wall and stable.
- ☒ Mounting hardware is secure.
- ☒ Flag is level and straight.
- ☒ All mounting points are tight.

