

distractionless Documentation

DISTRACTIONLESS DOCUMENTATION

Johannes Rappen

distractionless Documentation, 2.2.2, © Johannes Rappen.

ISC License Copyright (c) 2019, Johannes Rappen jrappen@outlook.com¹ Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies. THE SOFTWARE IS PROVIDED “AS IS” AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

¹<mailto:jrappen@outlook.com>

Chapter 1

distractionless plug-in for Sublime Text¹

1.1 Requirements

distractionless targets and is tested against the **latest Build** of Sublime Text, currently requiring **Build 4050** or later.

- Download [Sublime Text](#)²
 - (stable channel)
 - (dev channel)

1.2 Installation

Using **Package Control** is not required, but recommended as it keeps your packages (with their dependencies) up-to-date!

Installation via Package Control

- [Install Package Control](#)³
 - Close and reopen Sublime Text after having installed Package Control.
- Open the Command Palette (**Tools > Command Palette**).
- Choose **Package Control: Install Package**.
- Search for [distractionless on Package Control](#)⁴ and select to install.

1.3 Usage

distractionless makes Sublime Text automatically enter **Distraction Free mode**⁵ in a windowed environment when you start editing a file.

distractionless will then make Sublime Text automatically switch back to normal mode as soon as:

- you save, open or clone a file.
- you open new, switch or close tabs.
- Sublime Text gains focus.

¹<https://www.sublimetext.com>

²<https://www.sublimetext.com>

³<https://packagecontrol.io/installation#st3>

⁴<https://packagecontrol.io/packages/distractionless>

⁵https://www.sublimetext.com/docs/3/distraction_free.html

Settings

Use the settings of Sublime Text to customize how views are displayed in each mode:

- Preferences > Settings
- Preferences > Settings - Syntax Specific
- Preferences > Settings - Distraction Free

You might want to set the following in Preferences > Settings:

```
{
  "auto_hide_menu": true,
  "auto_hide_status_bar": true,
  "auto_hide_tabs": true
}
```

Use the distractionless settings to further customize when and what is toggled:

- Preferences > Package Settings > distractionless > Settings

Below the currently supported settings:

```
{
  // number of changes after which UI is toggled automatically
  "distractionless.toggle_after": 1,

  // toggle minimap when switching modes
  "distractionless.toggle_minimap": true,

  // toggle sidebar when switching modes
  "distractionless.toggle_sidebar": true
}
```

1.4 Source Code

github.com/jrappen/sublime-distractionless⁶

License

See [LICENSE](#)⁷.

Issues

Please use the command palette or the main menu to report an issue.

1.5 Donations

[paypal.me/jrappen](https://www.paypal.me/jrappen)⁸

⁶<https://www.github.com/jrappen/sublime-distractionless>

⁷<https://github.com/jrappen/sublime-distractionless/blob/master/LICENSE>

⁸<https://www.paypal.me/jrappen>