

Praxis Trading Platform

UI Walkthrough — Partner Brief (Redesign)

This document walks through the redesigned Praxis dashboard one surface at a time. The frontend was rebuilt over Phases 1–9 of the redesign program; the merged design portfolio (docs/design/) governs visual and IA decisions. Every behavior described below is grounded in source code — file paths and line ranges are listed under each section.

The redesign is organized around **five canonical surfaces** and a shared chrome:

- **Hot Trading** — /hot/{symbol} — the cockpit, max density. 70%+ of session time.
- **Agent Observatory** — /agents/observatory — the analyst's workbench. 15–25% of session.
- **Risk Control** — /risk — highest-stakes surface; must stay responsive when others degrade.
- **Backtesting** — /backtests + detail / compare — validate profile changes before they go live.
- **Settings** — /settings/{section} — CALM mode; configure intent, not react to markets.

Mode contract. Every surface declares data-mode="hot|cool|calm" on its root. The three modes share a token vocabulary but differ in density, visual budget, and tone. HOT is the cockpit; COOL is the analyst's workbench; CALM is the office where you configure intent.

Contents

1. Hot Trading — cockpit (chart + book + tape + order entry)

Chrome — Engine-totals pill (*new, Phase 10.1*)

Hot Trading — Profile comparison grid (*new, Phase 10.2*)

Profile cockpit — Decisions tab (*new, Phase 10.3*)

Profile cockpit — Decision drill-down drawer (*new, Phase 10.3*)

Profile cockpit — Positions tab (*new, Phase 10.3*)

Profile cockpit — Position chain drill-down drawer (*new, Phase 10.3*)

Profile cockpit — Daily P&L tab (*new, Phase 10.4*)

Profile cockpit — Day transparency drill-down drawer (*new, Phase 10.4*)

Profile cockpit — Attribution tab (*new, Phase 10.4*)

2. Agent Observatory — roster + event stream + focus panel


3. Risk Control — kill switch + exposure + active limits

Risk Control — All-profiles risk matrix (*new, Phase 10.1*)

4. Backtesting — run list
5. Backtesting — run detail
6. Backtesting — compare view
7. Settings — navigation
8. Settings — Profiles
9. Settings — Exchange keys
10. Settings — Risk defaults (newly wired)
11. Settings — Notifications (partial)
12. Settings — Tax (Pending)
13. Settings — Account
14. Settings — Sessions / API (newly wired)
15. Settings — Audit log

1. Hot Trading — cockpit

Screenshot: hot_trading_default.png



/hot/{symbol} is the surface that opens on sign-in. Three-column grid: collapsible left rail + center column (chart on top, order book + trades tape below, positions / open orders / fills tabs at the bottom) + right column (order entry on top, agent summary below). HOT mode, max density — this is the cockpit.

What the screenshot is showing

- **Chart** — lightweight-charts candle chart with timeframe selector (1m / 5m / 15m / 1h / 4h / 1d). Fluid layout so candles paint correctly across viewport sizes.
- **Order book** — 50 price levels per side, 1.0-tick aggregation default, mid + spread anchored center. DOM virtualized; never more than ~60 visible rows.
- **Trades tape** — TapeRow stream, max 200 buffered, newest at top. Auto-scroll lock if the user scrolls up.
- **Positions** tab — every open position for the active profile, refreshing on every tick. Negative unrealized in **ask**, positive in **bid**.
- **Order entry** — side toggle (B / S keys), market / limit type (M / L), size, leverage, post-only / reduce-only flags. Submits to /orders.
- **Agent summary** (right column, below order entry) — recent AgentTrace cards (TA, regime, sentiment); embedded DebatePanel surfaces when a debate is in flight.

- **Chrome connection pill** top-right is /ready-aware (ADR-017): green LIVE / amber DEGRADED / red 503 STALE.


Source of truth (code)

```
frontend/app/hot/[symbol]/page.tsx    // surface composition
frontend/components/trading/PriceChart.tsx    // fluid chart + timeScale().fitContent() +
monotonic-skip in update path

frontend/components/trading/OrderBook.tsx    // virtualized DOM
frontend/components/trading/TapeRow.tsx    // streaming tape
frontend/components/trading/PositionsPanel.tsx
frontend/components/trading/OrderEntryPanel.tsx
frontend/components/agent/AgentSummaryPanel.tsx
docs/design/05-surface-specs/01-hot-trading.md    // surface spec
```

Chrome — Engine-totals pill (new, Phase 10.1)

Screenshot: chrome_engine_pill_expanded.png



Anchored to the right of the trading-mode pill on every surface. Headline state shows net P&L since boot (positive = bid-green, negative = danger-red, zero = neutral). Clicking expands a popover with the full strip — gross P&L, trades, win rate, max DD, Sharpe — plus a deep link to /hot/profiles. The operator's “is the engine still net-positive today?” glance, available from any surface.

What the screenshot is showing

- **Collapsed headline** — engine -8,648.09 in danger-red because the cumulative P&L is negative on this run.

- **Expanded popover** — six metrics in a two-column grid: Net P&L, Gross P&L, Trades, Win rate, Max DD, Sharpe.
- **Footer** — since 2026-04-28 + deep link “open detailed report” → /hot/profiles.
- **Poll discipline** (added 2026-05-13 after a backend-saturation incident): 30 s interval, in-flight guard so polls never stack, 20 s AbortController timeout, stale value survives failed polls — no blink to —.

Source of truth (code)

frontend/components/shell/EngineTotalsPill.tsx

frontend/components/shell/StatusPills.tsx // wires the pill into chrome


frontend/lib/api/client.ts // api.paperTrading.status({ signal })

docs/design/02-information-architecture.md // §4.1 chrome pill spec

docs/design/09-decisions-log.md // ADR-018 placement rationale

Hot Trading — Profile comparison grid (*new, Phase 10.2*)

Screenshot: hot_profiles_grid.png



The “Hot Trading” rail entry now covers two URL spaces (ADR-018): symbol-axis execution at /hot/{symbol} and profile-axis observation under /hot/profiles[/. . .]. The grid is the index: one card per active profile, sorted by net P&L since boot descending, with an “Add profile” tile linking to /canvas.

What the screenshot is showing

- **Five cards**, sorted by P&L: Demo Pullback Long (+1,423.92) at top, Trend Following (−232.67) at the bottom. Positive cards render the P&L in bid-green with an upward sparkline; negative in danger-red with downward.
- **Per-card data** — status dot + name + paper mode pill in the header, big net-P&L value with a 24-trade cumulative sparkline, a 2×2 grid for Trades today / Win rate / Drawdown / Allocation, plus a footer with

open-position count + last-trade-relative time.

- **Cross-link rules** per IA §3 — profile name → cockpit, P&L sparkline → Daily P&L tab, drawdown → /risk, open-positions → Positions tab.
- **Data aggregation** — backend has no per-profile metricsSinceBoot endpoint yet, so the grid does four parallel calls and groups client-side. Four backend round-trips regardless of profile count.

Source of truth (code)

frontend/app/hot/profiles/page.tsx

frontend/lib/api/client.ts // api.audit.closedTrades + api.positions.list({ profileId })

docs/design/05-surface-specs/01-hot-trading.md // §9.1 grid spec

Profile cockpit — Decisions tab (*new, Phase 10.3*)

Screenshot: cockpit_decisions.png

The screenshot shows the 'Decisions' tab for a profile named 'Demo · Pullback Long'. The header includes a back-link, profile name, and a five-card MetricStrip (Net P&L since boot, Trades today, Win rate, Drawdown, Allocation). The table lists 18 decisions for ETH/USDT, all with an 'approved' outcome. The table columns are Time, Symbol, Outcome, Direction, Confidence, RSI, and ATR. A left-edge accent bar indicates the row is clickable.

TIME	SYMBOL	OUTCOME	DIRECTION	CONFIDENCE	RSI	ATR
02:02:56 AM	ETH/USDT	approved	BUY	0.66	46.8	55208.94
02:02:33 AM	ETH/USDT	approved	BUY	0.66	46.7	56292.42
02:01:13 AM	ETH/USDT	approved	BUY	0.66	47.4	61731.84
02:00:22 AM	ETH/USDT	approved	BUY	0.66	47.1	60665.52
01:59:33 AM	ETH/USDT	approved	BUY	0.66	45.7	43066.71
01:56:56 AM	ETH/USDT	approved	BUY	0.66	46.3	48889.98
01:53:23 AM	ETH/USDT	approved	BUY	0.66	46.8	57824.33
01:51:40 AM	ETH/USDT	approved	BUY	0.65	47.2	62033.92
01:35:48 AM	ETH/USDT	approved	BUY	0.67	46.6	52972.28
01:24:14 AM	ETH/USDT	approved	BUY	0.66	46.5	52685.12
01:14:57 AM	ETH/USDT	approved	BUY	0.64	46.2	47996.92
01:00:53 AM	ETH/USDT	approved	BUY	0.66	46.8	55754.23
12:58:30 AM	ETH/USDT	approved	BUY	0.65	46.0	48462.41
12:58:25 AM	ETH/USDT	approved	BUY	0.65	46.6	52484.37
12:56:54 AM	ETH/USDT	approved	BUY	0.65	47.1	57396.71

Per-profile observation surface at `/hot/profiles/{id}`. The header carries a back-link, profile name + live status dot, profile-switch dropdown, and a five-card MetricStrip (Net P&L since boot, Trades today, Win rate, Drawdown, Allocation). Tabs are URL-routable and persist per profile via `localStorage`. The Decisions tab is the default and lists every signal the engine evaluated for this profile.

What the screenshot is showing

- **Filter chips** — All / Approved / Blocked. Refresh affordance at the right with last-fetch indicator.
- **Table** — Time, Symbol, Outcome (color-coded pill), Direction (bid/ask tone), Confidence, RSI, ATR. Left-edge accent bar per row (bid-green for approved, danger-red for blocked).
- **Hover state** — row highlights and a right-aligned chevron fades in, signalling the row is clickable.
- **Row click** opens the drill-down drawer covered in the next section.
- **URL drill-through**: `?tab=decisions` for the table view; selection state lives in `?decision={event_id}`.

Source of truth (code)

frontend/app/hot/profiles/[id]/page.tsx


frontend/app/hot/profiles/[id]/_components/DecisionsTab.tsx

frontend/app/hot/profiles/[id]/_components/MetricStrip.tsx

docs/design/05-surface-specs/01-hot-trading.md // §9.2.1 spec

Profile cockpit — Decision drill-down drawer (new, Phase 10.3)

Screenshot: cockpit_decisions_drawer.png



Clicking any row on the Decisions tab opens a 420 px right-side drawer with the full TradeDecision broken into named sections. Backdrop dims the underlying table; the drawer is scrollable independently. Esc, click-outside, or the X button dismiss.

What the screenshot is showing

- **Drawer header** — symbol · direction (e.g. ETH/USDT · BUY) + timestamp + truncated event ID + an “open {symbol} →” action that deep-links to /hot/{symbol}.
- **Setup** — strategy, direction, base + before / after confidence, input price.
- **Regime** — resolved / rule-based / HMM with multiplier.
- **Indicators** — RSI, MACD, Signal, Histogram, ATR, ADX.
- **Agent scores** — per-agent score × weight, color-tinted by sign (TA, sentiment, debate).
- **Gates** — every gate the decision passed or blocked on, with the block reason inline.
- **Strategy conditions** — each evaluated condition with actual value vs. threshold and a ✓/✗ pass mark.
- **Resulting order** — order ID linkout when the decision was approved.

- **Shareable URL:** `?tab=decisions&decision={event_id}` opens the cockpit with this drawer already expanded.

Source of truth (code)

`frontend/app/hot/profiles/[id]/_components/DecisionsTab.tsx` // DecisionDetail render

`frontend/app/hot/profiles/[id]/_components/DetailDrawer.tsx` // shared drawer shell

Profile cockpit — Positions tab (*new, Phase 10.3*)

Screenshot: `cockpit_positions.png`

The screenshot shows the 'Positions' tab in the Profile Cockpit. At the top, there's a header with the profile name 'Demo · Pullback Long' and a dropdown menu. Below this, a summary row displays key metrics: 'NET P&L SINCE BOOT' at +1,423.92, 'TRADES TODAY' at 40, 'WIN RATE TODAY' at 25.0%, 'DRAWDOWN' at -4.02%, and 'ALLOCATION' at 0.0% / 15%. The main section is a table of open positions, with a '93 open positions' chip at the top left. The table has columns for SYMBOL, SIDE, QTY, ENTRY, MARK, UNREAL., %, and AGE. All positions are 'long' and for the 'ETH/USDT' pair. The 'UNREAL.' and '%' columns are color-coded: red for negative values and green for positive values. A right-aligned chevron is visible on the far right of the table.

SYMBOL	SIDE	QTY	ENTRY	MARK	UNREAL.	%	AGE
ETH/USDT	long	0.1811	\$2279.15	\$2272.54	-\$2.02	-0.49%	22.6h
ETH/USDT	long	0.2423	\$2281.76	\$2272.54	-\$3.34	-0.60%	9.7h
ETH/USDT	long	0.2428	\$2279.81	\$2272.54	-\$2.87	-0.52%	9.7h
ETH/USDT	long	0.2431	\$2277.53	\$2272.54	-\$2.32	-0.42%	9.7h
ETH/USDT	long	0.2431	\$2277.40	\$2272.54	-\$2.29	-0.41%	9.7h
ETH/USDT	long	0.2436	\$2270.50	\$2272.54	-\$0.61	-0.14%	9.7h
ETH/USDT	long	0.2201	\$2270.71	\$2272.54	-\$0.60	-0.15%	9.7h
ETH/USDT	long	0.2436	\$2270.28	\$2272.54	-\$0.56	-0.14%	9.7h
ETH/USDT	long	0.2437	\$2269.47	\$2272.54	-\$0.36	-0.12%	9.7h
ETH/USDT	long	0.2201	\$2270.66	\$2272.54	-\$0.59	-0.15%	9.7h
ETH/USDT	long	0.1908	\$2271.15	\$2272.54	-\$0.63	-0.16%	9.7h
ETH/USDT	long	0.1797	\$2271.32	\$2272.54	-\$0.60	-0.17%	9.7h
ETH/USDT	long	0.2438	\$2268.56	\$2272.54	-\$0.14	-0.09%	9.7h
ETH/USDT	long	0.2433	\$2272.89	\$2272.54	-\$1.19	-0.22%	9.7h
ETH/USDT	long	0.2443	\$2265.78	\$2272.54	+\$0.54	-0.01%	9.7h

Cross-symbol open positions for this profile (the legacy panel was symbol-scoped; this is profile-scoped). The table view lists every open position; click a row to drill into the full lineage and a market-close action (next section).

What the screenshot is showing

- **Table** — Symbol, Side (long/short pill), Qty, Entry, Mark, Unrealized \$ / %, Age. Color-tinted per side and per P&L sign; left-edge accent matches the side.
- **Open-count chip** at the top of the tab body shows the live count of open positions for this profile.
- **Hover state** — row highlights, right-aligned chevron fades in.
- **5 s poll cadence** for live mark/unrealized updates, with the in-flight guard so a slow tail doesn't stack requests.

Source of truth (code)


`frontend/app/hot/profiles/[id]/_components/PositionsTab.tsx`

`frontend/lib/api/client.ts` // `api.positions.list({ profileId })`

`docs/design/05-surface-specs/01-hot-trading.md` // §9.2.2 spec

Profile cockpit — Position chain drill-down drawer (new, Phase 10.3)

Screenshot: cockpit_positions_drawer.png



Row click on the Positions tab opens the position chain — the full decision → order → position lineage assembled by `api.audit.chain(decision_event_id)`. Includes a primary market-close action at the bottom of the drawer.

What the screenshot is showing


- **Drawer header** — symbol · side (e.g. ETH/USDT · long) + age (“opened 17.8h ago”) + “open {symbol} →” link.
- **Live state** — Symbol, Side / Qty, Entry, Mark, Unrealized (\$ + %), Notional, Stop (\$price), Target (\$price), Age. Stop renders in danger-red, target in bid-green.
- **Why we entered** — regime resolved, final score, rationale (if recorded).
- **Agent scores** — ranked by absolute score; weight shown next to each.
- **Gates** — every gate the originating decision passed, with reason for any blocks.
- **Refs** — truncated decision event ID + position ID for cross-referencing logs / DB.
- **Close at market** action at the bottom — confirms before submitting to `POST /positions/{id}/close`.
- **Shareable URL**: `?tab=positions&position={position_id}`.

Source of truth (code)

```
frontend/app/hot/profiles/[id]/_components/PositionsTab.tsx    // PositionDetail render
services/api_gateway/src/routes/audit.py    // /chain/{decision_event_id}
services/api_gateway/src/routes/positions.py    // POST /positions/{id}/close
```

Profile cockpit — Daily P&L tab (new, Phase 10.4)

Screenshot: cockpit_daily_pnl.png



Per-day P&L sparkline at the top + a table of trading days. The sparkline is tagged *engine-wide* because per-profile daily summaries need a backend aggregator (TECH-DEBT). Click any day row to drill into the day's full transparency (next section).

What the screenshot is showing

- **Top strip** — engine net P&L since boot + 10-day sparkline (area + midline) + engine-wide Pending tag.
- **Note** below the sparkline explains the gap: “Daily reports are engine-wide totals — the day drawer below filters trade lineage to this profile.”
- **Table** — Date, Trades, Win rate, Gross, Net, Max DD, Sharpe. Left-edge accent: bid-green when net positive, danger-red when negative.
- **Hover** — row highlights + chevron fades in.
- **60 s poll cadence** — this is a daily-rollup surface, not real-time.

Source of truth (code)


```
frontend/app/hot/profiles/[id]/_components/DailyPnlTab.tsx
```

```
frontend/lib/api/client.ts // api.paperTrading.status() for the daily-reports array
```

```
docs/design/05-surface-specs/01-hot-trading.md // §9.2.3 spec
```

Profile cockpit — Day transparency drill-down drawer (new, Phase 10.4)

Screenshot: cockpit_daily_pnl_drawer.png



Row click on the Daily P&L table opens the day's transparency report. The drawer fetches `api.paperTrading.reportDetail(date)` and filters the trades and blocked attempts to the URL profile — this is where operators see exactly what their profile did (or didn't do) on a given day.

What the screenshot is showing


- **Drawer header** — date (e.g. 2026-05-01) + “full transparency · this profile” subtitle.
- **Engine totals (this day)** — engine-wide trades, win rate, net P&L, Sharpe for context.
- **This profile (filtered)** — trades, win rate, net P&L, blocked count specifically for this profile.
- **Closed trades** — per-trade card with symbol, outcome, realized \$ + %, entry → exit, hold duration, close reason, slippage. Each card has a “view decision lineage →” link that deep-links to `?tab=decisions&decision={event_id}`.
- **Blocked attempts** — up to 10 cards showing symbol, outcome, blocking gates + reasons, time.
- **Diagnostic example** from the screenshot: on 2026-05-01 the engine had 7 winning trades but this profile had 0 closed trades and 100 blocked attempts (all `risk_gate (trade_below_minimum)`) — the answer to “why didn't my profile trade?” that used to require grepping logs.
- **Shareable URL**: `?tab=daily-pnl&date=YYYY-MM-DD`.

Source of truth (code)

```
frontend/app/hot/profiles/[id]/_components/DailyPnlTab.tsx // DailyReportDrawer render
frontend/lib/api/client.ts // api.paperTrading.reportDetail(date)
services/api_gateway/src/routes/paper_trading.py // reports/{date}/detail
```

Profile cockpit — Attribution tab (new, Phase 10.4)

Screenshot: `cockpit_attribution.png`



Symbol-axis attribution analytics for this profile. A symbol-scope picker defaults to the most-traded symbol the profile has touched; three sections analyze the engine's behavior.

What the screenshot is showing

- **Gate efficacy** — per-gate pass/block counts sorted by block count desc. On the demo profile, `circuit_breaker` is blocking 186 / 500 (37% of all decisions) — the diagnostic answer to “why does this profile never trade?”.
- **Per-agent contribution** — win rate × avg P&L by (TA / Sentiment / Debate) stance pattern over the last 7 days. Confidence lift per pattern shown on the right.
- **Weight evolution** — last-7d agent weight + EWMA accuracy + a sparkline per agent. Tagged *Pending* for the profile-filter gap because the backend endpoint is currently symbol-only.
- **Symbol picker** at the top — discovered client-side from this profile's closed trades; rerenders all three sections when changed.

Source of truth (code)

```
frontend/app/hot/profiles/[id]/_components/AttributionTab.tsx
```


```
frontend/lib/api/client.ts    // agentPerformance.gateAnalytics + agentAttributionSummary + weightHistory
```

```
services/api_gateway/src/routes/agent_performance.py
```

```
docs/design/05-surface-specs/01-hot-trading.md    // §9.2.4 spec
```

2. Agent Observatory

Screenshot: `observatory_default.png`



/agents/observatory is the analyst's workbench. Three columns: agent roster on the left (each row: agent name + StatusDot + last-emit time), chronological event stream in the middle (virtualized AgentTrace cards), focus panel on the right. When no event is selected the focus panel shows a summary dashboard; click any trace to expand its reasoning chain.

What the screenshot is showing

- **Agent roster** (220px left) — ta_agent, regime_hmm, sentiment, slm_inference, debate, analyst. Click toggles include-this-agent filter; right-click for per-agent actions.
- **StatusDot states:** live (emitted within liveness window), idle (>5m since last emit), error (last emit was an error), disabled (toggled off).
- **Event stream** — virtualized chronological feed. Each AgentTrace card shows agent + symbol + decision + confidence + one-line summary. Click to expand inline; click the avatar to zoom right column to that agent's focus view.
- **Filter facets** at top: agent type, symbol, time window (1h / 4h / 24h / 7d), event type (decision / debate / abstain).
- **HITL approval queue** lives here (when populated) — signals held by the HITL gate appear at the top of the stream with Approve / Reject / See full trace buttons.

Source of truth (code)


frontend/app/agents/observatory/page.tsx

frontend/app/agents/observatory/_components/AgentRoster.tsx

frontend/app/agents/observatory/_components/EventStream.tsx
frontend/app/agents/observatory/_components/FocusPanel.tsx
services/api_gateway/src/routes/hitl.py // HITL approve/reject endpoints
docs/design/05-surface-specs/02-agent-observatory.md

3. Risk Control

Screenshot: risk_control_default.png



/risk is the highest-stakes surface. Per the surface spec, this page *must remain interactive when other parts of the app are degraded* — the kill-switch keyboard shortcut (Cmd+Shift+K / Ctrl+Shift+K) and the positions read must work even if the agent system or canvas backend is unavailable.

What the screenshot is showing

- **Kill Switch card** (top) — current state (OFF / ARMED soft / ARMED hard), who set it + when + reason. Two arm actions: soft (blocks new orders, positions remain) or hard (blocks new orders AND auto-flattens at market).
- **Exposure card** — leverage as a RiskMeter, portfolio VaR (1-day 95%), concentration breakdown per symbol, current drawdown vs. peak.
- **Active limits card** — live status per limit (max position size, max leverage, daily loss limit, rate limit). Limits >60% utilized turn amber; breached turn red with a callout.

- **Recent violations** strip — last 5 rejected orders with the rule that blocked them.
- **All-profiles risk matrix** sits above the kill switch (see the next section) — the operator's “which profile needs intervening on, right now?” glance before any kill-switch decision.

Source of truth (code)

```
frontend/app/risk/page.tsx    // surface composition

frontend/components/shell/KillSwitchModal.tsx    // confirm modal (Ctrl+Shift+K)


services/hot_path/src/kill_switch.py    // KillSwitch Redis key + reasoned arm/disarm log

services/api_gateway/src/routes/commands.py    // /commands/kill-switch endpoint

docs/design/05-surface-specs/05-risk-control.md
```

Risk Control — All-profiles risk matrix (*new, Phase 10.1*)

Screenshot: risk_profiles_matrix.png



The all-profiles risk matrix is now the first thing on `/risk`, sitting above the kill switch — the spec phrasing is “which profile needs intervening on, *right now?*” before any kill-switch decision. Replaces the legacy stack of per-profile RiskMonitorCard rows with a horizontally-scrollable card grid, sorted by drawdown severity (worst first).

What the screenshot is showing

- **Header** — section title, active-profile count, “worst drawdown first” sort note.
- **Per card** — profile name + truncated ID; Drawdown bar (current % vs. `auto_pause_drawdown_pct` cap, color-graded: danger at $\geq 85\%$ of cap, warn at $\geq 50\%$); Allocation bar against `max_allocation_pct`; 2x2 grid for Exposure (USDC at risk across open positions) and Open positions count.
- **Cross-links** — entire card → cockpit; Drawdown bar → cockpit Daily P&L tab; Open-positions count → cockpit Positions tab; “open in cockpit” affordance at the footer.

- **Empty state** — “No active profiles. Risk Control monitors active trading; activate a profile in Pipeline Canvas to populate this matrix.” (link to /canvas).
- **Poll discipline** — 30 s interval with in-flight guard; component fan-outs to $1 + 2N$ requests per cycle so without the guard 5 active profiles would mean 11 requests every 10 s.

Source of truth (code)

frontend/components/risk/ProfilesRiskMatrix.tsx

frontend/app/risk/page.tsx // matrix mounted above KillSwitchSection

docs/design/05-surface-specs/05-risk-control.md // §1.1 matrix spec

docs/design/09-decisions-log.md // ADR-018 companion placement rationale

4. Backtesting — run list

Screenshot: backtests_list.png

The screenshot shows the 'Backtesting' section of a trading application. At the top, there are controls for 'live' (green), 'armed: off' (grey), and 'paper' (yellow) modes, along with a search bar and a user profile icon. Below this, the 'Backtesting' title is followed by a description: 'Evaluate profiles against historical data without risking capital.' There are 'Refresh' and 'New backtest' buttons. The main area contains a table with filters for 'Profile' (All profiles), 'Status' (All statuses), 'From' (dd-mm-yyyy), 'To' (dd-mm-yyyy), and a search bar. A 'Density' dropdown is set to 'Standard'. The table itself has columns for Run ID, Profile, Symbol, Range, Trades, Win, Avg, Sharpe, Max DD, and STATUS. Six rows of backtest data are shown, all with a 'Done' status.

Run	Profile	Symbol	Range	Trades	Win	Avg	Sharpe	Max DD	STATUS
#d57ff25	—	BTC/USDT	2026-04-11 → 2026-05-11 · 30d	1,799	6%	-0.20%	-17.33	97.1%	Done
#35afede	—	BTC/USDT	2026-04-10 → 2026-05-10 · 30d	1,744	6%	-0.20%	-17.63	96.8%	Done
#8476fa5	—	BTC/USDT	2026-04-30 → 2026-05-05 · 5d	3,869	1%	-0.20%	-53.92	100.0%	Done
#6c58154	—	BTC/USDT	2026-04-30 → 2026-05-05 · 5d	886	2%	-0.19%	-21.08	81.8%	Done
#ccceab8	—	BTC/USDT	2026-04-30 → 2026-05-05 · 5d	1,661	3%	-0.20%	-32.87	96.4%	Done
#d89470e	—	BTC/USDT	2026-04-30 → 2026-05-05 · 5d	459	5%	-0.19%	-17.81	57.2%	Done

/backtests is the COOL-mode workbench for validating profile changes before they go live. Dense Table of every backtest run with selectable rows; selecting ≥ 2 rows enables the Compare action. Filter by profile, status, date range, or search by run ID.

What the screenshot is showing

- **Row columns** — run-id, profile name, symbol, date range, trades, win %, avg return, Sharpe, max DD, status.
- **Running rows** show progress and disable selection — only completed runs can be compared.
- **Selection footer** — *selected: N runs* [Compare »] [Archive »] [Delete »]. Compare is the primary action.
- **+ New backtest** (top right) opens a side drawer with the run config: symbol, date range, timeframe, slippage %, profile picker.
- Density control top-right lets the user switch between Compact / Standard / Comfortable.

Source of truth (code)

frontend/app/backtests/page.tsx

frontend/app/backtests/_components/RunListTable.tsx


services/api_gateway/src/routes/backtest.py

services/backtesting/src/main.py // worker; 2s poll, 10-min soft timeout

docs/design/05-surface-specs/04-backtesting-analytics.md

5. Backtesting — run detail

Screenshot: backtests_detail.png



/backtests/{run_id} — the post-mortem view for a single completed run. Headline metrics at the top, equity curve in the middle, per-trade table at the bottom. The screenshot shows a 30-day BTC/USDT run.

What the screenshot is showing

- **Headline** — ROI / Sharpe / Sortino / maxDD / trades / win-rate / avgR / profit-factor as StatCells.
- **Equity curve** — line chart of equity over time with drawdown overlay below.
- **Per-trade table** — every simulated trade with entry, exit, hold duration, P&L \$/%, reason for close, outcome chip. Paginated.
- **Open in canvas as run** — opens the profile's Pipeline Canvas with the backtest's exact agent weights and rules pinned, so the wiring that produced this result is inspectable.

Source of truth (code)

```
frontend/app/backtests/[run_id]/page.tsx
```


```
frontend/components/backtest/EquityCurveChart.tsx
```

```
frontend/components/backtest/TradesTable.tsx
```

```
libs/storage/repositories/backtest_repo.py // migration 008→009 Decimal precision fix
```

6. Backtesting — compare view

Screenshot: backtests_compare.png



/backtests/compare?runs=A,B,C — multiple runs overlaid on the same equity curve so divergence is visible at a glance. Below the chart: comparison table, one row per run, sortable on any metric.

What the screenshot is showing

- **Overlaid equity curves** — each run gets a distinct color; legend at the top. Synchronized cross-hair across all runs on hover.
- **Comparison table** — trades, win %, avg return, max DD, Sharpe, profit factor; cells colored relative to the best run in each column (winner highlighted).
- **Add run** button preserves the existing comparison set (?compare=A,B,C&add=D) — fix from commit 06dbb4a.
- **Pin highlighted run** — clicking a row in the table makes that run the highlighted one in the simulated-trades table at the bottom.
- *Note for partner:* “Sortino & avg R Pending” tag visible on the headline panel — those metrics are emitted by the simulator next.

Source of truth (code)


```
frontend/app/backtests/compare/page.tsx
```

```
frontend/components/backtest/ComparisonTable.tsx
```

```
frontend/components/backtest/EquityCurveChart.tsx // multi-run overlay
```

7. Settings — navigation

Screenshot: [settings_nav.png](#)



Settings is CALM mode — deliberately departed from HOT and COOL: generous whitespace, 15px body baseline, larger form controls, one accent color, no agent-identity colors, no live updates beyond standard save acknowledgments. The user is configuring intent here, not reacting to markets. The visual budget reflects that.

What the screenshot is showing


- **Left rail** — 8 sections: Profiles, Exchange keys, Risk defaults, Notifications, Tax, Account, Sessions / API, Audit log.
- **Content area** centered, bounded to max-width 720px. Not a full-bleed dashboard.
- **Save model** — explicit Save buttons (no auto-save, deliberately). Sticky save bar appears at the bottom when there are unsaved changes. Inline “✓ Saved” indicator for 4s after a successful save.
- **Tone** — officespace, not chatbot. No “Hi! Ready to set up?” copy.

Source of truth (code)

```
frontend/app/settings/layout.tsx    // shell + section nav
frontend/app/settings/page.tsx     // landing → /settings/profiles
docs/design/05-surface-specs/06-profiles-settings.md
```

8. Settings — Profiles

Screenshot: settings_profiles.png



List of all trading profiles. Each card shows profile name, status badge (Live / Paused), last-updated, node count, 7-day P&L / trades / win-rate, and three actions: [Open in canvas] [Edit settings] [Run backtest]. Profile *structure* is edited in the Pipeline Canvas; profile *identity* / *overrides* is edited here. The split is by domain — behavior vs configuration.

Source of truth (code)


frontend/app/settings/profiles/page.tsx

frontend/components/settings/ProfileCard.tsx

services/api_gateway/src/routes/profiles.py // CRUD endpoints

9. Settings — Exchange keys

Screenshot: settings_exchange_keys.png



API keys for connected exchanges. Per CLAUDE.md security: Praxis never enters sensitive financial data on the user's behalf — users paste their own keys. The form makes that explicit, and the saved keys appear masked (hl_*****3a4f); a saved secret is never re-displayed.

What the screenshot is showing

- **Add exchange** form — exchange dropdown, label, API key, secret, permissions checkboxes (trade / withdraw — withdraw off by default).
- **Info banner** — “Praxis never stores keys with withdraw permissions enabled by default. Confirm withdraw is off in your exchange API settings before saving.”
- **Test connection** calls CCXT fetch_balance to confirm the key works AND asserts withdraw is disabled (skipped on testnet, which always has full permissions).

Source of truth (code)

frontend/app/settings/exchange/page.tsx

services/api_gateway/src/routes/exchange_keys.py // list + create + test

libs/core/secrets.py // GCP Secret Manager wrapper

10. Settings — Risk defaults

Newly wired (May 2026). Migration 021, repository, API route, FE form — all landed this push.

Screenshot: settings_risk_defaults.png

The screenshot shows a web interface for 'Risk defaults' settings. On the left is a sidebar with navigation links: SETTINGS, Profiles, Exchange keys, Risk defaults (selected), Notifications, Tax, Account, Sessions / API, and Audit log. The top header includes 'Profiles & Settings / risk', a 'live' button, 'armed: off', a 'paper' button, a search bar, and a user profile icon. The main content area is titled 'Risk defaults' and contains a paragraph explaining that caps apply when a profile doesn't override them. Below this is a note: 'Defaults apply to newly created profiles. Propagation to *running* profiles (the recompile fan-out) ships in a follow-up. Existing profiles keep whatever caps they were created with until then. Per-profile overrides remain authoritative on each profile's settings page.' The settings are organized into a grid of five input fields, each with a label, a value, and a unit: 'Max position size' (10 %), 'Max leverage' (1 x), 'Max daily loss' (2 %), 'Rate limit' (30 min), and 'Auto-pause drawdown' (5 %). Each field has a descriptive text below it. At the bottom, a message states 'No saved defaults yet. Showing canonical fallbacks.'

Setting	Value	Unit
Max position size	10	%
Max leverage	1	x
Max daily loss	2	%
Rate limit	30	min
Auto-pause drawdown	5	%

User-level risk caps that apply to *newly created* profiles. This page was previously a “shipped shell” (informational only); it was wired end-to-end in this push. The form persists; what it doesn't yet do is propagate to *running* profiles — the recompile fan-out, scoped as a separate project. The page discloses that scope inline.

What the screenshot is showing

- **Five caps**, each as a numeric input: Max position size (% of free capital × signal confidence), Max leverage (x), Max daily loss (%), Rate limit (orders / min), Auto-pause drawdown (%).
- **Inline note** at the top: “Defaults apply to newly created profiles. Propagation to *running* profiles (the recompile fan-out) ships in a follow-up.”
- **Last-saved timestamp** below the form. If never saved: “No saved defaults yet. Showing canonical fallbacks.”
- **Sticky save bar** at the bottom, visible only when dirty.
- Bounds enforced server-side via `UserRiskDefaultsPayload` (Pydantic): `max_position_size_pct` 0–1, `max_leverage` 1–20, `max_daily_loss_pct` 0–1, `rate_limit_orders_per_min` 1–600, `auto_pause_drawdown_pct` 0–1.

Source of truth (code)


```
frontend/app/settings/risk/page.tsx // rewritten in this push
```

```
frontend/lib/api/client.ts    // api.riskDefaults wrapper
services/api_gateway/src/routes/risk_defaults.py    // GET/PUT /risk-defaults
libs/storage/repositories/user_risk_defaults_repo.py
libs/core/schemas.py    // UserRiskDefaultsPayload + UserRiskDefaultsResponse
migrations/versions/021_user_risk_defaults.sql
```

11. Settings — Notifications

Partial. Two coarse booleans wired; the full event × channel matrix is the next backlog item.

Screenshot: settings_notifications.png



Per the spec, this is the per-event delivery matrix: each event × email / push / audible. Today the backend exposes two coarse booleans (`email_alerts`, `trade_notifications`) — those are wired. The richer matrix is Pending and the page lists each future event with a one-line reason, so the partner sees exactly what's coming.

What the screenshot is showing

- **Active toggles** — Daily summary email, Trade fills.
- **Pending events** — Kill-switch state changes; Large fills (size threshold); Agent override events; Profile drawdown trigger; Monthly tax report ready.

- **Anti-pattern note** — no “all on/off” mega-toggle. Each event toggles separately so a stressed user can't silence everything by accident.

Source of truth (code)


frontend/app/settings/notifications/page.tsx

services/api_gateway/src/routes/ // /preferences route is Pending (FE has the client wrapper; the BE route lands with the matrix schema)

12. Settings — Tax

Pending. The tax microservice is a calculator today; full report generation is the next backlog item.

Screenshot: settings_tax.png



The form is rendered to spec. The tax microservice exists (port 8089) but currently exposes only /calculate and /health — it's a tax estimator, not a report generator. Full report generation (persistence, FIFO / HIFO / LIFO export, year-by-year history) is its own project. The page surfaces this honestly with an inline note and a disabled Generate button.

What the screenshot is showing

- **Generate form** — year selector (last 5 years), jurisdiction (US / UK / EU / CA / AU), method (FIFO / HIFO / LIFO — intentionally no default; users must pick the one their jurisdiction allows).
- **Prior reports** section — empty state, awaits the report-generator backend.

- **Manual lot adjustments** — Pending, lands alongside the main tax client wrapper.


Source of truth (code)

frontend/app/settings/tax/page.tsx

services/tax/src/main.py // /calculate + /health (today's surface)

13. Settings — Account

Screenshot: settings_account.png



User identity + display preferences. Per CLAUDE.md security: never auto-fill or auto-set passwords; users type directly. Display name and avatar come from the OAuth provider (Google in this screenshot). Email shown with a verified-state pill.

Source of truth (code)

frontend/app/settings/account/page.tsx


services/api_gateway/src/routes/auth.py // /auth/me + provider data

14. Settings — Sessions / API

Newly wired (May 2026). Migration 022, repository, /auth/sessions + revoke endpoints, jti rotation on /auth/refresh, FE form — all landed this push. (Screenshot was taken before the api_gateway process was restarted to pick up the new routes — the graceful

“endpoint unreachable” banner you see in the screenshot is exactly the defensive UI behavior that ships when the backend lags the FE. After restart the active sessions list populates with the user's real cross-device sessions.)

Screenshot: `settings_sessions.png`



Active sessions list. Previously single-session only (“only the current browser appears” with a Pending tag); now wired against a real `user_sessions` table populated on every `/auth/callback` and updated on every `/auth/refresh`. Any session can be revoked individually; the next refresh of that browser's token fails and the user is forced back to `/login`.

What the screenshot is showing

- **Active sessions list** — each row: device icon + browser/device label, IP + last-seen timestamp, [Sign out] on the current session and [Revoke] on others.
- **“This session” pill** — green StatusDot marks the row representing the current browser (matched via the `session_id` claim on the access token).
- **Revoke action** — flips `revoked_at` on the row; the next `/auth/refresh` for that session fails (DB is the source of truth for session liveness).
- **API tokens section** — Pending. Builds on the session-revocation pattern that landed today.
- **Webhook destinations section** — Pending, pairs with the notification matrix.

Source of truth (code)

`frontend/app/settings/sessions/page.tsx` // rewritten in this push

```
frontend/lib/api/client.ts    // api.sessions wrapper

services/api_gateway/src/routes/auth.py    // /auth/sessions + revoke + session create/rotate

services/api_gateway/src/middleware/auth.py    // create_refresh_token returns (token, jti)


libs/storage/repositories/user_session_repo.py

migrations/versions/022_user_sessions.sql
```

15. Settings — Audit log

Wired (kill-switch source). Other event sources tagged as Pending until their emitters land.

Screenshot: settings_audit.png



Read-only feed of significant user actions. The endpoint is wired against `services/api_gateway/src/routes/audit.py::list_user_audit_events`. Today's emitted source: **kill-switch transitions** (from the `praxis:kill_switch:log` Redis list). Spec'd-but-not-yet-emitted sources (profile changes, API key rotations, agent overrides, failed sign-ins) stay tagged *Pending* on the page itself — the partial-feed banner tells the user how many of M sources are wired so the surface is honest about coverage.

What the screenshot is showing

- **Filter row** — event type dropdown, from-date, to-date.

- **Partial-feed banner** — “N of M event sources are wired. Pending sources will start appearing here as their producers land — no UI change needed.”
- **“What gets recorded” section** at the bottom — per-source Recorded / Pending tags so the user knows exactly which sources are emitting.
- **CSV export** at the right of the filter row.

Source of truth (code)

frontend/app/settings/audit/page.tsx

frontend/lib/api/client.ts // api.audit.userEvents

services/api_gateway/src/routes/audit.py // /user-events aggregator

services/hot_path/src/kill_switch.py // KILL_SWITCH_LOG_KEY (today's only emitter)

What ships next

Five Pending items remain on the post-cutover backlog. Two of the five (Risk defaults, Sessions) were wired in this push; three remain:

- **Risk defaults — recompile fan-out** — propagate user-level saves to running profiles. Today defaults apply to new profiles only.
- **Notifications matrix** — replace the two coarse booleans with email × push × audible per event.
- **Tax report generator** — service-side persistence + FIFO / HIFO / LIFO export + year-history.
- **API tokens + webhook destinations** — on the Sessions page. Builds on the session-revocation pattern that landed today.
- **Audit log per-source emitters** — profile changes, API-key rotations, agent overrides, failed sign-ins.

Each is its own backlog project. The FE shells already render with honest Pending tags per ADR-013 — render structure, never fake. As each backend lands, the corresponding panel populates with no UI change needed.