SauceDemo – Test Cases

- **Application:** https://www.saucedemo.com/
- **Environment:** Google Chrome 146 (desktop), https://www.saucedemo.com/, executed 6–7 Oct 2026
- **General precondition for every case:** use a fresh browser window (or Incognito), so no cart or login from a previous run is left over.
- **Summary:** 18 test cases · **12 Pass** · **6 Fail** · all 18 automated as **29 automated tests**

Every test case is automated. The steps below are written so they can also be followed by hand. The tests are split into three suites, so the known-defect tests can never break the main run:

Suite	Purpose	Test cases	Automated tests	Command	Result today
Core	Original end-to-end and negative tests	5: TC-01, TC-11, TC-13, TC-14, TC-15	5	`npm test`	✅ 5 pass
Regression	Website works correctly; guards against future breakage	7: TC-02, TC-03, TC-04, TC-06, TC-07, TC-09, TC-12	18	`npm run test:regression`	✅ 18 pass
Known defect	Asserts the *correct* behaviour, so it fails while the bug exists	6: TC-05, TC-08, TC-10, TC-16, TC-17, TC-18	6	`npm run test:defects`	❌ 6 fail
Total		**18**	**29**	`npm run test:everything`	

Why 18 test cases make 29 automated tests: TC-02 checks 5 variations, TC-03 checks 5 variations, TC-06 checks 4 variations. Each variation is a separate automated test, so a failure points to the exact variation that broke. Every other case has exactly one test. Every test name starts with its test case ID.

When a developer fixes a defect, its known-defect test turns green. It can then move into the regression suite.

Index

ID	Module	Title	Priority	Suite	Tests	Status	Defect
TC-01	Login	Locked-out user cannot log in	P1	Core	1	✅ Pass	—
TC-02	Login	Login validation messages for missing or wrong credentials	P2	Regression	5	✅ Pass	—

ID	Module	Title	Priority	Suite	Tests	Status	Defect
TC-03	Session & navigation	Protected pages cannot be opened without logging in	P1	Regression	5	✅ Pass	—
TC-04	Session & navigation	Browser Back after logout does not show the Products page	P2	Regression	1	✅ Pass	—
TC-05	Session & navigation	Cart is not carried over to a different user after logout	P2	Known defect	1	❌ Fail	D3
TC-06	Catalogue	Products can be sorted by name and price	P2	Regression	4	✅ Pass	—
TC-07	Catalogue	Product price is the same on the list and the detail page	P2	Regression	1	✅ Pass	—
TC-08	Catalogue	A non-existent product cannot be added to the cart	P3	Known defect	1	❌ Fail	D5
TC-09	Catalogue	Products page fits a mobile screen without horizontal scrolling	P3	Regression	1	✅ Pass	—
TC-10	Cart	Reset App State clears the cart and resets all product buttons	P3	Known defect	1	❌ Fail	D4
TC-11	Checkout	Successful purchase of two products with correct totals	P1	Core	1	✅ Pass	—
TC-12	Checkout	Totals are correct for three products	P2	Regression	1	✅ Pass	—
TC-13	Checkout	Checkout is blocked when First Name is missing	P2	Core	1	✅ Pass	—
TC-14	Checkout	Checkout is blocked when Last Name is missing	P2	Core	1	✅ Pass	—
TC-15	Checkout	Checkout is blocked when Postal Code is missing	P2	Core	1	✅ Pass	—
TC-16	Checkout	Checkout rejects customer details that contain only spaces	P2	Known defect	1	❌ Fail	D2
TC-17	Checkout	Customer information step cannot be skipped by URL	P2	Known defect	1	❌ Fail	D2
TC-18	Checkout	An order cannot be placed with an empty cart	P1	Known defect	1	❌ Fail	D1
		Total			**29**		

Login

TC-01 – Locked-out user cannot log in

Type	Negative
Priority	P1
Execution	Automated · Core suite · run with `npm test`
Automated test	`tests/negative.spec.js › locked-out user is blocked with a clear message and stays on login`
Number of automated tests	1
Preconditions	Not logged in
Test data	Username: `locked_out_user` · Password: `secret_sauce`

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `locked_out_user`
3. Enter Password `secret_sauce`
4. Click **Login**

Expected result

- Error message shown: *Epic sadface: Sorry, this user has been locked out.*
- User stays on the login page
- Products page is not displayed

Actual result: As expected
Status: ✅ Pass

TC-02 – Login validation messages for missing or wrong credentials

Type	Negative
Priority	P2
Execution	Automated · Regression suite · run with `npm run test:regression`
Automated test	`tests/regression/login.spec.js › TC-02 … (4 credential cases + password masked)`
Number of automated tests	**5**, one per variation: both fields empty; password empty; wrong password; username in different case; password field is masked
Preconditions	Not logged in
Test data	See steps

Steps

1. Open https://www.saucedemo.com/
2. Leave both fields empty and click **Login**
3. Enter Username `standard_user`, leave Password empty, click **Login**
4. Enter Username `standard_user`, Password `wrong_password`, click **Login**
5. Enter Username `Standard_User` (different case), Password `secret_sauce`, click **Login**

Expected result

- Step 2: *Epic sadface: Username is required*
- Step 3: *Epic sadface: Password is required*
- Steps 4 and 5: *Epic sadface: Username and password do not match any user in this service*
- User is never logged in; password field is masked

Actual result: As expected
Status: ✅ Pass

Session & navigation

TC-03 – Protected pages cannot be opened without logging in

Type	Security
Priority	P1
Execution	Automated · Regression suite · run with `npm run test:regression`
Automated test	`tests/regression/session.spec.js › TC-03 <page> shows the login form instead of the page (5 pages)`
Number of automated tests	**5**, one per variation: /inventory.html; /cart.html; /checkout-step-one.html; /checkout-step-two.html; /inventory-item.html
Preconditions	Not logged in (fresh or incognito window)
Test data	URLs listed in steps

Steps

1. Open https://www.saucedemo.com/inventory.html
2. Open https://www.saucedemo.com/cart.html
3. Open https://www.saucedemo.com/checkout-step-one.html
4. Open https://www.saucedemo.com/checkout-step-two.html
5. Open https://www.saucedemo.com/inventory-item.html?id=4

Expected result

- For every URL the login form is shown instead of the page
- Error shown: *Epic sadface: You can only access '' when you are logged in.*

Actual result: As expected
Status: ✅ Pass

TC-04 – Browser Back after logout does not show the Products page

Type	Security
Priority	P2
Execution	Automated · Regression suite · run with `npm run test:regression`
Automated test	`tests/regression/session.spec.js › TC-04 browser Back after logout does not show the Products page`
Number of automated tests	1
Preconditions	Not logged in
Test data	`standard_user` / `secret_sauce`

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Open the menu (☰) and click **Logout**
5. Click the browser **Back** button

Expected result

- Login form is shown with *Epic sadface: You can only access '/inventory.html' when you are logged in.*
- No product data is visible

Actual result: As expected
Status: ✅ Pass

TC-05 – Cart is not carried over to a different user after logout

Type	Functional / Privacy
Priority	P2
Execution	Automated · Known defect suite · run with `npm run test:defects`
Automated test	`tests/defects/known-defects.spec.js › [D3] TC-05 cart is not carried over to a different user after logout`
Number of automated tests	1
Preconditions	Fresh browser window (no previous SauceDemo data)
Test data	User A: `standard_user` · User B: `visual_user` · Password: `secret_sauce`

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Click **Add to cart** on *Sauce Labs Fleece Jacket*
5. Open the menu (☰) and click **Logout**
6. Log in as `visual_user` / `secret_sauce`
7. Open the cart

Expected result

- User B's cart badge is not shown
- User B's cart is empty

Actual result: Badge shows **1** and User B's cart contains *Sauce Labs Fleece Jacket* (User A's item)
Status: ❌ Fail · **Defect:** D3 (see `SUBMISSION.md` §3). The automated test fails until this defect is fixed.

Evidence: `evidence/D3-cart-carried-to-different-user.png`

Catalogue

TC-06 – Products can be sorted by name and price

Type	Functional
Priority	P2
Execution	Automated · Regression suite · run with `npm run test:regression`
Automated test	`tests/regression/catalogue.spec.js › TC-06 Name (A to Z) / Name (Z to A) / Price (low to high) / Price (high to low)`
Number of automated tests	**4**, one per variation: Name (A to Z); Name (Z to A); Price (low to high); Price (high to low)
Preconditions	Not logged in
Test data	`standard_user` / `secret_sauce`

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Select **Name (A to Z)** in the sort dropdown
5. Select **Name (Z to A)**
6. Select **Price (low to high)**
7. Select **Price (high to low)**

Expected result

- A to Z: list is alphabetical, first item *Sauce Labs Backpack*
- Z to A: reverse alphabetical, first item *Test.allTheThings() T-Shirt (Red)*
- Low to high: prices ascending, first item *Sauce Labs Onesie* $7.99
- High to low: prices descending, first item *Sauce Labs Fleece Jacket* $49.99

Actual result: As expected
Status: ✅ Pass

TC-07 – Product price is the same on the list and the detail page

Type	Functional
Priority	P2
Execution	Automated · Regression suite · run with `npm run test:regression`
Automated test	`tests/regression/catalogue.spec.js › TC-07 product price is the same on the list and the detail page`
Number of automated tests	1
Preconditions	Not logged in
Test data	`standard_user` / `secret_sauce`

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Note the price of *Sauce Labs Backpack* on the Products page
5. Click the product name to open its detail page
6. Note the price on the detail page

Expected result

- Both prices are **$29.99**

Actual result: As expected
Status: ✅ Pass

TC-08 – A non-existent product cannot be added to the cart

Type	Negative / Robustness
Priority	P3
Execution	Automated · Known defect suite · run with `npm run test:defects`
Automated test	`tests/defects/known-defects.spec.js › [D5] TC-08 a non-existent product cannot be added to the cart`

Number of automated tests	1
Preconditions	Not logged in; empty cart
Test data	`standard_user` / `secret_sauce` · URL id `999`

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. In the address bar open https://www.saucedemo.com/inventory-item.html?id=999
5. Click **Add to cart**
6. Open the cart
7. Click **Checkout**, enter First Name `A`, Last Name `B`, Postal Code `1`, click **Continue**

Expected result

- Invalid product cannot be added (no button or an error)
- Cart badge and cart contents always match
- Checkout overview loads normally

Actual result: Page shows *ITEM NOT FOUND* priced *$√-1* with an **Add to cart** button. After adding, badge shows **1** but the cart lists no items. Checkout overview renders a **blank white page**.
Status: ❌ Fail · **Defect:** D5 (see `SUBMISSION.md` §3). The automated test fails until this defect is fixed.

Evidence: `evidence/D5a-item-not-found-add-to-cart.png, D5b-cart-after-invalid-item.png, D5c-checkout-overview-crash.png`

TC-09 – Products page fits a mobile screen without horizontal scrolling

Type	UI / Responsive
Priority	P3
Execution	Automated · Regression suite · run with `npm run test:regression`
Automated test	`tests/regression/catalogue.spec.js › TC-09 Products page fits a 375px screen without horizontal scrolling`
Number of automated tests	1
Preconditions	Chrome DevTools device toolbar set to 375 × 667 (e.g. iPhone SE)
Test data	`standard_user` / `secret_sauce`

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**

4. Look at the Products page and try to scroll horizontally

Expected result

- No horizontal scrollbar; all product cards fit the screen width

Actual result: As expected
Status: ✅ Pass

Cart

TC-10 – Reset App State clears the cart and resets all product buttons

Type	Functional
Priority	P3
Execution	Automated · Known defect suite · run with `npm run test:defects`
Automated test	`tests/defects/known-defects.spec.js › [D4] TC-10 Reset App State clears the cart and resets all product buttons`
Number of automated tests	1
Preconditions	Not logged in
Test data	`standard_user` / `secret_sauce`

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Click **Add to cart** on *Sauce Labs Backpack* and *Sauce Labs Bike Light*
5. Open the menu (☰) and click **Reset App State**
6. Close the menu and look at the two products

Expected result

- Cart badge disappears
- Both products show **Add to cart** again

Actual result: Badge disappears but both products still show **Remove** until the page is reloaded
Status: ❌ Fail · **Defect:** D4 (see `SUBMISSION.md` §3). The automated test fails until this defect is fixed.

Evidence: `evidence/D4-reset-state-stale-remove-buttons.png`

Checkout

TC-11 – Successful purchase of two products with correct totals

Type	Functional (E2E)
Priority	P1
Execution	Automated · Core suite · run with `npm test`
Automated test	`tests/checkout.e2e.spec.js › user can buy two products and totals are calculated correctly @smoke`
Number of automated tests	1
Preconditions	Not logged in; empty cart
Test data	`standard_user` / `secret_sauce` · Products: Sauce Labs Backpack ($29.99), Sauce Labs Fleece Jacket ($49.99) · Customer: Ada / Lovelace / 560001

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Click **Add to cart** on *Sauce Labs Backpack*
5. Click **Add to cart** on *Sauce Labs Fleece Jacket*
6. Click the cart icon
7. Click **Checkout**
8. Enter First Name `Ada`, Last Name `Lovelace`, Postal Code `560001` and click **Continue**
9. Review the Checkout: Overview page
10. Click **Finish**
11. Click **Back Home**, then open the cart

Expected result

- After step 5: both buttons show **Remove**; cart badge shows **2**
- Step 6: cart lists exactly the 2 products, quantity 1 each, at $29.99 and $49.99
- Step 9: same 2 items; Item total **$79.98**; Tax **$6.40** (8 %); Total **$86.38**
- Step 10: *Checkout: Complete!* page with *Thank you for your order!*; cart badge gone
- Step 11: all products show **Add to cart**; cart is empty

Actual result: As expected
Status: ✅ Pass

TC-12 – Totals are correct for three products

Type	Functional
Priority	P2

Execution	Automated · Regression suite · run with `npm run test:regression`
Automated test	`tests/regression/checkout.spec.js › TC-12 totals are correct for three products`
Number of automated tests	1
Preconditions	Not logged in; empty cart
Test data	`standard_user` / `secret_sauce` · Backpack $29.99, Bolt T-Shirt $15.99, Fleece Jacket $49.99 · Customer: Ada / Lovelace / 560001

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Add *Sauce Labs Backpack*, *Sauce Labs Bolt T-Shirt* and *Sauce Labs Fleece Jacket* to the cart
5. Open the cart and click **Checkout**
6. Enter First Name `Ada`, Last Name `Lovelace`, Postal Code `560001` and click **Continue**

Expected result

- Item total **$95.97**
- Tax **$7.68** (8 %)
- Total **$103.65**

Actual result: As expected
Status: ✅ Pass

TC-13 – Checkout is blocked when First Name is missing

Type	Negative
Priority	P2
Execution	Automated · Core suite · run with `npm test`
Automated test	`tests/negative.spec.js › checkout is blocked when First Name is missing`
Number of automated tests	1
Preconditions	Not logged in; empty cart
Test data	`standard_user` / `secret_sauce` · Customer: Ada / Lovelace / 560001

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Click **Add to cart** on *Sauce Labs Backpack*

5. Open the cart and click **Checkout**
6. Fill in the other two fields, leave **First Name** empty
7. Click **Continue**

Expected result

- Error shown: *Error: First Name is required*
- User stays on *Checkout: Your Information*

Actual result: As expected
Status: ✅ Pass

TC-14 – Checkout is blocked when Last Name is missing

Type	Negative
Priority	P2
Execution	Automated · Core suite · run with `npm test`
Automated test	`tests/negative.spec.js › checkout is blocked when Last Name is missing`
Number of automated tests	1
Preconditions	Not logged in; empty cart
Test data	`standard_user` / `secret_sauce` · Customer: Ada / Lovelace / 560001

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Click **Add to cart** on *Sauce Labs Backpack*
5. Open the cart and click **Checkout**
6. Fill in the other two fields, leave **Last Name** empty
7. Click **Continue**

Expected result

- Error shown: *Error: Last Name is required*
- User stays on *Checkout: Your Information*

Actual result: As expected
Status: ✅ Pass

TC-15 – Checkout is blocked when Postal Code is missing

Type	Negative
Priority	P2

Execution	Automated · Core suite · run with `npm test`
Automated test	`tests/negative.spec.js › checkout is blocked when Postal Code is missing`
Number of automated tests	1
Preconditions	Not logged in; empty cart
Test data	`standard_user` / `secret_sauce` · Customer: Ada / Lovelace / 560001

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Click **Add to cart** on *Sauce Labs Backpack*
5. Open the cart and click **Checkout**
6. Fill in the other two fields, leave **Postal Code** empty
7. Click **Continue**

Expected result

- Error shown: *Error: Postal Code is required*
- User stays on *Checkout: Your Information*

Actual result: As expected
Status: ✅ Pass

TC-16 – Checkout rejects customer details that contain only spaces

Type	Negative
Priority	P2
Execution	Automated · Known defect suite · run with `npm run test:defects`
Automated test	`tests/defects/known-defects.spec.js › [D2] TC-16 checkout rejects customer details that contain only spaces`
Number of automated tests	1
Preconditions	Not logged in; empty cart
Test data	`standard_user` / `secret_sauce` · three spaces in each field

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Add *Sauce Labs Backpack* to the cart
5. Open the cart and click **Checkout**

6. Type three spaces into First Name, Last Name and Postal Code
7. Click **Continue**

Expected result

- Same *is required* error as for empty fields
- User stays on *Checkout: Your Information*

Actual result: Values accepted; Checkout: Overview opens and the order can be finished
Status: ❌ Fail · **Defect:** D2 (see `SUBMISSION.md` §3). The automated test fails until this defect is fixed.

Evidence: `evidence/D2b-whitespace-only-info.png, D2c-whitespace-accepted-overview.png`

TC-17 – Customer information step cannot be skipped by URL

Type	Negative / Security
Priority	P2
Execution	Automated · Known defect suite · run with `npm run test:defects`
Automated test	`tests/defects/known-defects.spec.js › [D2] TC-17 customer information step cannot be skipped by URL`
Number of automated tests	1
Preconditions	Not logged in; empty cart
Test data	`standard_user` / `secret_sauce`

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Add *Sauce Labs Backpack* to the cart
5. In the address bar open https://www.saucedemo.com/checkout-step-two.html
6. Click **Finish**

Expected result

- User is sent back to *Checkout: Your Information* until it is completed

Actual result: Checkout: Overview opens without customer details, and **Finish** completes the order
Status: ❌ Fail · **Defect:** D2 (see `SUBMISSION.md` §3). The automated test fails until this defect is fixed.

Evidence: `evidence/D2a-deeplink-overview-no-info.png`

TC-18 – An order cannot be placed with an empty cart

Type	Negative
Priority	P1
Execution	Automated · Known defect suite · run with `npm run test:defects`
Automated test	`tests/defects/known-defects.spec.js › [D1] TC-18 an order cannot be placed with an empty cart`
Number of automated tests	1
Preconditions	Not logged in; empty cart
Test data	`standard_user` / `secret_sauce`

Steps

1. Open https://www.saucedemo.com/
2. Enter Username `standard_user` and Password `secret_sauce`
3. Click **Login**
4. Without adding any product, click the cart icon
5. Click **Checkout**
6. Enter First Name `A`, Last Name `B`, Postal Code `1` and click **Continue**
7. Click **Finish**

Expected result

- Checkout is disabled or blocked with a message such as *Your cart is empty*

Actual result: Overview shows *Total: $0.00* and Finish shows *Thank you for your order!*
Status: ❌ Fail · **Defect:** D1 (see `SUBMISSION.md` §3). The automated test fails until this defect is fixed.

Evidence: `evidence/D1a-empty-cart-overview.png, D1b-empty-cart-order-complete.png`