Haskell Tooling Whirlwind

Steven Shaw @steshaw



- Cabal sandboxes on steroids
- Build cache for Cabal/GHC
- Slow build → Fast Build
- Hopefully will be folded into Cabal'

steshaw/steshaw.org #195	d161d59	master	Steven Shaw	Try CircleCl without /var/tmp/halcyon-cache	12 days ago	00:45	Success
steshaw/steshaw.org #194	d161d59	master	Steven Shaw	Try CircleCl without /var/tmp/halcyon-cache	12 days ago	01:20	Success
steshaw/steshaw.org #193	8e63511	master	Steven Shaw	Tweak interests	12 days ago	01:14	Success
steshaw/steshaw.org #192	8e63511	master	Steven Shaw	Tweak interests	12 days ago	01:27	Success
steshaw/steshaw.org #191	8e63511	master	Steven Shaw	Tweak interests	12 days ago	03:05	Success
steshaw/steshaw.org #190	cc5b003	master	Steven Shaw	Halcyon now installs alex and happy so don't apt-get install them.	12 days ago	50:16	Success
steshaw/steshaw.org #189	1b561b4	master	Steven Shaw	Use halcyon magic files to install alex + happy plus choose cabal version	12 days ago	51:04	Fixed
steshaw/steshaw.org #188	2c5d97c	master	Steven Shaw	Update `.halcyon/constraints`	13 days ago	29:53	Failed
steshaw/steshaw.org #187	2c5d97c	master	Steven Shaw	Update `.halcyon/constraints`	13 days ago	35:04	Failed
steshaw/steshaw.org #186	0d3509a	master	Steven Shaw	Revert to simple use of compressCssCompiler	13 days ago	29:13	Failed
steshaw/steshaw.org #185	8f6660c	master	Steven Shaw	Allow `apt-get update` to fail on Circle	13 days ago	29:39	Failed
steshaw/steshaw.org #184	034675d	master	Steven Shaw	Wrap command in bash -c	13 days ago	00:48	Failed
steshaw/steshaw.org #183	8f89dff	master	Steven Shaw	See if installing `alex` and `happy` helps with CircleCI build	13 days ago	00:45	Failed
steshaw/steshaw.org #182	beb6be3	master	Steven Shaw	Fix hjsmin/Jasmine JS minifier	13 days ago	27:43	Failed
steshaw/steshaw.org #181	52077bb	master	Steven Shaw	Need hjsmin	14 days ago	27:56	Failed
steshaw/steshaw.org #180	bbd5065	master	Steven Shaw	Compress JS	14 days ago	29:13	Failed
steshaw/steshaw.org #179	24b423a	master	Steven Shaw	Source code highlighting now uses a solarized-light theme.	14 days ago	31:51	ess ?
steshaw/steshaw.org #178	df44b0a	master	Steven Shaw	In order of _first_ use	14 days ago	29:31	455

12	days	ago	00:45
12	days	ago	01:20
12	days	ago	01:14
12	days	ago	01:27
12	days	ago	03:05
12	days	ago	50:16
12	days	ago	51:04
13	days	ago	29:53
13	days	ago	35:04
13	days	ago	29:13

haskellonheroku

- Builds on Halcyon
- GHC → Heroku
- by Miëtek Bak
- @mietek



- Purely functional, cross-platform package system
- Source-based with binary substitution.
- Immutable, side-by-side versions of packages.
- Easily construct [development] environments with fixed versions of all your dependencies.
 - \$ nix-shell -p git -p vim -p gcc

Nix and Haskell

- haskellngPackages
- http://wiki.ocharles.org.uk/Nix

```
#!/usr/bin/env bash

cd ~
git clone --depth 1 git://github.com/nixos/nixpkgs

nix-env -f ~/nixpkgs -i -A haskellngPackages.cabal2nix -A haskellngPackages.cabal-install

mkdir hello
cd hello
cabal init
cabal2nix --shell . >shell.nix

nix-shell -I ~ --command 'cabal configure'
cabal build
```



NixOS

- based entirely on Nix package manager
- develop and deploy on the same system.
- Hydra for CI/CD
- NixOps for cloud deployment

Atom.io

- \$ apm install language-haskell
- \$ apm install ide-haskell
- Enjoy :)
 - syntax highlighting
 - goto definition
 - linting (with ghc-mod)

```
site.hs - /Users/steshaw/Projects/steshaw/github.com/steshaw.org - Atom
                                                          site.hs • Index.md kcs2.html
steshaw.org
                                                                        >>= relativizeuris
v 🛅 .halovon
                                                                 match "index.html" $ do
   cabal-version
                                                                   route idRoute
    constraints
                                                                    compile $ do
    extra-source-hash-ignore
                                                                      posts <- recentFirst =<< loadAll allPosts
                                                                      let indexCtx = listField "posts" pageCtx (return posts)
    sandbox-extra-apps

→ constField "title" "Home'

                                                                                     constField "homeactive" "active"
                                                                                     constField "homeurl" nullLink
v iii about
   index.md
                                                                      getResourceBody
   Ili kcs2.html
                                                                        >>= applyAsTemplate indexCtx
    kcs.html
                                                                        >>= loadAndApplyTemplate "templates/default.html" indexCtx
> iiii bin
                                                                        >>= relativizeUrls

▼ III CSS

    □ default.css

                                                                 match "templates/*" $ compile templateCompiler
    syntax-figure.css
                                                                 let feedCtx = pageCtx <> bodyField "description"
    Syntax.css
v 🛅 Js
                                                                 mkFeed "atom.xml" renderAtom
    header.js
                                                                 mkFeed "rss.xml" renderRss
    octopressify.js

▼ Imposts

    2004-08-09-neverwinter-nights-on-linux.markdown
    2004-08-14-the-python-paradox.markdown
                                                                   htmlToOwnDir :: String -> String
   2004-08-18-pairs-as-lambdas markdown
                                                                   htmlToOwnDir url = either (const url) id pr
    2004-08-22-erlang-the-movie.markdown
                                                                      where
    2004-08-22-swingworker-race-condition.markdown
                                                                        pr = runParser p 0 "⊲blog>" url
    2004-08-29-the-koan-of-side-effects.markdown
                                                                        p = do
                                                                          stuff <- many $ noneOf "."
    2004-08-30-abelson-and-sussman-lectures.markdown
                                                                          return $ stuff ++ "/index.html"
    2004-08-30-realplayer10-on-linux.markdown
                                                                    floop :: String -> String
    2004-08-30-spring-and-hibernate.markdown
                                                                    floop url = trace ("\n\n\nUrl is " ++ url ++ "\n\n\n") $ either (const url) id r
    2004-09-15-cpu-scheduling.markdown
    2004-09-15-misunderstandings-about-closures.markdown
                                                                        r = trace $ show (parseResult url) $ parseResult url
    2004-09-27-movitz-a-lisp-os-platform.markdown
                                                                    parseResult :: String -> Either ParseError String
    2004-09-27-wcl-and-shared-libraries.markdown
                                                         140
                                                                    parseResult url runParser parsePostUrl () "<postUrl>" url
    2004-10-22-avoid-round-trips,markdown
                                                 Rta reduce Found: parseResult url = runParser parsePostUrl () "FootUrl>" url Why not: parseResult = runParser parsePostUrl () "
    2005-01-01-hibernate-in-action.markdown
    2005-01-24-developer-testing-with-kent-beck.markdown
                                                                      year <- string "posts/"
    2005-02-16-interviewing-programmers.markdown
                                                                      year <- count 4 digit
                                                                      _ <- char '-'
    2005-02-17-transactional-caches.markdown
    2005-02-21-fonts-on-gentoo.markdown
                                                                      month <- count 2 digit
                                                                      _ <- char '-'
    day <- count 2 digit
    2005-02-22-noxml-and-web-service-specifications.markdown
                                                                      _ <- char '-'
    2005-02-22-soap-is-brain-dead.markdown
                                                                      title <- many anyChar
    2005-02-22-static-versus-dynamic-attitude.markdown
                                                                      return $ intercalate "/" ["blog", year, month, day, title]
    2005-04-24-continuations-for-curmudgeons.markdown
    2005-05-02-javarubygroow, markdown
                                                               compressJsCompiler :: Compiler (Item String)
    2005-10-25-dependency-injection-vitally-important-or-totally-irreleva
                                                               compressJsCompiler = fmap jasmin <$> getResourceString
    2005-11-13-ubuntu-on-inspiron-9300.markdown
    2005-12-04-getting-lost-in-the-wikipedia.markdown
                                                               jasmin :: String -> String
    2005-12-07-ruby-on-net.markdown
                                                               jasmin src = LB.unpack $ minify $ LB.fromChunks [E.encodeUtf8 $ T.pack src]
    2005-12-07-ubuntu-breezy-under-vmware-player.markdown
                                                               allPosts = "posts/*"
    2006-01-10-better-is-better-and-worse-is-worse.markdown
   2006-01-18-w3-principles-of-design.markdown
                                                               mkFeed file renderer =
    2006-02-01-code-as-data-closures.markdown
                                                                create [file] $ do
    2006-02-01-when-can-i-get-a-fix-of-language-goodness.markdown
                                                                                                                                     ▲10 Command UTF-8 Haskell 🏳 master 🖸 +43, -9 🔞 3
                                                        site.hs* 140.20
    2006-02-25-computer-games-a-blast-from-the-past.markdown
```


```
r = trace $ show (parseResult url) $ parseResult url

parseResult :: String -> Either ParseError String

140 parseResult url = runParser parsePostUrl () "<postUrl>" url

Eta reduce Found: parseResult url = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parsePostUrl () "<postUrl>" url Why not: parseResult = runParser parseResult = runParser parseResult = runParser parseResult = runParser par
```

Tech Radar



Techniques

Adopt

- 1. Mathematics
- 2. Property based testing
- 3. Continuous Flow

Trial

- 4. Code Reviews
- 5. Hammock Driven Development
- 6. Hole Driven Development
- 7. Lean

Assess

- 8. Pair Programming
- 9. Lean Startup

- 10. Dependency Injection
- 11. Scrum
- 12. Iterations

Tools

Adopt

- 13. Docker
- 14. Git

Trial

15. Kafka

Assess

- 16. Nix
- 17. Ansible
- 18. Chef
- 19. Puppet

- 20. Hibernate
- 21. MongoDB

Platforms

Adopt

- 22. JVM
- 23. AWS
- 24. Ubuntu

Trial

25. NixOS

Assess

- 26. OpenStack
- 27. Node.js/io.js

- 28. Ruby On Rails
- 29. Javá EE
- 30. Spring

Languages

Adopt

- 31. Scala
- 32. Haskell

Trial

- 33. PureScript
- 34. TypeScript
- 35. Erlang

Assess

- 36. Coq
- 37. Agda
- 38. Idris

- 39. Java
- 40. Ruby
- 41. Python
- 42. PHP
- 43. JavaScript
- 44. Elixir

References

- halcyon.sh
- nixos.org
- atom.io
- atom.io/packages/ide-haskell
- steshaw.org/techradar
- commercialhaskell.com