

# Procédure de basculement sc10 → Mirror

Quand le serveur principal (Passenger) ne répond plus, basculer le domaine principal vers le miroir statique.

## Prérequis

- Serveur : sc10bovu7233.universe.wf
- Clé SSH : /Users/stv/Documents/zed/Deploy0S-sc10/id\_rsa\_sc10 (pas de passphrase)
- Mirror : https://mirror.sc10bovu7233.universe.wf

## 1. Vérifier que le site principal est down

```
curl -sfk https://sc10bovu7233.universe.wf/api/health/
```

Si pas de réponse ou 500, le site principal est down.

## 2. Basculer le domaine principal vers le mirror

On remplace le .htaccess de public\_html par une redirection vers le mirror :

```
ssh -i /Users/stv/Documents/zed/Deploy0S-sc10/id_rsa_sc10 \
sc10bovu7233@terre.o2switch.net \
"cat > /home/sc10bovu7233/public_html/.htaccess << 'EOF'
RewriteEngine On
RewriteCond %{HTTPS} !=on
RewriteRule ^ https://%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
RewriteRule ^(.*)$ https://mirror.sc10bovu7233.universe.wf/\$1 [L,R=302]
EOF"
```

Le site principal redirige désormais vers le mirror.

## 3. Revenir au site principal quand Passenger est rétabli

```
ssh -i /Users/stv/Documents/zed/Deploy0S-sc10/id_rsa_sc10 \
sc10bovu7233@terre.o2switch.net \
"rm /home/sc10bovu7233/public_html/.htaccess && \
touch /home/sc10bovu7233/nextapp/tmp/restart.txt"
```

Le .htaccess sera regénéré automatiquement par cPanel au prochain redémarrage de l'app Node.js.

Si besoin de le recréer manuellement :

```
ssh -i /Users/stv/Documents/zed/Deploy0S-sc10/id_rsa_sc10 \
sc10bovu7233@terre.o2switch.net \
"cat > /home/sc10bovu7233/public_html/.htaccess << 'EOF'
RewriteEngine On
RewriteCond %{HTTPS} !=on
RewriteRule ^ https://%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
# DO NOT REMOVE. CLOUDLINUX PASSENGER CONFIGURATION BEGIN"
```

```
PassengerAppRoot \"/home/sc10bovu7233/nextapp\"
PassengerBaseURI \"/\"
PassengerNodejs \"/home/sc10bovu7233/nodeenv/nextapp/20/bin/node\"
PassengerAppType node
PassengerStartupFile server.js
# DO NOT REMOVE. CLOUDLINUX PASSENGER CONFIGURATION END
EOF"
```

## 4. Mettre à jour le mirror (après changement de contenu CMS)

```
cd /Users/stv/Documents/zed/Deploy05-sc10/mentivis-os

# S'assurer d'avoir le dernier code
git pull

# Construire le mirror
SOURCE_URL=https://sc10bovu7233.universe.wf \
API_PROXY=https://sc10bovu7233.universe.wf \
SITE_URL=https://mirror.sc10bovu7233.universe.wf \
bash scripts/build-static.sh

# Uploader vers le mirror
rsync -avz --delete -e "ssh -i /Users/stv/Documents/zed/Deploy05-sc10/id_rsa_sc10" \
out/ sc10bovu7233@terre.o2switch.net:/home/sc10bovu7233/public_html/mirror/
```

## Infos serveur

| Information    | Valeur                                             |
|----------------|----------------------------------------------------|
| SSH Host       | terre.o2switch.net                                 |
| SSH User       | sc10bovu7233                                       |
| SSH Key        | /Users/stv/Documents/zed/Deploy05-sc10/id_rsa_sc10 |
| App Root       | /home/sc10bovu7233/nextapp                         |
| Mirror Root    | /home/sc10bovu7233/public_html/mirror              |
| Site Principal | https://sc10bovu7233.universe.wf                   |
| Mirror         | https://mirror.sc10bovu7233.universe.wf            |
| Node.js        | v20.20.2                                           |