

Remaining launch checklist

Only the work still required to make the Academy app production-ready

DEFINITION OF DONE

The finish line

Every current Academy member can request a Magic Link, reach the content they already own, use the community and field tools, and reopen saved work on another device. The desktop web app, mobile web/PWA, and signed iOS and Android builds all pass their production paths.

BACKEND LIVE

Eighteen migrations, 53 RLS tables, and nine Edge Functions are active. Email delivery remains safely paused for Mailgun.

ACADEMY IMPORTED

60 login accounts, 49 linked enrollments, 128 lessons, community history, events, and private media are in Supabase.

APP VERIFIED

Seventy tests, responsive web QA, private media, PWA checks, Android APK/AAB, and an iOS simulator build all pass.

RELEASE CANDIDATE

Web, iOS, and Android contain the same verified bundle. GHF stays live until the remaining client gates pass.

Completed and removed from this checklist

- ☒ Eighteen Supabase migrations, 53-table RLS audit, access/notification indexes, security hardening, and nine Edge Function deployments are complete.
- ☒ The GHF archive was composed into 28 bounded batches; dry run, commit, and idempotent repeat all passed in production.
- ☒ Sixty unique member accounts were silently provisioned and all 49 enrollments are linked. No customer email was sent.
- ☒ One course, 21 modules, 128 lessons, 137 course asset rows, 62 posts, 59 comments, 5 events, 7 real post images, and 4 external resources are live.
- ☒ Google Play identity/phone/website verification, Apple and Play app records, Apple renewal billing, package reservation, and Play App Signing enrollment are complete.
- ☒ Desktop, PWA, calculator, map math, native wrappers, importer, billing, legal/deletion flows, private signed media, store metadata, permissions, icons, Android builds, and iOS simulator build pass.
- ☒ In-app notifications, unread state, replies, mentions, post/comment likes, granular email preferences, branded Mailgun templates, retries, deep links, and signed unsubscribe are built.

Five remaining client gates

1. DNS, TLS, and Mailgun delivery.
2. Real-member Magic Link pilot.
3. Stripe test proof.
4. Physical-device and store release proof.
5. Controlled GHF delta and cutover.

NOT DONE UNTIL

Keep HighLevel live until member login, content access, production smoke tests, real-device measurement, and rollback evidence all pass.

Mailgun and production identity

Activate app.dirtyturf.com and verify Auth and community email with the existing Mailgun account

STEP 1

Configure the existing Mailgun sender

OWNER: Dirty Turf owner

-  Dirty Turf already uses Mailgun. Add its existing verified domain, SMTP host, username, and password to Supabase; do not create another mail provider account.
- ☐ In Mailgun, confirm the selected sending domain is active with SPF, DKIM, and DMARC healthy. Use a sender address covered by that verified domain.
- ☐ Configure Supabase Auth custom SMTP with Mailgun. Use smtp.mailgun.org and port 587 unless the account shows an EU-region host.
- ☐ Add MAILGUN_API_KEY, MAILGUN_DOMAIN, MAILGUN_FROM_EMAIL, MAILGUN_FROM_NAME, MAILGUN_REGION, APP_URL, and two different generated notification secrets to Supabase Edge Function secrets.
- ☐ Disable Mailgun click tracking for authentication mail so Magic Link URLs are not rewritten.
- ☐ Send a Supabase Magic Link to the owner and one existing pilot member. Confirm both cold-start web redirect and com.dirtyturf.academy://auth/callback on a physical phone.
- ☐ Send every community template to one internal recipient. Verify sender, layout, direct link, no duplicate on retry, category opt-out, and signed unsubscribe before enabling Cron.
- ☐ Store the project URL and dispatch secret in Supabase Vault, then enable the documented five-minute academy-notification-dispatch Cron job.
- ☐ Revoke the unused Resend API key shared in chat after Mailgun delivery passes. Keep Mailgun SMTP credentials only in Supabase's encrypted settings.

STEP 2

Lock production identity

OWNER: Release owner

-  Lock the permanent web origin as https://app.dirtyturf.com and add it to the Supabase Auth redirect allowlist.
-  Netlify is waiting for TXT subdomain-owner-verification = a274de0c635882497aea3cc2e0df6f49 in the Cloudflare account that owns dirtyturf.com. Then point app to bright-brigadeiros-df8b48.netlify.app and wait for TLS.
- ☐ Once HTTPS passes, set app.dirtyturf.com as the Supabase Site URL, APP_URL, allowed origin, and web Magic Link target; preserve the native callback.
-  The permanent Dirty Turf owner, owner profile, organization, membership, and Academy administrator access exist in Supabase.
-  The owner organization UUID is recorded in the ignored private import package and the production import is complete.
-  Privacy, support, deletion instructions, and the signed-in deletion workflow are built; confirm all three public routes on app.dirtyturf.com after TLS.
- ☐ Record a client owner and recovery owner with MFA for Supabase, Mailgun, GitHub, Netlify, Stripe, Apple, Google Play, GHL, and DNS.

Secret boundary

BROWSER-SAFE: VITE_SUPABASE_URL, publishable key, public Payment Link

SERVER-ONLY: service-role key, GHL token, Mailgun SMTP/API values, notification signing/dispatch secrets, Stripe secrets

NOT DONE UNTIL

Do not invite members until a real Supabase Magic Link delivers from the verified Dirty Turf sender and both web and native redirects work.

Guarantee member access

The archive and accounts are live; finish delivery and real-member acceptance before notification

STEP 3

Production import proof

OWNER: Migration owner

- ☒ Production contains 60 Auth users, 61 Academy member rows, 49 enrollments, 1 course, 21 modules, 128 lessons, 62 posts, 59 comments, and 5 events.
- ☒ Run `npm run academy:access-audit`: 60 unique login emails, 49 enrolled members, zero duplicates, and `allEnrolledCanLogin:true`.
- ☒ All 28 academy-import batches passed `commit:false`, `commit:true`, and an idempotent repeat with provider IDs and source ledgers intact.
- ☒ Representative lessons, progress, posts, comments, events, private course media, and private post images render in the authenticated app.
- ☒ Import and private-media policies require authenticated Academy administration or active Academy membership.
- ☐ The extra 61st source row is a historical author with no email and no enrollment. It is preserved for authorship and intentionally cannot be invited.

STEP 4

Provision all member accounts

OWNER: Access owner

- ☒ Invite/provision preview and post-import audit report all 60 login-eligible members ready and all 49 enrollments linked.
- ☒ All 60 accounts were provisioned without sending mail. Imported access grants are durable; passwords were not migrated.
- ☐ After Mailgun is active, prove an imported member can request a Magic Link and an unknown email cannot create Academy access.
- ☐ Pilot Magic Links with 3-5 members across iPhone, Android, and web. Check delivery, cold start, expiration, reuse, logout, and second-device login.
- ☐ After the pilot passes, notify the remaining members in batches of no more than 25 and monitor delivery failures.
- ☒ Imported historical posts and lessons did not generate old-content email; delivery remains paused until the pilot.
- ☐ Confirm owner, admin, moderator, active, cancelled, suspended, and unassigned access behavior before broad notification.

Exact sequence

```
COMPLETE: owner -> audit -> dry run -> commit -> repeat -> provision silently
REMAINING: Mailgun -> 3-5 pilot links -> notify in batches <= 25
```

NOT DONE UNTIL

Do not send all 60 links at once. A silent account import plus a small delivery pilot protects members from lockouts and duplicate invitations.

Payments and production web

Prove billing in Stripe test mode, then merge and verify the deployed release

STEP 5

Activate Stripe test mode

OWNER: Billing owner

- ☐ Create or confirm the client-owned Stripe account, business verification, Dirty Turf administrators, MFA, billing, and recovery ownership.
- ☐ Create the Academy product and Price in test mode. Map the Price to an inactive Academy plan and its included courses, then activate it.
- ☐ Register the Supabase stripe-webhook endpoint for Checkout and subscription lifecycle events. Store secret and webhook signing keys only in Supabase secrets.
- ☐ Configure Customer Portal and a web Payment Link. Add only the public Payment Link to Netlify.
- ☐ Complete one existing-member Checkout and one new-email Payment Link purchase. Verify account, grant, enrollment, billing rows, and Magic Link access.
- ☐ Replay a webhook, force a retrievable failure, and prove idempotent recovery. Then cancel both a Stripe-only member and an imported GHL member to prove grant precedence.
- ☐ Confirm Billing Portal works on web and native iOS/Android show no purchase button or external checkout link.

STEP 6

Merge and prove production

OWNER: Release owner

- ☒ GitHub PR #2 and its Netlify preview exist; the final tree passes the repository credential-pattern scan and complete local gate.
- ☐ Recheck GitHub CI and the Netlify deploy-preview status on the final pushed head immediately before merge.
- ☒ Team-authenticated preview smoke confirms the login shell, production canonical metadata, Mailgun disclosure, and public legal routes with no console errors.
- ☐ Finish app.dirtyturf.com ownership, CNAME, and TLS. Run `npm run release:domain`, then the production `release:smoke` gate; keep secrets server-side.
- ☒ Verify the local release candidate at desktop, 390px iPhone, and 412px Android widths with no horizontal overflow; private one- and five-image community posts load correctly.
- ☐ Verify preview auth, deep links, Academy, community, events, private assets, progress, headers, and network logs with an existing pilot member.
- ☒ Notification-center QA passes at 390 and 1440 pixels with zero overflow, no console errors, working mark-all, mentions, nested replies, and settings toggles.
- ☐ Merge PR #2 to main, wait for Netlify production, and repeat the authenticated golden path on the deployed URL.
- ☐ Run `npm run release:preflight -- --check-domain`. Record commit SHA, deploy ID, function versions, test account, rollback owner, and result.

NOT DONE UNTIL

Stripe stays in test mode and the old production site stays untouched until PR checks, preview QA, billing proof, and authenticated production smoke all pass.

Real phones and store builds

A simulator proves compilation; launch approval requires physical-device accuracy and signed releases

STEP 7

Run the measured-yard test

OWNER: Field QA owner

- ☐ On a supported iPhone, place at least four live AR points around a tape-measured yard, undo one point, finish, and record area, perimeter, device, OS, and error percentage.
- ☐ Repeat on a supported Samsung/Android phone with ARCore. Compare both results to the same tape-measured reference.
- ☐ Trace the same yard on the map, test multiple turf polygons, and compare combined area to the known reference.
- ☐ Test camera/location denial, unsupported hardware, tracking loss, rotation, background/resume, poor network, offline behavior, and duplicate-save protection.
- ☐ Save a calculation with photos and reopen it on a second device. Verify area, rate, pounds, 40-lb and 50-lb bags, price, method, date, and history.

STEP 8

Create signed test releases

OWNER: Store owner

- ☒ Build Android debug APK, unsigned release AAB, and an iOS simulator app from the same verified web bundle; all six entry documents match SHA-256 a66bf220f19bdf5b....
- ☐ Apple App ID and App Store Connect record 6813588770 exist. Archive reaches signing, but Apple reports no registered physical device/profile. Connect the client iPhone once, complete EU trader compliance, then archive and upload to TestFlight.
- ☐ Google Play app record 4973615558687213779 exists, the package is reserved, and Play App Signing is accepted. Create or recover the client upload key, configure the four local signing variables, sign the AAB, and publish to Internal testing.
- ☒ Prepare and machine-check store name, platform-specific short copy, description, category, privacy/data-safety answers, URLs, reviewer notes, screenshot plan, and consumption-only billing guidance.
- ☐ Enter the prepared metadata, screenshots, reviewer login, content rating, privacy answers, and deletion URL in both store records.
- ☐ Test install, update, deep link, Magic Link, logout, expired/reused links, camera, location, photos, map, lessons, community, and notifications on store builds.
- ☐ Confirm both store builds are consumption-only and give reviewers a pre-existing Academy test account.

NOT DONE UNTIL

Do not submit for review until AR accuracy is recorded on both platforms and TestFlight plus Play Internal builds complete the full signed-in golden path.

Cutover, monitor, and sign off

Keep the launch reversible until Dirty Turf approves member access and production behavior

STEP 9

Run the final GHL delta

OWNER: Migration owner

- ☐ Freeze GHL course/community changes, take a final delta capture, validate it, and reconcile member, enrollment, lesson, post, comment, and event counts.
- ☐ Run a final import dry run, commit the approved delta once, and repeat it to prove idempotency.
- ☐ Back up the private archive and production database. Record the restore owner and test the documented rollback path.
- ☐ Rotate the GHL private token shared in chat and keep the replacement server-side only.
- ☐ Keep GHL read-only as the rollback source until member access, content, billing, web production, and store pilot acceptance are signed off.

STEP 10

Pilot, launch, and monitor

OWNER: Product owner

- ☐ Complete the 3-5 member pilot before the broad member notification. Resolve every login, entitlement, or content mismatch first.
- ☐ Monitor Auth mail, Mailgun events, notification outbox retries, invite failures, Edge Function errors, webhook failures, database errors, app crashes, and support during the first 24 hours.
- ☐ Record an owner, timestamp, and evidence link for each final sign-off below.

Final sign-off

60 accounts ready / 49 enrollments linked	OWNER / TIME / RESULT
Stripe test purchase, replay, cancellation	OWNER / TIME / RESULT
Netlify production golden path	OWNER / TIME / RESULT
iPhone AR / Samsung AR / map accuracy	OWNER / TIME / RESULT
TestFlight / Play Internal acceptance	OWNER / TIME / RESULT
GHL delta, backup, and rollback	OWNER / TIME / RESULT

Simple next actions

1. Publish Netlify DNS. 2. Add Mailgun SMTP/API values and test one recipient. 3. Pilot 3-5 existing members. 4. Prove Stripe. 5. Merge and smoke production. 6. Test real phones. 7. Upload signed builds. 8. Run the final GHL delta, notify, and cut over.

NOT DONE UNTIL

Launch only after every sign-off passes. Until then, keep HighLevel available and label the new app as a controlled pilot.