

Remaining launch checklist

Only the work still required to make the Academy app production-ready

DEFINITION OF DONE

The finish line

Every current Academy member can request a Magic Link, reach the content they already own, use the community and field tools, and reopen saved work on another device. The desktop web app, mobile web/PWA, and signed iOS and Android builds all pass their production paths.

BACKEND LIVE

Twelve migrations, 51 RLS-protected public tables, six Edge Functions, and the health endpoint are active in Supabase.

ARCHIVE VERIFIED

60 login members, 49 enrollments, 109 published lessons, 19 drafts, community data, and assets reconcile to GHIL.

APP VERIFIED

Fifty-four tests, responsive QA, PWA checks, Android AAB, and a clean iOS Release simulator launch all pass.

RELEASE CANDIDATE

PR #2 CI and Netlify deploy status pass. Production remains gated on identity, import, billing, and physical-device proof.

Completed and removed from this checklist

- ☒ Twelve Supabase migrations, 51-table RLS audit, security-function hardening, and six Edge Function deployments are complete.
- ☒ GHIL course, lesson, member, enrollment, community, event, and asset capture is complete and exact-count verified.
- ☒ Google Play developer identity, website, and phone verification are complete.
- ☒ The Apple renewal card is added. The branded iOS Release build installs and opens in the iPhone 17 simulator; Android debug and release builds pass.
- ☒ Desktop web, mobile/PWA, calculator, exact map-area math, native wrappers, importer, billing logic, legal pages, and account-deletion workflow are built.
- ☒ The source access audit proves 60 unique login emails, 49 linked enrollments, zero duplicate login emails, and all enrolled members login-ready.

Six remaining gates

1. Email and owner identity.
2. Academy import and member access.
3. Stripe test proof.
4. GitHub and Netlify production release.
5. Real-device AR and signed store builds.
6. Controlled GHIL cutover.

NOT DONE UNTIL

Keep HighLevel live until member login, content access, production smoke tests, real-device measurement, and rollback evidence all pass.

Mailgun and production identity

Activate app.dirtyturf.com, verify Auth mail, and create the two accounts needed for migration proof

STEP 1

Configure the existing Mailgun sender

OWNER: Dirty Turf owner

-  Dirty Turf already uses Mailgun. Add its existing verified domain, SMTP host, username, and password to Supabase; do not create another mail provider account.
- ☐ In Mailgun, confirm the selected sending domain is active with SPF, DKIM, and DMARC healthy. Use a sender address covered by that verified domain.
- ☐ Configure Supabase Auth custom SMTP with Mailgun. Use smtp.mailgun.org and port 587 unless the account shows an EU-region host.
- ☐ Disable Mailgun click tracking for authentication mail so Magic Link URLs are not rewritten.
- ☐ Send a Supabase Magic Link to the owner and test member. Confirm both cold-start web redirect and com.dirtyturf.academy://auth/callback on a physical phone.
- ☐ Revoke the unused Resend API key shared in chat after Mailgun delivery passes. Keep Mailgun SMTP credentials only in Supabase's encrypted settings.

STEP 2

Lock production identity

OWNER: Release owner

-  Lock the permanent web origin as https://app.dirtyturf.com and add it to the Supabase Auth redirect allowlist.
-  Netlify is waiting for the ownership TXT in the Cloudflare account that owns dirtyturf.com. Publish it, then point the app CNAME at Netlify and wait for TLS.
- ☐ Once HTTPS passes, set app.dirtyturf.com as the Supabase Site URL, APP_URL, allowed origin, and web Magic Link target; preserve the native callback.
- ☐ Create one permanent Dirty Turf owner in Supabase Auth and one normal test member. Confirm the auth trigger creates the owner profile, organization, and owner membership.
- ☐ Record the owner organization UUID; this is the only missing value required by the private Academy import manifest.
-  Privacy, support, deletion instructions, and the signed-in deletion workflow are built; confirm all three public routes on app.dirtyturf.com after TLS.
- ☐ Record a client owner and recovery owner with MFA for Supabase, Mailgun, GitHub, Netlify, Stripe, Apple, Google Play, GHL, and DNS.

Secret boundary

BROWSER-SAFE: VITE_SUPABASE_URL, publishable key, public Payment Link
SERVER-ONLY: service-role key, GHL token, Mailgun SMTP password, Stripe secrets

NOT DONE UNTIL

Do not invite members until a real Supabase Magic Link delivers from the verified Dirty Turf sender and both web and native redirects work.

Import and guarantee member access

Load the verified archive, provision every account silently, then pilot Magic Links

STEP 3

Dry run and import

OWNER: Migration owner

- ☐ Add the production owner organization UUID to output/private/dirty-turf-academy-import.json. Keep the file ignored and client-owned.
- ☒ Run `npm run academy:access-audit`: 60 unique login emails, 49 enrolled members, zero duplicates, and `allEnrolledCanLogin:true`.
- ☐ Call `academy-import` with `commit:false`. Match every count to the verified archive before allowing writes.
- ☐ Call `academy-import` with `commit:true` once, then repeat it and prove provider IDs make the import idempotent.
- ☐ Open representative lessons, drafts, quizzes, posts, comments, events, member profiles, assets, and enrollment states in both GHL and the app.
- ☐ Confirm the normal test member cannot run an import, read another company, or fetch a private Academy asset without authorization.

STEP 4

Provision all member accounts

OWNER: Access owner

- ☐ Run the invite/provision preview. Require all 60 current login-eligible members ready and all 49 enrollments linked.
- ☐ Provision all 60 accounts without sending mail. Preserve imported access grants; passwords do not migrate.
- ☐ Prove an imported member can request a Magic Link and an unknown email cannot create Academy access.
- ☐ Pilot Magic Links with 3-5 members across iPhone, Android, and web. Check delivery, cold start, expiration, reuse, logout, and second-device login.
- ☐ After the pilot passes, notify the remaining members in batches of no more than 25 and monitor delivery failures.
- ☐ Confirm owner, admin, moderator, active, cancelled, suspended, and unassigned access behavior before broad notification.

Exact sequence

```
owner org UUID -> access audit -> import dry run -> commit -> repeat
preview accounts -> provision silently -> 3-5 pilot links -> batches <= 25
```

NOT DONE UNTIL

Do not send all 60 links at once. A silent account import plus a small delivery pilot protects members from lockouts and duplicate invitations.

Payments and production web

Prove billing in Stripe test mode, then merge and verify the deployed release

STEP 5

Activate Stripe test mode

OWNER: Billing owner

- ☐ Create or confirm the client-owned Stripe account, business verification, Dirty Turf administrators, MFA, billing, and recovery ownership.
- ☐ Create the Academy product and Price in test mode. Map the Price to an inactive Academy plan and its included courses, then activate it.
- ☐ Register the Supabase stripe-webhook endpoint for Checkout and subscription lifecycle events. Store secret and webhook signing keys only in Supabase secrets.
- ☐ Configure Customer Portal and a web Payment Link. Add only the public Payment Link to Netlify.
- ☐ Complete one existing-member Checkout and one new-email Payment Link purchase. Verify account, grant, enrollment, billing rows, and Magic Link access.
- ☐ Replay a webhook, force a retrievable failure, and prove idempotent recovery. Then cancel both a Stripe-only member and an imported GHM member to prove grant precedence.
- ☐ Confirm Billing Portal works on web and native iOS/Android show no purchase button or external checkout link.

STEP 6

Merge and prove production

OWNER: Release owner

- ☒ Publish the exact tested tree to GitHub PR #2, review the complete diff, and pass the repository credential-pattern scan.
- ☒ GitHub CI and the Netlify deploy-preview status pass on PR #2's current head; recheck both immediately before merge.
- ☒ Team-authenticated preview smoke confirms the login shell, production canonical metadata, Mailgun disclosure, and public legal routes with no console errors.
- ☐ Finish app.dirtyturf.com ownership, CNAME, and TLS. Confirm Supabase public variables and the public Stripe Payment Link in Netlify; keep secrets server-side.
- ☒ Verify the local release candidate at 320, 390, and 1440 pixels with no horizontal overflow or console errors; smoke all six public routes.
- ☐ Verify preview auth, deep links, Academy, community, events, private assets, progress, headers, and network logs with the real test member.
- ☐ Merge PR #2 to main, wait for Netlify production, and repeat the authenticated golden path on the deployed URL.
- ☐ Record commit SHA, deploy ID, migration/function versions, smoke-test account, rollback owner, and rollback steps.

NOT DONE UNTIL

Stripe stays in test mode and the old production site stays untouched until PR checks, preview QA, billing proof, and authenticated production smoke all pass.

Real phones and store builds

A simulator proves compilation; launch approval requires physical-device accuracy and signed releases

STEP 7

Run the measured-yard test

OWNER: Field QA owner

- ☐ On a supported iPhone, place at least four live AR points around a tape-measured yard, undo one point, finish, and record area, perimeter, device, OS, and error percentage.
- ☐ Repeat on a supported Samsung/Android phone with ARCore. Compare both results to the same tape-measured reference.
- ☐ Trace the same yard on the map, test multiple turf polygons, and compare combined area to the known reference.
- ☐ Test camera/location denial, unsupported hardware, tracking loss, rotation, background/resume, poor network, offline behavior, and duplicate-save protection.
- ☐ Save a calculation with photos and reopen it on a second device. Verify area, rate, pounds, 40-lb and 50-lb bags, price, method, date, and history.

STEP 8

Create signed test releases

OWNER: Store owner

- ☒ Build Android debug/release artifacts and an iOS Release simulator app from the same verified web bundle; confirm exact embedded index hashes.
- ☐ Apple: complete EU trader compliance, confirm seller/team signing, create the App Store Connect record, archive Release, and upload to TestFlight. Paid Apps terms are not a blocker unless in-app purchases are added.
- ☐ Google Play: create the app record, confirm package/version/signing ownership, build a signed AAB, and publish to Internal testing.
- ☒ Prepare store name, description, category, privacy/data-safety answers, URLs, reviewer notes, screenshot plan, and consumption-only billing guidance.
- ☐ Enter the prepared metadata, screenshots, reviewer login, content rating, privacy answers, and deletion URL in both store records.
- ☐ Test install, update, deep link, Magic Link, logout, expired/reused links, camera, location, photos, map, lessons, community, and notifications on store builds.
- ☐ Confirm both store builds are consumption-only and give reviewers a pre-existing Academy test account.

NOT DONE UNTIL

Do not submit for review until AR accuracy is recorded on both platforms and TestFlight plus Play Internal builds complete the full signed-in golden path.

Cutover, monitor, and sign off

Keep the launch reversible until Dirty Turf approves member access and production behavior

STEP 9

Run the final GHL delta

OWNER: Migration owner

☐ Freeze GHL course/community changes, take a final delta capture, validate it, and reconcile member, enrollment, lesson, post, comment, and event counts.
 ☐ Run a final import dry run, commit the approved delta once, and repeat it to prove idempotency.
 ☐ Back up the private archive and production database. Record the restore owner and test the documented rollback path.
 ☐ Rotate the GHL private token shared in chat and keep the replacement server-side only.
 ☐ Keep GHL read-only as the rollback source until member access, content, billing, web production, and store pilot acceptance are signed off.

STEP 10

Pilot, launch, and monitor

OWNER: Product owner

☐ Complete the 3-5 member pilot before the broad member notification. Resolve every login, entitlement, or content mismatch first.
 ☐ Monitor auth delivery, invite failures, Edge Function errors, webhook failures, database errors, app crashes, and support during the first 24 hours.
 ☐ Record an owner, timestamp, and evidence link for each final sign-off below.

Final sign-off

60 accounts ready / 49 enrollments linked	OWNER / TIME / RESULT
Stripe test purchase, replay, cancellation	OWNER / TIME / RESULT
Netlify production golden path	OWNER / TIME / RESULT
iPhone AR / Samsung AR / map accuracy	OWNER / TIME / RESULT
TestFlight / Play Internal acceptance	OWNER / TIME / RESULT
GHM delta, backup, and rollback	OWNER / TIME / RESULT

Simple next actions

1. Publish Netlify DNS. 2. Configure Mailgun. 3. Create owner and test member. 4. Import and provision. 5. Prove Stripe. 6. Merge and smoke production. 7. Test real phones. 8. Upload signed builds. 9. Pilot and cut over.

NOT DONE UNTIL

Launch only after every sign-off passes. Until then, keep HighLevel available and label the new app as a controlled pilot.