Commerce Release R24.11 - Feature Requirements

1. Purpose and Scope

This feature brief defines current product intent for the R24.11 commerce release. Jira exports represent delivery work items, but the approved business behavior lives across this document, API contracts, and release scope. Delivery assurance must preserve relationships across those sources rather than treating a Jira status as proof of completion.

2. Checkout Capability

Guest checkout must validate shipping information before payment authorization. A duplicate checkout submission using the same idempotency key must not create a second order. When risk scoring exceeds the approved threshold, the user is routed to step-up verification before the order is accepted.

- Address validation errors must identify the invalid field without exposing internal validation rules.
- Payment authorization should not begin until required customer and delivery fields are valid.
- A retry after a network interruption must not create a duplicate order when the original request succeeded.

3. Payments and Refunds

Refund eligibility depends on customer tier, fulfillment date, and order status. Standard customers may have a different time window from premium customers. The service must return a clear eligibility reason while protecting processor and fraud-rule details.

Scenario	Expected Business Behavior
Eligible refund	Accept request and return tracking reference
Expired window	Reject with customer-safe reason
Duplicate refund request	Return existing request outcome rather than create another
High-risk payment	Require additional verification before completion

4. Identity and Authorization

Administrative refund overrides require an authorized support role. Customer-facing checkout functions must never inherit administrative permissions simply because the same downstream service is used. Authorization failures must be distinguishable from validation failures in test evidence.

5. Promotions

Promotion application must respect effective dates, usage limits, product exclusions, and customer eligibility. Where two promotions are mutually exclusive, the approved precedence rule must be applied consistently across web and API channels.

- Expired promotion codes must fail deterministically.
- Promotion calculations must be reproducible from captured request data.
- A change to stacking rules requires regression review for existing promotion tests.

6. Known Ambiguities

Two Jira stories intentionally use wording such as “fast and intuitive.” These statements are not approved measurable acceptance criteria. The delivery-assurance solution should surface the ambiguity and request clarification rather than inventing thresholds or silently treating the wording as testable.

7. Release Evidence

Every P0/P1 feature should map to delivery work, acceptance evidence, and current test coverage. Historical PASS results may become stale when the feature behavior changes. Release analysis should therefore consider the current requirement version, linked work items, and execution evidence together.

8. Change and Impact Expectations

When a feature or API rule changes, linked tests, automation scripts, downstream contracts, and release gates should be reviewed. The system should identify potentially impacted artifacts rather than assuming that existing links remain semantically correct.

9. Traceability Expectations

The desired traceability chain is Product Intent -> Epic/Story -> Acceptance Evidence -> Test -> Execution -> Defect/Release Decision. Missing or broken links should be visible. A story marked Done without current validation evidence should remain a delivery-assurance concern.

10. Source Precedence

Current approved feature requirements and current API contracts take precedence over archived or superseded delivery notes. Jira comments can provide useful context, but they do not automatically override approved product intent.