

Using data analysis to address important social questions

Geek Seminar
September 3, 2025

Tony Beatton^{1, 2}

¹ ARC Training Centre for Behavioural Insights for Technology Adoption (BITA),
Queensland University of Technology.

² College of Adjuncts, University of Canberra.

[World Wellbeing Panel](#)

[ORCID 0000-0002-6742-4508](#)

[QUT Homepage](#)

[Google Scholar Tony Beatton](#)



BITA

ARC Training Centre for Behavioural
Insights for Technology Adoption



BEST CENTRE
Behavioural Economics . Society . Technology



Example Project Approach:

Does an increase in education decrease crime? Is the link causal?

Researchers: Prof. Michael Kidd (RMIT); Dr. Tony Beatton (ISSR/QUT/RMIT); Prof. Steve Machin (LSE); Dr. Dipa Sarkar (QUT).

Research Partners: Dr. Angela Ferguson (DET); Sandra Smith (QPS) & Claire Slater (JAG).

Overview: Since 2012, the research team has been collaborating with the Queensland Government agencies: Queensland Police Service, Queensland Department of Justice & Attorney General, and the Queensland Department of Education & Training to examine **the causal effect of the 'Earning or Learning' one-year increase in high-school education on youth crime.**

During the conduct of this study the QUT research team has **gained much experience in using data from Queensland Government agencies.** Most importantly, in conjunction with all agencies involved, we collectively **overcame the legal impediments to linking data across agencies.**

As a result of this effort the research team and our **Queensland Government partners** are now conducting **multiple cross-agency studies.**

Sample Size requirements: G*Power

Standard Error Formula

$$SE = \frac{s}{\sqrt{n}}$$

www.inchcalculator.com


Statistical Power:

Cohen's d formula

Explanation

$$d = \frac{\bar{x}_1 - \bar{x}_2}{s}$$

- $\bar{x}_1$ = mean of Group 1
- $\bar{x}_2$ = mean of Group 2
- s = standard deviation



Example Study	Levels of the Study Variable	Mean (m ₁)	Mean (m ₂)	Standard Deviation (sd)	Effect Size (d=(m ₁ -m ₂)/sd)	Analytical Test	Sample Size Estimates ex G*Power	
							Total n	n per Group
Mayer & Gavin (1999)	trust PM v TMT	3.21	2.72	0.77	0.64	ANOVA	108	4
Mayer & Gavin (1999)	ability PM v TMT	3.45	2.94	0.82	0.62	ANOVA	135	5
Mayer & Gavin (1999)	benevolence PM v TMT	3.14	2.59	0.93	0.59	ANOVA	135	5
Mayer & Gavin (1999)	integrity PM v TMT	3.23	2.79	0.85	0.52	ANOVA	162	6
Gill et al., 2005	high trust v total trust	6.33	4.73	1.68	0.95	ANOVA	81	3
Gill et al., 2005	total trust v low trust	4.73	2.79	1.68	1.15	ANOVA	81	3
Mayer & Gavin (1999)	trust PM v TMT	3.21	2.72	0.77	0.64	ANOVA	64	8
Mayer & Gavin (1999)	ability PM v TMT	3.45	2.94	0.82	0.62	ANOVA	72	9
Mayer & Gavin (1999)	benevolence PM v TMT	3.14	2.59	0.93	0.59	ANOVA	72	9
Mayer & Gavin (1999)	integrity PM v TMT	3.23	2.79	0.85	0.52	ANOVA	96	12
Gill et al., 2005	high trust v total trust	6.33	4.73	1.68	0.95	ANOVA	40	5
Gill et al., 2005	total trust v low trust	4.73	2.79	1.68	1.15	ANOVA	32	4

Assumptions: Power = .95 alpha = .05 Number of Groups = 27	Assumptions:	
	power =	0.95
	p =	0.05
	Groups=	27
	d = 1	
Assumptions: Power = .95 alpha = .05 Number of Groups = 8	Assumptions:	
	power =	0.95
	p =	0.05
	Groups=	8

(Cohen, 1977)

Questions you need to ask about the data?

- Is it ***appropriate*** to use an existing dataset?
- Does the dataset avail us of the ***statistical power*** and ***data quality*** adequate to answer your proposed research question?
- And, to get us published.
- What is available ...

Restricted Access Datasets

- ABS CURFs
- HILDA
- LSIC & LSAC
- MABEL

Freely available Datasets

- World Values Survey
- data.gov.au
- UK Data Archive (some)



QUT | Library | Support researchers

Data availability & access - data sources

- **Collect your own data;** time consuming; Costly; N too small
Happy (Queensland) Kids; PEACH; Journal publications data
- **Special data:**
German National Archives; Inquisition.....
- **Use existing Socio-economic panel data:**
 - [SOEP](#)
 - [BHPS/Understanding Society](#)
 - **[DSS Longitudinal Studies Dataverse](#)**
[HILDA](#) LSAC, LSIC, NCVER, MABEL, etc.
 - [University of Mississippi](#)
 - [University of Michigan](#)
 - US National Science Foundation
 - <http://libguides.library.qut.edu.au/DatasetsForResearch>

Search the Web!



Ethics & Information Security

- [QUT Data Management Planner](#)
- Requirement for ARC grant
- A living document, evolving & maintained
- [Information Security Act, 2009](#) – Queensland
- University ethics
 - [Research Governance Framework](#)
- Longitudinal Panel data contracts & costs
 - [DSS Longitudinal Studies Dataverse](#).
- Government Agency Research Proposals & data request approvals
 - [E.g. Queensland Department of Education](#)
 - [PLIDA](#) ABS training



Computer Capacity and Data Backup

- Panel datasets can be large .e.g. 3Gbytes
 - Require PC Server (14-core Xeon, 64Gbytes RAM, 4 Terabytes disk), or
 - [Research Data Storage](#) ([HPC](#) & [HPC-FS](#))
- UNIX knowledge (batch)
- STATA software licence on the HPC?

Why Panel Data:

The disadvantages of cohort & cross-sectional data

Example: cross-section earnings regression (single time period, t subscript suppressed)

$$y_i = \mathbf{z}_i \alpha + \mathbf{x}_i \beta + \varepsilon_i$$

where:

y_i = log wage;

$\mathbf{z}_i$ = observable time-invariant factors (education, etc.);

$\mathbf{x}_i$ = observable (e.g. job tenure);

ε_i = random error (e.g. “luck”)

Possible misspecifications, causing bias:

- Omitted dynamics (lagged variables not observed)
- Reverse causation (e.g. pay and tenure jointly determined)
- Omitted unobservables (e.g. “ability”)
- No evidence of causation

Why Panel Data:

Causation from micro-data

Example: earnings panel data regression (multiple time periods)

$$y_{it} = \mathbf{z}_i \alpha + \mathbf{x}_{it} \beta + \varepsilon_{it}$$

where:

y_{it} = log wage;

$\mathbf{z}_i$ = observable time-invariant (variant) factors (education, etc.);

$\mathbf{x}_{it}$ = observable time-varying factors (e.g. job tenure);

ε_{it} = random error (e.g. “luck”)

Possible misspecifications, causing bias:

- Omitted dynamics (lagged variables are observed)
- Reverse causation (e.g. pay and tenure; changes seen over time; fixed effects)
- Omitted unobservables (e.g. “ability”), fixed effects
- **Causation evidence**

What are Panel Data?

- Panel data involve regularly *repeated observations* on the same *individuals*;
- **Repeat observations** may be different time periods or units within clusters (e.g. workers within firms; siblings within twin pairs);
- **Individuals** may be people, households, firms, crimes, etc;
- In most analysis using household panels, the *individual* is the **person (i)** and the *repeated observations* are the **different time periods (waves) (t)**;
- Sometimes, e.g. to isolate household (or family) effects, the *individual* is the **household** (or family) and the *repeated observations* are **different persons** within the household;

Why use panel data?

- Can isolate effects of unobserved differences between individuals;
- Causal inference may be strengthened by temporal ordering;
- Repeated current observation more reliable than recall of histories in one-shot cross-section surveys;
- Some phenomena are inherently longitudinal (e.g. poverty persistence; unstable employment);
- Can study dynamics –may be important even if we're only interested in the long run

Panel data doesn't solve everything

- **Multi-level analysis** may involve **more than 2 dimensions of the sample**, e.g. time periods (t) within persons (i) within households (j) (but note problem of defining the household over time),
 - how to handle this ????
- Variation between people usually far exceeds variation over time for an individual: ie: a panel with T waves doesn't give T times the cross-sectional information; small betas; even smaller (- 30 to 60% with fixed effects);
- Variation over time may not exist for some important variables; need large number of events (dummies) to get an effect, e.g. life events, 100 to 200;
- Variation over time may be inflated by measurement error (self-reports); administrative data can be better, but data entry errors;

Panel data doesn't solve everything (cont.)

- Variables not in every wave;
- Need: big N , *big i* , and, a lots of t (waves);
- Panel data imposes a fixed timing structure (t); analysis other methods may be more informative: e.g. continuous-time survival;
- Need very strong assumptions to draw clear inferences from panels: sequencing in time does *not* necessarily reflect causation (theory can help here).

Things to consider when choosing to use panel data?

- **Truthful** survey responses; enumerator effects
([Kassenboehmera & Haisken-DeNew, 2011](#)); CAPI authentication.
- Handling **missing data**?

Things to consider when choosing to use panel data?

Attrition is the process of drop-out of individuals from the panel, leading to an unbalanced and possibly non-compact panel; **panel retention rates**, e.g. >90% for the HILDA, 2001-2015: people over 15 years old in each selected household. Wave 1; 7,682 households (13,969 individuals). Wave 15, ~17,000 individuals);

Do I need:

- a **balanced panel**; same number of time observations (t) for each of the n individuals (i);
- an **unbalanced panel** has different numbers of time;
- A **compact panel** covers only consecutive time periods for each individual – no “gaps”;
- A **short panel** has a large number of individuals but few time observations on each;
- A **long panel** has long run of time observations per individual; permitting separate time-series analysis for each, e.g. GSOEP started 1984-2015;

Handling panel data in Stata

- A record for an individual case contains information on the person's state at different times
- *Unit of analysis ?*
 - Individual, category of person, e.g. alleged offender; event, e.g. crime (theft)
- Data can be organised in two ways: 1) Wide form (supplied) & 2) Long form (for most panel data commands in Stata)
 - Use Stata <reshape> command to convert between them.
 - Use PanelWhiz ·



Data merging & preparation for analysis

Shape the data to fit your analytic model(s)

Long form

- multiple rows per case
- observations on a variable for different time periods held in different rows for each individual
- The dataset's row identifier identifies time (e.g. wave)

reshape long inc, i(id) j(year) (wide to long form)

reshape wide inc, i(id) j(year) (long to wide form)

xwaveid	wave	wage
10001	1	7.2
10001	2	7.5
10001	3	7.7
10002	1	6.3
10002	3	6.3
10003	1	5.4
10003	2	5.4
...	...	

Wide form

- One row per case
- Observations on a variable for different time periods (or dates) held in different columns
- Variable name identifies time (via prefix)

xwaveid	awage (Wage at w1)	bwage (Wage at w2)	cwage (Wage at w3)
10001	7.2	7.5	7.7
10002	6.3	missing	6.3
10003	5.4	5.4	missing
...			



More than 2 dimensions of the sample?

Unit of analysis: individuals (i); year (t); xtset newid ouryear

panel variable: newid (unbalanced)

time variable: ouryear, 2002 to 2014, but with gaps

delta: 1 unit

individuals (i); year (t) crime (j) action (k)?

Handling panel data in Stata – merging

* Merge Student Enrolment.dta Files

use WF4037_File1_Student_Enrolments_2002to2006.dta, clear

sort student_identifier collectionyear

local mylist WF4037_File1_Student_Enrolments_2007to2011 /*

*/ WF4037_File1_Student_Enrolments_2012to2014

foreach x of local mylist {

sort student_identifier collectionyear

merge m:m student_identifier collectionyear using `x'.dta

}

save WF4037_File1_Student_Enrolments_2002to2014.dta, replace

Handling panel data in Stata – matching

```
* Add student_identifier to QPS data  
use QPSpnl_v11.dta, clear  
merge m:m offender_spi using EQ_spi.dta  
sort student_identifier ouryear  
save qpspnl_v21_short.dta, replace
```

*

- Match QPS to DET data (master)
- use coedEQpanel_spi_v4.dta, clear
- sort student_identifier ouryear
- merge m:m student_identifier ouryear using qpspnl_v21_short.dta

Handling panel data in Stata – matching (cont)

student_identifier	offender_spi	ouryear	gender	age3	year_leveln	dtheft	ddrugoff	dpubordr
9999936241Q		2002	M	11	6	0	0	0
9999936241Q		2003	M	12	7	0	0	0
9999936241Q		2004	M	13	8	0	0	0
9999936241Q		2005	M	14	9	0	0	0
9999936241Q	19398429	2006	M	15	10	0	0	0
9999936241Q		2007	M	16	11	0	0	0
9999936241Q	19398429	2008		17		0	1	0
9999936241Q	19398429	2009		18		0	0	1
9999936241Q	19398429	2010		19		0	1	0
9999936241Q	19398429	2011		20		1	1	0
9999936241Q	19398429	2012		21		0	1	1
9999936241Q	19398429	2013		22		0	0	1

STATA: Merging Data & cleanup examples

[executive_eecrm_v1.do](#)

[startlog_eecrm_v1.do](#)

[dirgl_ltT1_eecrm_v1.do](#)

[id missings example.do](#)

[spimerge_eecrm_v1.do](#)

[dupcheck_v1.do](#)

[newid_eecrm_v1.do](#)

[gendercheck_eecrm_pnl_v1.do](#)

[varname_eecrm_pnl_v1.do](#)

[yip_edcrim_v1.do](#)

[summstats_eecrm_v1](#)

[ecec_analysis_pnl2_v2.do](#)

Handling missing data

xwaveid	wave	wage
10001	1	7.2
10001	2	7.5
10001	3	7.7
10002	1	6.3
10002	2	.
10002	3	6.3
10003	1	5.4
10003	2	5.4
10003	3	.

xwaveid	year	wave	gender	age	wage
10001	2001	1	1	19	7.2
10001	2002	2	1	.	7.5
10001	2003	3	.	21	7.7
10002	2001	1	1	44	6.3
10002	2002	2	.	45	.
10002	2003	3	.	46	6.3
10003	2001	1	0	.	5.4
10003	2002	2	0	34	5.4
10003	2003	3	.	.	.

Handling missing data

[Handling Missings.pdf](#)

STATA command:

Codebook <varname(s)>

Describe <varname(s)>

[id missings example.do](#)

Means replacement

Frijters Method: [basicdat 20Nov HILDA v2b with clark & missing variables replaced.do](#)

Handling missing data: impute

STATA: impute

help impute

Title

[D] impute -- Fill in missing values

Syntax

impute depvar indepvars [if] [in] [weight] , generate(newvar1) [options]

options	Description
---------	-------------

Main

* generate(newvar1)	generate newvar1 to contain the imputations
nomissings(varlist)	include varlist without missing values in the best-subset regressions
all	estimate using all observations (regardless of if and in)
regsample(exp)	estimate using observations specified in exp
copyrest	copy out-of-sample values of dependent variable to generated variable
varp(newvar2)	create new variable to contain the variance of the prediction

PanelWhiz

Prof. Dr. John P. de New (formerly Haisken-DeNew)



- is a collection of [Stata/SE®](#) Add-On scripts to make using [panel data](#) sets easier.
 - is a MUST for empirically minded economists, sociologists, political scientists and demographers.
 - allows the user to select vectors of variables at once. Matching and merging is done automatically.
 - allows items to be stored as project classes (modules). Modules can be edited and appended.
 - allows panel retrievals be made at a click of a button. All retrievals are self-documenting.
 - allows easy data cleaning of the selected items for time consistency with PanelWhiz "plugins".
 - easily exports any Stata data to [SAS®](#), [SPSS®](#), [LIMDEP®](#), [GAUSS®](#), [MS Excel®](#), [R-Project®](#) [MPlus](#).
- Pay with a donation to UNICEF

PanelWhiz



USA CPS-MORG-NBER

[USA] PSID*

[AUS] HILDA

AUS LSAC (alpha)

AUS LSIC (alpha)

AUS MABEL (alpha)

GER IAB Establishment Panel

GER Mikrozensus*

GER MZ Panel Campus*

[GER] SOEP

GER SOEP-Long*

GER RWI-Energiepanel*

GER PairFam*

[GBR] BHPS

[GBR] UKUS

GBR ELSA


RSA NIDS

INT LIS*

INT SHARE*

[Data Providers: Put YOUR
dataset here !]





PanelWhiz: Profile settings

PanelWhiz CPS-NBER PSID HILDA LSAC BHPS IAB-BP MikroZ MZPC SOEP SOEPLONG LIS SHARE PanelWhiz Admin

User Authorisation

PanelWhiz Userid (Email): jhaiskendenew@rwi-essen.de

PanelWhiz Password:

PanelWhiz Paths

Path to PanelWhiz: e:/panelwhiz

Working directory: e:/pwproj

Start-up

Check for updates: No Memsize on startup: 500m


Identity


Author: John Haiken-DeNew

Email: jhaiskendenew@rwi-essen.de

OK Cancel

our





Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/temp/startpage.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/temp/startpage.smcl"

STATAtm 9.2
Statistics/Data Analysis
Special Edition

Copyright 1984-2006
StataCorp
4905 Lakeway Drive
College Station, Texas 77845 USA
800-STATA-PC http://www.stata.com
979-696-4600 stata@stata.com
979-696-4601 (fax)

Notes:

1. (/mw option or -set memory-) 10.00 MB allocated to data
2. (/v# option or -set maxvar-) 5000 maximum variables

Running C:\Dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz

Rule PanelWhiz, PanelWhiz rules the 'waves'!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!

Checking <http://www.panelwhiz.eu>: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)

.

PanelWhiz HILDA

Edit Project [default]

Open (RECENT)
Open (WEB)
Open (LOCAL)

Select a wave

[a - 2001] [b - 2002] [c - 2003] [d - 2004]

Keyword index

[*****] [a] [b] [c] [d] [e] [f] [g] [h] [i] [j] [k] [l]
[m] [n] [o] [p] [q] [r] [s] [t] [u] [v] [w] [x] [y] [z]

Review Variables

panelwhiz, dataset(hilda)

pwdatabrowse, openwave(d)

c:\proj

Start C:\WINDOWS\system32... Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild1 17:37

Start Page for the HILDA

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/temp/startpage.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/temp/startpage.smcl"

STATISTICS[™] 9.2 Copyright 1984-2006
Statistics/Data Analysis StataCorp
Special Edition 4905 Lakeway Drive
College Station, Texas 77845 USA
800-STATA-PC http://www.stata.com
979-696-4600 stata@stata.com
979-696-4601 (fax)

Notes:

1. (/mw option or -set memory-) 10.00 MB allocated to data
2. (/v# option or -set maxvar-) 5000 maximum variables

running C:\Dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz

Rule PanelWhiz, PanelWhiz rules the 'waves'!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!
Checking <http://www.panelwhiz.eu>: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)

. Review panelwhiz, dataset(hilda)

Variables

PanelWhiz HILDA

Edit Project [default]

Open Open (RECENT) Open (WEB) Open (LOCAL)

Select a wave

[a - 2001] [b - 2002] [c - 2003] [d - 2004]

Keyword index

[*****] [a] [b] [c] [d] [e] [f] [g] [h] [i] [j] [k] [l]
[m] [n] [o] [p] [q] [r] [s] [t] [u] [v] [w] [x] [y] [z]

choose a wave
or a keyword

pwdatabrowse, openwave(d)

c:\proj

17:37

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/hilda/views/waved_index_EN.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/waved_index_EN.smcl"

Start Page > Wave (d) <Project Page>

HILDA Data File INDEX Browse Page for [D]
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

A B C [D]

ALL CATEGORIES

[WHOLE WAVE]

SINGLE CATEGORY

AN: Ancestry
BI: Business income
BN: Benefits
CA: Calendar
CC: Child care general
CH: Child care during school holidays
CN: Non employment related child care
CP: Child care for preschool children
CR: Credit cards
CS: Child care during school
DO: Dwelling observations
ED: Education
EH: Employment history
ES: Employment status
FI: Attitudes to finances
FM: Family background
GH: General health and well-being
HE: Health
HG: Household enumeration grid
HH: Household information
HI: Household Income
HS: Housing
IC: Intentions to have children
IO: Interviewer observations
JB: Job characteristics of employed
JO: Opinions about job
JS: Job search of those not employed
LE: Major life events
LN: Longitudinal weights
LO: Life opinions
LS: Lifestyle
MH: Moving house
MO: Mutual obligations
MR: Marital relationships
MS: Marital Status Change
NC: Non-resident children
NL: Not in labour force
OI: Other income
OR: Other relationships
PA: Parenting
PH: Private health insurance
PJ: Previous job
PR: Partnering /relationships
RC: Resident children
RE: Religion
RG: Relationship grid
RT: Retirement intentions
RW: Replicate weight
SC: Self Completion
TC: Total children
TI: Total income
TX: Taxes
UJ: Job history of those not in paid employment
W3: Wave 3 information
WS: Wage and salaries
XP: Household expenditure

STATISTICStm 9.2
Copyright 1984-2006
StataCorp
4905 Lakeway Drive
College Station, Texas 77845 USA
800-STATA-PC http://www.stata.com
979-696-4600 stata@stata.com
979-696-4601 (fax)

Special Edition

Notes:

1. (/mw option or -set memory-) 10.00 MB allocated to data
2. (/v# option or -set maxvar-) 5000 maximum variables

Running C:\Dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz

Rule PanelWhiz, PanelWhiz rules the 'waves'!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!

Checking <http://www.panelwhiz.eu>: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)

. pwdatabrowse, openwave(d)
file: c:/panelwhizdata/hilda/combined_d41c

Review Variables

panelwhiz, dataset(hilda)
pwdatabrowse, openwave(d)

c:\proj

Start C:\WINDOWS\system32... Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild3 17:38

wave browse page

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/hilda/views/waved_index_EN.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/waved_index_EN.smcl"

Start Page > Wave (d) <Project Page>

HILDA Data File INDEX Browse Page for [0]
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

A B C [0]

ALL CATEGORIES

[WHOLE WAVE]

SINGLE CATEGORY

AN: Ancestry
BI: Business income
BN: Benefits
CA: Calendar
CC: Child care general
CH: Child care during school holidays
CN: Non employment related child care
CP: Child care for preschool children
CR: Credit cards
CS: Child care during school
DO: Dwelling observations
ED: Education
EH: Employment history
ES: Employment status
FI: Attitudes to finances
FM: Family background
GH: General health and well-being
HE: Health
HG: Household enumeration grid
HH: Household information
HI: Household Income
HS: Housing
IC: Intentions to have children
IO: Interviewer observations
JB: Job characteristics of employed
JO: Opinions about job
JS: Job search of those not employed
LE: Major life events
LN: Longitudinal weights
LO: Life opinions
LS: Lifestyle
MH: Moving house
MO: Mutual obligations
MR: Marital relationships
MS: Marital status change
NC: Non-resident children
NL: Not in labour force
OI: Other income
OR: Other relationships
PA: Parenting
PH: Private health insurance
PJ: Previous job
PR: Partnering /relationships
RC: Resident children
RE: Religion
RG: Relationship grid
RT: Retirement intentions
RW: Replicate weight
SC: Self completion
TC: Total children
TI: Total income
TX: Taxes
UJ: Job history of those not in paid employment
W3: Wave 3 information
WS: Wage and salaries
XP: Household expenditure

choose a category

Review

panelwhiz, dataset(hilda)
pwdatabrowse, openwave(d)

Variables

c:\proj

Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild3 17:38

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/hilda/views/waved_WS_EN.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/waved_WS_EN.smcl"

STATISTICStm 9.2 Copyright 1984-2006
StataCorp
4905 Lakeway Drive
College Station, Texas 77845 USA
800-STATA-PC http://www.stata.com
979-696-4600 stata@stata.com
979-696-4601 (fax)

Special Edition

Notes:

1. (/mw option or -set memory-) 10.00 MB allocated to data
2. (/v# option or -set maxvar-) 5000 maximum variables

running C:\Dokumente und Einstellungen\halsken\profile.do ...

PanelWhiz

Rule PanelWhiz, PanelWhiz rules the 'waves'!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Halsken-DeNew

PanelWhiz: Memory was automatically set to 300MB!

Checking <http://www.panelwhiz.eu>: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)

. pwdatabrowse, openwave(d)

file: c:/panelwhizdata/hilda/combined_d41c

. pwdatabrowse, openwave(d) page(ws)

.

[dwsfins] (S T K N) F20b Deductions LFY - Insurance premium
X W _ _ wsfins: Deductions LFY - Insurance premium

[dwsfoth] (S T K N) F20b Deductions LFY - Other (Specify)
X W _ _ wsfoth: Deductions LFY - Other (Specify)

[dwsfdk] (S T K N) F20b Deductions LFY - Dont know
X W _ _ wsfdk: Deductions LFY - Dont know

[dwsfsf] (S T K N) F20b Deductions LFY - Social club/staff club
X W _ _ wsfstf: Deductions LFY - Social club/staff club

[dwsfhcc] (S T K N) F20b Deductions LFY - HECS
X W _ _ wsfhcc: Deductions LFY - HECS

[dwsfmg] (S T K N) DV: Main job, current weekly gross wages & salary (\$).
Weighted topcode from 480
X W _ _ wsfmg: Main job, current weekly gross wages & salary (\$).
Weighted topcode from 4800

[dwsfme] (S T K N) DV: Current weekly gross wages & salary, main job,
includes estimated from net {
X W _ _ wsfme: Current weekly gross wages & salary, main job,
includes estimated from net (\$). Weighted topcode from 4800

[dwsfscg] (S T K N) DV: Other jobs, current weekly gross wages & salary (\$).
Weighted topcode from 9
X W _ _ wsfscg: Other jobs, current weekly gross wages & salary
(\$). Weighted topcode from 960

[dwsfcoe] (S T K N) DV: Current weekly gross wages & salary, other jobs,
includes estimated from net
X W _ _ wsfcoe: Current weekly gross wages & salary, other jobs,
includes estimated from net (\$). Weighted topcode from 960

[dwsfcg] (S T K N) DV: All jobs, current weekly gross wages & salary (\$).
Weighted topcode from 480
X W p _ wsfcg: All jobs, current weekly gross wages & salary (\$).
Weighted topcode from 4800

[dwsfce] (S T K N) DV: Current weekly gross wages & salary - all jobs,
includes estimated from net
X W _ _ wsfce: Current weekly gross wages & salary - all jobs,
includes estimated from net (\$). Weighted topcode from 4800

Review

panelwhiz, dataset(hilda)
pwdatabrowse, openwave(d)
pwdatabrowse, openwave(d) page(ws)

c:\proj

All items in this category
(in the selected wave)

C:\WINDOWS\system32... Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - BildS 17:38

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/hilda/views/waved_WS_EN.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/waved_WS_EN.smcl"

[dwsfins] (S T K N) F20b Deductions LFY - Insurance premium
X W _ _ wsfins: Deductions LFY - Insurance premium

[dwsfoth] (S T K N) F20b Deductions LFY - Other (Specify)
X W _ _ wsfoth: Deductions LFY - Other (Specify)

[dwsfdk] (S T K N) F20b Deductions LFY - Dont know
X W _ _ wsfdk: Deductions LFY - Dont know

[dwsfsf] (S T K N) F20b Deductions LFY - Social club/staff club
X W _ _ wsfstf: Deductions LFY - Social club/staff club

STATISTICStm
9.2 Copyright 1984-2006
StataCorp
4905 Lakeway Drive
College Station, Texas 77845 USA
800-STATA-PC http://www.stata.com
979-696-4600 stata@stata.com
979-696-4601 (fax)

Notes:
1. (/mw option or -set memory-) 10.00 MB allocated to data
2. (/v# option or -set maxvar-) 5000 maximum variables

running C:\dokumente und Einstellungen\haisken\profile.do

PanelWhiz
Rule PanelWhiz, PanelWhiz rules the 'waves'!
Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!
Checking <http://www.panelwhiz.eu>: PanelWhiz is up to date!

```
. panelwhiz, dataset(hilda)
. pwdatabrowse, openwave(d)
file: c:/panelwhiz/data/milda/combined_d41c
. pwdatabrowse, openwave(d) page(ws)
. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)
```

Variable	Obs	Mean	Std. Dev.	Min	Max
dwscg	17209	295.1887	580.0025	-10	8398

Review

Variables

```
pwdatabrowse, openwave(d)
pwdatabrowse, openwave(d) page(ws)
pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)
```

```
dhhhqiwv
dhstate
dhhadst
```

```
HQ Date of interview - H
HF State
HF Address status
```

```
pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)
```

c:\proj

Variable	Obs	Mean	Std. Dev.	Min	Max
dwscg	17209	295.1887	580.0025	-10	8398

[dwsfins] (S T K N) F20b Deductions LFY - Insurance premium
X W _ _ wsfins: Deductions LFY - Insurance premium

[dwsfoth] (S T K N) F20b Deductions LFY - Other (Specify)
X W _ _ wsfoth: Deductions LFY - Other (Specify)

[dwsfdk] (S T K N) F20b Deductions LFY - Dont know
X W _ _ wsfdk: Deductions LFY - Dont know

[dwsfsf] (S T K N) F20b Deductions LFY - Social club/staff club
X W _ _ wsfstf: Deductions LFY - Social club/staff club

[dwsme] (S T K N) DV: Current weekly gross wages & salary, main job, includes estimated from net
X W _ _ wscme: Current weekly gross wages & salary, main job, includes estimated from net (\$). Weighted topcode from 4800

[dwsco] (S T K N) DV: Other jobs, current weekly gross wages & salary (\$). Weighted topcode from 9
X W _ _ wscog: Other jobs, current weekly gross wages & salary (\$). Weighted topcode from 960

[dwscoe] (S T K N) DV: Current weekly gross wages & salary, main job, includes estimated from net (\$). Weighted topcode from 4800
X W _ _ wscoe: Current weekly gross wages & salary, main job, includes estimated from net (\$). Weighted topcode from 4800

[dwsce] (S T K N) DV: Current weekly gross wages & salary - all jobs, includes estimated from net
X W _ _ wscce: Current weekly gross wages & salary - all jobs, includes estimated from net (\$). Weighted topcode from 4800

Information about var:
Summary statistics

Start

C:\WINDOWS\system32...

Stata/SE 9.2 - PanelW...

Jasc Paint Shop Pro - Bild6

17:39

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/hilda/views/waved_WS_EN.smc"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/waved_WS_EN.smc"

[dwsfins] (S T K N) F20b Deductions LFY - Insurance premium

1. [/mw option or -set memory-] 10.00 MB allocated to data
2. [/v# option or -set maxvar-] 5000 maximum variables

running C:\dokumente und Einstellungen\hail...
PanelWhiz: Memory was automatically set
Checking http://www.panelwhiz.eu: PanelWhiz rules the 'w...
Homepage: http://www.panelwhiz.eu
Help: http://www.panelwhiz.eu/forum
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set
Checking http://www.panelwhiz.eu: PanelWhiz rules the 'w...
panelwhiz, dataset(hilda)
pwdatabrowse, openwave(d)
file: c:/panelwhizdata/hilda/combined_d41c
pwdatabrowse, openwave(d) page(ws)
pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)
Variable Obs Mean Std. Dev. Min Max
dwscg 17209 295.1887 580.0025 -10 8398
pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)
pwgetdata, varname(dwscg) file(combined_d41c) command(notes)

dwscg

Itemname wscg
Itemlabel All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
Category WS: Wage and salaries
Itemvector awscg bwscg cwscg dwscg
Iteminfo DV: | DV: | DV: | DV: |

Information about item: notes

[dwsme] (S T K N) DV: Current weekly gross wages & salary, main job, includes estimated from net (\$)
X W -- wscme: Current weekly gross wages & salary, main job, includes estimated from net (\$). Weighted topcode from 4800
[dwscog] (S T K N) DV: Other jobs, current weekly gross wages & salary (\$). Weighted
X W -- wscog: O' (\$). Wei
[dwscoe] (S T K N) DV: Curr includes
X W -- wscoe: Ci includes estimated from net (\$). Weighted topcode from 960
[dwscg] (S T K N) DV: All jobs, current weekly gross wages & salary (\$). Weighted topcode from 480
X W P -- wscg: All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
[dwscce] (S T K N) DV: Current weekly gross wages & salary - all jobs, includes estimated from net
X W -- wscce: Current weekly gross wages & salary - all jobs, includes estimated from net (\$). Weighted topcode from 4800

Review

Variables

pwgetdata, varname(dwscg) file(combined_d41c) command(s)
pwgetdata, varname(dwscg) file(combined_d41c) command(k)
pwgetdata, varname(dwscg) file(combined_d41c) command(n)

dhhhqivw HQ Date of interview - H
dhhsate HF State
dhhadst HF Address status

c:\proj

Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild9 17:39

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

running C:\Dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz

Rule PanelWhiz, PanelWhiz rules the 'waves'!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!
Checking <http://www.panelwhiz.eu>: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)
. pwdatabrowse, openwave(d)
file: c:/panelwhizdata/hilda/combined_d41c

[dwscg] (S T K N) DV: All jobs, current
Weighted topcode from
X w p - wscg: All jobs, current
Weighted topcode from

Itemname wscg
Itemlabel All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
Category WS: Wage and salaries
Itemvector awscg bwscg cwscc dwscg
Iteminfo DV: | DV: | DV: | DV: |

. pwviewinfo, plugin(oz_wscg)
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado

Review Variables

pwgetdata, varname(dwscg) file(combined_d41c) command(k
pwgetdata, varname(dwscg) file(combined_d41c) command(n
pwviewinfo, plugin(oz_wscg)

dhhhqivw HQ Date of interview - H
dhstate HF State
dhhadst HF Address status

c:\proj

Viewer (#1) [view "c:/panelwhiz/hilda/views/waved_WS_EN.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/waved_WS_EN.smcl"

[dwsfins] (S T K N) F20b Deductions LFY - Insurance premium
X W - - wsfins: Deductions LFY - Insurance premium

[dwsfoth] (S T K N) F20b Deductions LFY - Other (Specify)
X W - - wsfoth: Deductions LFY - Other (Specify)

[dwsfdk] (S T K N) F20b Deductions LFY - Dont know
X W - - wsfdk: Deductions LFY - Dont know

[dwsfsf] (S T K N) F20b Deductions LFY - Social club/staff club
X W - - wsfstf: Deductions LFY - Social club/staff club

[dwsfhcc] (S T K N) F20b Deductions LFY - HECS
X W - - wsfhcc: Deductions LFY - HECS

[dwschg] (S T K N) DV: Main job, current weekly gross wages & salary (\$).
Weighted topcode from 4800
X W - - wscg: Main job, current weekly gross wages & salary (\$).
Weighted topcode from 4800

[dwschme] (S T K N) DV: Current weekly gross wages & salary, other jobs,
includes estimated from net (\$). Weighted topcode from 960
X W - - wscme: Current weekly gross wages & salary, other jobs,
includes estimated from net (\$). Weighted topcode from 960

[dwscog] (S T K N) DV: Other jobs, current weekly gross wages & salary (\$).
Weighted topcode from 960
X W - - wscog: Other jobs, current weekly gross wages & salary (\$).
Weighted topcode from 960

[dwscoc] (S T K N) DV: Current weekly gross wages & salary, other jobs,
includes estimated from net (\$). Weighted topcode from 960
X W - - wscoc: Current weekly gross wages & salary, other jobs,
includes estimated from net (\$). Weighted topcode from 960

[dwscg] (S T K N) DV: All jobs, current weekly gross wages & salary (\$).
Weighted topcode from 4800
X W p - wscg: All jobs, current weekly gross wages & salary (\$).
Weighted topcode from 4800

[dwscce] (S T K N) DV: Current weekly gross wages & salary - all jobs,
includes estimated from net (\$). Weighted topcode from 4800
X W - - wscce: Current weekly gross wages & salary - all jobs,
includes estimated from net (\$). Weighted topcode from 4800

add item to project
by clicking on it

pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
. panelwhiz, dataset(hilda)
. pwdatabrowse, openwave(d)
file: c:/panelwhizdata/hilda/combined_d41c
. pwdatabrowse, openwave(d) page(ws)
. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)
. pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)
. pwgetdata, varname(dwscg) file(combined_d41c) command(notes)
```

Variable	Obs	Mean	Std. Dev.	Min	Max
dwscg	17209	295.1887	580.0025	-10	8398

Itemname: wscg
Itemlabel: All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
Category: WS: Wage and salaries
Itemvector: awscg bwscg cwsdg dwscg
Iteminfo: DV: | DV: | DV: | DV: |

pwviewinfo, plugin(oz_wscg)
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado
pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)

Viewer (#1) [view "c:/panelwhiz/hilda/views/waved_WS_EN.smc"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/waved_WS_EN.smc"

Start Page > Wave (d) > WS <Project Page>

HILDA Data File INDEX Browse Page for [0]
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

WS: Wage and salaries

combined_d41c:

- [dwscel] (S T K N) DV: Imputed current weekly gross wages & salary - all jobs (\$). Weighted topcode
X W _ _ wscel: Imputed current weekly gross wages & salary - all jobs (\$). Weighted topcode from 4800
- [dwscfe] (S T K N) DV: Imputed financial year gross wages & salary (\$). Weighted topcode from 30000
X W _ _ wscfe: Imputed financial year gross wages & salary (\$). Weighted topcode from 300000
- [dwscfe] (S T K N) DV: Imputation flag current weekly gross wages & salary
X W _ _ wscfe: Imputation flag current weekly gross wages & salary
- [dwscfe] (S T K N) DV: Imputation flag financial year gross wages & salary
X W _ _ wscfe: Imputation flag financial year gross wages & salary
- [dwscchave] (S T K N) F1b Currently receive income from wages/salary
X W _ _ wscchave: Currently receive income from wages/salary
- [dwscmto] (S T K N) F2 Currently working in more than one job?
- [dwscmga] (S T K N) F3a Do you know what your income from wages and salaries in this job is after de
- [dwscmnk] (S T K N) F4a Do you know what your income from wages and salaries in this job is after de
X W _ _ wscmnk: Do you know what your income from wages and salaries in this job is after deductions
- [dwscmna] (S T K N) F4b What was the total amount of your most recent pay after deductions

go back to Project Page or select other items

Review

pwgetdata, varname(dwscg) file(combined_d41c) command(n)
pwviewinfo, plugin(oz_wscg)
pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c)

Variables

dhqhqv HQ Date of interview - H
dhstate HF State
dhhadst HF Address status

c:\proj

Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild13 17:40

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
. panelwhiz, dataset(hilda)
. pwdatabrowse, openwave(d)
file: c:/panelwhizdata/hilda/combined_d41c
. pwdatabrowse, openwave(d) page(ws)
. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)
. pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)
. pwgetdata, varname(dwscg) file(combined_d41c) command(notes)
```

Variable	Obs	Mean	Std. Dev.	Min	Max
dwscg	17209	295.1887	580.0025	-10	8398

```
. pwgetdata, varname(dwscg) file(combined_d41c) command(notes)
```

dwscg

Itemname: wscg

Itemlabel: All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800

Category: WS: Wage and salaries

Itemvector: awscg bwscg cwsdg dwscg

Iteminfo: DV: | DV: | DV: | DV: |

```
. pwviewinfo, plugin(oz_wscg)
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado
. pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)
. pwback
```

Review

Variables

dhhhqivw HQ Date of interview - Hc

dhstate HF State

dhhadst HF Address status

c:/proj

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page

PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [default]

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As]

Libraries: [Open (WEB) | Open (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Must first <Save, As>]

Retrieved Data: [Nothing Yet]

Prefs

Panel Level < Person >

Gender < All >

Panel Type < Unbalanced Respondents >

Gender < All >

Wave Begin < a / 2001 >

Wave End < d / 2004 >

Relation Info < No >

WS: Wage and salaries

[X] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800

project contains selected items

WS: Wage and salaries

[X] wscg

All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800

awscg bwscg cwscg dwscg

Project by HILDA Files

Wave < a > awscg

Wave < b > bwscg

Wave < c > cwscg

Wave < d > dwscg

Variable	Obs	Mean	Std. Dev.	Min	Max
dwscg	17209	295.1887	580.0025	-10	8398

dwscg

Itemname

wscg

Itemlabel

All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800

Category

WS: Wage and salaries

Itemvector

awscg bwscg cwscg dwscg

Iteminfo

DV: | DV: | DV: | DV: |

. pwviewinfo, plugin(oz_wscg)

filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado

. pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)

. pwbask

. pwbasksave, as hardcopy

pwbasksave: PW_bask_name: test1

(note: file c:/pwproj/hilda/proj/test1.hilda not found)

Saved project to : [C:/pwproj/hilda/proj/test1.hilda]

Number of Items : 1

Number of Specials: 0

. pwitemview, level(hi)

Review

pwbask

pwbasksave, as hardcopy

pwitemview, level(hi)

Variables

dhhhqivw

dhhsate

dhhadst

HQ Date of interview - H

HF State

HF Address status

c:\proj

Panelwhiz/hilda/views/project.smcl"]

Search | Help | Contents | What's New | News

hilda/views/project.smcl"

Page <Project Page>

HILDA Project Browse Page

Panelwhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

test1] from <21 Nov 2006> at <17:41:09>

Untitled

John Haisken-DeNew at <jhaiskendenew@rwi-essen.de>

What's New? | Help | User Manual | Fun Links]

Update]

Start Page]

New | Open | Acquire | Prefs | Save, As | Save | Append]

Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include AL

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

Prefs

Panel Level < Person >

Gender < All >

Panel Type < Unbalanced Respondents >

Gender < All >

Wave Begin < a / 2001 >

Wave End < d / 2004 >

Relation Info < No >

WS: Wage and salaries

[X] wscg

All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800

awscg bwscg cwscg dwscg

Project by HILDA Files

Wave < a > awscg

Wave < b > bwscg

Wave < c > cwscg

Wave < d > dwscg

alternate project view

Start

C:\WINDOWS\system32...

Stata/SE 9.2 - PanelW...

Jasc Paint Shop Pro - Bild19

17:41

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
Help: http://www.panelwhiz.eu/forum
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)

. pwdatabrowse, openwave(d)
file: c:/panelwhizdata/hilda/combined_d41c

. pwdatabrowse, openwave(d) page(ws)

. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)

Variable | Obs | Mean | Std. Dev. | Min | Max
-----+-----+-----+-----+-----+-----
dwscg | 17209 | 295.1887 | 580.0025 | -10 | 8398

. pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)

. pwgetdata, varname(dwscg) file(combined_d41c) command(notes)

dwscg
-----
Itemname wscg
Itemlabel All jobs, current weekly gross wages & salary ($). Weighted topcode from 4800
Category WS: Wage and salaries
Itemvector awscg bwscg cwsdg dwscg
Iteminfo DV: | DV: | DV: | DV: |

. pwviewinfo, plugin(oz_wscg)
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado

. pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)

. pwback

. pwbacksave, as hardcopy
pwbacksave: PW_back_name: test1
(note: file C:/pwproj/hilda/proj/test1.hilda not found)

Saved project to : [C:/pwproj/hilda/proj/test1.hilda]
Number of Items : 1
Number of Specials: 0

. pwitemview, level(h1)

.

Review Variables
-----
pwback dnhhqivw HQ Date of interview - H...
pwbacksave, as hardcopy dnhstate HF State
pwitemview, level(h1) dnhadst HF Address status

c:/proj
```

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <21 Nov 2006> at <17:41:09>
<Untitled>
<John Haisken-DeNew> at <jhaiskendew@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

Prefs

Panel Level < Person >
Gender < All >
Panel Type < Unbalanced Respondents >
Gender < All >
Wave Begin < a / 2001 >
Wave End < d / 2004 >
Relation Info < No >

WS: Wage and salaries

[X] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
awscg bwscg cwsdg dwscg

Project by HILDA Files

Wave < a > awscg
Wave < b > bwscg
Wave < c > cwsdg
Wave < d > dwscg

select prefs

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
PanelWhiz: Memory was automatically set to 300MB!  
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!  
. panelwhiz, dataset(hilda)  
. pwdatabrowse, openwave(d)  
file: c:/panelwhizdata/hilda/combined_d41c  
. pwdatabrowse, openwave(d) page(ws)  
. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)  
Variable      Obs      Mean      Std. Dev.      Min      Max  
dwscg          1720  
. pwgetdata, varname(dwscg) itemname(dwscg)  
. pwgetdata, varname(dwscg) itemlabel(dwscg)  
dwscg  
Itemname      wscg  
Itemlabel     All jobs from 4800  
Category      WS: Wage  
Itemvector     awscg bwscg cwsdg dwsdg  
Iteminfo      DV: | DV:  
. pwviewinfo, plugin(oz)  
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado  
. pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)  
. pwtask  
. pwtasksave, as hardcopy  
pwtasksave: PW_task_name: test1  
(note: file C:/pwproj/hilda/proj/test1.hilda not found)  
Saved project to : [C:/pwproj/hilda/proj/test1.hilda]  
Number of Items : 1  
Number of Specials: 0  
. pwitemview, level(h1)  
. db ozprefs  
.
```

HILDA Preferences

Retrieval Relationship Other

Panel Level: Person Panel Type: Unbalanced Respondents

Year Begin: 2001 Year End: 2004

Gender: All

OK Cancel

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <21 Nov 2006> at <17:41:09>
<Untitled>
<John Haitsken-DeNew> at <jhaitskendenew@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

Prefs

Panel Level < Person >
Gender < All >
Panel Type < Unbalanced Respondents >
Gender < All >
Wave Begin < a / 2001 >
Wave End < d / 2004 >
Relation Info < No >

WS: Wage and salaries

[X] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
awscg bwscg cwsdg dwsdg

Project by HILDA Files

Wave < a > awscg
Wave < b > bwscg
Wave < c > cwsdg
Wave < d > dwsdg

Review

Variables

pwtasksave, as hardcopy
pwitemview, level(h1)
db ozprefs

dhhqivw HQ Date of interview - H
dhstate HF State
dihadst HF Address status

c:/proj

select prefs

HILDA Preferences

Retrieval Relationship Other

Panel Level: **Person** Panel Type: Unbalanced Respondents

Year Begin: 2001 Year End: 2004

Gender: All

general prefs

OK Cancel

HILDA Preferences

Retrieval Relationship Other

Relationship: Yes Type: spouse

Relationship ID: hhpxid List of Relationship Vars: _all

Partner: hhpxid All vars: _all

Father: hhfxid

Mother: hhmxid

merge spouse info automatically

OK Cancel

HILDA Preferences

Retrieval Relationship Other

Relationship: Yes Type: father

Relationship ID: hhfxid List of Relationship Vars: _all

Partner: hhpxid All vars: _all

Father: hhfxid

Mother: hhmxid

merge father info automatically

OK Cancel

HILDA Preferences

Retrieval Relationship Other

Relationship: Yes Type: mother

Relationship ID: hhmxid List of Relationship Vars: _all

Partner: hhpxid All vars: _all

Father: hhfxid

Mother: hhmxid

merge mother info automatically

OK Cancel

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!  
. panelwhiz, dataset(hilda)  
. pwdatabrowse, openwave(d)  
file: c:/panelwhizdata/hilda/combined_d41c  
. pwdatabrowse, openwave(d) page(ws)  
. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)  
+-----+-----+-----+-----+-----+-----+  
Variable | Obs | Mean | Std. Dev. | Min | Max  
+-----+-----+-----+-----+-----+-----+  
dwscg | 17209 | 295.1887 | 580.0025 | -10 | 8398  
+-----+-----+-----+-----+-----+-----+  
. pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)  
. pwgetdata, varname(dwscg) file(combined_d41c) command(notes)  
  
+-----+  
dwscg  
+-----+  
Itemname wscg  
Itemlabel All jobs, current weekly gross wages & salary ($). Weighted topcode from 4800  
Category WS: Wage and salaries  
Itemvector awscg bwscg cwsdg dwscg  
Iteminfo DV: | DV: | DV: | DV: |  
  
. pwviewinfo, plugin(oz_wscg)  
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado  
. pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)  
. pwback  
. pwbacksave, as hardcopy  
pwbacksave: PW_back_name: test1  
(note: file c:/pwproj/hilda/proj/test1.hilda not found)  
Saved project to : [C:/pwproj/hilda/proj/test1.hilda]  
Number of Items : 1  
Number of Specials: 0  
. pwitemview, level(hi)  
. db ozprefs  
. ozsetprefs, level(Person) panel(Unbalanced Respondents) year_beg(2001) year_end(2004) sex(All) spouse(No) spouse_type() spouse_list() author(John Haitsken-DeNew) email(jhaitskendenew@rwi-essen.de) comment(Untitled)  
.  
  
+-----+  
Review  
+-----+  
pwitemview, level(hi)  
db ozprefs  
ozsetprefs, level(Person) panel(Unbalanced Respondents) ye  
+-----+  
Variables  
+-----+  
dnhhgivw HQ Date of interview - H  
dnhstate HF State  
dnhadst HF Address status  
+-----+  
c:/proj  
+-----+  
ozprogen  
+-----+
```

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <21 Nov 2006> at <17:41:09>
<Untitled>
<John Haitsken-DeNew> at <jhaitskendenew@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval, NOW!]

Retrieved Data: [Open Retrieved Data]

Prefs

Panel Level < Person >
Gender < All >
Panel Type < Unbalanced Respondents >
Gender < All >
Wave Begin < a / 2001 >
Wave End < d / 2004 >
Relation Info < No >

WS: Wage and salaries

[X] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
awscg bwscg cwsdg dwscg

Project by HILDA Files

Wave < a > awscg
Wave < b > bwscg
Wave < c > cwsdg
Wave < d > dwscg

get data...
or customize
further...

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!
. panelwhiz, dataset(hilda)
. pwatabrowse, openwave(d)
file: c:/panelwhizdata/hilda/combined_d41c
. pwatabrowse, openwave(d) page(ws)
. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)
. pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)
. pwgetdata, varname(dwscg) file(combined_d41c) command(notes)

Variable | Obs | Mean | Std. Dev. | Min | Max
-----+-----+-----+-----+-----+-----
dwscg | 17209 | 295.1887 | 580.0025 | -10 | 8398

. pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)
. pwback
. pwbacksave, as handcopy
pwbacksave: PW_back_name: test1
(note: file c:/pwproj/hilda/proj/test1.hilda not found)
Saved project to : [C:/pwproj/hilda/proj/test1.hilda]
Number of Items : 1
Number of Specials: 0
. pwitemview, level(hi)
. db ozprefs
. ozsetprefs, level(Person) panel(Unbalanced Respondents) year_beg(2001) year_end(2004) sex(All) spouse(No) spouse_type() spouse_list() spouse_list() author(John Haisken-DeNew) email(jhaisken@rwi-essen.de) comment(Untitled)
.

Review Variables
pwitemview, level(hi) dhqhqv HQ Date of interview - H
db ozprefs dhstate HF State
ozsetprefs, level(Person) panel(Unbalanced Respondents) ye dhhadst HF Address status
c:\proj pwpluginadmin, load
```

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <21 Nov 2006> at <17:41:09>
<Untitled>
<John Haisken-DeNew> at <jhaisken@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

first get plugins

Prefs

Panel Level < Person >
Gender < All >
Panel Type < Unbalanced Respondents >
Gender < All >
Wave Begin < a / 2001 >
Wave End < d / 2004 >
Relation Info < No >

WS: Wage and salaries

[X] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
awscg bwscg cwscg dwscg

Project by HILDA Files

Wave < a > awscg
Wave < b > bwscg
Wave < c > cwscg
Wave < d > dwscg

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!  
. panelwhiz, dataset(hilda)  
. pwdatabrowse, openwave(d)  
file: c:/panelwhizdata/hilda/combined_d41c  
. pwdatabrowse, openwave(d) page(ws)  
. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)  
Variable | Obs | Mean | Std. Dev. | Min | Max  
dwscg | 17209 | 295.1887 | 580.0025 | -10 | 8398  
. pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)  
. pwgetdata, varname(dwscg) file(combined_d41c) command(notes)  
dwscg  
Itemname wscg  
Itemlabel All jobs, current weekly gross wages & salary from 4800  
Category WS: Wage and salaries  
Itemvector awscg bwscg cwsdg dwscg  
Iteminfo DV: | DV: | DV: | DV: |  
  
. pwviewinfo, plugin(oz_wscg)  
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado  
. pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)  
. pwback  
. pwbacksave, as hardcopy  
pwbacksave: PW_back_name: test1  
(note: file c:/pwproj/hilda/proj/test1.hilda not found)  
Saved project to : [C:/pwproj/hilda/proj/test1.hilda]  
Number of Items : 1  
Number of Specials: 0  
. pwitemview, level(hi)  
. db ozprefs  
. ozsetprefs, level(Person) panel(Unbalanced Respondents) year_beg(2001) year_end(2004) sex(All) spouse(No) spouse_type() spouse_id() spouse_list() author(John Haitsken-DeNew) email(jhaitskendenew@rwi-essen.de) comment(Untitled)  
. pwpluginadmin, load
```

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <21 Nov 2006> at <17:41:09>
<Untitled>
<John Haitsken-DeNew> at <jhaitskendenew@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Include ALL]

NOW!]

ed Data]

respondents >

WS: Wage and salaries

[X] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
awscg bwscg cwsdg dwscg

Project by HILDA Files

Wave < a > awscg
Wave < b > bwscg
Wave < c > cwsdg
Wave < d > dwscg

Review

db ozprefs
ozsetprefs, level(Person) panel(Unbalanced Respondents) ye
pwpluginadmin, load

Variables

dhqhqv
dhstate
dihadst
HF Date of interview - H
HF State
HF Address status

c:/proj

Stata

Please be aware that by selecting plugins to be used in your project, you are potentially using the work of others and as such, you are required by your PanelWhiz contract to cite explicitly the names of the plugin authors. Please be fair and cite the intellectual property of plugin authors. Thanks, -john.

OK

respect intellectual property of others

Start C:\WINDOWS\system32... Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild25 17:42

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
. panelwhiz, dataset(hilda)
. pwdatabrowse, openwave(d)
file: c:/panelwhizdata/hilda/combined_d41c
. pwdatabrowse, openwave(d) page(ws)
. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)
. pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)
. pwgetdata, varname(dwscg) file(combined_d41c) command(notes)
```

Variable	Obs	Mean	Std. Dev.	Min	Max
dwscg	17209	295.1887	580.0025	-10	8398

dwscg

Itemname wscg

Itemlabel All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800

Category WS: Wage and salaries

Itemvector awscg bwscg cwscg dwscg

Iteminfo DV: | DV: | DV: | DV: |

```
. pwviewinfo, plugin(oz_wscg)
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado
. pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)
. pwback
. pwbacksave, as hardcopy
pwbacksave: PW_back_name: test1
(note: file c:/pwproj/hilda/proj/test1.hilda not found)
Saved project to : [C:/pwproj/hilda/proj/test1.hilda]
Number of Items : 1
Number of Specials: 0
. pwitemview, level(hi)
. db ozprefs
. ozsetprefs, level(Person) panel(Unbalanced Respondents) year_beg(2001) year_end(2004) sex(All) spouse(No) spouse_type() spouse_id() spouse_list() author(John Haiksen-DeNew) email(jhaiksendenew@rwi-essen.de) comment(Untitled)
. pwpluginadmin, load
```

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <21 Nov 2006> at <17:41:09>
<Untitled>
<John Haiksen-DeNew> at <jhaiksendenew@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

Prefs

Panel Level < Person >
Gender < All >
Panel Type < Unbalanced Respondents >
Gender < All >
Wave Begin < a / 2001 >
Wave End < d / 2004 >
Relation Info < No >

WS: Wage and salaries

[X P p] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
awscg bwscg cwscg dwscg

Project by HILDA Files

Wave < a > awscg
Wave < b > bwscg
Wave < c > cwscg
Wave < d > dwscg

plugins now added to data project

Review

db ozprefs
ozsetprefs, level(Person) panel(Unbalanced Respondents) year_beg(2001) year_end(2004) sex(All) spouse(No) spouse_type() spouse_id() spouse_list() author(John Haiksen-DeNew) email(jhaiksendenew@rwi-essen.de) comment(Untitled)
pwpluginadmin, load

Variables

dhqhqv
dhstate
dhhadst

HQ Date of interview - H
HF State
HF Address status

c:/proj

Start C:\WINDOWS\system32... Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild26 17:42

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
. panelwhiz, dataset(hilda)
. pwdatabrowse, openwave(d)
file: c:/panelwhizdata/hilda/combined_d41c
. pwdatabrowse, openwave(d) page(ws)
. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)
```

Variable	Obs	Mean	Std. Dev.	Min	Max
dwscg	17209	295.1887	580.0025	-10	8398

```
. pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)
. pwgetdata, varname(dwscg) file(combined_d41c) command(notes)
```

dwscg

Itemname	Itemlabel	Category	Itemvector	Iteminfo
wscg	All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800	WS: Wage and salaries	awscg bwscg cwscg dwscg	DV: DV: DV: DV:

```
. pwviewinfo, plugin(oz_wscg)
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado
. pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)
. pwback
. pwbacksave, as hardcopy
pwbacksave: PW_back_name: test1
(note: file C:/pwproj/hilda/proj/test1.hilda not found)
Saved project to : [C:/pwproj/hilda/proj/test1.hilda]
Number of Items : 1
Number of Specials: 0
. pwitemview, level(hi)
. db ozprefs
. ozsetprefs, level(Person) panel(Unbalanced Respondents) year_beg(2001) year_end(2004) sex(All) spouse(No) spouse_type() spouse_id() spouse_list() author(John Haiksen-DeNew) email(jhaiksendenew@rwi-essen.de) comment(Untitled)
. pwpluginadmin, load
```

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smc"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smc"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <21 Nov 2006> at <17:41:09>
<Untitled>
<John Haiksen-DeNew> at <jhaiksendenew@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

WS: Wage and salaries

[X P p] wscg All jobs, from 4800 awscg

Prefs

Panel Level < Person >
Gender < All >
Panel Type < Unbalanced Respondents >
Gender < All >
Wave Begin < a / 2001 >
Wave End < d / 2004 >
Relation Info < No >

WS: Wage and salaries

[X P p] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800 awscg bwscg cwscg dwscg

Project by HILDA Files

Wave < a > awscg
Wave < b > bwscg
Wave < c > cwscg
Wave < d > dwscg

view any plugin:
what does it do?

Review Variables

db ozprefs drhhqivw HQ Date of interview - H
ozsetprefs, level(Person) panel(Unbalanced Respondents) ye drhhstate HF State
pwpluginadmin, load drhhadst HF Address status

c:/proj

Start C:\WINDOWS\system32... Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild27 17:42

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
. pwdatabrowse, openwave(d)
file: c:/panelwhizdata/hilda/combined_d41c

. pwdatabrowse, openwave(d) page(ws)

. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)

Variable      Obs      Mean      Std. Dev.      Min      Max
-----
dwscg          17209    295.1887    580.0025      -10    8398

. pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)

. pwgetdata, varname(dwscg) file(combined_d41c) command(notes)

dwscg
-----
Itemname      wscg
Itemlabel     All jobs, current weekly gross wages & salary ($). Weighted topcode
              from 4800
Category      WS: Wage and salaries
Itemvector     awscg bwscg cwsdg dwscg
Iteminfo      DV: | DV: | DV: | DV: |

. pwviewinfo, plugin(oz_wscg)
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado

. pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)

. pwback

. pwbacksave, as hardcopy
pwbacksave: PW_back_name: test1
(note: file c:/pwpproj/hilda/proj/test1, hilda -- new #0000)

Saved project to : [C:/pwpproj/hilda/p
Number of Items : 1
Number of Specials: 0

. pwitemview, level(hi)

. db ozprefs

. ozsetprefs, level(Person) panel(Unbal
> 4) sex(All) spouse(No) spouse_type()
> DeNew) email(jhaiskendenewerwi-essen.

. pwpluginadmin, load

. pwviewinfo, plugin(oz_wscg)
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado

.

Review
```

Variables	
ozsetprefs, level(Person) panel(Unbalanced Respondents) ye	dhqhqv
pwpluginadmin, load	dhstate
pwviewinfo, plugin(oz_wscg)	dhhadst

c:/proj

Viewer (#1) [view "c:/panelwhiz/temp/content_of_ozplugins.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/temp/content_of_ozplugins.smcl"

Start Page > Content of <oz_wscg> <Project Page>

Content of <oz_wscg.ado> <edit this plugin>

```
program define oz_wscg

*! Plugin : [wscg] All jobs, current weekly gross wages & salary ($). Weighted topcode
> from 4800
*! Author : Markus Hahn
*! Email : markus@panelwhiz.eu
*! Web : http://www.panelwhiz.eu
*! Copyright : Copyright 2006. All rights reserved. Unauthorized copying prohibited.
*! Version : 1.0
*! Years : a b c d
*! Possible : a b c d
*! Changes : a b c d
>

pwplugin begin, item(wscg) year(2004)
        .plugin.newitem
        .action.real, thisyear
pwplugin end
end
```

pwplugin begin, item(wscg) year(2004)

.plugin.newitem

.action.real, thisyear

pwplugin end

this is what the plugin does - it creates a new variable and deflates based on the current year deflator

Getting Data

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!  
. panelwhiz, dataset(hilda)  
. pwdatabrowse, openwave(d)  
file: c:/panelwhizdata/hilda/combined_d41c  
. pwdatabrowse, openwave(d) page(ws)  
. pwgetdata, varname(dwscg) file(combined_d41c) command(summarize)  
+-----+-----+-----+-----+-----+-----+  
Variable | Obs   Mean   Std. Dev.   Min   Max  
+-----+-----+-----+-----+-----+-----+  
dwscg    | 17209  295.1887  580.0025   -10   8398  
+-----+-----+-----+-----+-----+-----+  
. pwgetdata, varname(dwscg) file(combined_d41c) command(kdensity)  
. pwgetdata, varname(dwscg) file(combined_d41c) command(notes)  
  
dwscg  
+-----+-----+-----+  
Itemname | wscg  
+-----+-----+-----+  
Itemlabel | All jobs, current weekly gross wages & salary ($). Weighted topcode  
          | from 4800  
+-----+-----+-----+  
Category  | WS: Wage and salaries  
+-----+-----+-----+  
Itemvector | awscg bwscg cwsdg dwscg  
+-----+-----+-----+  
Iteminfo  | DV: | DV: | DV: | DV: |  
+-----+-----+-----+  
  
. pwviewinfo, plugin(oz_wscg)  
filename: c:/panelwhiz/hilda/plugins/oz_wscg.ado  
. pwgetdata, varname(dwscg) itemname(wscg) file(combined_d41c) command(add_item)  
. pwback  
. pwbacksave, as hardcopy  
pwbacksave: PW_back_name: test1  
(note: file c:/pwproj/hilda/proj/test1.hilda not found)  
Saved project to : [C:/pwproj/hilda/proj/test1.hilda]  
Number of Items : 1  
Number of Specials: 0  
  
. pwitemview, level(hi)  
. db ozprefs  
. ozsetprefs, level(Person) panel(Unbalanced Respondents) year_beg(2001) year_end(200  
> 4) sex(All) spouse(No) spouse_type() spouse_list() spouse_list() author(John Haiken-  
> DeNew) email(jhaikendenew@rwi-essen.de) comment(Untitled)  
.
```

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <21 Nov 2006> at <17:41:09>
<Untitled>
<John Haiken-DeNew> at <jhaikendenew@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

get data !

Prefs

Panel Level < Person >
Gender < All >
Panel Type < Unbalanced Respondents >
Gender < All >
Wave Begin < a / 2001 >
Wave End < d / 2004 >
Relation Info < No >

WS: Wage and salaries

[X] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode
from 4800
awscg bwscg cwsdg dwscg

Project by HILDA Files

Wave < a > awscg
Wave < b > bwscg
Wave < c > cwsdg
Wave < d > dwscg

Review

pwitemview, level(hi)
db ozprefs
ozsetprefs, level(Person) panel(Unbalanced Respondents) ye

Variables

dhnhqivw HQ Date of interview - H
dhnhstate HF State
dhnhadst HF Address status
ozprogen

c:/proj

Start C:\WINDOWS\system32... Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild23 17:42

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
> from 480
-----[ Wave b ]-----
bwsqg DV: All jobs, current weekly gross wages & salary ($). Weighted topcode
> from 480
-----[ Wave c ]-----
cwsqg DV: All jobs, current weekly gross wages & salary ($). Weighted topcode
> from 480
-----[ Wave d ]-----
dwsqg DV: All jobs, current weekly gross wages & salary ($). Weighted topcode
> from 480

===== [ Stacking Waves ] =====
[a] [b] [c] [d]
(18043 observations deleted)

===== [ Creating Item Labels ] =====
note: label truncated to 80 characters

===== [ Creating Long File ] =====

(note: file c:\pwproj\hilda\proj\test1\test1-long.dta not found)
file c:\pwproj\hilda\proj\test1\test1-long.dta saved

Contains data from c:\pwproj\hilda\proj\test1\test1-long.dta
obs: 66,224 PanelWhiz-HILDA: [test1]
[21 Nov 2006/17:43:18]
john@panelwhiz.eu
21 Nov 2006 17:43

vars: 13
size: 3,112,528 (99.0% of memory free)

variable name storage type display value variable label
format label
-----
xwaveid str7 %0's XW Cross wave ID
year int %8.0g Year of Wave
years str1 %9s Letter of Wave (string)
hhsm byte %30.0g hhsm Sample member type
sex str8 %8s sex
hhrepid str6 %6s DV: Wave 1 randomised person id
hhrid str6 %6s DV: randomised household id
hhresp int %62.0g dhhrresp Household Respondent Status
fstatus byte %62.0g dfstatus Personal Respondent Status
enumptn str4 %4s String: Enumerated pattern
hhwte float %30.0g ahhwte HH: Enumerated person weight
iwpptn str4 %4s String: Interview pattern
wscg int %30.0g awscg WS: All jobs, current weekly gross wages & salary ($). Weighted topcode from 480

Sorted by: xwaveid year

===== [ Running Plugins ] =====
```

Viewer (#1) [view "c:\panelwhiz\temp\message.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:\panelwhiz\temp\message.smcl"

PanelWhiz

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

Now running data retrieval. Please be patient!
Retrieval output will be displayed in viewer upon completion.

now getting data

Review

pwviewinfo, plugin(oz_wscg)
pwbacksave, hardcopy
ozproppen

Variables

dhqhqv
dhstate
dhhadst

HQ Date of interview - Hc
HF State
HF Address status

ozproppen

c:\proj

Start C:\WINDOWS\system32... Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild31 17:43

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
[ Stacking Waves ]
[a] [b] [c] [d]
(18043 observations deleted)
[ Creating Item Labels ]
note: label truncated to 80 characters
[ Creating Long File ]
file c:\pwproj\hilda\proj\test1\test1-long.dta saved
Contains data from c:\pwproj\hilda\proj\test1\test1-long.dta
  obs:      66,224      PanelWhiz-HILDA: [test1]
                                [22 Nov 2006/12:06:12]
                                john@panelwhiz.eu
                                22 Nov 2006 12:15
  vars:      17
  size:    3,576,096 (98.9% of memory free)

variable name      storage type      display format      value label      variable label
-----
xwaveid            str7             %05s                  XW Cross wave ID
year              int             %8.0g                Year of Wave
years             str1            %9s                  Letter of Wave (string)
hhsm              byte           %30.0g               hhsm              Sample member type
sex               str5            %8s                  sex              DV: Wave 1 randomised person id
hhrrpid           str6            %6s                  DV: randomised household id
hhrrhid           int            %62.0g               dhhrresp         Household Respondent Status
hhrrhid           byte           %62.0g               dfstatus         Personal Respondent Status
caept             byte           %30.0g               caept            CA: Any calendar activity -
                                Enrolled PT in
                                school/educational course
caj01              byte           %30.0g               acaj01           CA: Any calendar activity - Job
                                1
caj02              byte           %30.0g               acaj02           CA: Any calendar activity - Job
                                2
enumptn           str4            %4s                  String: Enumerated pattern
ghmh              float          %30.0g               aghmh           GH: SF-36 mental health -
                                transformed
hhwte             float          %30.0g               ahhwte          HH: Enumerated person weight
lwptn             str4            %4s                  String: Interview pattern
wscg              int            %30.0g               awscg           WS: All jobs, current weekly
                                gross wages & salary ($)
                                Weighted topcode from 480

Sorted by: xwaveid year

[ Running Plugins ]

[wscg] All jobs, current weekly gross wages & salary ($). Weighted topcode
from 4800
A B C D <DONE>

[ Done ! ]
```

Viewer (#1) [view "c:\panelwhiz\hilda\views\datafilebrowse.smc"]

Back Refresh Search Help Contents What's New News

Command: view "c:\panelwhiz\hilda\views\datafilebrowse.smc"

Start Page > Retrieved Data Page <Project Page>

HILDA Retrieved Data Page
PanelWhiz HILDA (1.0) <john@panelwhiz.eu>

Path: c:\pwproj\hilda\proj\test1\

Data Files

[long]----> test1-long.dta
(Obs by Person-Year or Household-Year)

Documentation Files

<do> test1-data.do
(Basic Data Extraction)

<plugins> test1-plugins.do
(Plugins used in Retrieval)

Stata

Please note: as part of the legally binding PanelWhiz user contract that you signed, you agreed to cite the usage of PanelWhiz in any and all documents and presentations using data retrieved or generated by PanelWhiz. Please be fair and cite PanelWhiz appropriately. Thanks, -john.

OK

Review

pwstartpage
pwtaskopen, file(test1.hilda) path(C:\pwproj\hilda\proj\)
ozproggen

Variables

xwaveid XW Cross wave ID
year Year of Wave
years Letter of Wave (string)

c:\panelwhiz

Start Microsoft PowerPoint - [...] Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - [Bl...]

please be fair and cite
using PanelWhiz in
your documents and
presentations, as you
agreed in your user
contract

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

(18043 observations deleted)

Data Files

[long]----> [test1-long.dta](#)
(Obs by Person-Year or Household-Year)

Documentation Files

<do> [test1-data.do](#)
(Basic Data Extraction)

<plugins> [test1-plugins.do](#)
(Plugins used in Retrieval)

<log> [test1.log](#)
(Extraction Logfile)

<acknowledge> [test1-acknowledge.smcl](#)
(Required Citation in Paper)

hhwte Float %30.0g ahhwte transformed
1vwptn str4 %4s HH: Enumerated person weight
wscg int %30.0g awscg String: Interview pattern
WS: All jobs, current weekly
gross wages & salary (\$).
Weighted topcode from 480

Sorted by: xwaveid year

[Running Plugins]

[wscg] All jobs, current weekly gross wages & salary (\$). Weighted topcode
from 4800
A B C D <DONE>

[Done !]

(note: file c:/pwpproj/hilda/proj/test1/test1-acknowledge.smcl not fo

Viewer (#1) [view "c:/panelwhiz/hilda/views/datafilebrowse.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/datafilebrowse.smcl"

Start Page > Retrieved Data Page <Project Page>

HILDA Retrieved Data Page
PanelWhiz HILDA (1.0) <john@panelwhiz.eu>

Path: c:/pwpproj/hilda/proj/test1/

Data Files

[long]----> [test1-long.dta](#)
(Obs by Person-Year or Household-Year)

Documentation Files

<do> [test1-data.do](#)
(Basic Data Extraction)

<plugins> [test1-plugins.do](#)
(Plugins used in Retrieval)

<log> [test1.log](#)
(Extraction Logfile)

<acknowledge> [test1-acknowledge.smcl](#)
(Required Citation in Paper)

retrieval output:
data and docs

plugin has been
run to clean data

Review

pwstartpage
pwbackopen, file(test1.hilda) path(C:/pwpproj/hilda/proj/)
ozproggen

Variables

xwaveid XW Cross wave ID
year Year of Wave
years Letter of Wave (string)

c:\panelwhiz

Start | Microsoft PowerPoint - [...] | Stata/SE 9.2 - PanelW... | Jasc Paint Shop Pro - [Bil... | 12:17

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
(18043 observations deleted)
[ Creating Item Labels ]
note: label truncated to 80 characters
[ Creating Long File ]
file c:/pwwproj/hilda/proj/test1/test1-long.dta saved
Contains data from c:/pwwproj/hilda/proj/test1/test1-long.dta
obs:      66,224      PanelWhiz-HILDA: [test1]
              [22 Nov 2006/12:06:12]
              john@panelwhiz.eu
vars:      17
size:      3,576,096 (98.9% of memory free)
22 Nov 2006 12:15
```

variable name	storage type	display format	value label	variable label
xwaveid	str7	%7s		XW Cross wave ID
year	int	%8.0g		Year of Wave
years	str1	%9s		Letter of Wave (string)
hhsm	byte	%30.0g	hhsm	Sample member type
sex	byte	%30.0g	sex	Sex
hhrid	str8	%8s		DV: Wave 1 randomised person id
hhrid	str6	%6s		DV: randomised household id
hhresp	int	%62.0g	hhresp	Household Respondent Status
fstatus	byte	%62.0g	dfstatus	Personal Respondent Status
caept	byte	%30.0g	acaep	CA: Any calendar activity -
				Enrolled PT in
				school/educational course
caj01	byte	%30.0g	acaj01	CA: Any calendar activity - Job
				1
caj02	byte	%30.0g	acaj02	CA: Any calendar activity - Job
				2
enumptn	str4	%4s		String: Enumerated pattern
ghmh	float	%30.0g	aghmh	GH: SF-36 mental health -
				transformed
hhwte	float	%30.0g	ahhwte	HH: Enumerated person weight
ivwptn	str4	%4s		String: Interview pattern
wscg	int	%30.0g	awscg	WS: All jobs, current weekly
				gross wages & salary (\$).
				Weighted topcode from 480

```
Sorted by: xwaveid year
[ Running Plugins ]

[wscg] All jobs, current weekly gross wages & salary ($). Weighted topcode
from 4800
A B C D <DONE>

[ Done ! ]

(note: file c:/pwwproj/hilda/proj/test1/test1-acknowledge.smcl not found)
```

Viewer (#1) [view "c:/panelwhiz/hilda/views/datafilebrowse.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/datafilebrowse.smcl"

Start Page > Retrieved Data Page <Project Page>

HILDA Retrieved Data Page
PanelWhiz HILDA (1.0) <john@panelwhiz.eu>

Path: c:/pwwproj/hilda/proj/test1/

Data Files

[long]----> test1-long.dta
(Obs by Person-Year or Household-Year)

Documentation Files

<do> test1-data.do
(Basic Data Extraction)

<plugins> test1-plugins.do
(Plugins used in Retrieval)

<log> test1.log
(Extraction Logfile)

<acknowledge> test1-acknowledge.smcl
(Required Citation in Paper)

required citation for publication

Review

pwstartpage
pwbackopen, file(test1.hilda) path(C:/pwwproj/hilda/proj/)
ozprogen

Variables

xwaveid XW Cross wave ID
year Year of Wave
years Letter of Wave (string)

c:/panelwhiz

pwviewsmd, citation

Start Microsoft PowerPoint - [...] Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - [Bl... 12:17

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
===== [ Creating Item Labels ] =====
note: label truncated to 80 characters
===== [ Creating Long File ] =====
file c:/pwproj/hilda/proj/test1/test1-long.dta saved
Contains data from c:/pwproj/hilda/proj/test1/test1-long.dta
  obs:      66,224      PanelWhiz-HILDA: [test1]
                                [22 Nov 2006/12:06:12]
                                John@panelwhiz.eu
                                22 Nov 2006 12:15
  vars:      17
  size:    3,576,096 (98.9% of memory free)
```

variable name	storage type	display format	value label	variable label
xwaveid	str7	%7s		XW Cross wave ID
year	int	%8.0g		Year of Wave
years	str1	%9s		Letter of Wave (string)
hhsm	byte	%30.0g	hhsm	Sample member type
sex	byte	%30.0g	sex	Sex
hhripid	str8	%8s		DV: Wave 1 randomised person id
hhrrhid	str6	%6s		DV: randomised household id
hhhrsp	int	%62.0g	dhhrsp	Household Respondent Status
fstatus	byte	%62.0g	dfstatus	Personal Respondent Status
caept	byte	%30.0g	acept	CA: Any calendar activity -
caj01	byte	%		Job
caj02	byte	%		Job
enumptn	str4	%		
ghmh	float	%		
hhwte	float	%30.0g	anhwte	HH: Enumerated person weight
iwuptn	str4	%4s		String: Interview pattern
wscg	int	%30.0g	awscg	WS: All jobs, current weekly gross wages & salary (\$). Weighted topcode from 480

Sorted by: xwaveid year

```
===== [ Running Plugins ] =====

[wscg] All jobs, current weekly gross wages & salary ($). Weighted topcode from 4800
      A B C D <DONE>

===== [ Done ! ] =====

(note: file c:/pwproj/hilda/proj/test1/test1-acknowledge.smcl not found)
. pwviewsmcl, citation
.

```

Viewer (#1) [view "c:/pwproj/hilda/proj/test1/test1-acknowledge.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/pwproj/hilda/proj/test1/test1-acknowledge.smcl"

IMPORTANT NOTE: In the (i) first available footnote (or endnote) of the report or on the first available text page of the report, or (ii) in the data description section, the following citation is required by your PanelWhiz contract:

The data used in this paper were extracted using the Add-On package PanelWhiz v1.0 (Oct 2006) for Stata. PanelWhiz was written by Dr. John P. Haisken-DeNew (john@panelwhiz.eu). The following authors supplied PanelWhiz HILDA Plugins used to ensure longitudinal consistency, Markus Hahn (1). The PanelWhiz generated DO file to retrieve the HILDA data used here and any PanelWhiz Plugins are available upon request. Any data or computational errors in this paper are my own. Haisken-DeNew and Hahn (2006) describe PanelWhiz in detail.

References:

Haisken-DeNew, John P. and Markus Hahn (2006) "PanelWhiz: A Menu-Driven Stata/SE Interface for Accessing Panel Data", mimeo, <http://www.panelwhiz.eu>

copy this text into your publication

cite the PanelWhiz paper in your References

Review

pwbackopen, file(test1.hilda) path(C:/pwproj/hilda/proj/)

ozproggen

pwviewsmcl, citation

c:/panelwhiz

Variables

xwaveid XW Cross wave ID

year Year of Wave

years Letter of Wave (string)

pwviewsmcl, citation

Start Microsoft PowerPoint - [Jasc Paint Shop Pro - [Bl...

12:17

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
(18043 observations deleted)
[ Creating Item Labels ]
note: label truncated to 80 characters
[ Creating Long File ]
file c:/pwwproj/hilda/proj/test1/test1-long.dta saved
Contains data from c:/pwwproj/hilda/proj/test1/test1-long.dta
obs:      66,224      PanelWhiz-HILDA: [test1]
      [22 Nov 2006/12:06:12]
      john@panelwhiz.eu
vars:      17
size:      3,576,096 (98.9% of memory free)
22 Nov 2006 12:15
```

variable name	storage type	display format	value label	variable label
xwaveid	str7	%7s		XW Cross wave ID
year	int	%8.0g		Year of Wave
years	str1	%9s		Letter of Wave (string)
hhsm	byte	%30.0g	hhsm	Sample member type
sex	byte	%30.0g	sex	Sex
hhrid	str8	%8s		DV: Wave 1 randomised person id
hhrid	str6	%6s		DV: randomised household id
hhresp	int	%62.0g	dhhrresp	Household Respondent Status
fstatus	byte	%62.0g	dfstatus	Personal Respondent Status
caept	byte	%30.0g	acaept	CA: Any calendar activity -
				Enrolled PT in
				school/educational course
caj01	byte	%30.0g	acaj01	CA: Any calendar activity - Job
				1
caj02	byte	%30.0g	acaj02	CA: Any calendar activity - Job
				2
enumptn	str4	%4s		String: Enumerated pattern
ghmh	float	%30.0g	aglmh	GH: SF-36 mental health -
				transformed
hhwte	float	%30.0g	ahhwte	HH: Enumerated person weight
iwptn	str4	%4s		String: Interview pattern
wscg	int	%30.0g	awscg	WS: All jobs, current weekly
				gross wages & salary (\$).
				Weighted topcode from 480

```
Sorted by: xwaveid year
[ Running Plugins ]

[wscg] All jobs, current weekly gross wages & salary ($). Weighted topcode
from 4800
A B C D <DONE>

[ Done ! ]

(note: file c:/pwwproj/hilda/proj/test1/test1-acknowledge.smcl not found)
```

Viewer (#1) [view "c:/panelwhiz/hilda/views/datafilebrowse.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/datafilebrowse.smcl"

Start Page > Retrieved Data Page <Project Page>

HILDA Retrieved Data Page
PanelWhiz HILDA (1.0) <john@panelwhiz.eu>

Path: c:/pwwproj/hilda/proj/test1/

Data Files

[long]----> [test1-long.dta](#)
(Obs by Person-Year or Household-Year)

Documentation Files

<do> [test1-data.do](#)
(Basic Data Extraction)

<plugins> [test1-plugins.do](#)
(Plugins used in Retrieval)

<log> [test1.log](#)
(Extraction Logfile)

<acknowledge> [test1-acknowledge.smcl](#)
(Required Citation in Paper)

open output data file

Review

pwstartpage
pwtaskopen, file(test1.hilda) path(C:/pwwproj/hilda/proj/)
ozproggen

Variables

xwaveid XW Cross wave ID
year Year of Wave
years Letter of Wave (string)

c:/panelwhiz

Microsoft PowerPoint - [...]
Stata/SE 9.2 - PanelW...
Jasc Paint Shop Pro - [Bl...]

12:17

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
> from 480
===== [ Stacking Waves ] =====
[a] [b] [c] [d]
(18043 observations deleted)
===== [ Creating Item Labels ] =====
note: label truncated to 80 characters
===== [ Creating Long File ] =====
(note: file c:/pwproj/hilda/proj/test1/test1-long.dta not found)
file c:/pwproj/hilda/proj/test1/test1-long.dta saved
Contains data from c:/pwproj/hilda/proj/test1/test1-long.dta
  obs:      66,224      PanelWhiz-HILDA: [test1]
                                [21 Nov 2006/17:43:18]
                                john@panelwhiz.eu
  vars:      13      21 Nov 2006 17:43
  size: 3,112,528 (99.0% of memory free)

Variable name      storage      display      value      variable label
                  type         format      label
xwaveid            str7       %7s        XW Cross wave ID
year               int        %8.0g      Year of Wave
years              str1       %8s        Letter of Wave (string)
hhsm               byte       %30.0g     hhsm        Sample member type
sex                byte       %30.0g     sex         Sex
hhrepid            str8       %8s        DV: Wave 1 randomised person id
hhrrhid            str6       %6s        DV: randomised household id
hhresp             int        %62.0g     dhhrresp    Household Respondent Status
fstatus            byte       %62.0g     dfststatus   Personal Respondent Status
enumptn            str4       %4s        String: Enumerated pattern
hhwte              float      %30.0g     ahhwte       HH: Enumerated person weight
iwpptn             str4       %4s        String: Interview pattern
wscg               int        %30.0g     awscg        WS: All jobs, current weekly
                                gross wages & salary ($)
                                Weighted topcode from 480

Sorted by: xwaveid year

===== [ Running Plugins ] =====

[wscg]      All jobs, current weekly gross wages & salary ($). Weighted topcode
            from 4800
            A B C D <DONE>

===== [ Done ! ] =====

(note: file c:/pwproj/hilda/proj/test1/test1-acknowledge.smcl not found)
. pwopenprojdata, ftype(long)
(PanelWhiz-HILDA: [test1])      [21 Nov 2006/17:43:18]  john@panelwhiz.eu
*****
.
```

Viewer (#1) [view "c:/panelwhiz/hilda/views/temp_index.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/temp_index.smcl"

Start Page > Data Browse: INDEX <Project Page>

All Retrieved Data Files > Data Browse Index >

HILDA Data File INDEX Browse Page for [test1-long]
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

TOTAL
HH: Household information
WS: Wage and salaries
default

Export to: [SPSS | SAS | LIMDEP | GAUSS | Excel]

contents of output data file sorted by category

Review

pwbase.save, hardcopy
ozproggen
pwopenprojdata, ftype(long)

Variables

xwaveid XW Cross wave ID
year Year of Wave
years Letter of Wave (string)

c:/proj

17:44

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
> from 480
===== [ Stacking Waves ] =====
[a] [b] [c] [d]
(18043 observations deleted)
===== [ Creating Item Labels ] =====
note: label truncated to 80 characters
===== [ Creating Long File ] =====
(note: file c:/pwproj/hilda/proj/test1/test1-long.dta not found)
file c:/pwproj/hilda/proj/test1/test1-long.dta saved
Contains data from c:/pwproj/hilda/proj/test1/test1-long.dta
obs: 66,224 PanelWhiz-HILDA: [test1] [21 Nov 2006/17:43:18] john@panelwhiz.eu
vars: 13 21 Nov 2006 17:43
size: 3,112,528 (99.0% of memory free)

```

variable name	storage type	display format	value label	variable label
xwaveid	str7	%7s		XW Cross wave ID
year	int	%8.0g		Year of Wave
years	str1	%8s		Letter of Wave (string)
hhsm	byte	%30.0g	hhsm	Sample member type
sex	byte	%30.0g	sex	Sex
hhrepid	str8	%8s		DV: Wave 1 randomised person id
hhrid	str6	%6s		DV: randomised household id
hhresp	int	%62.0g	dhhrresp	Household Respondent Status
fstatus	byte	%62.0g	dfststatus	Personal Respondent Status
enumptn	str4	%4s		String: Enumerated pattern
hhwte	float	%30.0g	ahhwte	HH: Enumerated person weight
iwtpn	str4	%4s		String: Interview pattern
wscg	int	%30.0g	awscg	WS: All jobs, current weekly gross wages & salary (\$). Weighted topcode from 480

Sorted by: xwaveid year

```
===== [ Running Plugins ] =====
[wscg] All jobs, current weekly gross wages & salary ($). Weighted topcode from 4800
A B C D <DONE>
===== [ Done ! ] =====
(note: file c:/pwproj/hilda/proj/test1/test1-acknowledge.smcl not found)
. pwopenprojdata, ftype(long)
(PanelWhiz-HILDA: [test1] [21 Nov 2006/17:43:18] john@panelwhiz.eu)
*****
.

```

Viewer (#1) [view "c:/panelwhiz/hilda/views/temp_index.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/temp_index.smcl"

Start Page > Data Browse: INDEX <Project Page>

All Retrieved Data Files > Data Browse Index >

HILDA Data File INDEX Browse Page for [test1-long]
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

TOTAL
HH: Household information
WS: Wage and salaries
default

Export to: [SPSS | SAS | LIMDEP | GAUSS | Excel]

look at all variables in output data file...

... or just look at all variables from a specific category

Review

pwbase,save,hardcopy
ozproggen
pwopenprojdata,ftype(long)

Variables

xwaveid	XW Cross wave ID	
year	Year of Wave	
years	Letter of Wave (string)	

c:/proj

view "\$PW_panelwhizpath/hilda/views/temp.smcl"

Start C:\WINDOWS\system32... Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild37 17:44

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
[ Stacking Waves ]
[a] [b] [c] [d]
(18043 observations deleted)

[ Creating Item Labels ]
note: label truncated to 80 characters

[ Creating Long File ]
(note: file c:\pwproj\hilda\proj\test1\acknowledge.smc1 not found)
Contains data from c:\pwproj\hilda\proj\test1\acknowledge.smc1
obs: 66,224

vars: 13
size: 3,112,528 (99.0% of disk)

variable name storage type display format
xwaveid str7 %7s
year int %8.0g
years str1 %9s
hhsm byte %30.0g
sex byte %30.0g
hhrepid str8 %8s
hhrid str6 %6s
hhresp int %62.0g dhhresp Household Respondent Status
fhstatus byte %62.0g dfstatus Personal Respondent Status
enumptn str4 %4s String: Enumerated pattern
hhwte float %30.0g ahhwte HH: Enumerated person weight
ivwptn str4 %4s String: Interview pattern
wscg int %30.0g awscg WS: All jobs, current weekly gross wages & salary ($). Weighted topcode from 480

Sorted by: xwaveid year

[ Running Plugins ]

[wscg] All jobs, current weekly gross wages & salary ($). Weighted topcode from 4800
A B C D <DONE>

[ Done ! ]

(note: file c:\pwproj\hilda\proj\test1\acknowledge.smc1 not found)
. pwopenprojdata, ftype(long)
(PanelWhiz-HILDA: [test1] [21 Nov 2006/17:43:18] john@panelwhiz.eu)
.....
. view "$PW_panelwhizpath\hilda\views\temp.smc1"
.
```

Viewer (#1) [view "c:\panelwhiz\hilda\views\temp.smc1"]

Back Refresh Search Help Contents What's New News

Command: view "c:\panelwhiz\hilda\views\temp.smc1"

Start Page > Data Browse <Project Page>

All Retrieved Data Files > Data Browse Index >

HILDA Data File Browse Page for [test1-long]
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

default

[xwaveid] (S T K _) [[>W Cross wave ID]]
[year] (S T K _) [[Year of Wave]]
[years] (S T K _) [[Letter of Wave (string)]]
[hhsm] (S T K _) [[Sample member type]]
[sex] (S T K _) [[Sex]]

HH: Household information

[hhrepid] (S T K N) Wave 4 randomised person ID
[hhrid] (S T K N) Wave 4 randomised household ID

default

[hhresp] (S T K _) [[Household Respondent Status]]
[fhstatus] (S T K _) [[Personal Respondent Status]]
[enumptn] (S T K _) [[String: Enumerated pattern]]

HH: Household information

[hhwte] (S T K N) Enumerated person weight

default

[ivwptn] (S T K _) [[String: Interview pattern]]

WS: Wage and salaries

[wscg] (S T K N) All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800

Review

Variables

ozprogen
pwopenprojdata, ftype(long)
view "\$PW_panelwhizpath\hilda\views\temp.smc1"

c:\proj

Start C:\WINDOWS\system32... Stata/SE 9.2 - PanelWhiz... Jasc Paint Shop Pro - Bild38

variables listed in natural order and grouped by category – summary stats

Can click on a category header to get only variables from a specific category

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
(18043 observations deleted)
[ Creating Item Labels ]
note: label truncated to 80 characters
[ Creating Long File ]
(note: file c:/pwproj/hilda/proj/test1/test1-long.dta not found)
file c:/pwproj/hilda/proj/test1/test1-long.dta saved
Contains data from c:/pwproj/hilda/proj/test1/test1-long.dta
obs:      66,224      PanelWhiz-HILDA: [test1]
      [21 Nov 2006/17:43:18]
      john@panelwhiz.eu
vars:      13
size:      3,112,528 (99.0% of memory free)
21 Nov 2006 17:43
```

variable name	storage type	display format	value label	variable label
xwaveid	str7	%7s		XW Cross wave ID
year	int	%8.0g		Year of Wave
years	str1	%9s		Letter of Wave (string)
hhsm	byte	%30.0g	hhsm	Sample member type
sex	byte	%30.0g	sex	Sex
hhrid	str8	%8s		DV: Wave 1 randomised person id
hhrid	str6	%6s		DV: randomised household id
hhresp	int	%62.0g	dhhrresp	Household Respondent Status
fstatus	byte	%62.0g	dfstatus	Personal Respondent Status
enumptn	str4	%4s		String: Enumerated pattern
hhwte	float	%30.0g	ahhwte	HH: Enumerated person weight
iwptn	str4	%4s		String: Interview pattern
wscg	int	%30.0g	awscg	WS: All jobs, current weekly gross wages & salary (\$). Weighted topcode from 480

Sorted by: xwaveid year

[Running Plugins]

```
[wscg] All jobs, current weekly gross wages & salary ($). Weighted topcode from 4800
A B C D <DONE>
```

[Done !]

```
(note: file c:/pwproj/hilda/proj/test1/test1-acknowledge.smcl not found)
. pwopenprojdata, ftype(long)
(PanelWhiz-HILDA: [test1] [21 Nov 2006/17:43:18] john@panelwhiz.eu)
.....
. view "$PW_panelwhizpath/hilda/views/temp.smcl"
. view "$PW_panelwhizpath/hilda/views/temp_WS.smcl"
. view "$PW_panelwhizpath/hilda/views/temp_HH.smcl"
```

Viewer (#1) [view "c:/panelwhiz/hilda/views/temp_index.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/temp_index.smcl"

Start Page > Data Browse: INDEX <Project Page>

All Retrieved Data Files > Data Browse Index >

HILDA Data File INDEX Browse Page for [test1-long]
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

TOTAL

HH: Household information

WS: Wage and salaries

default

Export to: [SPSS | SAS | LIMDEP | GAUSS | Excel]

Export output data set to SAS®, SPSS®, LIMDEP®, Gauss®, Excel®

Review

view "\$PW_panelwhizpath/hilda/views/temp.smcl"	Variables
view "\$PW_panelwhizpath/hilda/views/temp_WS.smcl"	xwaveid XW Cross wave ID
view "\$PW_panelwhizpath/hilda/views/temp_HH.smcl"	year Year of Wave
	years Letter of Wave (string)

c:\proj

C:\WINDOWS\system32... Stata/SE 9.2 - PanelW... Jasc Paint Shop Pro - Bild40 17:45

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/temp/startpage.smc"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/temp/startpage.smc"

STATISTICS™
9.2 Copyright 1984-2006
StataCorp
4905 Lakeway Drive
College Station, Texas 77845 USA
800-STATA-PC http://www.stata.com
979-696-4600 stata@stata.com
979-696-4601 (fax)

Special Edition

Notes:

1. (/mw option or -set memory-) 10.00 MB allocated to data
2. (/v# option or -set maxvar-) 5000 maximum variables

running C:\Dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz

Go to the cafe and hang out. Let PanelWhiz do your data work!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!
Checking <http://www.panelwhiz.eu>: Update [hilda/base] [hilda/index] [here](#).

```
. pwnetupdate, doupdate
Downloading [hilda/base] DONE.
Downloading [hilda/index] DONE.
Downloading [pwhatsnew.smc] DONE.
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)

. pwaskopen, file(test1.hilda) path(C:/pwproj/hilda/proj/)

Read project from : [C:/pwproj/hilda/proj/test1.hilda]
Number of Items : 1
Number of Specials: 0

. pwstartpage

.
```

PanelWhiz HILDA

Edit Project [test1]

Open C:/pwproj/hilda/proj/test1.hilda
Open (RECENT)
Open (WEB)
Open (LOCAL)

Select a wave

[a - 2001] [b - 2002] [c - 2003] [d - 2004]

Keyword Index

[*****] [a] [b] [c] [d] [e] [f] [g] [h] [i] [j] [k] [l]
[m] [n] [o] [p] [q] [r] [s] [t] [u] [v] [w] [x] [y] [z]

keyword search
for all waves

Review

panelwhiz, dataset(hilda)
pwaskopen, file(test1.hilda) path(C:/pwproj/hilda/proj/)
pwstartpage

Variables

c:\proj

pwdatabrowse, openindex(h)

Microsoft PowerPoint - [...]
Jasc Paint Shop Pro - Bild2
Stata/SE 9.2 - PanelW...

10:15

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/hilda/index/index_h_EN.smc"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/index/index_h_EN.smc"

Start Page > Entries for H <Project Page>

HILDA Keyword Browse Page for [h]

PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

[*****] [a] [b] [c] [d] [e] [f] [g] [h] [i] [j] [k] [l]
[m] [n] [o] [p] [q] [r] [s] [t] [u] [v] [w] [x] [y] [z]

h	h1	h12b	h14
h15e	h15f	h1a	h2
h3g	h3h	habits	half
hanging	happen	happened	happens
happiness	happy	harder	having
hawkers	head	health	healthy
hearing	heart	heat	heavily
hecs	held	help	helping
helpless	helps	her	here
hf	hh	hild	hold
high	highest	hildcare	hire
his	hobbies	hobby	holiday
holidays	home	homes	honours
hope	hospital	hostile	hour
hours	house	household	housework
housing	how	hp	hrs
humanitarian	hypertension		

[h] Importance - H Religion TOF
[h1] Satisfaction - H The amount of free time you have TOF
[h12b] Check H12b - 2 or more relations
[h14] NPQ H14: Years living together, NPQ H14: Years living together,
[h15e] Check everyday financial support in H15e
[h15f] Check other financial support in H15f TOF
[h1a] Check H1a and H2 TOF
[h2]
[h3g] Check everyday financial support in
[h3h] Check Other financial support in H3
[habits] Savings habits
[half] Physical Functioning: Walking half a kilometre TOF
[hanging] Neighbourhood: Teenagers hanging around on the streets TOF
[happen]
pwdatabrowse, openindex(h) jumpto(health)

keyword index for letter „h“

click on word „health“ to jump

STATISTICS Data Analysis 9.2 Copyright 1984-2006 StataCorp 4905 Lakeway Drive College Station, Texas 77845 USA 800-STATA-PC http://www.stata.com 979-696-4600 stata@stata.com 979-696-4601 (fax)

Notes:

1. (/m# option or -set memory-) 10.00 MB allocated to data
2. (/v# option or -set maxvar-) 5000 maximum variables

Running C:\Dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz

Go to the cafe and hang out. Let PanelWhiz do your data work!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!

Checking <http://www.panelwhiz.eu>: Update [hilda/base] [hilda/index] [here](#).

. pwnetupdate, douupdate
Downloading [hilda/base] DONE.
Downloading [hilda/index] DONE.
Downloading [pwwhatsnew.smc] DONE.
Checking <http://www.panelwhiz.eu>: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)
pwbackopen, file(test1.hilda) path(C:/pwproj/hilda/proj/)
Read project from : [C:/pwproj/hilda/proj/test1.hilda]
Number of Items : 1
Number of Specials: 0

. pwstartpage
pwdatabrowse, openindex(h)

Review Variables

pwbackopen, file(test1.hilda) path(C:/pwproj/hilda/proj/)
pwstartpage
pwdatabrowse, openindex(h)

c:\proj

Microsoft PowerPoint - [...] Jasc Paint Shop Pro - Bild3 Stata/SE 9.2 - PanelW... 10:15

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Statistics/Data Analysis 9.2 Copyright 1984-2006 StataCorp 4905 Lakeway Drive College Station, Texas 77845 USA 800-STATA-PC http://www.stata.com 979-696-4600 stata@stata.com 979-696-4601 (fax)

Notes:
1. (/nw option or -set memory-) 10.00 MB allocated to data
2. (/v# option or -set maxvar-) 5000 maximum variables
running C:\Dokumente und Einstellungen\haitsken\profile.do ...

PanelWhiz
Go to the cafe and hang out. Let PanelWhiz do your data work!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haitsken-DeNew

PanelWhiz: Memory was automatically set to 300MB!
Checking <http://www.panelwhiz.eu>: Update [hilda/base] [hilda/index] [here](#).

. pwnetupdate, doupdate
Downloading [hilda/base] DONE.
Downloading [hilda/index] DONE.
Downloading [pwwhatsnew.smc] DONE.
Checking <http://www.panelwhiz.eu>: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)
pwbackopen, file(test1.hilda) path(C:\pwproj\hilda\proj\)
Read project from : [C:\pwproj\hilda\proj\test1.hilda]
Number of Items : 1
Number of Specials: 0

. pwstartpage
. pwdatabrowse, op
. pwdatabrowse, op

Review
pwstartpage
pwdatabrowse, openindex(h)
pwdatabrowse, openindex(h) jump to(health)

c:\proj

Viewer (#1) [view "c:/panelwhiz/hilda/index/index_h_EN.smc"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/index/index_h_EN.smc"##health

[health] TOP

gh1	General Health
gh11a	Health: Get sick a little easier than other people
gh11b	Health: As healthy as anybody I know
gh11c	Health: Expect my health to get worse
gh11d	Health: My health is excellent
gh2	Health compared to one year ago
gh6	Social functioning: Has physical/emotional health interfered with normal social activities
gh9b	Mental Health: Been a nervous person
gh9c	Mental Health: Felt so down in the dumps nothing could cheer you up
gh9d	Mental Health: Felt calm and peaceful
gh9f	Mental Health: Felt down
gh9h	Mental Health: Been a happy person
gh9h	SF-36 general health - transformed
gh9h	SF-36 mental health - transformed
gh9h	SF-36 reported health transitions - raw
gh9h	Which long term health conditions - Blackouts, fits or loss of consciousness
hecrp	Which long term health conditions - Chronic or recurring pain
hecrpa	Which long term health conditions - Any condition that restricts physical activity or physical work (e.g. back problems, migraines)
hedgt	Which long term health conditions - Difficulty gripping things
hedt1a	Health condition causes difficulties with communicating in your own language
hedt1ma	Health condition causes difficulties with mobility activities
hedt1fsc	Health condition causes difficulties with self-care activities
hedt1f	Which long term health conditions - Any disfigurement or deformity
hehear	Which long term health conditions - Hearing problems
hehibd	Which long term health conditions - Long term effects as a result of a head injury, stroke or other brain damage
hehlpc	Health condition necessitates needing help or supervision
helth	Long term health condition
heluaf	Which long term health conditions - Limited use of arms or fingers
heluf1	Which long term health conditions - Limited use of feet or legs
hemed	Which long term health conditions - A long-term condition or ailment which is still restrictive even though it is being treated
hemirh	Which long term health conditions - Any mental illness which requires help or supervision
henec	Which long term health conditions - A nervous or emotional condition which requires treatment
heoth	Which long term health conditions - Any other long-term condition such as arthritis, asthma, heart disease, Alzheimers, dementia etc
hesa	Health
hesbdb	Which long term health conditions - Shortness of breath or difficulty breathing
heslu	Which long term health conditions - Difficulty learning or understanding things
hespch	Which long term health conditions - Speech problems
hespnc	Which long term health conditions - Sight problems not corrected by glasses / lenses
hgl1th	Long term health condition, disability or impairment
hgl1th1	Long term health condition, disability or impairment - 0001
hgl1th10	Long term health condition, disability or impairment - 0010
hgl1th11	Long term health condition, disability or impairment - 0011
hgl1th12	Long term health condition, disability or impairment - 0012
hgl1th13	Long term health condition, disability or impairment - 0013
hgl1th14	Long term health condition, disability or impairment - 0014
hgl1th2	Long term health condition, disability or impairment - 0002
hgl1th3	Long term health condition, disability or impairment - 0003
hgl1th4	Long term health condition, disability or impairment - 0004
hgl1th5	Long term health condition, disability or impairment - 0005
hgl1th6	Long term health condition, disability or impairment - 0006
hgl1th7	Long term health condition, disability or impairment - 0007
hgl1th8	Long term health condition, disability or impairment - 0008
hgl1th9	Long term health condition, disability or impairment - 0009
jbrthsc	Aim of this training - Because of health / safety concerns (Employees only)
jsreahd	Reasons had trouble getting a job - Own ill health or disability
loimpyh	Importance - E Your health
losatyh	Satisfaction - F Your health
mhreahr	Main reasons for moving - Health reasons

pwgetdata, varname(aghmh) itemname(ghmh) file(combined_a41c) command(add_item)

health items
(all waves)

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Statistics/Data Analysis 9.2 Copyright 1984-2006
StataCorp
4905 Lakeway Drive
College Station, Texas 77845 USA
800-STATA-PC http://www.stata.com
979-696-4600 stata@stata.com
979-696-4601 (fax)

Special Edition

Notes:

1. (/mw option or -set memory-) 10.00 MB allocated to data
2. (/v# option or -set maxvar-) 5000 maximum variables

running C:\Dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz

Go to the cafe and hang out. Let PanelWhiz do your data work!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!

Checking <http://www.panelwhiz.eu>: Update [hilda/base] [hilda/index] [here](#).

. pwnetupdate, doupdate
Downloading [hilda/base] DONE.
Downloading [hilda/index] DONE.
Downloading [pwhatsnew.smcl] DONE.
Checking <http://www.panelwhiz.eu>: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)
pwbaskopen, file(test1.hilda) path(C:\pwproj\hilda\proj\)

Read project from : [C:\pwproj\hilda\proj\test1.hilda]
Number of Items : 1
Number of Specials : 0

. pwstartpage

. pwdatabrowse, openindex(h)

. pwdatabrowse, openindex(h) jumpto(health)

Review Variables

pwstartpage
pwdatabrowse, openindex(h)
pwdatabrowse, openindex(h) jumpto(health)

c:\proj

Viewer (#1) [view "c:/panelwhiz/hilda/index/index_h_EN.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/index/index_h_EN.smcl"##health

[health] TOP

gh1 General Health
gh11a Health: Get sick a little easier than other people
gh11b Health: As healthy as anybody I know
gh11c Health: Expect my health to get worse
gh11d Health: My health is excellent
gh2 Health compared to one year ago
gh6 Mental Health: Been a nervous person
gh9b Mental Health: Felt so down in the dumps nothing could cheer you up
gh9c Mental Health: Felt calm and peaceful
gh9d Mental Health: Felt down
gh9f Mental Health: Seen a happy person
gh9h
gh9i SF-36 general health - transformed
gh9j SF-36 mental health - transformed
gh9k SF-36 reported health transitions - raw
gh9l Which long term health conditions - Blackouts, fits or loss of consciousness
gh9m
gh9n
gh9o
gh9p
gh9q
gh9r
gh9s
gh9t
gh9u
gh9v
gh9w
gh9x
gh9y
gh9z
gh9aa
gh9ab
gh9ac
gh9ad
gh9ae
gh9af
gh9ag
gh9ah
gh9ai
gh9aj
gh9ak
gh9al
gh9am
gh9an
gh9ao
gh9ap
gh9aq
gh9ar
gh9as
gh9at
gh9au
gh9av
gh9aw
gh9ax
gh9ay
gh9az
gh9ba
gh9bb
gh9bc
gh9bd
gh9be
gh9bf
gh9bg
gh9bh
gh9bi
gh9bj
gh9bk
gh9bl
gh9bm
gh9bn
gh9bo
gh9bp
gh9bq
gh9br
gh9bs
gh9bt
gh9bu
gh9bv
gh9bw
gh9bx
gh9by
gh9bz
gh9ca
gh9cb
gh9cc
gh9cd
gh9ce
gh9cf
gh9cg
gh9ch
gh9ci
gh9cj
gh9ck
gh9cl
gh9cm
gh9cn
gh9co
gh9cp
gh9cq
gh9cr
gh9cs
gh9ct
gh9cu
gh9cv
gh9cw
gh9cx
gh9cy
gh9cz
gh9da
gh9db
gh9dc
gh9dd
gh9de
gh9df
gh9dg
gh9dh
gh9di
gh9dj
gh9dk
gh9dl
gh9dm
gh9dn
gh9do
gh9dp
gh9dq
gh9dr
gh9ds
gh9dt
gh9du
gh9dv
gh9dw
gh9dx
gh9dy
gh9dz
gh9ea
gh9eb
gh9ec
gh9ed
gh9ee
gh9ef
gh9eg
gh9eh
gh9ei
gh9ej
gh9ek
gh9el
gh9em
gh9en
gh9eo
gh9ep
gh9eq
gh9er
gh9es
gh9et
gh9eu
gh9ev
gh9ew
gh9ex
gh9ey
gh9ez
gh9fa
gh9fb
gh9fc
gh9fd
gh9fe
gh9ff
gh9fg
gh9fh
gh9fi
gh9fj
gh9fk
gh9fl
gh9fm
gh9fn
gh9fo
gh9fp
gh9fq
gh9fr
gh9fs
gh9ft
gh9fu
gh9fv
gh9fw
gh9fx
gh9fy
gh9fz
gh9ga
gh9gb
gh9gc
gh9gd
gh9ge
gh9gf
gh9gg
gh9gh
gh9gi
gh9gj
gh9gk
gh9gl
gh9gm
gh9gn
gh9go
gh9gp
gh9gq
gh9gr
gh9gs
gh9gt
gh9gu
gh9gv
gh9gw
gh9gx
gh9gy
gh9gz
gh9ha
gh9hb
gh9hc
gh9hd
gh9he
gh9hf
gh9hg
gh9hh
gh9hi
gh9hj
gh9hk
gh9hl
gh9hm
gh9hn
gh9ho
gh9hp
gh9hq
gh9hr
gh9hs
gh9ht
gh9hu
gh9hv
gh9hw
gh9hx
gh9hy
gh9hz
gh9ia
gh9ib
gh9ic
gh9id
gh9ie
gh9if
gh9ig
gh9ih
gh9ii
gh9ij
gh9ik
gh9il
gh9im
gh9in
gh9io
gh9ip
gh9iq
gh9ir
gh9is
gh9it
gh9iu
gh9iv
gh9iw
gh9ix
gh9iy
gh9iz
gh9ja
gh9jb
gh9jc
gh9jd
gh9je
gh9jf
gh9jg
gh9jh
gh9ji
gh9jj
gh9jk
gh9jl
gh9jm
gh9jn
gh9jo
gh9jp
gh9jq
gh9jr
gh9js
gh9jt
gh9ju
gh9jv
gh9jw
gh9jx
gh9jy
gh9jz
gh9ka
gh9kb
gh9kc
gh9kd
gh9ke
gh9kf
gh9kg
gh9kh
gh9ki
gh9kj
gh9kk
gh9kl
gh9km
gh9kn
gh9ko
gh9kp
gh9kq
gh9kr
gh9ks
gh9kt
gh9ku
gh9kv
gh9kw
gh9kx
gh9ky
gh9kz
gh9la
gh9lb
gh9lc
gh9ld
gh9le
gh9lf
gh9lg
gh9lh
gh9li
gh9lj
gh9lk
gh9ll
gh9lm
gh9ln
gh9lo
gh9lp
gh9lq
gh9lr
gh9ls
gh9lt
gh9lu
gh9lv
gh9lw
gh9lx
gh9ly
gh9lz
gh9ma
gh9mb
gh9mc
gh9md
gh9me
gh9mf
gh9mg
gh9mh
gh9mi
gh9mj
gh9mk
gh9ml
gh9mm
gh9mn
gh9mo
gh9mp
gh9mq
gh9mr
gh9ms
gh9mt
gh9mu
gh9mv
gh9mw
gh9mx
gh9my
gh9mz
gh9na
gh9nb
gh9nc
gh9nd
gh9ne
gh9nf
gh9ng
gh9nh
gh9ni
gh9nj
gh9nk
gh9nl
gh9nm
gh9nn
gh9no
gh9np
gh9nq
gh9nr
gh9ns
gh9nt
gh9nu
gh9nv
gh9nw
gh9nx
gh9ny
gh9nz
gh9oa
gh9ob
gh9oc
gh9od
gh9oe
gh9of
gh9og
gh9oh
gh9oi
gh9oj
gh9ok
gh9ol
gh9om
gh9on
gh9oo
gh9op
gh9oq
gh9or
gh9os
gh9ot
gh9ou
gh9ov
gh9ow
gh9ox
gh9oy
gh9oz
gh9pa
gh9pb
gh9pc
gh9pd
gh9pe
gh9pf
gh9pg
gh9ph
gh9pi
gh9pj
gh9pk
gh9pl
gh9pm
gh9pn
gh9po
gh9pp
gh9pq
gh9pr
gh9ps
gh9pt
gh9pu
gh9pv
gh9pw
gh9px
gh9py
gh9pz
gh9qa
gh9qb
gh9qc
gh9qd
gh9qe
gh9qf
gh9qg
gh9qh
gh9qi
gh9qj
gh9qk
gh9ql
gh9qm
gh9qn
gh9qo
gh9qp
gh9qq
gh9qr
gh9qs
gh9qt
gh9qu
gh9qv
gh9qw
gh9qx
gh9qy
gh9qz
gh9ra
gh9rb
gh9rc
gh9rd
gh9re
gh9rf
gh9rg
gh9rh
gh9ri
gh9rj
gh9rk
gh9rl
gh9rm
gh9rn
gh9ro
gh9rp
gh9rq
gh9rr
gh9rs
gh9rt
gh9ru
gh9rv
gh9rw
gh9rx
gh9ry
gh9rz
gh9sa
gh9sb
gh9sc
gh9sd
gh9se
gh9sf
gh9sg
gh9sh
gh9si
gh9sj
gh9sk
gh9sl
gh9sm
gh9sn
gh9so
gh9sp
gh9sq
gh9sr
gh9ss
gh9st
gh9su
gh9sv
gh9sw
gh9sx
gh9sy
gh9sz
gh9ta
gh9tb
gh9tc
gh9td
gh9te
gh9tf
gh9tg
gh9th
gh9ti
gh9tj
gh9tk
gh9tl
gh9tm
gh9tn
gh9to
gh9tp
gh9tq
gh9tr
gh9ts
gh9tt
gh9tu
gh9tv
gh9tw
gh9tx
gh9ty
gh9tz
gh9ua
gh9ub
gh9uc
gh9ud
gh9ue
gh9uf
gh9ug
gh9uh
gh9ui
gh9uj
gh9uk
gh9ul
gh9um
gh9un
gh9uo
gh9up
gh9uq
gh9ur
gh9us
gh9ut
gh9uu
gh9uv
gh9uw
gh9ux
gh9uy
gh9uz
gh9va
gh9vb
gh9vc
gh9vd
gh9ve
gh9vf
gh9vg
gh9vh
gh9vi
gh9vj
gh9vk
gh9vl
gh9vm
gh9vn
gh9vo
gh9vp
gh9vq
gh9vr
gh9vs
gh9vt
gh9vu
gh9vv
gh9vw
gh9vx
gh9vy
gh9vz
gh9wa
gh9wb
gh9wc
gh9wd
gh9we
gh9wf
gh9wg
gh9wh
gh9wi
gh9wj
gh9wk
gh9wl
gh9wm
gh9wn
gh9wo
gh9wp
gh9wq
gh9wr
gh9ws
gh9wt
gh9wu
gh9wv
gh9ww
gh9wx
gh9wy
gh9wz
gh9xa
gh9xb
gh9xc
gh9xd
gh9xe
gh9xf
gh9xg
gh9xh
gh9xi
gh9xj
gh9xk
gh9xl
gh9xm
gh9xn
gh9xo
gh9xp
gh9xq
gh9xr
gh9xs
gh9xt
gh9xu
gh9xv
gh9xw
gh9xx
gh9xy
gh9xz
gh9ya
gh9yb
gh9yc
gh9yd
gh9ye
gh9yf
gh9yg
gh9yh
gh9yi
gh9yj
gh9yk
gh9yl
gh9ym
gh9yn
gh9yo
gh9yp
gh9yq
gh9yr
gh9ys
gh9yt
gh9yu
gh9yv
gh9yw
gh9yx
gh9yy
gh9yz
gh9za
gh9zb
gh9zc
gh9zd
gh9ze
gh9zf
gh9zg
gh9zh
gh9zi
gh9zj
gh9zk
gh9zl
gh9zm
gh9zn
gh9zo
gh9zp
gh9zq
gh9zr
gh9zs
gh9zt
gh9zu
gh9zv
gh9zw
gh9zx
gh9zy
gh9zz

add item to basket by clicking on it

pwgetdata, varname(aghnh) itemname(ghmh) file(combined_a41c) command(add_item)

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Special Edition 4905 Lakeway Drive
College Station, Texas 77845 USA
800-STATA-PC http://www.stata.com
979-696-4600 stata@stata.com
979-696-4601 (fax)

Notes:
1. (/mw option or -set memory-) 10.00 MB allocated to data
2. (/vw option or -set maxvar-) 5000 maximum variables
running C:\Dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz

Go to the cafe and hang out. Let PanelWhiz do your data work!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!
Checking <http://www.panelwhiz.eu>: Update [hilda/base] [hilda/index] [here](#).

```
. pwnetupdate, doupdate
Downloading [hilda/base] DONE.
Downloading [hilda/index] DONE.
Downloading [pwhatsnew.smc1] DONE.
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)

. pwbackopen, file(test1.hilda) path(C:\pwproj\hilda\proj\j)

Read project from : [C:\pwproj\hilda\proj\test1.hilda]
Number of Items : 1
Number of Specials: 0

. pwstartpage

. pwdatabrowse, openindex(h)

. pwdatabrowse, openindex(h) jumpto(health)

. pwgetdata, varname(ghmh) itemname(ghmh) file(combined_a41c) command(add_item)

.

Review Variables
pwdatabrowse, openindex(h) ahhhid DV: randomised househo
pwdatabrowse, openindex(h) jumpto(health) ahhraid DV: randomised area id
pwgetdata, varname(ghmh) itemname(ghmh) file(combined_a41c) ahhhqivw HQ Date of interview - Hc
c:\proj
```

Viewer (#1) [view "c:/panelwhiz/hilda/index/index_h_EN.smc"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/index/index_h_EN.smc"###health

[health]

gh1 General Health
gh1a Health: Get sick a little easier than other people
gh1b Health: As healthy as anybody I know
gh1c Health: Expect my health to get worse
gh1d Health: My health is excellent
gh2 Health compared to one year ago
gh6 Social functioning: Has physical/emotional health interfered with normal social activities
gh9b Mental Health: Been a nervous person
gh9c Mental Health: Felt so down in the dumps nothing could cheer you up
gh9d Mental Health: Felt calm and peaceful
gh9f Mental Health: Felt down
gh9h Mental Health: Been a happy person
gh9i SF-36 general health - transformed
gh9j SF-36 mental health - transformed
gh9k SF-36 reported health transitions - raw
gh9l Which long term health conditions - Blackouts, fits or loss of consciousness
gh9m Which long term health conditions - Chronic or recurring pain
gh9n Which long term health conditions - Any condition that restricts physical activity or physical work (e.g. back problems, migraines)
gh9o Which long term health conditions - Difficulty gripping things
gh9p Health condition causes difficulties with communicating in your own language
gh9q Health condition causes difficulties with mobility activities
gh9r Health condition causes difficulties with self-care activities
gh9s Which long term health conditions - Any disfigurement or deformity
gh9t Which long term health conditions - Hearing problems
gh9u Which long term health conditions - Long term effects as a result of a head injury, stroke or other brain damage
gh9v Health condition necessitates needing help or supervision
gh9w Long term health condition
gh9x Which long term health conditions - Limited use of arms or fingers
gh9y Which long term health conditions - Limited use of feet or legs
gh9z Which long term health conditions - A long-term condition or ailment which is still restrictive even though it is being treated
gh10a Which long term health conditions - Any mental illness which requires help or supervision
gh10b Which long term health conditions - A nervous or emotional condition which requires treatment
gh10c Which long term health conditions - Any other long-term condition such as arthritis, asthma, heart disease, Alzheimers, dementia etc
gh10d Health
gh10e Which long term health conditions - Shortness of breath or difficulty breathing
gh10f Which long term health conditions - Difficulty understanding things
gh10g Which long term health conditions - Speech difficulties
gh10h Which long term health conditions - Sight difficulties
gh10i Long term health condition, disability or impairment - 0011
gh10j Long term health condition, disability or impairment - 0012
gh10k Long term health condition, disability or impairment - 0013
gh10l Long term health condition, disability or impairment - 0014
gh10m Long term health condition, disability or impairment - 0002
gh10n Long term health condition, disability or impairment - 0003
gh10o Long term health condition, disability or impairment - 0004
gh10p Long term health condition, disability or impairment - 0005
gh10q Long term health condition, disability or impairment - 0006
gh10r Long term health condition, disability or impairment - 0007
gh10s Long term health condition, disability or impairment - 0008
gh10t Long term health condition, disability or impairment - 0009
gh10u Aim of this training - Because of health / safety concerns (Employees only)
gh10v Reasons had trouble getting a job - Own ill health or disability
gh10w Importance - E Your health
gh10x Satisfaction - F Your health
gh10y Main reasons for moving - Health reasons
gh10z

TOP

go back to the top

10:16

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Notes:

1. (/mw option or -set memory-) 10.00 MB allocated to data
2. (/vw option or -set maxvar-) 5000 maximum variables

running C:\Dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz

Go to the cafe and hang out. Let PanelWhiz do your data work!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!

Checking <http://www.panelwhiz.eu>: Update [hilda/base] [hilda/index] [here](#).

```
. pwnetupdate, doupdate
Downloading [hilda/base] DONE.
Downloading [hilda/index] DONE.
Downloading [pwhatsnew.smc1] DONE.
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)

. pwbackopen, file(test1.hilda) path(C:\pwproj\hilda\proj\j)

Read project from : [C:\pwproj\hilda\proj\test1.hilda]
Number of Items : 1
Number of Specials: 0

. pwstartpage

. pwdatabrowse, openindex(h)

. pwdatabrowse, openindex(h) jumpto(health)

. pwgetdata, varname(ghmh) itemname(ghmh) file(combined_a41c) command(add_item)

. pwdatabrowse, openindex(h)

.

Review
```

Variables

pwdatabrowse, openindex(h) jumpto(health)	ahhhrid	DV: randomised househo
pwgetdata, varname(ghmh) itemname(ghmh) file(combined_a	ahhhrid	DV: randomised area id
pwdatabrowse, openindex(h)	ahhhqivw	HQ Date of interview - H

c:\proj

Viewer (#1) [view "c:\panelwhiz\hilda\index\index_h_EN.smc"]

Back Refresh Search Help Contents What's New News

Command: view "c:\panelwhiz\hilda\index\index_h_EN.smc"

Start Page > Entries for H

HILDA Keyword Browse Page for [H]

PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

[*****] [a] [b] [c] [d] [e] [f] [g] [h] [i] [j] [k] [l]
[m] [n] [o] [p] [q] [r] [s] [t] [u] [v] [w] [x] [y] [z]

h	h1	h12b	h14
h15e	h15f	h1a	h2
h3g	h3h	habits	half
hanging	happen	happened	happens
happiness	happy	harder	having
hawkers	head	health	healthy
hearing	heart	heat	heavily
hecs	held	help	helping
helpless	helps	her	here
hf	hh	hild	hhold
high	highest	hildcare	hire
his	hobbies	hobby	holiday
holidays	home	homes	honours
hope	hospital	hostile	hour
hours	house	household	housework
housing	how	hp	hrs
humanitarian	hypertension		

[h] [loimpr1](#) Importance - H Religion TOP
[losatft](#) Satisfaction - H The amount of free time you have

[h1] [chksw](#) Check H1 TOP

[h12b] [chktwo](#) Check H12b - 2 or more relationships TOP

[h14] [ordflt](#) NPQ H14: Years living together, first defacto excluding current TOP
[ordfrlt](#) NPQ H14: Years living together, most recent defacto

[h15e] [rcefs](#) Check everyday financial support in H15

[h15f] [rcofs](#) Check other financial support in H15f

[h1a] [chims](#) Check H1a and H2

[h2]

[h3g] [ncefs](#) Check everyday financial support in H3g

[h3h] [ncofs](#) Check Other financial support in H3h TOP

[habits] [fisave](#) Savings habits TOP

[half] [gh3h](#) Physical Functioning: Walking half a kilometre TOP

[hanging] [lslats](#) Neighbourhood: Teenagers hanging around on the streets TOP

[happen] TOP

pwback

go back to the Project Page

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
979-696-4601 (fax)

Notes:
1. (/mw option or -set memory~) 10.00 MB allocated to data
2. (/v# option or -set maxvar~) 5000 maximum variables

running C:\Dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz

Go to the cafe and hang out. Let PanelWhiz do your data work!

Homepage: http://www.panelwhiz.eu
Help: http://www.panelwhiz.eu/forum
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!

Checking http://www.panelwhiz.eu: Update [hilda/base] [hilda/index] here.

. pwnetupdate, doupdate
Downloading [hilda/base] DONE.
Downloading [hilda/index] DONE.
Downloading [pwwhatsnew.smcl] DONE.
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)

. pwbaskopen, file(test1.hilda) path(C:/pwproj/hilda/proj/)

Read project from : [C:/pwproj/hilda/proj/test1.hilda]
Number of Items : 1
Number of Specials: 0

. pwstartpage

. pwdatabrowse, openindex(h)

. pwdatabrowse, openindex(h) jumpto(health)

. pwgetdata, varname(aghmh) itemname(ghmh) file(combined_a41c) command(add_item)

. pwdatabrowse, openindex(h)

. pwbask

.

Review
```

Variables

pwgetdata, varname(aghmh) itemname(ghmh) file(combined_a41c)	ahhhid	DV: randomised househo
pwdatabrowse, openindex(h)	ahhraid	DV: randomised area id
pwbask	ahhhqivw	HQ Date of interview - H

c:\proj

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <21 Nov 2006> at <17:43:18>
<Untitled>
<John Haisken-DeNew> at <jhaiskendew@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

Prefs

Panel Level	< Person >
Gender	< All >
Panel Type	< Unbalanced Respondents >
Gender	< All >
Wave Begin	< a / 2001 >
Wave End	< d / 2004 >
Relation Info	< No >

GH: General health and well-being

[X]	ghmh	SF-36 mental health - transformed
-------	------	-----------------------------------

WS: Wage and salaries

[X P]	wscg	All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
---------	------	--

new item added, sorted by category

Adding to a Project

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Notes:

1. (/m# option or -set memory-) 10.00 MB allocated to data
2. (/v# option or -set maxvar-) 5000 maximum variables

running C:\dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz

Go to the cafe and hang out. Let PanelWhiz do your data work!

Homepage: <http://www.panelwhiz.eu>
 Help: <http://www.panelwhiz.eu/forum>
 Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!

Checking <http://www.panelwhiz.eu>: Update [hilda/base] [hilda/index] [here](#).

. pwmetupdate, doupdate
 Downloading [hilda/base] DONE.
 Downloading [hilda/index] DONE.
 Downloading [pwhatsnew.smc] DONE.
 Checking <http://www.panelwhiz.eu>: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)
 . pwmaskopen, file(test1.hilda) path(C:\pwproj\hilda\proj\)
 Read project from : [C:\pwproj\hilda\proj\test1.hilda]
 Number of Items : 1
 Number of Specials: 0

. pwstartpage
 . pwatabrowse, openindex(h)
 . pwatabrowse, openindex(h) jumpto(health)
 . pwgetdata, varname(ghmh) itemname(ghmh) file(combined_a41c) command(add_item)
 . pwatabrowse, openindex(h)
 . pwmask
 . pwmasksave, hardcopy
 Saved project to : [C:\pwproj\hilda\proj\test1.hilda]
 Number of Items : 2
 Number of Specials: 0

Review

Variables

pwatabrowse, openindex(h) DV: randomised househo
 pwmask DV: randomised area id
 pwmasksave, hardcopy HQ Date of interview - Hc
 c:\proj

Viewer (#1) [view "c:\panelwhiz\hilda\views\project.smc"]

Back Refresh Search Help Contents What's New News

Command: view "c:\panelwhiz\hilda\views\project.smc"

Start Page > Project Page

HILDA Project Browse Page
 PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <22 Nov 2006> at <11:00:30>
 <Untitled>
 <John Haisken-DeNew> at <jhaiskendew@wi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

Prefs

Panel Level < Person >
 Gender < All >
 Panel Type < Unbalanced Respondents >
 Gender < All >
 Wave Begin < a / 2001 >
 Wave End < d / 2004 >
 Relation Info < No >

GH: General health and well-being

[X] ghmh SF-36 mental health - transformed

WS: Wage and salaries

[X P] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800

append another entire project to your current project

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
1. [mw option or -set memory~] 10.00 MB allocated to data
2. [v# option or -set maxvar~] 5000 maximum variables

running C:\dokumente und Einstellungen\haisken\profile.do ...
```

PanelWhiz

Go to the cafe and hang out. Let PanelWhiz do your data work!

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

PanelWhiz: Memory was automatically set to 300MB!
Checking <http://www.panelwhiz.eu>: Update [hilda/base] [hilda/index] [here](#).

```
. pwnetupdate, doupdate
Downloading [hilda/base] DONE.
Downloading [hilda/index] DONE.
Downloading [pwhatsnew.smcl] DONE.
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!
```

If you have a HILDA project that you would like to share with others, please send it in to me. Then all can use it!

pwbasbask

pwbasksave, hardcopy

Saved project to : [C:\pwproj\hilda\proj\test1.hilda]
Number of Items : 2
Number of Specials: 0

pwprojlibweb, mode(append)

Review

pwbasbask
pwbasksave, hardcopy
pwprojlibweb, mode(append)

Variables

ahhhrid DV: randomised househo
ahhraid DV: randomised area id
ahhhqivw HQ Date of interview - H

Viewer (#1) [view "http://www.panelwhiz.eu/download/lib/hilda/library_append.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "http://www.panelwhiz.eu/download/lib/hilda/library_append.smcl"

Start Page > Project Page > Library

LIBRARY Contents Created on <22 Nov 2006> at <11:02:31>

Contributors: If you would like to contribute to the HILDA library with HILDA projects of your own, please send an email to john@panelwhiz.eu with your HILDA project file as attachment.

Please remember, the *.hilda project files contain ONLY meta data, and absolutely NO micro data! **Please NEVER, send micro data by email** as this is illegal and a serious breach of your HILDA Data User contract!

Append test3 | test4 |

[Append]

test3
Date : 15 Aug 2006
Contact: John Haisken-DeNew at <jhaiskendenew@rwi-essen.de>
Comment: Untitled

caept any calendar activity - enrolled pt in school/educational course
caj01 any calendar activity - job 1
caj02 any calendar activity - job 2

[Append]

test4
Date : 16 Aug 2006
Contact: John Haisken-DeNew at <jhaiskendenew@rwi-essen.de>
Comment: Untitled

caept any calendar activity - enrolled pt in school/educational course
caj01 any calendar activity - job 1
caj02 any calendar activity - job 2
yejob35 do you hope to be working in a paid job at this age?
yeocjob and what kind of work do you hope to be doing in this job? that is, what occ
yefcftpt and (when you are 35) would you prefer to work full-time or part-time?
yepwork now think about your life between the ages of 30 and 60 years. do you hope t

click on a project to append to yours

use other projects: join the PanelWhiz Community!

pwbasbaskappend, path(<http://www.panelwhiz.eu/download/lib/hilda>) file(test3.hilda) web

c:\proj

Microsoft PowerPoint - [...]
Stata/SE 9.2 - PanelW...
Jasc Paint Shop Pro - Bild1

11:03

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```
1. (/mw option or -set memory~) 10.00 MB allocated to data
2. (/v# option or -set maxvar~) 5000 maximum variables

running C:\Dokumente und Einstellungen\haisken\profile.do ...

PanelWhiz: Memory was automatically set to 300MB!

Checking http://www.panelwhiz.eu: update [hilda/bas

. pwnetupdate, doupdate
Downloading [hilda/base] DONE.
Downloading [hilda/index] DONE.
Downloading [pwhatsnew.smcl] DONE.
Checking http://www.panelwhiz.eu: PanelWhiz is up to da

. panelwhiz, dataset(hilda)

. pwbasopen, file(test1.hilda) path(C:\pwproj\hilda\proj

Read project from : [C:\pwproj\hilda\proj\test1.hilda]
Number of Items : 1
Number of Specials: 0

. pwstartpage

. pwdatabrowse, openindex(h)

. pwdatabrowse, openindex(h) jumpto(health)

. pwgetdata, varname(aghmh) itemname(ghmh) file(combined_a41c) command(add_item)

. pwdatabrowse, openindex(h)

. pwbas

. pwbas save, hardcopy

Saved project to : [C:\pwproj\hilda\proj\test1.hilda]
Number of Items : 2
Number of Specials: 0

. pwprojlibweb, mode(append)

.

Review
```

Variables

pwbas	ahhhid	DV: randomised househo
pwbas save, hardcopy	ahhraid	DV: randomised area id
pwprojlibweb, mode(append)	ahhhqivw	HQ Date of interview - H

c:\proj

Viewer (#1) [view "http://www.panelwhiz.eu/download/lib/hilda/library_append.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "http://www.panelwhiz.eu/download/lib/hilda/library_append.smcl"

Start Page > Project Page > Library

LIBRARY Contents created on <22 Nov 2006> at <11:02:31>

Contributors: If you would like to contribute to the HILDA library with HILDA projects of your own, please send an email to <john@panelwhiz.eu> with your HILDA project file as attachment.

Please remember, the *.hilda project files contain ONLY meta data, and absolutely NO micro data! Please NEVER, send micro data by email as this is illegal and a serious breach of your HILDA Data User contract!

Append | test3 | test4 |

[Append]

test3
Date : 15 Aug 2006
Contact: John Haisken-DeNew at <jhaiskendenew@rwi-essen.de>
Comment: Untitled

- enrolled pt in school/educational course
- job 1
- job 2

DeNew at <jhaiskendenew@rwi-essen.de>

caep1 any calendar activity - enrolled pt in school/educational course
ca301 any calendar activity - job 1
ca302 any calendar activity - job 2
ye30b35 do you hope to be working in a paid job at this age?
ye30b35 and what kind of work do you hope to be doing in this job? that is, what occ
ye30b35 and (when you are 35) would you prefer to work full-time or part-time?
yepwork now think about your life between the ages of 30 and 60 years. do you hope t

Stata

About to execute the following command:
pwbas append, path(http://www.panelwhiz.eu/download/lib/hilda) file(test3.hilda) web
OK to continue, Cancel to abort

OK Abbrechen

confirm downloading of the project from the web library

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```

. pwnetupdate, doupdate
Downloading [hilda/base] DONE.
Downloading [hilda/index] DONE.
Downloading [pwwhatsnew.smcl] DONE.
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)

. pwaskopen, file(test1.hilda) path(C:/pwproj/hilda/proj/)

Read project from : [C:/pwproj/hilda/proj/test1.hilda]
Number of Items : 1
Number of Specials: 0

. pwstartpage

. pwatabrowse, openindex(h)

. pwatabrowse, openindex(h) jumpsto(health)

. pwgetdata, varname(ghmh) itemname(ghmh) file(combined_a41c) command(add_item)

. pwatabrowse, openindex(h)

. pwask

. pwasksave, hardcopy

Saved project to : [C:/pwproj/hilda/proj/test1.hilda]
Number of Items : 2
Number of Specials: 0

. pwprojlibweb, mode(append)

. pwaskappend, path(http://www.panelwhiz.eu/download/lib/hilda) file(test3.hilda) we
> b
(note: file c:/panelwhiz/hilda/views/temp.hilda not found)

Appended Project From : [http://www.panelwhiz.eu/download/lib/hilda/test3.hilda
> ]
Added Number of Items : 3
Duplicate Items Rejected : 0
Added Number of Specials : 0
Duplicate Specials Rejected: 0

```

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <22 Nov 2006> at <11:00:30>
<Untitled>
<John Haisken-DeNew> at <jhaiskendew@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

Prefs

Panel Level < Person >
Gender < All >
Panel Type < Unbalanced Respondents >
Gender < All >
Wave Begin < a / 2001 >
Wave End < d / 2004 >
Relation Info < No >

CA: Calendar

[X] caept any calendar activity - enrolled pt in school/educational course
[X] caj01 any calendar activity - job 1
[X] caj02 any calendar activity - job 2

GH: General health and well-being

[X] ghmh SF-36 mental health - transformed

WS: Wage and salaries

[X P] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800

Review

pwasksave, hardcopy
pwprojlibweb, mode(append)
pwaskappend, path(http://www.panelwhiz.eu/download/lib/

Variables

ahhhid DV: randomised househo
ahhraid DV: randomised area id
ahhhqivw HQ Date of interview - H

c:/proj

Microsoft PowerPoint - [...]
Stata/SE 9.2 - PanelW...
Jasc Paint Shop Pro - Bild3

11:03

project now contains additional items

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

```

. pwnetupdate, doupdate
Downloading [hilda/base] DONE.
Downloading [hilda/index] DONE.
Downloading [pwwhatsnew.smcl] DONE.
Checking http://www.panelwhiz.eu: PanelWhiz is up to date!

. panelwhiz, dataset(hilda)

. pwbaskopen, file(test1.hilda) path(C:/pwproj/hilda/proj/)

Read project from : [C:/pwproj/hilda/proj/test1.hilda]
Number of Items : 1
Number of Specials: 0

. pwstartpage

. pwdatabrowse, openindex(h)

. pwdatabrowse, openindex(h) jumpsto(health)

. pwgetdata, varname(ghmh) itemname(ghmh) file(combined_a41c) command(add_item)

. pwdatabrowse, openindex(h)

. pwbask

. pwbasksave, hardcopy

Saved project to : [C:/pwproj/hilda/proj/test1.hilda]
Number of Items : 2
Number of Specials: 0

. pwprojlibweb, mode(append)

. pwbaskappend, path(http://www.panelwhiz.eu/download/lib/hilda) file(test3.hilda) we
> b
(note: file c:/panelwhiz/hilda/views/temp.hilda not found)

Appended Project From : [http://www.panelwhiz.eu/download/lib/hilda/test3.hilda
> ]
Added Number of Items : 3
Duplicate Items Rejected : 0
Added Number of Specials : 0
Duplicate Specials Rejected: 0

```

PanelWhiz: Memory was automatically set to 300MB!

Checking http://www.panelwhiz.eu: Update [hilda/base] [hilda/index] [here](#).

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <22 Nov 2006> at <11:00:30>
<Untitled>
<John Haisken-DeNew> at <jhaiskendew@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, A | **Save** | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

Prefs

Panel Level < Person >
Gender < All >
Panel Type < Unbalanced Respondents >
Gender < All >
Wave Begin < a / 2001 >
Wave End < d / 2004 >
Relation Info < No >

CA: Calendar

[X] caept any calendar activity - enrolled pt in school/educational course

[X] caj01 any calendar activity - job 1

[X] caj02 any calendar activity - job 2

GH: General health and well-being

[X] ghmh SF-36 mental health - transformed

WS: Wage and salaries

[X P] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800

Review Variables

pwbasksave, hardcopy
pwprojlibweb, mode(append)
pwbaskappend, path(http://www.panelwhiz.eu/download/lib/

ahhhid DV: randomised househo
ahhraid DV: randomised area id
ahhhqivw HQ Date of interview - H

c:/proj

Microsoft PowerPoint - [...]
Stata/SE 9.2 - PanelW...
Jasc Paint Shop Pro - [Bl...]

11:13

save your changed project

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <21 Nov 2006> at <17:43:18>
<Unpublished>
<John Haisten-DeNew> at <jhaistendenew@rwi-ess.nyu.edu>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

useful help links

Prefs

Panel Level < Person >
Gender < All >
Panel Type < Unbalanced Respondents >
Gender < All >
Wave Begin < a / 2001 >
Wave End < d / 2004 >
Relation Info < No >

WS: Wage and salaries

[X P] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode from 4800
awscg bwscg cwscg dwscg

Project by HILDA Files

Wave < a > awscg
Wave < b > bwscg
Wave < c > cwscg
Wave < d > dwscg

Review Variables

pwback xwaveid XW Cross wave ID
pwviewsmcl, whatnew year Year of Wave
pwviewsmcl, help years Letter of Wave (string)

c:\proj

Start C:\WINDOWS\system... Stata/SE 9.2 - Pan... Microsoft PowerPoint... [panelwhiz.eu] - Mic... [paneldata.eu] - Mic... Jasc Paint Shop Pro - ... 19:06

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/hilda/views/project.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/hilda/views/project.smcl"

Start Page > Project Page <Project Page>

HILDA Project Browse Page
PanelWhiz HILDA (1.0) Aug 2006 <john@panelwhiz.eu>

Project: [test1] from <21 Nov 2006> at <17:43:18>
<Untitled>
<John Haisken-DeNew> at <jhaiskendenew@rwi-essen.de>

Documentation: [What's New? | Help | User Manual | Fun Links]

Old Projects: [Update]

Getting Started: [Start Page]

Local Projects: [New | Open | Acquire | Prefs | Save, As | Save | Append]

Libraries: [Open (WEB) | Open (LOCAL) | Append (WEB) | Append (LOCAL)]

Undo/Redo: [Undo | Redo | Erase History]

View Options: [low | med | high]

Plugins: [Remove ALL | Include ALL]

Retrieval: [Do Retrieval NOW!]

Retrieved Data: [Open Retrieved Data]

Prefs

Panel Level < Person >
Gender < All >
Panel Type < Unbalanced Respondents >
Gender < All >
Wave Begin < a / 2001 >
Wave End < d / 2004 >
Relation Info < No >

WS: Wage and salaries

[X P] wscg All jobs, current weekly gross wages & salary (\$). Weighted topcode
from 4800
awscg bwscg cwscg dwscg

Project by HILDA Files

Wave < a > awscg
Wave < b > bwscg
Wave < c > cwscg
Wave < d > dwscg

download and view newest documentation

PanelWhiz: A Flexible Modularized Stata Interface for Accessing Large Scale Panel Data Sets

John P. Haisken-DeNew¹ (RWI Essen) and Markus Hahn (RWI Essen, Uni Bochum)

This Documentation Version: Sep 2006 (version 1)

Abstract: This paper outlines a panel data retrieval program written for Stata/SE or better, which allows easier accessing of the household panel data sets. Using a drop-down menu system, the researcher selects variables from any and all available years of the panel. The data is automatically retrieved and merged to form a "long file", which can be directly used by the Stata panel estimators. The system implements modular data cleaning programs called "plugins". Yearly updates to the data retrievals can be made automatically. Projects can be stored in libraries allowing modular administration and appending.

Keywords: Panel data storage and retrieval, SOEP, HILDA

JEL: C81, C87, C23

Review

Variables

pwviews.mcl, what'snew XW Cross wave ID
pwviews.mcl, help Year of Wave
pwviews.mcl, funlinks Letter of Wave (string)

c:\proj

209,9 x 297 mm

1 von 17

Start C:\WINDOWS\sy... Stata/SE 9.2 - P... Microsoft Power... [panelwhiz.eu]... [paneldata.eu]... Jasc Paint Shop ... Adobe Acrobat... 19:07

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/pwwhatsnew.smcl"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/pwwhatsnew.smcl"

Start Page > Help Page <Project Page>

PanelWhiz

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

Credits:

Dr. John P. Haisken-DeNew Author
Markus Hahn Major contributor to the PanelWhiz system
Mathias Sinning Contributor to the PanelWhiz system, SOEP JEL's
Matthias Vorell Contributor to the PanelWhiz system

Data Packages to be added soon:

CPS-MORG from NBER (1996-2005) American Current Population Survey (CPS) Monthly Outgoing Rotation Groups. Extract is from the NBER.

CPS-MORG from CEPR (1996-2005) American Current Population Survey (CPS) Monthly Outgoing Rotation Groups. Extract is from the CEPR.

SIPP from CEPR (1990-2001) American Survey of Income and Program Participation (SIPP). Extract is from the CEPR.

Mikrozensus (1996-2004) Germany's CPS.

IAB-Betriebspanel (1993-2004) German IAB-Nuremberg's Firm Panel

Date	Area	Description
2006.11.14	ALL/base	Simplified code and took care of odds and ends.
2006.11.13	SOEP/base	Fixed a bug in proggen: Could not previously force a balanced panel of respondents. In the past, one always got an unbalanced panel (i.e. maximum information). This has been fixed. Thanks to Sonja Kassenboehmer, RWI Essen for pointing this out. For those using spouse information, using a balanced panel forces also the spouse info to be balanced also, otherwise it is empty.
2006.11.11	ALL/base	Restructured the drop-down menus and project pages. Now they are much simpler in structure. Now almost everything can be reached by the "Start Page" or the "Project Page" and clicking on a smcl page.
2006.11.11	BASE	Edited data export routines (SAS, SPSS, GAUSS, LIMDEP) to allow support for longer var names.
2006.11.11	ALL/base	Now support for opening retrieved data and documentation files by clicking on a smcl page.
2006.11.08	HILDA/base	Now support for including ALL project variables additionally as "partner"/"father"/"mother" variables. The user simply includes the variable "_all". Thanks to Deborah Cobb-Clark, ANU for this

changes made to PanelWhiz

pwviewsmc1, whatsnew

Review

Variables

pwviewsmc1, whatsnew

pwviewsmc1, help

pwviewsmc1, whatsnew

c:\proj

Start C:\WINDOWS\system32\ Stata/SE 9.2 - Pan... Microsoft PowerPoint... [panelwhiz.eu] - Mic... [paneldata.eu] - Mic... Jasc Paint Shop Pro - ... 19:06

Stata/SE 9.2 - PanelWhiz HILDA 1.0 - [Results]

File Edit Prefs Data Graphics Statistics User Window Help

Command

Viewer (#1) [view "c:/panelwhiz/base/help.smc"]

Back Refresh Search Help Contents What's New News

Command: view "c:/panelwhiz/base/help.smc"

Start Page > Help Page <Project Page>

PanelWhiz

Homepage: <http://www.panelwhiz.eu>
Help: <http://www.panelwhiz.eu/forum>
Contact: Dr. John P. Haisken-DeNew

Data Help

UNICEF	Why Donate	Want a good reason to donate to UNICEF? Here's one.
	UNICEF Homepage	Make a donation to UNICEF and save a kid's life! Donate at the main site or directly in Australia , Germany , USA .
PanelWhiz	Homepage	The source for PanelWhiz at http://panelwhiz.eu .
	What's New?	Detailed information on changes and announcements for all datapackages in PanelWhiz.
	Email Author	Contact author of PanelWhiz directly at < john@panelwhiz.eu >. Tell him what you think. Be nice now!
	www.PanelData.eu	Get info on more of the world's panel and cross-sectional data sets from http://www.paneldata.eu .
American CPS	CPS Web Site	The original source for the CPS at the American BLS.
- CEPR	CEPR	Main Data Web Site of the CEPR.
	CEPR CPS	CEPR extraction of the CPS.
	CEPR CPS-MORG	CEPR extraction of the CPS-MORG.
- NBER	NBER	Main Web Site of the NBER.
	NBER CPS	NBER extraction of the CPS.
	NBER CPS-MORG	NBER extraction of the CPS-MORG.
	Documentation	Written documentation for the NBER extraction of the CPS-MORG.
American SIPP	SIPP Web Site	The original source for the SIPP at the US Census Bureau.
	CEPR	Main Data Web Site of the CEPR.
	CEPR-SIPP	SIPP Web Site at the CEPR.
	SIPP Data	SIPP Data Web Site at the CEPR.

pwviewsmc1, whatsnew
pwviewsmc1, help



Review

Variables	
xwaveid	XW Cross wave ID
year	Year of Wave
years	Letter of Wave (string)

c:\proj

help links to all supported data sets

C:\WINDOWS\system... Stata/SE 9.2 - Pan... Microsoft PowerPoint... [panelwhiz.eu] - Mic... [paneldata.eu] - Mic... Jasc Paint Shop Pro - ... 19:06



Questions

References

If you use G*Power for your research, then we would appreciate your including one or both of the following references (depending on what is appropriate) to the program in the papers in which you publish your results:

- Faul, F., Erdfelder, E., Lang, A.-G., & Buchner, A. (2007). G*Power 3: A flexible statistical power analysis program for the social, behavioral, and biomedical sciences. *Behavior Research Methods*, 39, 175-191. [Download PDF](#)
- Faul, F., Erdfelder, E., Buchner, A., & Lang, A.-G. (2009). Statistical power analyses using G*Power 3.1: Tests for correlation and regression analyses. *Behavior Research Methods*, 41, 1149-1160. [Download PDF](#)
- Cohen, J. (1977). *Statistical power analysis for the behavioral sciences* (Rev. ed.). New York: Academic Press.

Econometrics texts

- Arellano, M. (2003). *Panel Data Econometrics*, Oxford University Press,
- Baltagi, B.H. (2005). *Econometric Analysis of Panel Data*(3rded.),Wiley.
- Hsiao, C. (2003). *Analysis of Panel Data*(2nded.),Cambridge University Press,
- **Wooldridge, J.M. (2002), *Econometric Analysis of Cross Section and Panel Data*, MIT Press.**

Panel data

- Kassenboehmer, S.C., & Haisken-DeNew, J.P. (2011). Heresy or enlightenment? The well-being age u-shape effect is flat. *Economic Letters*, 117.1, 235-238.

Stata-specific

- Christopher F Baum, 2016. "[An Introduction to Stata Programming, Second Edition](#)," *Stata Journal*, StataCorp LP, number isp, October.
- Christopher F Baum & Mark E. Schaffer, 2007. "[Enhanced routines for instrumental variables/generalised method of moments estimation & testing](#)," *Stata Press books*, StataCorp LP
- **Cameron, A. C. & Trivedi, P. K. (2009) *Microeconometrics Using Stata*, StataPress**
- Rabe-Hesketh, S. & Skrondal, A. (2008) *Multilevel and Longitudinal Modeling Using Stata*(2nd ed), S. & A. , StataPress
- StataCorp(2007), *Stata Statistical Software: Release 10 : XT Reference Manual*, Stata Corporation.
- Statalist , (2017). The Stata Forum. <http://www.statalist.org/>