

Section 1: Regulatory Compliance & Security Controls Architecture

This document establishes enterprise compliance across GDPR, HIPAA, SOC 2 Type II, and ISO 27001. All cloud workloads must enforce strict tenant isolation, role-based access control (RBAC), and encryption.

Section 2: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 2.
All employees and automated sub-agents must adhere to the data privacy and security governance standards on

Section 3: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 3.
All employees and automated sub-agents must adhere to the data privacy and security governance standards on

Section 4: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 4.

All employees and automated sub-agents must adhere to the data privacy and security governance standards on

Section 5: Regulatory Compliance & Security Controls Architecture

SOC 2 Type II Common Criteria CC6.1:

Logical access to vector database indices is restricted to authenticated tenant sessions.

Cross-tenant queries are blocked cryptographically at the vector partition level.

Section 6: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 6.

All employees and automated sub-agents must adhere to the data privacy and security governance standards on

Section 7: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 7.
All employees and automated sub-agents must adhere to the data privacy and security governance standards on

Section 8: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 8.
All employees and automated sub-agents must adhere to the data privacy and security governance standards on

Section 9: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 9.
All employees and automated sub-agents must adhere to the data privacy and security governance standards on

Section 10: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 10.
All employees and automated sub-agents must adhere to the data privacy and security governance standards on

Section 11: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 11.

All employees and automated sub-agents must adhere to the data privacy and security governance standards outlined in this section.

Section 12: Regulatory Compliance & Security Controls Architecture

Data at Rest Encryption Controls:

All customer documents, raw text blocks, and vector index files are encrypted using AES-256. Key management is rotated every 90 days via automated cloud KMS.

Section 13: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 13.

All employees and automated sub-agents must adhere to the data privacy and security governance standards outlined in this section.

Section 14: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 14.

All employees and automated sub-agents must adhere to the data privacy and security governance standards outlined in this section.

Section 15: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 15.

All employees and automated sub-agents must adhere to the data privacy and security governance standards outlined in this section.

Section 16: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 16.

All employees and automated sub-agents must adhere to the data privacy and security governance standards on

Section 17: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 17.

All employees and automated sub-agents must adhere to the data privacy and security governance standards outlined in this section.

Section 18: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 18.

All employees and automated sub-agents must adhere to the data privacy and security governance standards outlined in this section.

Section 19: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 19.

All employees and automated sub-agents must adhere to the data privacy and security governance standards outlined in this section.

Section 20: Regulatory Compliance & Security Controls Architecture

Audit Logging & SIEM Integration:

Every retrieval query, document ingestion, and authentication attempt is logged with UTC timestamps and client IP addresses. Logs are retained for 365 days in immutable write-once-read-many (WORM) storage.

Section 21: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 21.

All employees and automated sub-agents must adhere to the data privacy and security governance standards outlined in this section.

Section 22: Regulatory Compliance & Security Controls Architecture

Detailed implementation specifications and audit guidelines for compliance section 22.
All employees and automated sub-agents must adhere to the data privacy and security governance standards on