

Chapter 1: Django and Patterns




Chapter 2: Application Design







Chapter 3: Models





Chapter 4: Views and URLs







Chapter 5: Templates










Chapter 6: Admin Interface










Chapter 7: Forms















Chapter 8: Working Asynchronously









Chapter 9: Creating APIs





Chapter 10: Dealing with Legacy Code






Docs » Welcome to django-braces's documentation!

C Edit on GitHub

Welcome to django-braces's documentation!

You can view the code of our project or fork it and add your own mixins (please, send them back to us), on Github.


- Access Mixins
 - LoginRequiredMixin
 - PermissionRequiredMixin
 - MultiplePermissionsRequiredMixin
 - GroupRequiredMixin
 - UserPassesTestMixin
 - SuperuserRequiredMixin
 - StaffuserRequiredMixin
- Form Mixins
 - CsrfExemptMixin
 - UserFormKwargsMixin
 - UserKwargModelFormMixin



Chapter 11: Testing and Debugging


ModuleNotFoundError at / No module named 'gravity' Request Method: GET Request URL: http://127.0.0.1:8000/ Django Version: 2.0.2 Exception Type: ModuleNotFoundError Exception Value: No module named 'gravity' Exception Location: /home/arun/projs/superbook/superbook2/src/profiles/views.py in get, line 11 Python Executable: /home/arun/envs/django_2/bin/python Python Version: 3.6.2 Python Path: ['/home/arun/projs/superbook/superbook2/src', '/usr/lib/python36.zip', '/usr/lib/python3.6', '/usr/lib/python3.6/lib-dynload', '/home/arun/envs/django_2/lib/python3.6/site-packages'] Server time: Thu, 8 Mar 2018 17:36:48 +0530 Traceback Switch to copy-and-paste view /home/arun/envs/django_2/lib/python3.6/site-packages/django/core/handlers/exception.py IN inner 35. response = get_response(request) ► Local vars $/home/arun/envs/django_2/lib/python3.6/site-packages/django/core/handlers/base.py\ in\ _get_response$ response = self.process_exception_by_middleware(e, request) ▶ Local vars


builtins.ModuleNotFoundError ModuleNotFoundError: No module named 'gravity' Traceback (most recent call last) File "/home/arun/envs/django_2/lib/python3.6/site-packages/django/contrib/staticfiles/handlers.py", line 66, in call return self.application(environ, start response) [console ready] >>> environ {'wsgi.version': (1, 0), 'wsgi.url_scheme': 'http', 'wsgi.input': <_io.BufferedReader name=-1>, 'wsgi.e encoding='UTF-8'>, 'wsgi.multithread': True, 'wsgi.multiprocess': False, 'wsgi.run_once': False, 'SERVEI 'SCRIPT_NAME': '', 'PATH_INFO': '/', 'QUERY_STRING': '', 'REMOTE_ADDR': '127.0.0.1', 'REMOTE_PORT': 417. 'SERVER_PROTOCOL': 'HTTP/1.1', 'HTTP_HOST': '127.0.0.1:8000', 'HTTP_USER_AGENT': 'Mozilla/5.0 (X11; Lin 'HTTP ACCEPT': 'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8', 'HTTP ACCEPT LANGUAGE deflate', 'HTTP COOKIE': 'csrftoken=C5tLqNIsrBkQymKMAfH30E7qa8V80X3dohD35pSsdFXuN6BcPaMBYmLWEehe⊡, 'HT 'HTTP UPGRADE INSECURE REQUESTS': '1', 'HTTP_CACHE_CONTROL': 'max-age=0', 'werkzeug.request': <BaseRequ 'C5tLgNIsrBkQymKMAfH30E7ga8V80X3dohD35pSsdFXuN6BcPaM8YmLWEeheQcGH' ☐ } File "/home/arun/envs/django_2/lib/python3.6/site-packages/whitenoise/base.py", line 66, in call return self.application(environ, start_response) File "/home/arun/envs/django_2/lib/python3.6/site-packages/django/core/handlers/wsgi.py", line 146, in call response = self.get response(request)



```
PuDB 2014.1 - ?:help n:next s:step into b:breakpoint !:python command line
                                               context: {'view': <superbook.views.HomeVie
      class HomeView(generic.TemplateView):
          template_name = "home.html"
                                                 w object at 0xb3e5418c>, 'login_form': <
                                                 accounts.forms.LoginForm object at 0xb3e
                                                 c4d8c>}
   10
          def get_context_data(self, **kwarg
              context = super().get_context_
                                                cwargs: {}
              context["login_form"] = LoginF
                                               pudb: <module 'pudb' from '/home/arun/proj</pre>
   13
              import pudb; pudb.set_trace()
                                               Stack:
                                               >> get_context_data [HomeView] views.py:1
              return context
                                                  get [HomeView] base.py:154
                                                  dispatch [HomeView] base.py:87
   17 class PublicFeedView(generic.TemplateV
                                                  view base.py:69
          template_name = "public.html"
                                                  get_response [WSGIHandler] base.py:111
                                                  __call__ [WSGIHandler] wsgi.py:187
          def get_context_data(self, **kwarg
                                                    call
                                                           [StaticFilesHandler] handlers
              context = super().get_context_
context["posts"] = Post.object
                                               Breakpoints:
                                                   views.py:21
              return context
Command line: [Ctrl-X]
*
                                   < Clear
```

Chapter 12: Security





Chapter 13: Production-Ready

