

ADMIN PRESENTATION

DialerOS

A guided tour of every admin page — fully-local call center + Master/Worker AI agent.

Access

DialerOS

LIVE OPERATIONS

Dashboard

Real-time

Agent console

Supervisor floor

Floor calls

Search transcripts

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Dashboard

Floor pulse — live calls, today's outcomes, top campaigns, and cluster health. Refreshes every 10 seconds.

LIVE FLOOR

DIALING

0

CONNECTED

0

AVAILABLE AGENTS

2

ON CALL

0

PAUSED

3

CALLS / 1M

0

TODAY

CALLS TODAY

0

COMPLETED

0

FAILED

0

DISPO TODAY

0

LAST 10M

0

TODAY'S OUTCOMES

SALE

0

CALLBACK

0

NO INTEREST

0

ANSWERING MAC...

0

VOICEMAIL DROP...

0

SURVEYED

0

WRONG NUMBER

0

BAD NUMBER

0

DNC

0

OPEN

0

0 logged today

TOP CAMPAIGNS TODAY

CAMPAIGN	TYPE	STATUS	LAST 1M	TODAY
Inbound_Campaign	inbound_queue	ACTIVE	0	0

CLUSTER

NODES READY

1 / 1

CARRIERS ENABLED

2 / 2

ROUTE PLANS

1 / 1

CAMPAIGNS ACTIVE

1 / 2

PURPOSE

The gateway to DialerOS. Role-based — what you see after login depends on your role (admin/supervisor/agent/operator).

KEY ACTIONS

- Enter credentials
- First-ever boot uses /setup to create the initial admin

Monitoring

DialerOS

LIVE OPERATIONS

Dashboard

Real-time

Agent console

Supervisor floor

Floor calls

Search transcripts

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization


Sign out

DialerOS v1.0.0


Dashboard

Floor pulse — live calls, today's outcomes, top campaigns, and cluster health. Refreshes every 10 seconds.


LIVE FLOOR



TODAY



TODAY'S OUTCOMES




0 logged today

TOP CAMPAIGNS TODAY

CAMPAIGN	TYPE	STATUS	LAST 1M	TODAY
Inbound_Campaign	inbound_queue	ACTIVE	0	0

CLUSTER



PURPOSE

Shift landing view: system health, today's volume, active campaigns/agents at a glance.

KEY ACTIONS

- Spot anomalies fast
- Jump to Realtime / Campaigns / Reports

DialerOS

LIVE OPERATIONS

Dashboard

Real-time

Agent console

Supervisor floor

Floor calls

Search transcripts

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Real-time

Live floor view of every active campaign, every signed-in agent, and every bridged call. Refreshes every 2 seconds. Eavesdrop controls work from the live-calls table — your own softphone (registered for this session) answers the monitor / whisper / barge leg.

AVAILABLE 2	ON CALL 0	PAUSED 3	DIALING 0 real originates currently ringing across all carriers	CONNECTED 0 answered + still up across all carriers	CALLS / 1M 0 originates fired in the last 60 seconds across the floor	HOPPER DEPTH 75 across all campaigns	DISPO TODAY 0
----------------	--------------	-------------	--	--	--	---	------------------

Campaigns (2)

CAMPAIGN	STATUS	DIAL MODE	CARRIER	ON ANSWER	DIAL LEVEL	HOPPER	IN-FLIGHT
OutBound_Calls outbound_predictive	PAUSED	simulated	RDP12	voicemail	1.0	75 / 100	0
Inbound_Campaign inbound_queue	ACTIVE	simulated	RDP12	bridge	1.0	0 / 100	0

Carriers (2)

CARRIER	ENABLED	DIALING	CONNECTED	LAST 1M	LAST 10M	LAST 60M	COMPLETED 60M	FAILED 60M
RDP12	ENABLED	0	0	0	0	0	0	0
RDP13	ENABLED	0	0	0	0	0	0	0

Dialing = real (non-simulated) originates currently ringing (no answer yet). Connected = answered + still up. Last-1m / 10m / 60m = originates fired in that window. Completed 60m = NORMAL_CLEARING with answer in the last hour (talked-to leads). Failed 60m = everything else that hung up in the last hour (rejects, busy, no-answer, bad-number combined).

Agents (5)

USERNAME	ROLE	STATUS	CURRENT CALL	DURATION	DISPO TODAY
remote_01	agent	AVAILABLE	—	—	0
worker_ai01	agent	AVAILABLE	—	—	0
1001	agent	PAUSED	—	—	0
6666	admin	PAUSED	—	—	0
admin	admin	PAUSED (Coaching)	—	—	0

Live calls (0)

No bridged calls right now.

Snapshot at 8:39:24 AM - Remote line capacity: 5

PURPOSE

Live pulse of the floor: calls in progress, agent states, queue depth & wait, pacing pressure.

KEY ACTIONS

- Watch a launch live
- Catch a stalled campaign or a backing-up queue

DialerOS

LIVE OPERATIONS

Dashboard

Real-time

Agent console

Supervisor floor

Floor calls

Search transcripts

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Supervisor floor

Every live, bridged call across every campaign. Pick a row to monitor (silent listen), whisper (talk to the agent only), or barge (3-way). Your softphone above answers the eavesdrop leg automatically — make sure it shows REG before you click.

AI calls (0 live · monitor or seize-to-human)

No live AI calls.

Agents (5 active · monitor paused or on-call)

AGENT	STATE	ON CALL	DUR	DISPO	
remote_01 (Remote_01)	AVAILABLE	—	—	0	Monitor Whisper Barge
worker_ai01 (Worker_AI01)	AVAILABLE	—	—	0	Monitor Whisper Barge
1001 (1001)	PAUSED	—	—	0	Monitor Whisper Barge
6666 (6666)	PAUSED	—	—	0	Monitor Whisper Barge
admin	PAUSED Coaching	—	—	0	Monitor Whisper Barge

Live calls (0)

No live calls right now. Refreshes every 2 seconds.

PARKED CALLERS

0 waiting · 0 ringing agent

No callers in queue. When all agents in an in-group are busy or paused, new inbound callers land here until an agent frees up.

INBOUND — LAST 0 DECISIONS

0 forwarded · 0 queued

No inbound calls yet. Kamailio sends a routing decision request on every PSTN INVITE; once the inbound trunk is wired this view fills up in real time.

PURPOSE

ViciDial-style oversight of paused-or-active agents and live calls.

KEY ACTIONS

- Eavesdrop / whisper / barge
- Seize a call — incl. taking over an AI call

DialerOS

LIVE OPERATIONS

Dashboard

Real-time

Agent console

Supervisor floor

Floor calls

Search transcripts

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Floor calls

Every outbound and inbound call across the floor for the selected window. Filter by campaign, agent, disposition, or AMD result; play the recording inline. Defaults to the last 24 hours. Simulated rows are hidden.

Since

05/17/2026, 08:39 AM

Until (optional)

mm/dd/yyyy, --:-- --

Campaign

All campaigns

Agent

All agents

Disposition

Any disposition

AMD result

Any AMD result

Row limit

200

☐ Only rows with a recording

0 rows

TIME	CAMPAIGN	AGENT	PHONE	KIND	AMD	HANGUP	DURATION	DISPOSITION	RECORDING
No calls match this filter set.									

PURPOSE

Every live call with controls; the supervisor’s action surface.

KEY ACTIONS

- Listen / coach / take over
- Filter by campaign / in-group

Telephony

DialerOS

- LIVE OPERATIONS >
- CAMPAIGNS & LEADS >
- INBOUND >
- TELEPHONY ▾
- Carriers
- Route Plans
- CID Groups
- Cluster Nodes
- Cluster Load
- REPORTS & AUDIT >
- PEOPLE >
- SETTINGS >

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Carriers

+ Add Carrier

SIP trunks for inbound and outbound voice traffic. Each carrier defines connection settings, authentication mode, codec preference, and capacity limits.

NAME	HOST	TRANSPORT	AUTH	CHANNELS	IN FLIGHT	PLANS STATUS
RDP13	107.175.155.130:5060	UDP	ip-acl	1000	0	0 ENABLED
RDP12	107.175.157.66:5060	UDP	ip-acl	2000	0	1 ENABLED

PURPOSE

Your SIP providers. Supports carrier racing (first-to-answer wins) + auto-prune of flaky carriers.

KEY ACTIONS

- Add a carrier (gateway, auth, limits)
- Tune racing in Settings

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

INBOUND

In-Groups

DIDs

Call Menus (IVR)

Audio Center

Inbound callbacks

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

DIDs

Inbound phone numbers that route calls to an in-group. Add one or many at a time, move a DID between in-groups, or clone an existing DID's settings to a new number.

DIDS

1

IN-GROUPS

1

ROUTED

1

in-groups with at least one DID

EMPTY IN-GROUPS

0

no DIDs attached

DID

IN-GROUP

STATE

16177648204

DIDs_Inbound

ENABLED

Manage →

PURPOSE

Inbound numbers you own. Each points at an in-group, IVR, or campaign.

KEY ACTIONS

- Add/route a DID
- Map to an in-group for queueing

DialerOS

- LIVE OPERATIONS >
- CAMPAIGNS & LEADS >
- INBOUND >
- TELEPHONY ▾
 - Carriers
 - Route Plans
 - CID Groups
 - Cluster Nodes
 - Cluster Load
- REPORTS & AUDIT >
- PEOPLE >
- SETTINGS >

+ SaaS

admin
admin
ORG - Default Organization

Sign out

DialerOS v1.0.0

CID Groups

+ Add CID Group

A CID group is a reusable pool of caller-IDs with its own rotation logic (round-robin, random, or sticky-by-area). Route plans attach one or more groups; the pacer rotates across groups per call and then applies the chosen group's strategy.

NAME	STRATEGY	NUMBERS DESCRIPTION
GCT_1_11th_May	rotate	2,500 GCT_1_11th_May

PURPOSE

Pools of outbound caller-ID numbers for local-presence dialing.

KEY ACTIONS

- Create a pool
- Rotate per campaign; pairs with frequency caps

DialerOS

- LIVE OPERATIONS >
- CAMPAIGNS & LEADS >
- INBOUND >
- TELEPHONY ▾
- Carriers
- Route Plans
- CID Groups
- Cluster Nodes
- Cluster Load
- REPORTS & AUDIT >
- PEOPLE >
- SETTINGS >

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Route Plans

+ Add Route Plan

A route plan bundles one or more carriers (with priority + port allocation per carrier), a caller-ID strategy, and number transformations. Campaigns reference route plans by name when dialing.

NAME	CARRIERS (PRIORITY · PORTS)	CID	STATUS
USA_Tier1	RDP12 (p1/50)	groups	ENABLED

PURPOSE

How an outbound call picks carrier + CID: ordered rules, failover, parallel/race.

KEY ACTIONS

- Build rules by destination
- Reference from a campaign

Inbound

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

INBOUND

In-Groups

DIDs

Call Menus (IVR)

Audio Center

Inbound callbacks

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

In-Groups

+ New In-Group

In-groups are the queues callers land in. Inbound DIDs route to one in-group. Agents (or AI workers) staffed against the in-group's campaign answer the calls.

NAME	TYPE	WHITELIST	ROUTING	DIDS	STATUS
DIDs_Inbound	inbound_queue	cluster_wide_leads	longest_idle	1	ENABLED

PURPOSE

ACD queues: DIDs, strategy, hours/timezone, priority, assigned agents (human OR AI).

KEY ACTIONS

- Assign agents
- Set business hours & announcements

DialerOS

- LIVE OPERATIONS ▶
- CAMPAIGNS & LEADS ▶
- INBOUND ▼
 - In-Groups
 - DIDs
 - Call Menu (IVR)
 - Audio Center
 - Inbound callbacks
- TELEPHONY ▶
- REPORTS & AUDIT ▶
- PEOPLE ▶
- SETTINGS ▶

✦ SaaS

admin
admin
ORG - Default Organization

Sign out

DialerOS v1.0.0

Call Menu (IVR)

New menu

DTMF menus for inbound flows. Each menu plays a prompt, listens for a digit, and routes to the matched destination (in-group, extension, voicemail, another menu, DID, or hangup). Menus can be wired as the entry point of a DID, the overflow / after-hours target of an in-group, or the no-agent drop target of an outbound campaign — those connection forms ship in iter 151.

No call menu defined yet. Create one to get started.

PURPOSE

DTMF auto-attendant trees: prompt → action (route/play/voicemail/hang up).

KEY ACTIONS

- Build the menu tree
- Attach to a DID

DialerOS

- LIVE OPERATIONS >
- CAMPAIGNS & LEADS ▾
- Campaigns
- Lead Lists
- Scheduled callbacks
- INBOUND >
- TELEPHONY >
- REPORTS & AUDIT >
- PEOPLE >
- SETTINGS >

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Callbacks

Scheduled callbacks across every campaign. The pacer dials these first — overdue rows are already in line for the next available agent.

OVERDUE	NEXT HOUR	LATER	TOTAL
0	0	0	0

No callbacks scheduled. Agents create these by picking the CALLBACK disposition during wrap-up.

PURPOSE

"We'll call you back" — queued callback requests dialed when an agent frees up.

KEY ACTIONS

- Review queued callbacks
- Configure offer in Settings → Callback

Outbound

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

Campaigns

Lead Lists

Scheduled callbacks

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Campaigns

+ New Campaign

A campaign ties a route plan + lead lists together with pacing and compliance settings. Activating a campaign signals the pacing engine (Phase 2 continued) to start dialing.

NAME	TYPE	ROUTE PLAN	LISTS	STATUS
Inbound_Campaign	inbound_queue	USA_Tier1	—	ACTIVE
OutBound_Calls	outbound_predictive	USA_Tier1	09052026PST	PAUSED

PURPOSE

The outbound engine — list & status of all campaigns.

KEY ACTIONS

- Create / activate / pause
- Open one to configure

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

Campaigns

Lead Lists

Scheduled callbacks

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

← Campaigns

Inbound_Campaign

Clone

ACTIVE

inbound_queue

Basic ViewDetail ViewList MixReal-Time

DESCRIPTION

Description ?

Inbound_Campaign

Save

ROUTE PLAN

USA_Tier1

LEAD LISTS (0 ATTACHED)

Not used — inbound campaigns are driven by in-groups.

PACING

Dial mode ?simulated — no real calls

Dial level ?1

Live edits hot-reload into the pacer on the next tick. Advanced fields (base_ratio, max_abandon_%) are on the Detail tab.

Save

HOPPER

Target depth ?100

List order ?RANDOM — pick at randor

Currently holding 0 of 100 leads. Refills automatically when depth drops below half target.

Save

Reset hopper

STATUS

PAUSEDACTIVEARCHIVED

ACTIVE starts the pacer (one dial intent every ~3s, round-robin across active attached agents). PAUSED / ARCHIVED stops it.

DISPOSITIONS TODAY

0 logged

SALE0

CALLBACK0

NO INTEREST0

ANSWERING M...0

VOICEMAIL DR...0

SURVEYED0

WRONG NUMB...0

BAD NUMBER0

PURPOSE

Everything for one campaign: pacing, route plan, CID, dispositions, survey, AI persona binding.

KEY ACTIONS

- Bind a Worker-AI persona (+ A/B)
- Set pacing & dispositions

DialerOS

- LIVE OPERATIONS >
- CAMPAIGNS & LEADS ▾
- Campaigns
- Lead Lists
- Scheduled callbacks
- INBOUND >
- TELEPHONY >
- REPORTS & AUDIT >
- PEOPLE >
- SETTINGS >

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Lead Lists

+ New List

Lead lists hold the phone numbers a campaign will dial. Each list belongs to at most one campaign at a time — move a list between campaigns from its detail page.

NAME	CAMPAIGN	LEADS	STATUS	DESCRIPTION
09052026PST	OutBound_Calls	60000	ACTIVE	09052026PST

PURPOSE

The calling list: import, history, recycle rules, per-lead dispositions.

KEY ACTIONS

- Bulk import
- Inspect a lead’s call history

DialerOS

- LIVE OPERATIONS ▶
- CAMPAIGNS & LEADS ▶
- INBOUND ▶
- TELEPHONY ▶
- REPORTS & AUDIT ▼
- Reports
- Audit Log
- Do Not Call
- Consent records
- PEOPLE ▶
- SETTINGS ▶

Do Not Call

Numbers here are blocked at every originate path — pacer, agent manual dial, admin test call. Phones are normalised on save, so pasting (202) 555-0123, 1-202-555-0123, and +12025550123 all match the same lookup.

CHECK DNC STATUS

Phone — any format

+1 (202) 555-0123

Check

ADD ONE

Phone

+1 (202) 555-0123

Reason (optional)

opt-out / litigator / wrong number

Add to DNC

BULK IMPORT

One phone per line. Any format — they get normalised on save.

+12025550123
202-555-0124
(202) 555 0125

Reason (optional)

e.g. external DNC scrub 2026-05

Import to DNC

DNC list (0 numbers)

No numbers on the DNC list.

Filter

digits to match

PURPOSE

Do-Not-Call list — numbers here are never dialed.

KEY ACTIONS

- Add/import numbers
- Auto-populated by dispositions

Agents

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

Users

Remote Agents

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Users

+ New User

Manage admins, supervisors, and agents. Deactivated users cannot log in; their sessions are dropped immediately when you deactivate them.

Show inactive too

USERNAME	DISPLAY NAME	ROLE	SKILL	STATUS
1001	1001	AGENT	expert	ACTIVE
6666	6666	ADMIN	certified	ACTIVE
admin (you)	—	ADMIN	expert	ACTIVE
remote_01	Remote_01	AGENT	new	ACTIVE
worker_ai01	Worker_AI01	AGENT	new	ACTIVE

PURPOSE

Human and AI-agent accounts.

KEY ACTIONS

- Add a user
- Open one for access / AI / phones

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

Users

Remote Agents

SETTINGS

← Users

worker_ai01

Worker_AI01

ACTIVE

TODAY

ON CALL

—

STATUS

AVAILABLE

CALLS

0

TALKED

0

TALK TIME

—

DISPOSITIONS

0

DIAGNOSTICS

✓ Primary phone provisioned

ext 1003

✓ Primary phone pinned to a telephony node

node 1e236ae7-b4e...

✓ Has at least one campaign or in-group attachment

1 campaign(s), 1 in-group(s)

✓ Account is active

is_active = 1

RECENT CALLS (0)

No assigned calls yet.

RECENT AUDIT (0)

No audited actions by this user yet.

Full audit log →

PROFILE

Display name

Worker_AI01

Email

?

Role

?

agent

▼

Skill tier

?

new

▼

Manual dial (expert)

?

☐ Disabled

New password

?

●●●●●● (unchanged)

Save

ACCESS

PURPOSE

Per-user: Access (role/level/ACL), AI-agent panel, phones, skills, in-groups, campaigns.

KEY ACTIONS

- Set Account type = AI agent + persona
- Tune ACL & user level

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

Users

Remote Agents

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

New User

Set the initial password — the user can change it after their first login (self-service password change lands later).

Username

Lowercase alphanumeric, dashes/underscores. 3-64 chars.

Display name

Optional. Shown in the agent UI and supervisor floor view.

Email

Optional.

Account type

AI agent = a Worker AI driven by a persona. It never logs in; assign it to campaigns / in-groups exactly like a human.

Human

Initial password

Minimum 8 characters.

Role

Takes calls. Logs in to a campaign + chooses in-groups to receive from.

agent

Skill tier

Pacing engine adjusts per-agent ratio based on tier (iter 12+).

new

Create user

Cancel

PURPOSE

Create a human or AI-agent account in one form.

KEY ACTIONS

- Account type Human / AI agent
- AI: pick a persona inline

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

Users

Remote Agents

SETTINGS

Remote Agents

+ New Remote Agent

External SIP endpoints — hard phones at remote offices, shared trunks to a partner contact centre, etc. — that participate in the pacing pool alongside browser-based local agents. Each one has a lines capacity counted into the pacer's dial-level math: $(\text{local_agents} + \sum \text{remote_agent_lines}) \times \text{dial_level}$.

5 total line capacity across enabled remote agents. The pacer multiplies this (plus local active-agent count) by each campaign's dial_level on every tick.

NAME	SIP URI	CAMPAIGN	IN-FLIGHT / LINES	STATUS
Remote_01	sip:1111@198.23.223.36	OutBound_Calls	0 / 5	ENABLED

+ SaaS

admin
admin

ORG - Default Organization

Sign out


DialerOS v1.0.0

PURPOSE

Agents answering on an external number/SIP (WFH via PSTN), capacity-tracked.

KEY ACTIONS

- Register a remote agent
- Assign like a local agent



PURPOSE

What a human agent uses on shift: softphone, screen-pop, disposition, wrap-up.

KEY ACTIONS

- Take/place calls
- Disposition + wrap-up

AI

DialerOS

- LIVE OPERATIONS
- CAMPAIGNS & LEADS
- INBOUND
- TELEPHONY
- REPORTS & AUDIT
- PEOPLE
- SETTINGS
- Organizations
- Telephony
- Pacing curve
- Recording retention
- Frequency caps (TCPA)
- Wrap-up enforcement
- Queue announce
- Inbound callback
- SMTP / email
- Backups
- Timer health
- Holidays
- CRM
- Database
- Release check
- AI personas
- Master AI
- Race auto-prune
- Domain & TLS

Master AI · Phase L

The global Master coordinates Workers + accumulates memory scoped per in-group / campaign. This iter ships identity discipline (set a persona's name + designation on AI personas — it states only that, hard-guarded + reply-scrubbed, never "AI"). Memory / exemplars / inbound- agent / learn-to-transfer / portable brain land in the next iters; the toggle below arms the Master once those ship.

☒

Master AI enabled

Skeleton until iters 200+ wire memory/learning. Safe to leave off; has no effect on the iter-195 Worker loop yet.

AI readiness preflight

Re-check

LIVE - stack ready and the live switch is on

- Ollama (local LLM) reachable — up, 4 model(s) pulled
- Persona LLM model pulled — qwen2.5:3b present
- Embedding model pulled (RAG / learning) (optional) — all-minilm present
- Whisper STT binary present — whisper-cli found
- Coqui XTTS daemon reachable — up on 127.0.0.1:11123
- FreeSWITCH mod_audio_stream loaded — module loaded
- An enabled persona is bound (optional) — 1 enabled persona(s) bound
- AI live switch on (ai.live_enabled) (optional) — AI live

LLM provider

The local inference engine for the Worker loop, sandbox + QA. Default is Ollama on this box. For future hardware you can point at a local OpenAI-compatible server (llama.cpp-server / vLLM). A non-local URL is rejected — DialerOS never calls an external service.

Transport

Base URL (local only)

Ollama (default)

http://127.0.0.1:11434

Model override (optional)

API key (optional, local)

qwen2.5:1.5b

none

Save provider

Master memory (RAG)

Knowledge the Master injects into Worker prompts at call time (iter 204 wires retrieval). Scope it global, or to a campaign / in-group. Long text is auto-chunked + embedded locally (all-minilm).

Title (e.g. Pricing policy)

Knowledge content the AI should know + apply...

PURPOSE

The AI brain: Master toggle, Readiness preflight, LLM provider, RAG memory, Training Center, Mock Call, performance.

KEY ACTIONS

- Check Readiness first
- Train + Mock-test before going live
- LLM provider = the scaling lever

DialerOS

- LIVE OPERATIONS
- CAMPAIGNS & LEADS
- INBOUND
- TELEPHONY
- REPORTS & AUDIT
- PEOPLE
- SETTINGS
- Organizations
- Telephony
- Pacing curve
- Recording retention
- Frequency caps (TCPA)
- Wrap-up enforcement
- Queue announce
- Inbound callback
- SMTP / email
- Backups
- Timer health
- Holidays
- CRM
- Database
- Release check
- AI personas
- Master AI
- Race auto-prune
- Domain & TLS

AI personas · Phase K

Design the AI agent's role, voice, and guardrails. Iter 189 ships configuration + a text-mode sandbox to tune the prompt against the live local LLM. The real-time voice loop (STT → LLM → TTS over a FreeSWITCH media bridge) lands in the next iters. Everything runs on the local stack — zero external API calls.

LLM (Ollama): up — models: qwen2.5:0.5b, qwen2.5:1.5b, all-minilm:latest, qwen2.5:3b

TTS (Coqui XTTS-v2): up

New persona

Persona name

Agent name it states (e.g. S

Designation (e.g. Senior Adv

☒ Enabled — the Worker AI can take live calls with this persona (off = saved but inert)

You are a friendly outbound appointment-setting agent for Acme Roofing. Keep replies under 2 sentences. Never claim to be human if asked directly. If the caller is hostile or asks to be removed, acknowledge and end politely.

Hi, this is the Acme Roofing scheduling line — do you have a quick minute?

qwen2.5:3b

base.en

piiper

tts_voice

20

300

human, lawyer, stop calling, remove me

Create

Text sandbox — tune the prompt against the live LLM

AI opens: "Hi, this is the Acme Roofing scheduling line — do you have a quick minute?"

Type a caller line...

Send

Personas (1)

NAME	MODEL	TTS	GUARDRAILS	ENABLED	
Adam	qwen2.5:3b	coqui	20t / 300s	on	Disable Edit Delete

PURPOSE

The agent’s name, designation, script, voice, model, guardrails. Identity-disciplined (never reveals it’s an AI).

KEY ACTIONS

- Create + Enable a persona
- Sandbox-test instantly

Reports

DialerOS

- LIVE OPERATIONS
- CAMPAIGNS & LEADS
- INBOUND
- TELEPHONY
- REPORTS & AUDIT
- Reports
- Audit Log
- Do Not Call
- Consent records
- PEOPLE
- SETTINGS

Reports

Live aggregates over the past 24 hours. Refresh to update.

- TCPA compliance report (rolling 30-day, FCC abandon-rate audit)
- Agent productivity (per-agent talk + wrap + dispo, configurable window)
- Flagged for QA (calls flagged during live monitoring)
- Recordings by node (cross-cluster storage rollout)
- Carrier race stats (parallel race-to-answer win rates + PDD)
- AI calls (transcripts + STT/LLM/TTS latency - Phase K)

DIAL INTENTS — 24H

0

DIAL INTENTS — 7D

1,146

LEAD LISTS

1

TOTAL LEADS

60,003

TODAY'S AGENT LEADERBOARD

UTC midnight — now · sorted by talk time

AGENT	ROLE	CALLS	TALKED	TALK %	TALK TIME	DISPOS
1001 @1001	AGENT	0	0	—	—	0
6666 @6666	ADMIN	0	0	—	—	0
admin	ADMIN	0	0	—	—	0
Remote_01 @remote_01	AGENT	0	0	—	—	0
Worker_AI01 @worker_ai01	AGENT	0	0	—	—	0

PAUSE REASONS — LAST 24H

paired across agent.paused → agent.resumed events

No pauses logged in the last 24h.

DIAL INTENTS BY HOUR (LAST 24H)

No dialing activity.

LEAD PIPELINE (ALL LISTS)

NEW	58,698
CALLED_ANSWERED	870
REJECTED	206
BAD_NUMBER	146
CALLLED_NO_ANSWER	56
BUSY	27

TOP CAMPAIGNS — LAST 24H

AUDIT ACTIVITY BY ACTION — LAST 24H

PURPOSE

Entry point to all operational & compliance reports.

KEY ACTIONS

- Pick a report
- Export / filter by date

DialerOS

- LIVE OPERATIONS >
- CAMPAIGNS & LEADS >
- INBOUND >
- TELEPHONY >
- REPORTS & AUDIT ▾
- Reports
- Audit Log
- Do Not Call
- Consent records
- PEOPLE >
- SETTINGS >

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

AI calls · Phase K

Every AI-handled call leg + its turn-by-turn transcript and per-stage latency. The live switch below is the master gate: with it off (default) the pacer never routes a call into the AI loop regardless of persona bindings.

Live AI calls ENABLED

☒ Master gate. Requires mod_audio_stream compiled (scripts/install-audio-fork.sh) — enabling it without the module means persona-bound calls answer then park silently. Keep OFF until the module is installed + a persona is tested in the sandbox.

No AI calls recorded yet.

PURPOSE

Every AI-handled call: transcript, QA score, flags, persona.

KEY ACTIONS

- Audit AI quality
- Spot escalations

DialerOS

- LIVE OPERATIONS >
- CAMPAIGNS & LEADS >
- INBOUND >
- TELEPHONY >
- REPORTS & AUDIT ▾
- Reports
- Audit Log
- Do Not Call
- Consent records
- PEOPLE >
- SETTINGS >

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Recordings by node

Cross-cluster recording storage rollout. Each recorded call is tagged with the node whose FreeSWITCH wrote the .wav at record-finish time. Legacy rows without a tag bucket under '— unknown —', Total: 4873 recordings · — cached.

NODE	HOST	COUNT	BYTES CACHED	BYTES KNOWN / UNKNOWN	LOCAL?
— unknown —	—	4873	—	0 / 4873	—

Remote-node recordings currently return HTTP 409 from /api/recordings/<id> with a structured payload pointing at the owning node. A cross-node SSH-stream proxy ships in a follow-up iter. Manage nodes from /cluster/nodes.

PURPOSE

Find & play call recordings (retention-governed).

KEY ACTIONS

- Search by agent/date
- Play / download

DialerOS

- LIVE OPERATIONS >
- CAMPAIGNS & LEADS >
- INBOUND >
- TELEPHONY >
- REPORTS & AUDIT ▾
 - Reports
 - Audit Log
 - Do Not Call
 - Consent records
- PEOPLE >
- SETTINGS >

+ SaaS
admin
admin
ORG - Default Organization
Sign out
DialerOS v1.0.0

← back to reports

Agent productivity — last 7 days

Per-agent stats across all campaigns. talk = sum of duration_ms on answered calls. wrap = dispositioned_at - hangup_at on agent-tagged rows (iter-146 auto rows excluded from the wrap-time average since they're tagged without an agent's action). Window override: 7days=N (1-90).

ACTIVE AGENTS	ATTEMPTS	ANSWERED	TALK TIME
0	0	0	—

No agent activity in this window.

PURPOSE

Per-agent productivity: talk/wrap, dispositions.

KEY ACTIONS

- Compare agents
- Coach from data

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

Reports

Audit Log

Do Not Call

Consent records

PEOPLE

SETTINGS

Audit Log

Append-only record of every privileged action. Filter, paginate, and scroll the most recent 50 matches at a time.

Action prefix e.g. campaign or cid_group

Actor username

Target type

campaign

admin

— any —

Apply

TIME	ACTION	ACTOR	TARGET	DETAILS
5/18/2026, 8:48:04 AM	Phone · updated phone.updated	admin · 152.58.128.149	user · 65f3f074	phone_id=78ec050f-5634-4498-b044-a5aba8197042 user_id=65f3f074-945f-4072-8592-b7f90581aa92 extension=1002 label= protocol=sip telephony_ node_id=1e236ae7-b4ec-47bd-ac25-b09fe15cb97d
5/17/2026, 12:35:40 PM	User · login success user.login_success	admin · 152.58.128.149	user · 65f3f074	username=admin
5/17/2026, 12:14:36 PM	Ai · memory pack exported ai.memory_pack_exported	admin · 152.58.128.149	ai_memory · all	item_count=7
5/17/2026, 11:24:38 AM	Ai Persona · updated ai_persona.updated	admin · 152.58.128.149	ai_persona · 248f2c49	keys=["enabled"]
5/17/2026, 11:24:34 AM	Ai Persona · updated ai_persona.updated	admin · 152.58.128.149	ai_persona · 248f2c49	keys=["enabled"]
5/17/2026, 11:07:46 AM	User · updated user.updated	admin · 152.58.128.149	user · 18b2e360	username=worker_ai01 is ai agent=true ai_pers ona_id=248f2c49-32c2-4c64-84ca-fa237224c7c6
5/17/2026, 9:27:16 AM	Ai · perf config set ai.perf_config_set	admin · 152.58.128.149	app_settings · ai.perf_	keep_warm=true
5/17/2026, 8:54:45 AM	Ai Persona · updated ai_persona.updated	admin · 152.58.128.149	ai_persona · 248f2c49	keys=["name","system_prompt","greeting","agen t_name","agent_title"]
5/17/2026, 8:00:27 AM	Node · roles updated node.roles_updated	admin · 152.58.128.149	node · 1e236ae7	from=["web","database","telephony"] to=["we b","database","telephony","ai-worker"]
5/16/2026, 8:59:32 AM	Ai · master enabled ai.master_enabled	admin · 152.58.128.149	ai_master · global	enabled=true
5/16/2026, 8:42:49 AM	Ai · master enabled ai.master_enabled	admin · 152.58.128.149	ai_master · global	enabled=true
5/16/2026, 8:42:04 AM	User · in groups changed user.in_groups_changed	admin · 152.58.128.149	user · 18b2e360	username=worker_ai01 added=["54b9fd35-28f0-4e a9-9aa2-ee810abc68ff"] removed=[] total=1
5/16/2026, 8:42:03 AM	User · campaigns changed user.campaigns_changed	admin · 152.58.128.149	user · 18b2e360	username=worker_ai01 added=["79795bcf-ed48-4d a2-997a-bcd31df338bc"] removed=[] total=1
5/16/2026, 8:41:52 AM	Phone · updated phone.updated	admin · 152.58.128.149	user · 18b2e360	phone_id=5cblaff8-ecf7-49ec-a07b-15b91b20bf3d user_id=18b2e360-436c-4255-9165-955feba06fab extension=1003 label= protocol=sip telephony_ node_id=1e236ae7-b4ec-47bd-ac25-b09fe15cb97d
5/16/2026, 8:41:40 AM	User · created user.created	admin · 152.58.128.149	user · 18b2e360	username=worker_ai01 role=agent skill_tier=ne w via=admin_console

PURPOSE

Every config change & sensitive action — who / when / what.

KEY ACTIONS

- Review changes
- Compliance trail

DialerOS

LIVE OPERATIONS

Dashboard

Real-time

Agent console

Supervisor floor

Floor calls

Search transcripts

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Search transcripts

Full-text search across every recorded call's transcript and AI summary. Tokens are AND-joined; quote phrases for exact match. Backed by sqlite FTS5 + the iter-138 sync triggers.

e.g. credit card OR remove me from your list

Search

PURPOSE

Full-text search across all call transcripts.

KEY ACTIONS

- Find a phrase across calls
- QA & dispute resolution

Audio

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

INBOUND

In-Groups

DIDs

Call Menus (IVR)

Audio Center

Inbound callbacks

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Audio Center

Every audio file on this cluster — prompts, voicemail drops, recording notices, hold music, disclaimers — with size, duration, source, and exactly which campaigns / call-menus consume it. Upload here; files normalize to 8 kHz mono PCM .wav for FreeSWITCH.

0 files — on disk root /var/lib/dialeros/audio/library node racknerd-b2978c2

Upload audio

Name

Category

File (.wav / .mp3)

menu_prompt

Choose File

No file chosen

Upload

Record-in-browser + TTS generation live on the Sound Board (same library).

Filter

all

0 shown

NAME	CATEGORY	SOURCE	SIZE	DUR	CREATED	USED BY	PREVIEW
No audio files.							

PURPOSE

Cluster-wide audio library with a usage cross-reference.

KEY ACTIONS

- Upload prompts/MOH
- See where each file is used

Sound Board

Audio library referenced by call menus, voicemail drops, in-group greetings, hold music, disclaimers. Upload a .wav / .mp3 or record one directly in your browser — every file is normalized to 8 kHz mono PCM .wav for FreeSWITCH playback. TTS generation lands in iter 151.

UPLOAD

Name

welcome-greeting

Description

Main inbound greeting — press 1 for s

Category

Menu prompt

File (.wav / .mp3, max 50MB)

Choose File No file chosen

Upload

RECORD IN BROWSER

Name

my-recording

Description

Category

Menu prompt

Record

Save to library

TEXT-TO-SPEECH

Engine

piper — fast (RTF 0.15), 5 voices, no

Name

welcome-tts

Description (optional)

Category

Menu prompt

Voice (high > medium > low — sorted best-first)

en-US · lessac (+ HIGH)

Text to speak (max 2000 chars)

Welcome to Acme. Press 1 for sales, 2 for support.

Generate & save

LIBRARY (0)
Library empty. Upload a file or record one above.
Refresh

PURPOSE

One-click soundbites an agent plays into a live call.

KEY ACTIONS

- Add disclosures/messages
- Agent plays on call

Cluster

DialerOS

- LIVE OPERATIONS >
- CAMPAIGNS & LEADS >
- INBOUND >
- TELEPHONY ▾
- Carriers
- Route Plans
- CID Groups
- Cluster Nodes
- Cluster Load
- REPORTS & AUDIT >
- PEOPLE >
- SETTINGS >

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Cluster load

Live load across every node — CPU (load average vs core count), RAM, disk, FreeSWITCH channels, uptime. Auto- refreshes every 5s. The self node is probed locally; remote nodes over the cluster SSH key. Manage the node inventory on [/cluster/nodes](#).

1 node(s) · updated 8:41:21 AM

racknerd-b2978c2

SELF

● reachable

198.23.223.36 · web69ms

CPU load 0.55 / 0.31 / 0.16 (5 core)11%

RAM 1.5 GB / 5.8 GB26%

Disk 34 GB / 161 GB21%

F5 channels: 0up 8d 20h

PURPOSE

Real-time per-node CPU/calls.

KEY ACTIONS

- Balance capacity
- Spot an overloaded node

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

Carriers

Route Plans

CID Groups

Cluster Nodes

Cluster Load

REPORTS & AUDIT

PEOPLE

SETTINGS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Cluster Nodes

+ Add Node

RECORDINGS DISK USAGE

TOTAL SIZE

680.2 MiB

FILE COUNT

591

OLDEST

7d

EXPIRABLE

0

/var/lib/dialeros/recordings

Retention: 30d. Daily sweep runs automatically; use the button to force one now.

Sweep now

NAME	HOST	ROLES	STATUS	CREATED
racknerd-b2978c2 (THIS HOST)	198.23.223.36:22	WEB DATABASE TELEPHONY AI-WORKER	READY	5/10/2026, 10:52:56 PM

PURPOSE

Register/manage telephony hosts (capacity, roles).

KEY ACTIONS

- Add a node
- Point AI LLM provider at a strong node

Settings

DialerOS

- LIVE OPERATIONS
- CAMPAIGNS & LEADS
- INBOUND
- TELEPHONY
- REPORTS & AUDIT
- PEOPLE
- SETTINGS
- Organizations
- Telephony
- Pacing curve
- Recording retention
- Frequency caps (TCPA)
- Wrap-up enforcement
- Queue announce
- Inbound callback
- SMTP / email
- Backups
- Timer health
- Holidays
- CRM
- Database
- Release check
- AI personas
- Master AI
- Race auto-prune
- Domain & TLS

← Dashboard

Telephony

FreeSWITCH is the media + dialplan engine. The token below is **global** — one per DialerOS deployment, stored encrypted — and reused to install FreeSWITCH on **every** telephony node, whether that's this admin host alone, or a separate cluster of media boxes you provision in **Cluster Nodes**.

SIGNALWIRE TOKEN

FreeSWITCH installs from SignalWire's apt repo, which requires a free Personal Access Token. Sign up at [signalwire.com](#) → Personal Access Tokens. Stored AES-256-GCM-encrypted at rest; never sent back to the browser.

Status: **Token saved**

Replace token

Leave blank to keep existing

Save token

Clear saved token

This host

The host running this admin GUI. Install FreeSWITCH here for a single-box setup, or skip this section if you're running a split deployment (admin on one box, telephony on others).

Freeswitch

Refresh

REACHABLE
yes

VERSION
1.11.0

UPTIME
0 years, 7 days, 23 hours, 43 minutes, 5 seconds, 122 milliseconds, 226 microseconds

Install FreeSWITCH

Test call

Quick way to confirm a carrier is wired all the way through: FreeSWITCH up → gateway pushed → SIP registered → INVITE actually reaches the destination. Skip this section if FreeSWITCH isn't running yet — the originate will fail at the ESL connect.

TEST CALL

SOFTPHONE 1002

Place a one-shot call through a carrier's pushed FreeSWITCH gateway. The carrier must be in UP state on its detail page first — otherwise the originate fails before reaching the far end.

Carrier

RDP13

To (E.164 or digits)

+14155551234

CID (recommended)

+12025550100

App after answer

echo — test 2-way audio

Originate timeout

30

PURPOSE

FreeSWITCH/ESL connection, SIP domain, core params.

KEY ACTIONS

- Verify ESL up
- Set SIP domain

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

Organizations

Telephony

Pacing curve

Recording retention

Frequency caps (TCPA)

Wrap-up enforcement

Queue announce

Inbound callback

SMTP / email

Backups

Timer health

Holidays

CRM

Database

Release check

AI personas

Master AI

Race auto-prune

Domain & TLS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Pacing recommendation

Tune the answer-rate → dial_level curve the recommendation card uses on every campaign's Real-Time tab. Each step is "at this answer rate or higher, recommend this dial_level." Steps must be sorted DESC by min_rate and the lowest step must be min_rate = 0 (catch-all).
Currently using defaults — no override saved.

STEP	MIN ANSWER RATE (%)	DIAL_LEVEL	
1	50.0	1	Remove
2	25.0	1.5	Remove
3	15.0	2	Remove
4	5.0	3	Remove
5 CATCH-ALL	0.0	4	

+ Add step

Reset to defaults

Save curve

PURPOSE

Global predictive thresholds & abandon target.

KEY ACTIONS

- Set abandon target
- Tune predictive ratio

DialerOS

- LIVE OPERATIONS ▶
- CAMPAIGNS & LEADS ▶
- INBOUND ▶
- TELEPHONY ▶
- REPORTS & AUDIT ▶
- PEOPLE ▶
- SETTINGS ▼
- Organizations
- Telephony
- Pacing curve
- Recording retention
- Frequency caps (TCPA)
- Wrap-up enforcement
- Queue announce
- Inbound callback
- SMTP / email
- Backups
- Timer health
- Holidays
- CRM
- Database
- Release check
- AI personas
- Master AI
- Race auto-prune
- Domain & TLS

+ SaaS

admin
admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Database

Backend status + Postgres migration tooling. Today DialerOS runs on sqlite via node:sqlite; the Postgres query backend is groundwork for iter 188 (pre-1.0 release). The export tool below works today — point it at your sqlite file, redirect to a .sql file, and `psql -f` against your target pg server.

CONFIGURED BACKEND

sqlite

SQLITE PATH
/opt/dialeros/apps/admin-gui/data/dialeros.db

DATABASE_URL
(unset)

APPLIED COLUMN_MIGRATIONS
142

Export sqlite → Postgres

```
# On the VPS, as the dialeros user:
cd /opt/dialeros
node --experimental-strip-types scripts/export-to-postgres.ts > /tmp/dialeros-pg-dump.sql

# Inspect:
less /tmp/dialeros-pg-dump.sql

# Apply to your target Postgres:
psql "$DATABASE_URL" -f /tmp/dialeros-pg-dump.sql
```

The dump translates:

- INTEGER PRIMARY KEY AUTOINCREMENT → GENERATED BY DEFAULT AS IDENTITY
- strftime('%Y-%m-%dT%H:%M:%fZ', 'now') → to_char(now()) AT TIME ZONE 'UTC', ...)
- datetime('now', '-N minutes') → now() - interval 'N minutes'
- INSERT OR IGNORE → handled per statement (passthrough when in COLUMN_MIGRATIONS seeds)

What doesn't translate: the FT55 virtual table (dial_intents_fts) is marked as a TODO comment in the dump. After import you need to add pg-native tsvector columns + GIN index for transcript search. Iter 188 wires this end-to-end.

Health endpoint reports the active backend at /api/health.

PURPOSE

DB status & size.

KEY ACTIONS

- Monitor growth
- Health at a glance

DialerOS

- LIVE OPERATIONS >
- CAMPAIGNS & LEADS >
- INBOUND >
- TELEPHONY >
- REPORTS & AUDIT >
- PEOPLE >
- SETTINGS ▾
- Organizations
- Telephony
- Pacing curve
- Recording retention
- Frequency caps (TCPA)
- Wrap-up enforcement
- Queue announce
- Inbound callback
- SMTP / email
- Backups
- Timer health
- Holidays
- CRM
- Database
- Release check
- AI personas
- Master AI
- Race auto-prune
- Domain & TLS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Backups

The iter-112 nightly job (dialeros-backup.timer, 02:00 UTC) snapshots the live sqlite DB into /var/backups/dialeros. The iter-170 weekly verifier (dialeros-backup-verify.timer, Sunday 03:00 UTC) restores the latest snapshot to a temp file, runs PRAGMA integrity_check + core-table presence + row counts, and writes a row to this table. Backups you've never restored aren't backups.

LATEST VERIFICATION

● OK

5/17/2026, 3:07:15 AM

USERS
5

CAMPAIGNS
2

DIAL_INTENTS
4918

LEADS
60003

SIZE
29.1MB

LATEST INTENT TS
5/12/2026, 7:54:52 AM

/var/backups/dialeros/20260517T061123Z/dialeros.db

TRIGGER

Run verify now

HISTORY

WHEN	STATUS	SIZE	INTENTS	SOURCE
5/17/2026, 3:07:15 AM	ok	29.1MB	4,918	/var/backups/dialeros/20260517T061123Z/dialeros.db
5/14/2026, 4:06:44 AM	ok	28.8MB	4,918	/var/backups/dialeros/20260514T080254Z/dialeros.db

PURPOSE

Nightly backup config & verify.

KEY ACTIONS

- Verify backup runs
- Keep off-box copies

DialerOS

- LIVE OPERATIONS >
- CAMPAIGNS & LEADS >
- INBOUND >
- TELEPHONY >
- REPORTS & AUDIT >
- PEOPLE >
- SETTINGS ▾
- Organizations
- Telephony
- Pacing curve
- Recording retention
- Frequency caps (TCPA)
- Wrap-up enforcement
- Queue announce
- Inbound callback
- SMTP / email
- Backups
- Timer health
- Holidays
- CRM
- Database
- Release check
- AI personas
- Master AI
- Race auto-prune
- Domain & TLS

+ SaaS

admin
admin
ORG - Default Organization

Sign out

DialerOS v1.0.0

Recording retention

How long to keep call recordings on disk. The nightly prune job (dialeros-prune-recordings.timer) deletes .wav files older than the retention window and NULLs the matching dial_intent rows' recording_path so the play/download buttons disappear. Off by default — toggle on once you've confirmed the cutoff is what you want with the Preview button below.

☒ Enable nightly prune

Retention (days)

30

Files older than this (by mtime) are deleted on the next tick. Min 1, max 3650 (10 years).

Save

Run now

Preview shows what the nightly tick WOULD do under the current settings, without deleting anything. Apply runs the actual prune. Disabled (in the toggle above) means both return zero — flip the toggle on first.

Preview

Prune now

PURPOSE

How long recordings are kept; auto-prune.

KEY ACTIONS

- Match legal policy
- Enable the sweeper

DialerOS

- LIVE OPERATIONS ▶
- CAMPAIGNS & LEADS ▶
- INBOUND ▶
- TELEPHONY ▶
- REPORTS & AUDIT ▶
- PEOPLE ▶
- SETTINGS ▼

- Organizations
- Telephony
- Pacing curve
- Recording retention
- Frequency caps (TCPA)
- Wrap-up enforcement
- Queue announce
- Inbound callback
- SMTP / email
- Backups
- Timer health
- Holidays
- CRM
- Database
- Release check
- AI personas
- Master AI
- Race auto-prune
- Domain & TLS

+ SaaS

admin
admin
ORG - Default Organization

Sign out

DialerOS v1.0.0

Holidays

Org-wide holiday calendar. On a holiday date, every in-group is forced into after-hours routing regardless of its business-hours schedule — callers hit `after_hours_call_menu_id` if set, or get a reject. Disable a row to keep it on file without taking effect (e.g. the business decides to stay open this year).

Add holiday

Date (YYYY-MM-DD)

Name

Add

No holidays yet. Add one above; it'll force after-hours routing on that date for every in-group.

PURPOSE

No-call dates (compliance).

KEY ACTIONS

- Add holidays
- Blocks outbound on those days

DialerOS

LIVE OPERATIONS

CAMPAIGNS & LEADS

INBOUND

TELEPHONY

REPORTS & AUDIT

PEOPLE

SETTINGS

Organizations

Telephony

Pacing curve

Recording retention

Frequency caps (TCPA)

Wrap-up enforcement

Queue announce

Inbound callback

SMTP / email

Backups

Timer health

Holidays

CRM

Database

Release check

AI personas

Master AI

Race auto-prune

Domain & TLS

+ SaaS

admin

admin

ORG - Default Organization

Sign out

DialerOS v1.0.0

Organizations

Tenant orgs. Each user belongs to exactly one. The default org is the catch-all — legacy rows pre-iter-181 sit here and it can't be deleted. Per-resource isolation (campaigns, in-groups, leads, audit) ships in later Phase F iters.

Add organization

ID

Slug

Name

acme

acme

Acme Corp

Add

ID	SLUG	NAME	USERS	STATUS	
default	default	Default Organization	5	☒ enabled	Rename

PURPOSE

Multi-tenant organizations.

KEY ACTIONS

- Add an org
- Scope data per tenant