In this assignment you will implement a program called "nursery_inv2.cpp" to process the customer purchase orders for a nursery. The purchase orders will be stored in order records. Each order record contains eight fields, which are as follows: 1) a plant name (string, no spaces), 2) a county name (string, no space), 3) the cost of the plant (double), 4) the quantity of plants in the purchase (integer), 5) the tax on the purchase (double), 6) the net cost of the purchase (double), 7) the discount on the purchase (double), and 8) the total cost of the purchase. Your program will have 3 functions: input, process. and output. Your main program will call (invoke) each function until the end of the data file has been reached. Following are the descriptions of the functionality of each function:

- 1. The function "input" will have two parameters: an input file stream called "in", and a customer purchase order record called "order_record". The function will read a plant name (pname), the name of the county the plant was purchase in (cname), the cost of the plant (plant_cost), and the quantity of the plant purchase (quantity) into an order record from the data file, "nursery_stock.txt".
- 2. The function "process" will calculate the *net cost* of the purchase (*net_cost*), the *tax* on the purchase (*purchase_tax*), the *discount* on the purchase (*discount*), and the *total cost* of the purchase (*total_cost*). Please consider the following information to help you implement the necessary calculations:
 - a. The *tax rate (in percent) on a purchase* is based on the *county* where the purchase was made. If the county was *dade*, the tax rate is 6.5%; if the county is *broward*, the tax rate is 6%; if the county was *palm*, the tax rate is 7%.
 - b. The *net cost of a purchase* is calculated by the following formula:
 - net_cost = (quantity x plant_cost)
 - c. The *discount* is based on the *quantity of plants* in the purchase. *The discount is determined is follows:*
 - If *quantity* equals 0, then the *discount* is 0% of the net cost;
 - If 1 <= quantity <= 5 then discount = 1% of the net cost; 6 <= quantity <= 11 then discount = 3% of the net cost; if 12 <= quantity <= 20 then discount = 5% of the net cost; 21 <= quantity <= 50 then discount = 8% of the net cost; quantity > 50 then discount = 12% of the net cost). Apply discount after the net cost has been calculated.
 - d. The *tax on a purchase* is calculated by the following formula:
 - purchase_tax = (net_cost * tax_rate / 100 (drop/100 if you converted the rate from a percentage)
 - e. The *total cost of a purchase* (*rounded to the nearest hundredth*) is calculated by the following formula:
 - total_cost = net_cost +purchase_tax discount.
 - **Note:** All tax and cost calculations should be rounded to the nearest hundredths.

3. The function "output" will print every field of an order record to the screen. The fields should be printed in the following order: plant name, county name, plant cost, quantity of plants, net cost of purchase, purchase tax, discount, and total cost. See the section below called "Input Stream" and "Format of Output" for more information. See "Format of Input data file, "nursery_stock.txt"".

Use the following format information to print the variables:

Field	Format
Plant Name	string
County Name	string
Plant Cost	XXXX.XX
Quantity of Plants	XXXX
Net Cost of Purchase	XXXXX.XX
Purchase Tax	XXXXX.XX
Discount on Purchase	XXXX.XX
Total Cost of Purchase	XXXXXXX.XX

You may implement more functions if you find it necessary. Please start the assignment ASAP, and ask questions to make sure you understand what you must do. It is always good to start with the skeleton program I provide. Remember to follow all style rules and to include all necessary documentation (consistent, indentation, proper variable names, pre/post conditions, program header, function headers, and so forth.).

Finally, your input data file (*nursery_stock.txt*) should be in the same directory as your program source file (nursery_inv2.cpp) for your program to produce the correct output.

Output Format for the Function "output":

Consider the following sample output table when designing and implementing the function "output":

(The output is in the following order: plant name, county name, plant cost, quantity, net cost, purchase tax, discount, total cost).

owl	dade	10.55	100	1055	126.6	68.58	996.98
hibiscus	broward	15.82	15	236.3	11.87	14.24	239.67
rose	dade	9.99	45	449.55	35.96	29.22	442.81

Input Stream:

In the assignment you will declare one ifstream to bind your input to the file "*nursery_stock.txt*" to an input file stream. Whenever a program performs file i/o you must include the "*fstream*" library. Add the following statements to your program:

For source file, "nursery_inv2.cpp"

- Add "#include <fstream>" to your # include statements in your source file.
- Add "#include <string>" to your # include statement in your source file.
- Add "#include <iomanip>" all formatting of output

Format of the input data file (input filename is "nursery_stock.txt"):

Do not include column titles in your data file. Field as order as follows: plant name, county name, plant cost, quantity.

Owl	dade	10.55	100
Hibiscus	broward	15.82	15
Rose	dade	9.99	45
carnation	palm	7.99	32
Rose	palm	7.99	60
Widow	palm	25.75	5
carnation	dade	12.55	10
carnation	dade	12.55	8
Lilly	broward	6.92	150
xerabtgemum	palm	13.63	50
Yarrow	dade	22.85	20
Zenobia	palm	37.19	32
zephyranthes	broward	62.82	40
Daisy	broward	15.99	80
aconitum	dade	30.02	72
amaryllis	dade	16.14	65
Begonia	broward	18.45	3
Bellflow	broward	2.96	200
bergenia	palm	85.92	10

Format of Output:

(plant name, county name, plant cost, quantity, net cost, discount, purchase tax, total cost)

Using the information in the data file "nursery_stock.txt" you should produce the following output. Your output should not contain any titles, but the output must be in the proper order as stated in the assignment. The following contains an example of the output your program should produce if you use the contents in the data file "nursery_stock.txt". You should double check the results.

owl	dade	10.55	100	0.065	1055.00	0.12	126.60	68.58	996.98
hibiscus	broward	15.82	15	0.06	237.30	0.05	11.87	14.24	239.67
rose	dade	9.99	45	0.065	449.55	0.08	35.96	29.22	442.81
carnation	palm	7.99	32	0.07	255.68	0.08	20.45	17.90	253.12
rose	palm	7.99	60	0.07	479.40	0.12	57.53	33.56	455.43
widow	palm	25.75	5	0.07	128.75	0.01	1.29	9.01	136.48
carnation	dade	12.55	10	0.065	125.50	0.03	3.77	8.16	129.89
carnation	dade	12.55	8	0.065	100.40	0.03	3.01	6.53	103.91
lilly	broward	6.92	150	0.06	1038.00	0.12	124.56	62.28	975.72
xerabtgemum	palm	13.63	50	0.07	681.50	0.08	54.52	47.71	674.69
yarrow	dade	22.85	20	0.065	457.00	0.05	22.85	29.71	463.86
zenobia	palm	37.19	32	0.07	1190.08	0.08	95.21	83.31	1178.18
zephyranthes	broward	62.82	40	0.06	2512.80	0.08	201.02	150.77	2462.54
daisy	broward	15.99	80	0.06	1279.20	0.12	153.50	76.75	1202.45
aconitum	dade	30.02	72	0.065	2161.44	0.12	259.37	140.49	2042.56
amaryllis	dade	16.14	65	0.065	1049.10	0.12	125.89	68.19	991.40
bogonia	broward	18.45	3	0.06	55.35	0.01	0.55	3.32	58.12
bellflow	broward	2.96	200	0.06	592.00	0.12	71.04	35.52	556.48
bergenia	palm	85.92	10	0.07	859.20	0.03	25.78	60.14	893.57

Use the following skeleton to help you start this program which is included as a cpp file in the module: nursery_inv2.cpp

```
Professor: Dr. Lofton Bullard
Due Date:
                            Total Points: 20
Assignment#:Assignment#2 (nursery_inv.cpp)
Description:
************************************
**************
//Include the following
#include <iostream>
#include <string>
#include <fstream> //you must include this library if you wish to do file i/o
#include <iomanip>
using namespace std;
/***********************
//Following is the declaration of a order record
class order record
public:
      string pname;
      string cname;
      double plant cost;
      double quantity;
      double purchase_tax;
      double net cost;
      double discount;
      double total cost;
};
//Prototypes for your functions: input, output, and process will go here
void input(ifstream&, order_record&);
void output(const order_record&);
void process(order_record&);
//Function Implementations will go here
///*********************************
//Name: input
//Precondition: State what is true before the function is called.
// Example: the varialbes (formal parameters) have not been initialized
//Postcondition: State what is true after the function has executed.
// Example: the varaibles (formal parameters) have been initialized
//Description:
// Example:Get input (values of plant name, county name, plant cost, quantity )
//from data file order record (p_record).
//PURPOSE: SHOW ME THAT YOU KNOW HOW TO READ INPUT AND USE INPUT (CALL BY VALUE) & OUTPUT (CALL BY
VALUE) PARAMETERS
```

```
//*********************************
void input(ifstream& in, order_record& plant_record) // example using the call by reference mechanism
in C++ -- call record is passed by reference --note & operator
     in >> plant record.pname;
     //add more code to read the rest of the fields (county name, plant cost, quantity) into the
     //order record, plant_record.
}
//Name: output
//Precondition: State what is true before the function is called.
//Postcondition: State what is true after the function has executed.
//Description: Describe what the function does (purpose).
void output(const order_record& plant_record)
     //Use thee following statement to help you format you our output. These statements are called
the magic formula.
     cout.setf(ios::showpoint);
     cout.precision(2);
     cout.setf(ios::fixed);
     //cout << plant_record.pname << "\t";</pre>
     //add more code to print all the fields in the order record
}
//Name: process
//Precondition: The state what is true before the function is called.
//Postcondition: State what is true after the function has executed.
//Description: Describe what the function does (purpose).
//*********************************
//Note: there is one 1 input/output parameter
void process(order record & plant record)
{
     //put your code here to process/calculate the net cost, purchase tax, discount, and total cost
     //for the plant_record
}
//Here is your driver to test the program
int main()
{
     order_record purchase_record;
     string pname, cname;
     double cost;
     int quantity;
     ifstream in;
                  //declaring an input file stream
     in.open("nursery_stock.txt"); //opening the input file stream
     if (in.fail())
```

```
{
    cout << "Input file did not open correctly" << endl;
}
else
{    //the following while loop processes one order record at a time
    while (!in.eof())
    {
        input(in, purchase_record);
        //process(purchase_record);
        //output(purchase_record);
    }
}
in.close(); //always close opened files.
return 0;
}</pre>
```

Handing in your program:

Electronically submit "nursery_inv2.cpp" in the Assignments area of Canvas before the due date and time. Remember, complete the assignment no matter if it is late. It is very important that you do all assignments to master the C++ programming language and get a passing grade.