

COP3014-Foundations of Computer Science Assignment #3

In this assignment you will implement a program called "ebay_purchase_recs.cpp" to process customer purchase orders (orders) on Ebay. The purchase orders will be stored in variables. There are nine fields, which are as follows: 1) a ten-digit customer cell phone number (string, no dashes), 2) the item number (string), 3) the number of items (quantity) in the purchase order (integer), 4) the cost (price) of one item (double), 5) processing plant number (integer), 6) the tax rate on the order (double), 7) the net cost of the purchase order (double), 8) the purchase order tax (double) and 9) the total cost of the purchase order (double).

Your program will have 3 functions: input, process and output. Your main program will call (invoke) each function until the end of the data file has been reached.

Following are the descriptions of the functionality of each function:

1. The void function "input" will have six parameters: the input file stream called "in", the cell_number (customer cell phone number), the item_number (item identification number), the quantity (number of items in purchase order), the price (cost of one item) and the processing_plant (processing plant identification number. The function will read the cell_number, item_number , quantity, price and processing_plant from the data file.
2. The function "process" will calculate the order tax rate (**tax_rate**), net cost of an order (**net_cost**), the tax on an order (**order_tax**) and the total cost of an order (**total_cost**) using **the quantity, cost of an item (price), and processing plant identification number (processing_plant) for a purchase order**. Please consider the following:
 - a. The **tax rate on an order (tax_rate)** is simply based on the processing plant identification number (**processing_plant**) which is where the order was processed ($0 \leq \text{processing_plant} \leq 100$ then **tax_rate** = 6%; $101 \leq \text{processing_plant} \leq 200$ then **tax_rate** = 7%; $201 \leq \text{processing_plant} \leq 250$ then **tax_rate** = 8%; $251 \leq \text{processing_plant} \leq 400$ then **tax_rate** = 9%; **processing_plant** >400 then **tax_rate** = 12%) .
 - b. The **tax on an order (order_tax)** is calculated by the following formula:
order_tax = (quantity) x (price) x [(tax_rate) / 100].
 - c. The **net cost of an order (net_cost)**, which does not include tax, is calculated by the following formula:

net_cost = (quantity) x price .

- d. **The total cost of an order (rounded to the nearest hundredth)** is calculated by the following formula:

total_cost = net_cost + order_tax.

All tax and cost calculations should be rounded to the nearest hundredths.

3. The function “output” will print every variable to the screen. The variables should be printed in the following order: 1) cellphone number, 2) item_number, 3) quantity, 4)price, 5)processing_plant, 6) tax rate, 7) order tax, 8) net cost, and 9)total cost of order.

See sections below called “Input Sream” and “Format of Output for the function output” for more information. See the section “Format of Input Data File (input filename is “ebay_purchase_data.txt”)”.

You may implement more functions if you find it necessary. Please start the assignment ASAP, and ask questions to make sure you understand what you must do. It is always a good to start with the skeleton program I provide.

Remember to follow all style rules and to include all necessary documentation (consistent, indentation, proper variable names, pre/post condition, program header, function headers, and so forth.). Note that your input data file (**ebay_purchase_data.txt**) should be in the same directory as your program source file (**ebay_purchase_recs.cpp**).

Output Format for the Function "output":

Consider the following sample output table when designing and implementing the function "output".

(The output is in the following order: cell phone number, item number, quantity, price, process plant, tax rate, order tax, net cost, total order cost)

9546321555	452-XLY	2	70.82	503	0.12	17	141.64	158.64
9546321555	742-6Z3	300	10.14	47	0.06	182.52	3042.00	3224.52

Input Stream:

In the assignment you will declare one **ifstream** to bind your input to the file "**ebay_purchase_data.txt**" Whenever a program performs **file i/o** you must include the "**fstream**" library. Add the following statements to your program:

For source file, "ebay_purchase_recs.cpp":

- Add "**#include <iostream>**" to your # include statements in your source file.
- Add "**#include <fstream>**" to your # include statements in your source file.

- Add **"include <string>** to your # include statements in your source file.
- Add **"include <iomanip>** to your # include statements in your source file.

Format of the input data file (input filename is "ebay_purchase_data.txt"):

Do not include column titles (cell phone number, item, quantity, price, processing plant)

9546321555	452-XLY	2	70.82	503
9546321555	742-6Z3	300	10.14	47
5612971340	924-YUT	8	23.00	51
3051234567	9L3-11T	47	50.12	200
7542346622	453-TTT	92	25.25	110
3054432762	213-ABC	15	105.02	111
9544321011	321-XMZ	112	32.41	92
8776219988	444-SSS	100	12.12	86
9042224556	290-P23	297	9.62	500
7877176590	23Z-00Q	32	9.62	201
5617278899	893-42T	642	0.81	72
9546321555	008-LL5	90	45.80	18
5612971340	452-XLY	42	99.99	503
3051234567	742-6Z3	14	10.14	47
7542346622	742-6Z4	13	66.48	3
3054432762	742-6Z5	209	0.77	2
9544321011	742-6Z6	108	1.17	1
8776219988	213-ABC	67	105.02	111
9042224556	321-XMZ	500	32.41	92
7877176590	444-SSS	43	12.12	86
5617278899	290-P23	16	9.92	500
8776219988	23Z-00Q	82	9.62	201
9042224556	23Z-00Q	87	9.62	201
7877176590	23Z-00Q	445	9.62	201

