

Clock teacher guide

Read the answer as evidence of reasoning, with room for defensible alternatives.

Purpose

Use this workbook beside the existing course. The student reads, reasons and records evidence on paper while you supply demonstrations, actual school procedures and current task instructions. The activities are formative; this guide does not establish a new marking scheme.

Print and prepare

The student book contains 50 A4 pages, including the cover, contents and original plan. Print double-sided on the long edge for 25 sheets. Check the first duplex copy before a class run. No physical test print is claimed in the production record.

Authority and practical readiness

Use the unchanged original plan and written dimensions. Confirm current assessment dates and marks separately from retained historical records. Supply the applicable school SOPs, approved material/cutting information and relevant product or manufacturer instructions. Paper completion is not permission to operate equipment.

Using the answers

The answer guidance is keyed to the student page and prompt. Multiple-choice responses have one best answer; the explanations address the underlying reasoning. For open tasks, judge the stated evidence and reasoning, accepting valid alternatives. Do not require students to copy an indicative model word for word.

Teacher judgement

Check that photographs or records show the student's own actual work. A missing observation is a limitation to discuss, not a reason to invent a result. Illustrative artwork teaches recognition and comparison; it is not a construction plan or proof of safe performance.

PREPARATION AND TEACHING NOTES

Teaching modules 1–5

Prepare the actual source, sample or procedure before the linked lesson.

Module 1 • Brief, plans and controls • pp. 4–7

Display the original drawing and establish the current task separately from historical assessment files. Ask students to trace dimension and extension lines while explaining the difference between hazard, risk and control. Check that a written number is linked to the correct feature and that PPE is not presented as the entire safety system.

Module 2 • Timber, planning and calculation • pp. 8–11

Use actual school-supplied timber so natural features can be judged in context. Contrast a stage-specific WMS with a generic rule list. The page10 calculations use invented practice values; teach unit conversion without copying those values into the real cutting list.

Module 3 • Opening and local procedure • pp. 12–15

Have the actual school drill press SOP available before the paper audit. Students identify missing information rather than drafting their own machine settings or workholding. A completed workbook task is evidence of understanding, not authorisation to operate equipment.

Module 4 • Joint, chamfer and assembly • pp. 16–19

Use an approved sample or high-quality explanatory view to connect shoulder, depth and mating surface. Ask students to distinguish proud, flush and recessed and to consider alternative causes of a poor fit. The diagnostic sketch is conceptual and carries no replacement dimensions.

Module 5 • Drawer fit and reuse • pp. 20–23

Inspect real examples only in a teacher-approved context. Require an observation before a proposed cause and a check before a correction. Use off-cut decisions to distinguish defensible reuse from unsupported claims about certified sourcing or total environmental impact.

PREPARATION AND TEACHING NOTES

Teaching modules 6–10

Prepare the actual source, sample or procedure before the linked lesson.

Module 6 • Material behaviour and surfaces • pp. 24–27

Supply equal-size hardwood and softwood samples or verified data for the comparison. Ask students to separate grain, texture, density and total weight, then connect the properties to a Clock component. Use raking light to demonstrate why touch alone cannot establish an oil-ready surface.

Module 7 • Finishing and mechanism • pp. 28–31

Provide the actual approved oil label/SDS and mechanism information. Unknown product requirements stay marked Teacher to confirm. Inspect all proposed handling and finishing records against local instructions; no student text in this workbook substitutes for the product-specific or machine-specific procedure.

Module 8 • Design and technology • pp. 32–35

Keep proposed design changes visibly separate from approved/as-built records. For digital-to-physical learning, start with the page34 paper simulation and page47 drawing area; a teacher may schedule a screen or authorised output extension. Evaluate accuracy, training, access, waste and industry/career effects instead of assuming digital production is always superior.

Module 9 • Folio and evaluation • pp. 36–39

Use paired strong/weak captions to show why a picture and its explanation do different jobs. Students may practise with clearly labelled hypothetical cases, but actual folio evidence must describe their own process. Check PMI statements for a specific feature, evidence and consequence.

Module 10 • Quality and hand-off • pp. 40–43

Explicitly distinguish QA, testing and QC. Connect the final review with earlier checkpoints and actual drawer/mechanism/surface records. Check current submission directions and the exported or paper artefact; do not treat browser autosave, export or a blank checklist as proof of official hand-in.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 1 answers • 1

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 6 • A classmate measures 52 mm across a resized print and multiplies by three. Explain why that result cannot control marking out.

The printed image may have been resized, so its physical measurement is unreliable. The written dimensions and the exact features they refer to control marking out. Missing or ambiguous values require teacher clarification; multiplying a paper measurement does not resolve them.

Student page 6 • An operation has the correct PPE but unsecured work. Explain what is still missing.

PPE does not prevent the workpiece moving or spinning. The teacher must confirm the approved support/restraint, guards, relevant school SOP and supervision before operation. Do not invent a clamping arrangement.

Student page 7 • 1. Which evidence best supports a claim of successful craftsmanship?

B. The check names a criterion and a recorded result, while the photograph makes the feature inspectable. Attendance and unrelated or unsupported claims do not establish craftsmanship.

Student page 7 • 2. A written dimension is beside two nearby features. What should you do first?

C. Tracing identifies what the dimension actually describes. The correct number assigned to the wrong feature still produces incorrect work.

Student page 7 • 3. Which statement correctly describes PPE?

D. PPE is the final level of the hierarchy. It does not remove a hazard or replace an approved setup and procedure.

Student page 7 • Turn “My Clock will be good” into one testable success criterion. Name the evidence you would collect.

Accept a specific function or craftsmanship criterion linked to suitable evidence, for example consistent chamfer width shown in a relevant close-up, or a drawer that moves without force supported by a recorded teacher-directed function check. Do not accept a vague adjective alone.

Student page 47 • Your labelled view or concept sketch

Accept a legible relevant view, recognisable feature, accurate labels/reference edges and verified dimensions with units and source. A concept sketch may use annotations instead of manufacturing dimensions. Third-angle relationships apply where orthographic views are used. No measured-from-picture dimensions, invented hidden detail or unapproved variation presented as final.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 1 answers • 2

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 47 • Source / revision and design reasoning: explain what the drawing communicates, which information remains unconfirmed, and any proposed change requiring approval.

Expect the actual source/revision, clear purpose and honest unknowns. Proposed changes must state reason and effect on function/design/materials and remain proposals until teacher-approved. An as-built difference is recorded honestly.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 2 answers • 1

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 10 • Practice only: four strips are each 180 mm long. Find their total length in millimetres and metres, then estimate the cost at a hypothetical \$10 per metre. Show working.

$4 \times 180 = 720$ mm. $720 \div 1000 = 0.72$ m. $0.72 \times \$10 = \7.20 . This is a component-length practice estimate; no allowances or purchasing constraints were supplied.

Student page 10 • Improve this WMS checkpoint: “Check it.” Write a specific checkpoint for a dry-fit stage and name useful evidence.

Example: before adhesive, check that the identified parts meet in the correct orientation without force, inspect joint closure and squareness using the approved method, and record a dated result and photograph. Practical method and approval come from the school procedure/teacher.

Student page 11 • 1. A sound-looking off-cut has a split through the proposed joint. The best next step is to...

C. The position of a defect matters to the component’s job. Suitability must be judged before material is altered; hiding or finishing does not repair the underlying issue.

Student page 11 • 2. Which WMS entry is most useful?

A. It connects a specific stage to controls and evidence. The other entries lack a checkable method or source authority.

Student page 11 • 3. A supplier price is per metre. Which quantity can be multiplied directly by that price?

B. Multiplication needs matching units and a verified current unit price. Converting the total length to metres makes the estimate interpretable.

Student page 11 • Explain one case where keeping a natural timber feature is responsible, and one where rejecting a piece is responsible.

Accept keeping suitable colour/grain variation that does not compromise the component; reject or seek an alternative for a significant split, unstable piece or defect at a critical joint. Link each choice to function, accuracy, appearance and likely waste. Suitability remains teacher-approved.

Student page 45 • Source identification

Identify actual current sources and relevant school machine. Leave Teacher to confirm for unknowns; no invented approval or SOP revision.

Student page 45 • Your method

Rows should connect each specific approved work stage to relevant hazards, effective controls from the school SOP/teacher and an inspectable quality or evidence checkpoint. Sequence must be teacher-approved. Do not accept generic repeated “be careful”, invented settings, or PPE as the only control where other controls apply.

Student page 45 • Teacher confirmation or revision needed before proceeding:

Record actual outstanding questions and subsequent teacher directions. This field is a planning record, not a printed practical sign-off.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 2 answers • 2

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 46 • Verified component schedule

Teacher checks actual component interpretation, quantities and dimensions against approved drawing/cutting information. All three dimensions must describe the same part; missing facts remain Teacher to confirm. Include drawer components and suitable off-cut source when known.

Student page 46 • Show one material calculation with units, the current verified price/source/date and the estimate. State any approved allowances or purchasing rules.

Method depends on teacher-approved estimating basis. Expect accurate quantities and consistent units, current sourced price and date, visible working, and explicit allowances/purchasing constraints. No invented current price or assumption that the practice values on page10 are Clock dimensions.

Student page 46 • Compare planned and actual material use. Explain one difference or one reuse decision.

Accept an honest actual record of extra material, damage, approved changes, useful off-cut reuse or avoided waste. Explain the cause/benefit with evidence; do not infer certified sourcing or zero impact from reuse.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 3 answers

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 14 • Identify two further details that should be checked in the approved SOP before this record can be used. Explain why each matters.

Accept authorised supervision, actual required PPE, guards, selected bit, machine condition, work area, operating order, shutdown, waiting for movement to stop, fault reporting or housekeeping where applicable. Students identify the information needed and its purpose, not invent a machine-specific value or procedure.

Student page 14 • A measuring tool has been dropped and appears damaged. What is the responsible next action, and how could ignoring it affect the Clock?

Stop using the suspect tool and report it to the teacher for the approved response. A damaged reference or loose part may produce repeated inaccurate marking, affecting joints, opening position or drawer fit. Students should not repair or adjust it independently.

Student page 15 • 1. The face-opening diameter is missing from your verified information. What is the best next step?

D. The opening must match the approved design and supplied mechanism. Appearance, another project and available tooling do not establish the required diameter.

Student page 15 • 2. Which source should control the drill press SOP?

B. The procedure must match local equipment and approved controls. A general illustration or unrelated process cannot supply those details.

Student page 15 • 3. Why should only current-stage tools remain on the bench?

A. Order supports safe handling and accurate work. Hidden, damaged or poorly stored tools remain hazards even when a bench appears neat.

Student page 15 • Put this checking sequence in a sensible order: inspect the drilled result; confirm approved source and location; obtain the required setup/operation approval; record and report any fault.

Order: (1) confirm approved source and location; (2) obtain required setup/operation approval and complete only the authorised supervised operation; (3) inspect the result; (4) record/report any fault. The sequence is conceptual; the local SOP supplies actual operating steps.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 4 answers • 1

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 18 • Sketch a rebate relationship. Label the shoulder, recess and mating component. Use arrows to show where you would inspect if the matching component sits proud.

Look for a recognisable rectangular step and adjoining component with accurate labels. Inspection should address recess depth, seating/contact and possible debris; students should not invent dimensions or depict a rounded groove as a rebate. A simple sectional sketch is valid.

Student page 18 • Explain why squareness should be checked after clamps are applied even if the dry fit looked correct.

Clamp placement and uneven force can shift parts or distort the carcass. Recheck right-angle relationships, closure and alignment after clamping and adjustment before curing. A dry-fit result describes an earlier condition, not proof of the clamped condition.

Student page 19 • 1. A clean matching part sits proud in a rebate. Which possibility deserves checking?

A. Depth and seating directly affect flushness. Inspect those possibilities against the approved geometry before any correction; the symptom does not prove a single cause.

Student page 19 • 2. Which feature identifies a chamfer?

B. A chamfer is a flat slope, distinct from rounding or an irregular softened edge. Its design size and location still come from approved information.

Student page 19 • 3. What is the main purpose of a dry fit?

C. Dry fitting exposes problems while parts can still be separated. Adhesive changes the opportunity for adjustment and must follow the approved procedure.

Student page 19 • Write a three-part evidence caption for a dry-fit photo: what is visible; what was checked; what the result means for the next stage.

Example: “This photo shows the carcass dry fit. I checked the joint closure, orientation and squareness using the approved method. The recorded result was [actual result], so [teacher-approved next step].” Accept any honest specific result; do not presume approval or a fault-free assembly.

Student page 48 • Attach or sketch one actual joint, drawer-fit or construction-check view. Name the stage and date.

Actual image/sketch should reveal the claimed feature clearly. It must be created in a safe teacher-approved stopped context, protect privacy and not conceal faults. Generated or unrelated images cannot prove student work.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 4 answers • 2

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 48 • Caption: what is visible; what was checked; what was observed; why this matters.

Accept a specific stage and feature, relevant criterion/check and honest observed result linked to accuracy/function/craftsmanship. State limitations if the image alone does not prove the claim.

Student page 48 • Problem-solving record

A complete chain uses actual observed evidence, a plausible cause (label uncertainty), the actual teacher-approved response and retest result. Leave not-yet-completed actions pending rather than inventing a repair or success. A documented no-fault check is acceptable if that was the actual result.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 5 answers

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 22 • Record the three matches. Then explain why forcing case A could make diagnosis harder.

A–2, B–3, C–1. Forcing can damage edges, create fresh marks and mask the original contact pattern. Stop, inspect and seek teacher direction; an illustrative match does not prove the actual fault's cause.

Student page 22 • Write a four-step investigation for the tight corner: observe; check; propose an approved response; retest.

A valid plan names exact contact/movement evidence, checks both drawer and opening against approved information, seeks teacher approval for a limited response, and repeats the same movement/alignment check. Do not award credit for indiscriminate sanding or forced insertion.

Student page 23 • 1. What is clearance?

C. Clearance is a fitting relationship. It should permit movement without excessive looseness and must be judged against the approved design.

Student page 23 • 2. Which off-cut is the responsible choice?

B. Suitable reuse balances required size, condition, grain, accuracy and waste. Unsuitable scraps can create failure and more waste later.

Student page 23 • 3. The drawer rubs at one corner. What comes before material removal?

D. Diagnosis establishes a likely cause before an authorised correction. A local symptom does not justify changing a whole surface.

Student page 23 • Complete the evidence chain: “I observed ...; the likely cause was ... because ...; the teacher-approved response was ...; the retest showed ...”. Use an actual or clearly labelled hypothetical drawer fault.

Accept a coherent observation–evidence–cause–approved response–retest chain. Hypothetical examples must be labelled; actual approval/results must not be invented. More than one cause may be reasonable if uncertainty is acknowledged and the proposed check distinguishes it.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 6 answers

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 26 • Inspect two teacher-approved samples or supplied data.

Accept observations based on actual samples or identified teacher data. Compare equivalent sizes for qualitative weight, distinguish density from total mass and acknowledge moisture/unknowns. The selected component must be justified by actual function, appearance, stability and approved dimensions; no botanical-group stereotypes.

Student page 26 • A surface feels smooth but has cross-grain scratches in raking light. Explain why it is not automatically ready for oil.

Touch can miss scratches. Cross-grain marks can become more visible after oil, so inspect and seek the teacher-approved surface-preparation response before finishing. The exact abrasive grade is source-dependent and must not be guessed.

Student page 27 • 1. What does seasoning do?

B. Seasoning improves suitability and stability but timber can still exchange moisture with the air and move.

Student page 27 • 2. Which is a fair statement about hardwoods and softwoods?

D. Group labels do not guarantee physical properties. A useful choice links verified properties to the component's job.

Student page 27 • 3. Why follow the approved abrasive progression?

A. Controlled progression refines the surface. Skipping stages, rounding important edges and relying on oil to hide faults undermine accuracy and finish.

Student page 27 • A drawer fitted earlier but now rubs. Give two different possible causes and one observation that would help distinguish them.

Accept timber movement/warping, uneven sanding, changed alignment, debris or finish build-up where relevant. A distinguishing observation could be new warp, a local contact mark, a changed gap, surface contamination or a before/after measured check. Treat causes as hypotheses until verified.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 7 answers

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 30 • Repair the record using the actual product information in class.

Entries must use the actual approved product information and observed surface. Accept a clear Teacher to confirm if the product is not supplied. No invented recoating time, chemical handling instruction or approval; teacher checks accuracy before use.

Student page 30 • The mechanism will not seat easily in the finished opening. Explain why “push harder” is a poor response, and name two things to inspect.

Force may split timber, damage the finish or bend components. Inspect orientation/compatibility, opening condition, finish build-up, dust, alignment or supplied fitting information. Stop and seek teacher approval before any alteration.

Student page 31 • 1. What establishes readiness for another oil coat?

C. Recoating depends on the actual product requirements and observed condition, not the timetable or another student's progress.

Student page 31 • 2. What should happen to oil-contaminated cloths?

A. Contaminated materials may be hazardous. The product-specific and local procedure controls safe handling; improvised disposal is not acceptable.

Student page 31 • 3. Which evidence best supports correct mechanism fit-up?

D. The checks address compatibility and operation. Appearance alone and forced insertion do not establish a sound fit.

Student page 31 • Write a fault record for an uneven finish patch. Include its location, observation, information needed and approved next-step field. Do not invent a product-specific remedy.

A strong record identifies the exact surface/location and visible patch, asks for the actual label/SDS and teacher inspection, and leaves the correction subject to approval. Accept uncertainty about cause; do not reward guessed solvent use, sanding grades or recoating times.

Student page 49 • Approved oil / label and SDS / teacher-confirmed finishing plan:

Record actual product and current information. Include relevant source references and any unresolved questions. No invented drying times, abrasive grades, disposal method or approval.

Student page 49 • Three-coat record

Each row needs actual coat/date, observed surface and relevant product readiness/quality checkpoint, plus the real next step. Unknowns or incomplete stages remain pending. The completed course requirement is three coats under current approved product/school controls.

Student page 49 • Mechanism and drawer fit

Record actual teacher-directed trials and inspectable observations against supplied mechanism and project information. Flag rubbing, force, hesitation, looseness or fit change; alterations require teacher approval. Do not imply a function test happened without evidence.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 8 answers

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 34 • Paper/screen test: create a sketch of one teacher-verified Clock detail using page 47 or an attached sheet. Record its source and units, an expected dimension or relationship, and your actual comparison result. Make and recheck a correction, or explain the evidence for no change. Use written dimensions; do not measure the reproduced plan.

Expected evidence: a real paper/screen sketch of an approved detail; identified source and units; an expected written dimension or geometric relationship; an observed comparison result; and a recorded correction with recheck, or a supported no-change result. Page 47 or an attached labelled sheet holds the output. Unknown values stay Teacher to confirm. A proposed check alone is insufficient. This is a simulation, not permission to run equipment.

Student page 35 • 1. A detail is attractive but prevents the drawer moving. Which judgement is strongest?

B. A successful design combines aesthetic and functional requirements. An attractive obstruction still conflicts with the project's intended use.

Student page 35 • 2. What should an as-built record show?

C. As-built evidence communicates what was actually produced. It preserves source authority and distinguishes approved changes from errors or unapproved alterations.

Student page 35 • 3. Which statement about digital production is defensible?

A. Technology can support repeatability but does not remove human judgement, controls or environmental impacts.

Student page 35 • Choose one timber career or small-business pathway. Name a task technology has changed, one skill still needed and one impact that deserves checking.

Accept cabinetmaking, joinery, wood machining, design, CAD/CAM, estimating, planning, finishing, maintenance, QA, sales or small business. Link the changed task to an appropriate digital/powered method, retain a relevant skill such as measurement/judgement/communication, and consider energy, waste, training, access, safety or ethical sourcing without unsupported universal claims.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 9 answers • 1

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 38 • Rewrite “My Clock is good” as an evidence-based caption. Use an actual photo, or clearly label a hypothetical example.

Accept a named stage/feature, visible evidence, a relevant check and an honest result. Hypothetical evidence must be labelled. Do not accept invented teacher approval, a claim about hidden features not shown, or unsupported “perfect” statements.

Student page 38 • Write one Minus statement and one linked improvement. Explain the practical effect of the limitation.

Accept a specific fault and its effect on function/craftsmanship/appearance, followed by a realistic improvement addressing the cause or missed check. Example: uneven chamfer line creates visual imbalance; improve layout verification and repeated comparison under teacher direction. No unapproved procedure is prescribed.

Student page 39 • 1. Which folio approach is strongest?

C. A progressive account shows intention, action, checking and learning. Hiding errors or omitting process evidence weakens the explanation.

Student page 39 • 2. Which caption gives the most useful evidence?

B. It names the visible feature, stage, check and result. Such a caption is valid only if it accurately describes the student’s own evidence.

Student page 39 • 3. Which statement is an evidence-based Minus?

D. It identifies a location, condition and effect that can be inspected, which supports a linked improvement.

Student page 39 • Choose an important stage that your folio does not yet prove. Name the missing evidence and a safe, honest way to address the gap.

Accept a genuine gap with feasible evidence still available, such as a current close-up, teacher-agreed inspection record or honest statement that the original stage was missed. Students must not recreate a hazardous operation for a photo or use generated/unrelated pictures as actual evidence.

Student page 44 • Choose four important checkpoints from your approved sequence.

Accept four distinct meaningful stages such as marked material before removal, a dry-fit joint, drawer movement, prepared surface, coat record or mechanism test. Each needs an appropriate photo/sketch/calculation/check and a specific purpose. The order must follow the teacher-approved sequence. No requirement to photograph operating machinery.

Student page 44 • Which evidence could be lost if you leave it until the Clock is finished? Explain how you will remember to collect it.

Examples include internal joint fit before assembly, the selected off-cut before cutting, surface condition before oil, or a fault before correction. A sensible reminder is a WMS checkpoint, teacher-agreed lesson note or evidence checklist.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 9 answers • 2

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 50 • PMI with evidence

Plus identifies a specific success with evidence/effect; Minus identifies an actual limitation and consequence; Interesting captures a meaningful discovery. All must agree with the physical work and recorded tests, without invented perfection or unperformed checks.

Student page 50 • One improvement: what would you change in your planning or checking next time, and why would it help?

Accept one realistic improvement directly connected to the PMI evidence and a reasoned effect on accuracy, safety, function, appearance, material use or communication. Any future practical method remains teacher-directed.

Student page 50 • Hand-off check: complete with your teacher's current requirements.

Record actual completeness, current teacher hand-off requirements and real backup/submission status. Autosave or export alone is not official submission. Paper hand-in may be the authorised method; do not invent an upload receipt or due date.

ANSWERS AND ACCEPTABLE EVIDENCE

Module 10 answers

Use the linked student-page prompts and accept sound alternative reasoning for open tasks.

Student page 42 • Match the action to its role.

Rows: QA; testing; QC. QA establishes the organised system, testing produces the result, and QC uses that result for a controlled decision. Final QA can verify that records cover the project.

Student page 42 • Choose one question you initially misunderstood. Write the original idea, the correction and a new Clock example that uses it.

Look for a specific misconception, accurate correction and a different applied example. Accept an honestly identified partial understanding. Copying an answer letter or a definition without transfer does not complete the task.

Student page 43 • 1. Which action is quality control?

B. QC compares results with criteria and controls what happens next. Planning the system is QA; producing the drawer result itself is testing.

Student page 43 • 2. Which revision record best shows learning?

C. The record identifies the error and demonstrates transfer. Memorising an answer may not change the underlying understanding.

Student page 43 • 3. Which statement about the online folio is accurate?

D. Local saving, export/backup and official submission are separate actions. The required file and hand-off must be verified.

Student page 43 • Name one workshop skill you can transfer to another project. Explain the Clock evidence that shows it and how you would use it again.

Accept a specific skill such as reference-based measurement, planned checkpoints, diagnosing a fault, safe procedure use, material judgement or evidence communication. Link an actual Clock event/result and a plausible new application without inventing achievement or sign-off.

SOURCE RECORD

Sources and teaching limits

Keep this guide with the corresponding student edition.

Companion course: <https://stevencowell.github.io/Yr-9-Clock/> . Prepared from the course materials available on 11 September 2026. Use the original project drawing and current teacher-issued instructions for practical work. Generated editorial pictures are labelled illustrations. Check the guided course for subsequent teacher additions.

Teacher to confirm: the current assessment notification, due dates, required approvals and any project-specific changes. Retained source task records from earlier years are evidence of their own editions and must not be silently presented as current.