AVAPS Drop Log

Project: Storm Mission: Storm eryl Flight ID: _____

Take Off: _____ Landing: _____ Flt Dir: Qui Launcher S/N: _____

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge $$ To	Comments	Good ?
1	222070572	1	0	0950	AJP	ONR		✓
2	222021022	2	-0.9	1002		ONR		✓
3	204270886	3	-2.3	1039		ONR		✓
4	221640561	4	-0.7	1127		NWS	Combo (ArBT) (JP)	✓
5	221750196	5	-0.4	1135		ONR		✓
6	221740651	6	-0.6	1141		NWS		✓
~~7~~	~~222350039~~	~~7~~	~~-0.6~~			~~ONR~~		
7 8	221750206	8	-0.5	1149		ONR		✓
8 ~~9~~	221730325	1	-0.8	1159		NWS		✓
9 ~~10~~	221750577	4	-0.4	1201		NWS	Center	✓
10 ~~11~~	221640990	3	-0.8	1204		NWS		✓
11 ~~12~~	221750577	2	-0.7	1215		NWS		✓
12 ~~13~~	222520311	5	-1.0	1227		NWS	Exit Point (Combo)	✓
13 ~~14~~	221210172	6	-1.1	124354		ONR		✓
14 ~~15~~	222520317	7	-1.0	1259	ASR	NWS		✓
15 ~~16~~	221531107	8	-0.5	1312		NWS		✓
16 ~~17~~	221640974	1	-0.5	1322		NWS		✓
17 ~~18~~	221750687	2	-1.0	1325		NWS		✓
18 ~~19~~	221531108	3	-0.7	1330		NWS		✓
19 ~~20~~	222010789	4	-0.7	1334		ONR		✓
20 ~~21~~	222050558	5	-0.5	1340		NWS		
21 ~~22~~	222520365	6	-0.9	1347		ONR		
22 ~~23~~	222021024	7	-0.6	1353		NWS		✓
23 ~~24~~	222010790	8	-0.5	1404		ONR		
24 ~~25~~	221350540	1	-0.7	1408		"		
25 ~~26~~	221740802	2	-1.0	1413		"		✓
26 ~~27~~	221750205	3	-0.7	1417		"		✓
27 ~~28~~	221430440	4	-0.7	1422		"		✓
28 ~~29~~	221740663	5	-0.7	1426		"		✓
29 ~~30~~	222120865	6	-0.1	1430		"		✓
30 ~~31~~	222020514	7	-0.1	1434		"		

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge $$ To	Comments	Good ?
31 32	2215305333	8	-0.6	1439		ONR		✓
32 33	222020986	1	-1.2	1443		"		✓
33 34	222021021	2	-0.5	1452		"		✓
34 35	221750195	3	-0.7	1525		"		✓
35 36	2220101012	4	-0.6	1601		"		✓
37								
38								
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								
49								
50								

Drop Station Operator Notes

Charge $$ To Options (DO NOT USE FUNDING CODES):
AOC, NWS, HRD, NESDIS, IR/SST, AR, GOMO, NASA, ONR, SAT (JPSS/NESDIS/HRD), NGI (Northern Gulf Institute – NOAA and Mississippi State University/APHEX collab), MS (old NRD94 sondes)

AVAPS Pre-Flight Check:

- If time-permits, verify cabin pressure sensor w/ lab standard
- Start AVAPS, then start Soundings and set the Project Name and Full Flight ID (example: 20120823N2).
- Verify the Frequency band allocation as required:
  Band A: 53rd WRS - Band B: N42RF - Band C: N43RF - Band D: N49RF - Band E: Unallocated
- Select the **GPS Reference** tab from the **Soundings Displays** page and verify good GPS data
- Perform a prelaunch check on each channel, look for reasonable data and no CRC error status lights.
- Verify data is available on Remote AVAPS, then terminate the sonde.
- Verify the AVAPS Data mission folder has been created
- Verify AVAPS PC Time is correct – if time is off by >4sec, no data will display
- Early launch detects are caused usually by remanufactured sondes with the chute riser line not properly coiled below the PCB ear. This may also cause fast falls. If this is suspected, repack the riser line as time permits
- Perform RH Regeneration on all sondes – Multiple sondes may be processed at once

AVAPS Launch:

- Select a sonde frequency in the Green band and away from other sondes
- Enter sonde pressure error offset if **0.1 mbar or greater** using cabin pressure sensor – warning, this cannot be used during a climb
- Wait until GPS available (green) on the pre-launch screen before continuing.
- Select "begin data collection" and verify good data with winds prior to putting sonde in launch tube
- RD41 ONLY: On N42 & N43, remove about ½ of the ribbon. Do not shorten the ribbon on N49. Loosen ribbon and extend end of ribbon to near, but not over, the sensor end of the sonde. Place excess orange tape on end of ribbon to form a pocket.
- RD41: Place the sonde in the launch tube, sensor arm up, with the power pin socket facing right
- NRD41: Place the sonde in the launch tube, sensor arm down
- Verify the sonde is actively tracking GPS data prior to launch and no early launch detect

AVAPS Drop Log

Project: Hurricane Mission: Hurr. Beryl Flight ID: 20240701I1

Take Off: _____ Landing: _____ Flt Dir: Quinn Launcher S/N: _____

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge $$ To	Comments	Good ?
1	221750221	1	-1.2	0914	ASR	NWS	IP1	
2	222520308	2	-0.1	0932	ASR			
3	222070568	3	-0.5	0942	AJP		RMW	
4	222520373	4	-0.5	0945	AJP		Center	
5	221711294	5	-0.5	0948	AJP		RMW	
6	221750323	6	-0.7	1000	AJP			
7	221730487	7	-0.6	1012	AJP		Exit Point 1	
8	222350054	8	-0.3	1038	AJP			
9	221730319	1	-0.4	1056	AJP			
10	222350120	2	-1.1	1100	AJP			
11	222020993	3	-0.4	1104	AJP			
12	221410029	4	-1.2	1106	AJP			
13	221730330	5	-0.4	1119	AJP			
14	222020520	6	-0.6	1124	AJP			
15	221350573	7	-0.7	1150	AJP			
16	221430468	8	-0.9	1157	AJP			
17	221711270	1	-0.2	1211	AJP			
18	221420513	2	-1.2	1213	AJP			
19	221640554	3	-0.9	1226	AJP			
20	221750194	4	-1.1	1216	AJP			
21	222350118	5	-0.6	1236	AJP			
22	222020989	6	-0.5	1321	AJP	HRD		
23								
24								
25								
26								
27								
28								
29								
30								
31								

— Stream Sonde 1(x)

AVAPS Drop Log

Project: Hurricane Mission: Hurricane Beryl Flight ID: 20240702I1

Take Off: _____ Landing: _____ Flt Dir: Linn Launcher S/N: [illegible]

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge $$ To	Comments	Good ?
1	221730320	1	-0.7	0913	AJP	NWS	Stream Sonde (1x)	✓
2	222020987	2	-1.1	0930				✓
3	222070574	3	-1.2	0941			stream sonde (4x)	✓
4	221730229	4	-0.2	0943			center	✓
5	221730322	5	-0.6	0945			stream sonde (4x)	✓
6	222030355	6	?	0958				✓
7	221410189	7	-1.3	1012			e.p. 1	✓
8	221530531	8	-0.6	1046			i.p 2	
9	221420512	1	-1.2	1057				
10	222030378	2	-0.6	1108				
11	221711271	3	-0.6	1110				
12	221750521	4	-1.5	1114				
13	222020985	5	-0.6	1121				
14	221810052	6	?	1132				
15	222050556	7	-1.0	1149	ASR			
16	221730258	8	-0.5	1204				
17	222030380	1	/	1216		NRW		
18	221730488	2	-0.5	1219				
19	221750634	3	-2.3	1223				
20	221730321	4	-1.0	1238				
21	222030374	5	-1.3	1249				
22	222010834	6	-0.9	1326				
23	222080834	7	-0.7	1345		~~NRW~~		
24	221730324	8	-1.2	1355		~~NRW~~		
25	222020988	1	-1.0	1400		NRW		
26	221820324	2	-1.2	1416				
27	221721182	3	-1.0	1428				
28	?	4	?					
29		5	-2.6					
30								
31								

AVAPS Drop Log

Project: HURRICANE Mission: H. Beryl Flight ID: 07/03 I1

Take Off: _____ Landing: _____ Flt Dir: Quinn Launcher S/N: _____

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge $$ To	Comments	Good ?
1	221811171	1	-0.5	1052	ASR			
2	222010097	2	-0.4	1104				
3	222030372	3	-0.7	1115				
4	222030331	4	-0.5	1118				
5	222010064	5	-0.7	1121				
6	221820013	6	-0.5	1129				
7	222030364	7	-0.5	1141				
8	222010109	8	-1.2	1156				
9	221750632	1	-0.4	1201				
10	221721178	2	-0.5	1210				
11	221730341	3	-0.5	1212				
12	221730636	4	-0.6	1215				
13	221721268	5	-0.8	1220				
14	221730635	6	-0.9	1228				
15	222030342	7	-0.4	1254				
16	222010056	8	-0.6	1304				
17	221730003	1	-0.5	1316				
18	600007500	2	-0.7	1318				
19	222020995	3	-1.0	1320				
20	222030363	4	-0.9	1329				
21	222050539	5	-0.5	1341				
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								

AVAPS Drop Log

Project: Hurricane Mission: Hx. Beryl Flight ID: 20240704I1

Take Off: _____ Landing: _____ Flt Dir: Quinn Launcher S/N: _____

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge $$ To	Comments	Good ?
1	222030369	1	-0.9	938	ASR		IP1	✓
2	222060066	2	-0.8	/			No launch detect	✓
3	222030381	3	-1.2	1004			EW1	✓
4	222010813	4	-0.9	1009			C	✓
5	222030375	5	-1.1	1009			EW1	
6	222030334	6	-0.8	1020			MP1	
7	222050545	7	-0.5	1031			EP1	
8	222060087	8	-0.1	1046			IP2	
9	222010088	1	-0.8	1057			MP2	
10	222050555	2	-0.6	1106			IW2	✗
11	222030341	3	-0.7	1108			C	
12	222010045	4	-0.7	1114			EW2	
13	222050581	5	-0.8	1121			MP2	
14	222060061	6	-0.8	1133			EP2	
15	222010089	7	-1.1	1207			IP3	
16	222010055	8	-1.0	1219			MP3	
17	222030377	1	-1.2	1231			EW3	
18	222080086	2	-1.1	1233			C	
19	222030368	3	-0.9	1236			EW2	
20	221530950	4	-1.2	1240			MP3	
21	222030366	5	-1.1	1300			EP3	
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								

AVAPS Drop Log

Project: Hurricane 24 Mission: Beryl Flight ID: 20240707I1

Take Off: 2014Z Landing: 0405Z Flt Dir: England/I Launcher S/N: _____

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge $$ To	Comments	Good ?
1	222030362	1	-1.0	2228	BRD	NWS	IPI 1	Y
2	222010083	2	-1.0	2241	BRD	NWS	MPI 1	Y
3	222050543	3	-0.9	2255	BRD	NWS	CP 1	Y
4	222030332	4	-1.0	2308	BRD	NWS	MPD 1	Y
5	222060062	5	-1.0	2320	BRD	NWS	EP1	Y
6	222010095	6	-1.3	2351	BRD	NWS	JP2	Y
7	222060090	7	-1.2	0006	BRD	NWS	MPI 2	Y
8	222050425	8	-1.1	0018	BRD	NWS	CP 2	Y
9	222010094	1	-1.3	0030	BRD	NWS	MP2	Y
10	222050553	2	-1.1	0035	BRD	NWS	EP2	Y
11	222060062	3	-1.3	0105	BRD	NWS	IP3	Y
12	222060064	4	-1.2	0115	BRD	NWS	MPI 3	Y
13	222030390	5	-1.3	0125	BRD	NWS	CP3	Y
14	222050544	6	-1.0	0137	BRD	NWS	MPD 3	Y
15	222050542	7	-1.0	0151	BRD	NWS	EP3	Y
16	[illegible]	[illegible]	[illegible]					
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								

AVAPS Drop Log

Project: MAGPIE Mission: MAGPIE FH 1 Flight ID: 20240713I1

Take Off: 1446Z Landing: 2052 Z Flt Dir: ENGLERT Launcher S/N:

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge $$ To	Comments	Good ?
1	222350026	1	-2.0	1458	BRD	ONR		✓
2	222010087	2	-1.7	1508	BRD	ONR	Combo	✓
3	222060089	3	-2.0	1519	BRD	ONR		✓
4	222430152	4	-2.0	1530	BRD	ONR	Combo	✓
5	222030356	5	-1.7	1540	BRD	ONR	Combo	✓
6	222520329	6	-1.9	1621	ASR	ONR		✓
7	222060088	7	-1.7	1627	ASR	ONR		✓
8	221721270	8	-1.5	1634	ASR	ONR		✓
9	222330570	1	-1.3	1640	ASR	ONR		✓
10	221840071	2	-1.2	1647	ASR	ONR		✓
11	222010093	3	-1.2	1653	ASR	ONR		✓
12	222030035 3	4	-1.2	1703	ASR	ONR		✓
13	222050537	5	-1.2	1714	ASR	ONR		✓
14	222050541	6	-1.2	1724:02	ASR	ONR		✓
15	263641221	7	-0.6	1734	ASR	ONR		✓
16	233640818	8	-0.6	1745	ASR	ONR		✓
17	233641236	1	-0.7	1754	BRD	ONR		✓
18	233460693	2	-0.7	1805	BRD	ONR		✓
19	233630622	3	-0.2	1817	BRD	ONR		✓
20	233340895	4	-1.5	1827	BRD	ONR		✓
21	233640530	5	-0.8	1909	BRD	ONR		✓
22	23350124	6	-0.7	1912	BRD	ONR		✓
23	233640829	7	-1.0	1916	BRD	ONR		✓
24	233221007	8	-1.0	1920	BRD	ONR		✓
25	233350146	1	-1.1	1923	BRD	ONR		✓
26	233641259	2	-0.8	1927	BRD	ONR		✓
27	233560246	3	-0.7	1930	BRD	ONR		✓
28	233350180	4	-0.1	1934	BRD	ONR		✓
29	233560364	5	-1.0	1937	BRD	ONR		✓
30	233560243	6	-0.5	1944	BRD	ONR		✓
31	233460211	7	-0.8	1954	BRD	ONR	NO DP/HUM	?

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge $$ To	Comments	Good ?
32	233641235	8	-1.0	1954	BRD	ONR		✓
33	233640187	1	-.2	1959	BRD	ONR		✓
34	233630648	2	-.8	2004	BRD	ONR		✓
35	233630610	3	-1.2	2011	BRD	ONR		✓
36	233560355	4	-1.2	2018	BRD	ONR		✓
37								
38								
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								
49								
50								

Drop Station Operator Notes

Charge $$ To Options (DO NOT USE FUNDING CODES):
AOC, NWS, HRD, NESDIS, IR/SST, AR, GOMO, NASA, ONR, SAT (JPSS/NESDIS/HRD), NGI (Northern Gulf Institute – NOAA and Mississippi State University/APHEX collab), MS (old NRD94 sondes)

AVAPS Pre-Flight Check:

- If time-permits, verify cabin pressure sensor w/ lab standard
- Start AVAPS, then start Soundings and set the Project Name and Full Flight ID (example: 20120823N2).
- Verify the Frequency band allocation as required:
  Band A: 53rd WRS - Band B: N42RF - Band C: N43RF - Band D: N49RF - Band E: Unallocated
- Select the **GPS Reference** tab from the **Soundings Displays** page and verify good GPS data
- Perform a prelaunch check on each channel, look for reasonable data and no CRC error status lights.
- Verify data is available on Remote AVAPS, then terminate the sonde.
- Verify the AVAPS Data mission folder has been created
- Verify AVAPS PC Time is correct – if time is off by >4sec, no data will display
- Early launch detects are caused usually by remanufactured sondes with the chute riser line not properly coiled below the PCB ear. This may also cause fast falls. If this is suspected, repack the riser line as time permits
- Perform RH Regeneration on all sondes – Multiple sondes may be processed at once

AVAPS Launch:

- Select a sonde frequency in the Green band and away from other sondes
- Enter sonde pressure error offset if **0.1 mbar or greater** using cabin pressure sensor – warning, this cannot be used during a climb
- Wait until GPS available (green) on the pre-launch screen before continuing.
- Select "begin data collection" and verify good data with winds prior to putting sonde in launch tube
- RD41 ONLY: On N42 & N43, remove about ½ of the ribbon. Do not shorten the ribbon on N49. Loosen ribbon and extend end of ribbon to near, but not over, the sensor end of the sonde. Place excess orange tape on end of ribbon to form a pocket.
- RD41: Place the sonde in the launch tube, sensor arm up, with the power pin socket facing right
- NRD41: Place the sonde in the launch tube, sensor arm down
- Verify the sonde is actively tracking GPS data prior to launch and no early launch detect

AVAPS Drop Log

Project: MAGPIE Mission: MAGPIE Flight ID: 20240715I2

Take Off: 1505Z Landing: 2219Z Flt Dir: K. Englert Launcher S/N: _____

Drop #	Sonde Serial #	Rcvr #	Press Offset	Launch Time	Operator	Charge $$ To	Comments	Good ?
1	233221000	1	-0.7	1544	ASR	ONR		✓
2	233630612	2	-0.3	1554	ASR	ONR		✓
3	233824626	3	-1.4	1620	ASR	ONR	Combo	✓
4	233220211	4	-0.8	1643	ASR	ONR	Combo	✓
5	233641222	5	-0.8	1709	ASR	ONR	Combo	✓
6	233350168	6	-0.2	1724	ASR	ONR		✓
7	233220200	7	—	1739	ASR	ONR	Combo	✓
8	233640203	8	-0.5	1743	ASR	ONR		✓
9	233220910	1	-0.2	1800	ASR	ONR		✓
10	233641248	2	-0.3	1810	ASR	ONR		✓
11	233541310	3	-0.3	1827	BRD	ONR		✓
12	233824632	4	-0.4	1833	BRD	ONR		✓
13	233220964	5	-0.2	1840	BRD	ONR		✓
14	233350150	6	-0.3	1846	BRD	ONR		✓
15	233460694	7	-0.4	1900	BRD	ONR		✓
16	233350131 ~~233460212~~	8	-0.6	1907	BRD	ONR		✓
17	233460212	1	-0.6	1914	BRD	ONR		✓
18	233350119	2	-.2	1922	BRD	ONR		✓
19	233631987	3	-0.4	1936	BRD	ONR		✓
20	233350148	4	-0.5	1942	BRD	ONR		✓
21	233460165	5	-0.6	1948	BRD	ONR		✓
22	233340917	6	-0.3	1954	BRD	ONR		✓
23	233541311	7	-0.2	2009	BRD	ONR		✓
24	233501164	8	-0.6	2015	BRD	ONR		✓
25	233220999	1	-0.2	2025	BRD	ONR		✓
26	233350149	2	-0.6	2032	BRD	ONR		✓
27	233460166	3	-0.5	2040	BRD	ONR		✓
28	233541322	4	-0.4	2059	BRD	ONR		✓
29	233350120	5	-0.2	2132	BRD	ONR		✓
30	233350177	6	-0.6	2143	BRD	ONR		✓
31	233410947	7	-0.6	2157	BRD	ONR		