



Table of Contents

[Preface](#)

[Part 1: Creating WhatsPackt, a Messaging App](#)

[1](#)

[Building the UI for Your Messaging App](#)

[Technical requirements](#)

[Defining the app structure and navigation](#)

[Modularization](#)

[Dependency injection](#)

[Navigation](#)

[Building the main screen](#)

[Adding a scaffold to the main screen](#)

[Adding the TopAppBar composable to the main screen](#)

[Adding the TabRow composable to the bottom of the main screen](#)

[**Adding a pager**](#)

[**Adding the FloatingActionButton composable**](#)

[**Creating the conversations list**](#)

[**Modeling the conversation**](#)

[**Creating the ConversationList composable**](#)

[**Building the messages list**](#)

[**Modeling the Chat and Message models**](#)

[**Creating the MessageItem composable**](#)

[**Adding the TopAppBar and BottomRow composables**](#)

[**Adding the messages list**](#)

[**Summary**](#)

[**2**](#)

[**Setting Up WhatsPackt's Messaging Abilities**](#)

[**Technical requirements**](#)

[**Using a WebSocket connection**](#)

[**Why WebSockets?**](#)

[**Integrating WebSockets**](#)

[**Implementing WebSocketDataSource**](#)

Receiving messages in our ViewModel

Understanding Clean Architecture implementation

Creating our Clean Architecture components

Implementing ChatViewModel

Handling synchronization and errors

Obtaining chat screen initialization data

Handling errors in the WebSocket

Adding push notifications

Setting up Firebase

Sending the FCM token to Firebase

Preparing the app to receive push notifications

Replacing the Websocket with Firestore

What is Firestore?

Chat data structure

Creating a FirestoreMessagesDataSource class

Summary

3

Backing Up Your WhatsPackt Messages

[Technical requirements](#)

[Understanding Room](#)

[Key features of Room](#)

[Room's architecture and components](#)

[Implementing Room in WhatsPackt](#)

[Adding dependencies](#)

[Creating the database](#)

[Creating entity classes](#)

[Creating DAOs](#)

[Creating a LocalMessagesDataSource data source](#)

[Handling two data sources in the MessagesRepository component](#)

[Getting to know Firebase Storage](#)

[How Firebase Storage works](#)

[Setting up Firebase Storage](#)

[Creating UploadMessagesUseCase](#)

[Scheduling WorkManager to send backups](#)

[Introducing the Worker class](#)

[Configuring the WorkRequest component](#)

[Creating our Worker instance](#)

[Setting up the WorkRequest class](#)

[Using Amazon S3 for storage](#)

[Integrating the AWS S3 SDK](#)

[Setting up Amazon Cognito](#)

[Creating an AWS S3 Storage provider and integrating it into our code](#)

[Summary](#)

[Part 2: Creating Packtagram, a Photo Media App](#)

[4](#)

[Building the Packtagram UI](#)

[Technical requirements](#)

[Setting up Packtagram's modules and dependencies](#)

[Setting up a version catalog](#)

[Modularizing our app](#)

[Getting to know Koin](#)

[Setting up Koin](#)

[Creating the stories screen](#)

[Creating the newsfeed screen and its components](#)

[Creating the NewsFeed list](#)

[Creating the PostItem composable](#)

[Using Retrofit and Moshi to retrieve newsfeed information](#)

[Adding the Retrofit and Moshi dependencies](#)

[Creating the data source for the newsfeed](#)

[Creating the repository](#)

[Creating the GetTheNewsFeedUseCase](#)

[Integrating the use case into our ViewModel](#)

[Implementing pagination in the newsfeed](#)

[Summary](#)

[5](#)

[Creating a Photo Editor Using CameraX](#)

[Technical requirements](#)

[Getting to know CameraX](#)

[The evolution of camera libraries in Android](#)

[The importance and advantages of CameraX](#)

[Setting up CameraX](#)

[Learning about CameraX's core concepts](#)

[Integrating CameraX into our Packtagram app](#)

[Setting up the permissions checker with Accompanist](#)

[Creating our own CameraPreview](#)

[Adding photo-saving functionality](#)

[Adding photo-editing functionalities](#)

[Adding filters](#)

[Adding a text overlay](#)

[Using ML to categorize photos and generate hashtags](#)

[Summary](#)

[6](#)

[Adding Video and Editing Functionality to Packtagram](#)

[Technical requirements](#)

[Adding video functionality to our app](#)

[Getting to know FFmpeg](#)

[The components of FFmpeg](#)

[Key features of FFmpeg](#)

[Integrating mobile-ffmpeg into our project](#)

[Understanding the FFmpeg command-line syntax](#)

[Advanced syntax and options in FFmpeg](#)

[Using mobile-ffmpeg to execute FFmpeg commands](#)

[Adding a caption to the video with FFmpeg](#)

[Adding a filter to a video with FFmpeg](#)

[Uploading the video](#)

[Summary](#)

[Part 3: Creating Packtflix, a Video Media App](#)

[7](#)

[Starting a Video Streaming App and Adding Authentication](#)

[Technical requirements](#)

[Creating the app's structure and modules](#)

[Setting up the dependency injection framework](#)

[Building the login screen](#)

[Authenticating the app's users](#)

[Creating the user model](#)

[Using Retrofit to get the authorization token](#)

[Using DataStore to store the token](#)

[Sending the authorization token in requests](#)

[Creating your movie list](#)

[Building the models](#)

[Building the MoviesScreen composable](#)

[Making the movie and series detail screen](#)

[Creating the detail models](#)

[Building the DetailScreen](#)

[Summary](#)

[8](#)

[Adding Media Playback to Packtflix with ExoPlayer](#)

[Technical requirements](#)

[Reviewing Android's media options](#)

[Learning about the MediaPlayer API](#)

[Learning about VideoView](#)

[Understanding the basics of ExoPlayer](#)

[Exploring ExoPlayer's architecture](#)

[Integrating ExoPlayer into our project](#)

[Creating the video playback user interface](#)

[Building PlaybackScreen and its composables](#)

[Making the controls disappear when playing the content](#)

[Playing video using ExoPlayer](#)

[Creating PlaybackActivity](#)

[Creating PlaybackViewModel](#)

[Connecting the controls with ExoPlayer](#)

[Implementing the video controls in PlaybackViewModel](#)

[Adding subtitles to the video player](#)

[Summary](#)

[9](#)

[Extending Video Playback in Your Packtflix App](#)

[Technical requirements](#)

[Getting to know the PiP API](#)

[PiP requirements](#)

[Entering and exiting PiP mode programmatically](#)

[Using PiP to continue playback in the background](#)

[Implementing PiP](#)

[Understanding how to add actions to the PiP mode](#)

[Adding actions to the PiP mode](#)

[Getting to know MediaRouter](#)

[Setting up MediaRouter](#)

[Discovering media routes](#)

[Connecting to Google Chromecast devices](#)

[Summary](#)

[Index](#)

[Other Books You May Enjoy](#)